



State of Ohio Environmental Protection Agency

P.O. Box 1049, 1800 WaterMark Dr.
Columbus, Ohio 43266-0149
(614) 644-3020
FAX (614) 644-2329

George V. Voinovich
Governor

Donald R. Schregardus
Director

January 20, 1993

Re: Physics International Co.
US EPA ID No.: OH4210090003
Ohio ID No.: 02-67-0550
Completion of Closure

Physics International Co.
Attn: Mr. G. M. Demarest
PO Box 1004
Wadsworth, Ohio 44281

Dear Mr. Demarest:

According to our records, on July 6, 1989, the Director of Ohio EPA approved an amended closure plan submitted by Physics International Co. for their hazardous waste pinkwater tank located at the Ravenna Army Ammunition Plant, Ravenna, Ohio 44266. On November 15, 1989, Physics International Co. submitted to the Director certification documents stating that the hazardous waste pinkwater tank had been closed according to the specifications in the approved amended closure plan. Ohio EPA District Office personnel completed a certification of closure inspection and a review of documents pertaining to the hazardous waste pinkwater tank on June 15, 1992. Based on this inspection and review, the Ohio EPA has determined that the hazardous waste pinkwater tank has been closed in accordance with the approved amended closure plan and Rules 3745-66-12 through 3745-66-15 of the Ohio Administrative Code (OAC) and Physics International Co. will maintain the status of a generator of hazardous waste.

You should continue to use the identification number assigned to you for purposes of compliance with Ohio EPA manifest, recordkeeping and reporting requirements for generators of hazardous waste as appropriate.

If you have any questions concerning your current status, please contact the Ohio EPA, Northeast District Office, Attn: Carolyn Reiersen, 2110 East Aurora Road, Twinsburg, Ohio 44087, telephone (216) 425-9171.

If you intend to no longer pursue your Ohio Hazardous Waste Facility Installation and Operation Permit and wish to withdraw

RECEIVED
7 1993

Physics International Co.
Completion of Closure
Pg. 2

your permit, the following information should be forwarded to Ohio EPA, Division of Hazardous Waste Management, Attn: Data Management Section at the letterhead address within thirty (30) days:


1. A fromal request for withdrawal signed by an authorized representative according to Rule 3745-50-42 (A-D) of the OAC (Enclosure 1) including a full explanation of your reasons for withdrawal of your application; and
2. A certificate statement signed by the same authorized representative of your facility (Enclosure 2).

Upon receipt of the above items, Ohio EPA will review your submission along with any facility inspection report(s). If no additional information is necessary, your permit withdrawal request will be finalized.

Please note that this letter does not relieve you of any corrective action responsibilities that may be required.

Should you have further questions concerning this procedure, please call Randy Sheldon, Data Management Section at (614) 644-2977.

Very truly yours,



Thomas E. Crepeau, Manager
Data Management Section
Division of Hazardous Waste Management

TEC/RS/ds

Enclosures

cc: Kevin Pierard, US EPA, Region V
Harriet Croke, US EPA, Region V
Hazardous Waste Facility Board
Randy Meyer, RCRA TAS, DHWM
Laurie Stevenson, HW ES, DHWM
Beth Barrett, DMS, DHWM
Mike Rath, DMS, DHWM
Carolyn Reiersen, NEDO, DHWM ✓
File

C.COC.LL6EU

33.14F