

DRAFT
FACILITY-WIDE GROUNDWATER MONITORING PROGRAM
RVAAP-66 FACILITY-WIDE GROUNDWATER
REPORT ON THE MAY 2014 SAMPLING EVENT

FORMER RAVENNA ARMY AMMUNITION PLANT
PORTAGE AND TRUMBULL COUNTIES, OHIO

August 22, 2014

GSA Contract Number GS-10F-0293K
Delivery Order W912QR-11-F-0266

Prepared for



U.S. Army Corps of Engineers
600 Martin Luther King Jr. Place
Louisville, Kentucky 40202

Prepared by



Environmental Quality Management, Inc.
1800 Carillon Boulevard
Cincinnati, Ohio 45240

REPORT DOCUMENTATION PAGE					<i>Form Approved OMB No. 0704-0188</i>	
<small>The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</small>						
PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.						
1. REPORT DATE (DD-MM-YYYY)		2. REPORT TYPE			3. DATES COVERED (From - To)	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)					8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)					10. SPONSOR/MONITOR'S ACRONYM(S)	
					11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT						
13. SUPPLEMENTARY NOTES						
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (Include area code)	

DISCLAIMER STATEMENT


This report is a work prepared for the United States Government by Environmental Quality Management, Inc. In no event shall either the United States Government or Environmental Quality Management, Inc. have any responsibility or liability for any consequences of any use, misuse, inability to use, or reliance on the information contained herein, nor does either warrant or otherwise represent in any way the accuracy, adequacy, efficacy, or applicability of the contents hereof.

CONTRACTOR'S STATEMENT OF INDEPENDENT TECHNICAL REVIEW

Environmental Quality Management, Inc. (EQM) has completed the *Draft Facility-Wide Groundwater Monitoring Program Report on the May 2014 Sampling Event*. Notice is hereby given that an independent technical review has been conducted that is appropriate to the level of risk and complexity inherent in this project. During the independent technical review, compliance with established policy principles and procedures, utilizing justified and valid assumptions, was verified. This included review of data quality objectives; technical assumptions, methods, procedures, and materials used; the appropriateness of data used and level of data obtained; and reasonableness of the results, including whether the product meets the customer's needs consistent with law and existing United States Corps of Engineers policy.




Jackie Doan, CQM, CQA, CHMM, CEAC
Director of Quality



Date




John M. Miller, CHMM
Senior Project Manager



Date



Colleen A. Lear CPG, LG
Geologist



Date

DRAFT
FACILITY-WIDE GROUNDWATER MONITORING PROGRAM
RVAAP-66 FACILITY-WIDE GROUNDWATER
REPORT ON THE MAY 2014 SAMPLING EVENT

FORMER RAVENNA ARMY AMMUNITION PLANT
PORTAGE AND TRUMBULL COUNTIES, OHIO

August 22, 2014

GSA Contract Number GS-10F-0293K
Delivery Order W912QR-11-F-0266

Prepared for

U.S. Army Corps of Engineers
600 Martin Luther King Jr. Place
Louisville, Kentucky 40202

Prepared by

Environmental Quality Management, Inc.
1800 Carillon Boulevard
Cincinnati, Ohio 45240

**Document Distribution for the
Draft
FWGWMP May 2014 Sampling Event Report
Former Ravenna Army Ammunition Plant**

<u>Name/Organization</u>	<u>Number of Printed Copies</u>	<u>Number of Electronic Copies</u>
ARNG Cleanup Program, Brett Merkel	0	1
OHARNG – CRJMTC-ENV Env. Scientist, Katie Tait	0	1
ARNG Restoration Project Manager, Kevin Sedlak	1	0
Ohio EPA - NEDO, Project Coordinator, Kevin Palombo	1	2
Ohio EPA – CO-DERR, Justin Burke	0	1
RVAAP Facility Archivist, Gail Harris	2	2
USACE Technical Manager, Mark Nichter	2	3
EQM Project Manager, John Miller	1	1

ARNG – Army National Guard
 OHARNG – CRJMTC-ENV – Ohio Army National Guard Camp Ravenna Joint Military
 Training Center – Environmental
 Ohio EPA - NEDO - Ohio Environmental Protection Agency – Northeast District Office
 Ohio EPA – CO-DERR – Ohio Environmental Protection Agency – Columbus – Division of
 Environmental Response & Revitalization
 RVAAP – Ravenna Army Ammunition Plant
 USACE – U.S. Army Corps of Engineers
 EQM – Environmental Quality Management, Inc.

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
List of General Acronyms.....	iii
List of Area of Concern Acronyms.....	v
Executive Summary	vi
1 Introduction	1
1.1 Facility Description	1
1.2 Project Description	1
1.2.1 Historical Monitoring.....	1
1.2.2 Current Monitoring.....	5
1.3 Scope of Work for the May 2014 Sampling Event	5
1.4 Report Presentation	6
2 Project Activities	7
2.1 Groundwater Level Monitoring.....	7
2.2 Groundwater Sampling.....	7
2.3 Laboratory Analysis	9
2.4 Data Verification/Validation	12
2.5 Investigation-Derived Waste.....	12
3 Summary	13
3.1 Groundwater Elevations	13
3.2 Summary of Analytical Results.....	13
3.2.1 Explosives and Propellants.....	14
3.2.2 Inorganic Elements.....	20
3.2.3 Volatile Organic Compounds (VOCs)	20
3.2.4 Semivolatile Organic Compounds (SVOCs).....	20
3.2.5 Pesticides and Polychlorinated Biphenyls (PCBs).....	20
3.3 Data Verification/Validation	29
4 References	33

TABLE OF CONTENTS
(continued)

Section Page

LIST OF FIGURES

1-1	RVAAP General Location Map.....	2
1-2	RVAAP Facility Map	3
2-1	Wells Monitored in May 2014.....	8

LIST OF TABLES

2-1	Analytical Suite of Chemicals	10
2-2	QA Table for May 2014 Sampling Event	11
3-1	FWGWMP May 2014 Explosive and Propellant Analytical Results	15
3-2	FWGWMP May 2014 Inorganic Analytical Results	18
3-3	FWGWMP May 2014 VOC Analytical Results.....	21
3-4	FWGWMP May 2014 SVOC Analytical Results.....	23
3-5	FWGWMP May 2014 Pesticides and PCBs Analytical Results	27
3-6	Percent of Acceptable Data.....	32

APPENDICES

A	Monitoring Wells Sampled During the May 2014 Groundwater Monitoring Event.
B	Water-Level Measurements/Field Log Book/Calibration Records/Sample and Purge Records/Daily Quality Control Reports
C	Data Verification Reports/Laboratory Data Sheets Sample Delivery Group 240-37114
D	Investigation-Derived Waste Characterization and Disposal Plan
E	Reporting Limits that Currently Do Not Meet the RVAAP QAPP Project Action Requirements, MCLs, and/or RSLs

LIST OF GENERAL ACRONYMS

1		
2		
3	ADR	Automated Data Review
4	amsl	above mean sea level
5	AOC	Area of Concern
6	ARNG	Army National Guard
7	°C	degree Celsius
8	CCV	continuing calibration verification
9	CRJMTC	Camp Ravenna Joint Military Training Center
10	CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
11	CLP	Contract Laboratory Program
12	DDE	dichlorodiphenyldichloroethylene
13	DFFOs	Director's Final Findings and Orders
14	DoD	Department of Defense
15	EQM	Environmental Quality Management, Inc.
16	EPA	Environmental Protection Agency
17	ft	feet
18	FWGWMP	Facility-Wide Groundwater Monitoring Program
19	FWGWMPP	Facility-Wide Groundwater Monitoring Program Plan
20	FWSAP	Facility-Wide Sampling and Analysis Plan
21	GC	gas chromatograph
22	GOCO	Government-Owned, Contractor-Operated
23	GSA	Government Services Administration
24	>	greater than
25	GW	groundwater
26	HNO ₃	nitric acid
27	HMX	Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine
28	HPLC	high-performance liquid chromatography
29	H ₂ SO ₄	sulfuric acid
30	IDW	Investigation-Derived Waste
31	IRP	Installation Restoration Program
32	LCS	laboratory control sample
33	<	less than
34	LS	Louisville District Quality Systems Manual Supplement
35	MCL	Maximum Contaminant Level
36	MDL	method detection limit
37	mg/L	milligram per liter
38	µg/L	microgram per liter
39	MMRP	Military Munitions Response Program
40	MRL	method reporting limit
41	MS	mass spectrometer
42	MS/MSD	matrix spike/matrix spike duplicate
43	mw	monitoring well
44	NaOH	sodium hydroxide
45	NEDO	Northeast District Office
46	N/A	not analyzed

LIST OF GENERAL ACRONYMS

(continued)

1		
2		
3		
4	NM	not measured
5	NS	no standard
6	NTU	nephelometric turbidity unit
7	OHARNG	Ohio Army National Guard
8	%	percent
9	PBA	Performance Based Acquisition
10	pCi/L	picocuries per liter
11	PCB	polychlorinated biphenyl
12	PETN	pentaerythritol tetranitrate
13	QA	quality assurance
14	QAPP	Quality Assurance Project Plan
15	QC	quality control
16	QSM	Quality Services Manual
17	RCRA	Resource Conservation and Recovery Act
18	RBC	Risk-Based Cleanup
19	RDX	hexahydro-1,3,5-trinitro-1,3,5-triazine
20	RI	Remedial Investigation
21	RL	reporting limit
22	RSL	Regional Screening Level
23	RVAAP	Ravenna Army Ammunition Plant
24	SDG	sample delivery group
25	SRC	Site-Related Contaminant
26	SVOC	semivolatile organic compound
27	s.u.	standard units
28	TAL	target analyte list
29	TOC	top of casing
30	U.S.	United States
31	USACE	United States Army Corps of Engineers
32	USEPA	United States Environmental Protection Agency
33	USP&FO	United States Property and Fiscal Officer
34	UV	ultraviolet
35	VOC	volatile organic compound
36		

LIST OF AREA OF CONCERN ACRONYMS

1		
2		
3	ASY	Atlas Scrap Yard
4	B12	Building 1200
5	BKG	Background
6	CBL	C-Block
7	CBP	Central Burn Pits
8	CP	Cobbs Pond
9	DA2	Demolition Area #2
10	EBG	Erie Burning Grounds
11	FBQ	Fuze and Booster Quarry
12	FWG	Facility-Wide Groundwater
13	LNW	Landfill North of Winklepeck
14	LL	Load Line
15	MBS	Mustard Burial Site
16	NACA	National Advisory Committee for Aeronautics
17	NTA	NACA Test Area
18	RQL	Ramsdell Quarry Landfill
19	SCF	Sharon Conglomerate Formation
20	WBG	Winklepeck Burning Grounds

EXECUTIVE SUMMARY

Past Department of Defense (DoD) activities at the former Ravenna Army Ammunition Plant (RVAAP) in Ravenna, Ohio, date to 1940 and include the manufacturing, loading, handling, and storage of military explosives and ammunition. Residual contamination from these early activities at RVAAP has been identified in groundwater beneath the facility. Currently, the approximately 21,683-acre facility is primarily used for military training.

The United States (U.S.) Army Corps of Engineers (USACE) is performing Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) closure at the former RVAAP under the Installation Restoration Program (IRP) and the Military Munitions Response Program (MMRP). The overall goal is to remediate the former RVAAP installation as all of the property has been transferred to the Army National Guard (ARNG) and is being used by the Ohio Army National Guard (OHARNG) as a military training site. One of the activities conducted under the IRP includes monitoring of an extensive network (now 284 wells) of groundwater monitoring wells at the former RVAAP facility. To date, 281 Facility-Wide Groundwater Monitoring Program (FWGWMP) wells of the 284 wells at the facility have been sampled and analyzed a minimum of four quarters.

In 2004, the U.S. Army and the Ohio Environmental Protection Agency (EPA) finalized the FWGWMP Plan, which detailed the requirements of the program for the 243 existing wells. The FWGWMP was initiated in 2005 with three consecutive quarters of FWGWMP well sampling. In addition, five Resource Conservation and Recovery Act (RCRA) wells located at Ramsdell Quarry Landfill (RQLmw-007, RQLmw-008, and RQLmw-009) and Demolition Area 2 (DETmw-003 and DETmw-004) are sampled on a semiannual basis.

The current wells to be sampled and the analytes to be analyzed from each well were approved in the FWGWMP Addendum dated August 1, 2013. The monitoring wells sampled during the May 2014 groundwater monitoring event are presented in Appendix A. The list in Appendix A presents the list of the wells to be sampled. Note that the new wells are monitored quarterly until four data sets have been completed.

The following activities were conducted by Environmental Quality Management, Inc. (EQM) during the reporting period:

- Performed groundwater sampling on 6 wells identified in Appendix A.
- Gauged water levels/total depth and performed well inspections for 284 groundwater monitoring wells at the facility.
- Performed laboratory analysis of all the collected samples.
- Verified, validated, and reduced the laboratory analytical data produced for the event (exclusive of the quality assurance samples analyzed by RTI Laboratories).
- Prepared the Investigation-Derived Waste (IDW) Characterization and Disposal Plan for the IDW collected during monitoring activities.
- Prepared and submitted the monitoring report for the sampling event.

During the May 2014 sampling event, several analytes were detected at levels at/or above their respective Maximum Contaminant Levels (MCLs) and/or United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs). Note that the RSLs used in this report are the most recent available (May 2014). The summary is as follows.

Explosive and Propellant Compounds

As shown in Table 3-1, no explosives or propellants were detected at levels exceeding either their corresponding MCLs or RSLs (May 2014).

Inorganic Elements

Several inorganic compounds were detected at levels exceeding the method detection limit (MDL) at all sampled areas. The detected compounds included arsenic, barium, calcium, cobalt, iron, magnesium, manganese, nickel, potassium, sodium, and thallium. Several inorganic compounds had detections exceeding MCLs and/or the RSLs (May 2014) [arsenic, cobalt, manganese, and thallium] during the May 2014 sampling event.

Volatile Organic Compounds

The analytical results for VOCs are summarized in Table 3-3. There were no VOCs detected above the MDL for this sampling event.

Semivolatile Organic Compounds

As shown in Table 3-4, no SVOCs were detected at levels exceeding either their corresponding MCLs or RSLs (May 2014).

Pesticides and Polychlorinated Biphenyls (PCBs)

The analytical results for pesticides or PCBs are summarized in Table 3-5. There were no pesticides or PCBs detected above the MDL for this sampling event, this includes the new well (LL1mw-088) outside of the perimeter fence.

SECTION 1

INTRODUCTION

1.1 Facility Description

Past Department of Defense (DoD) activities at the former Ravenna Army Ammunition Plant (RVAAP) date to 1940 and include the manufacturing, loading, handling, and storage of military explosives and ammunition. Until 1999, the former RVAAP was identified as a 21,419-acre installation. The property boundary was resurveyed by the Ohio Army National Guard (OHARNG) over a 2-year period from 2002 and 2003, and the actual total acreage of the property was found to be 21,683.289 acres. All of the former 21,683 acre RVAAP has been transferred to the United States Property and Fiscal Officer (USP&FO) for Ohio for use by the OHARNG. Administrative accountability for all property has been transferred to the Army National Guard (ARNG) with licensure to OHARNG for use as a military training site. The CRJMTC is in northeastern Ohio within Portage and Trumbull Counties, approximately 4.8 kilometers (3 miles) east-northeast of the city of Ravenna and approximately 1.6 kilometers (1 mile) northwest of the city of Newton Falls (Figure 1-1). The former RVAAP portions of the property are solely located within Portage County. The CRJMTC (inclusive of the former RVAAP) is a parcel of property approximately 17.7 kilometers (11 miles) long and 5.6 kilometers (3.5 miles) wide bounded by State Route 5, the Michael J. Kirwan Reservoir, and the CSX System Railroad on the south; Garret, McCormick, and Berry roads on the west; the Norfolk Southern Railroad on the north; and State Route 534 on the east. Figures 1-1 and 1-2 present the former RVAAP Site Location Map and former RVAAP Facility Map. The CRJMTC is surrounded by several communities: Windham on the north; Garrettsville 9.6 kilometers (6 miles) to the northwest; Newton Falls 1.6 kilometers (1 mile) to the southeast; Charlestown to the southwest; and Wayland 4.8 kilometers (3 miles) to the south. When the former RVAAP was operational CRJMTC did not exist and the entire 21,683-acre parcel was a government-owned, contractor-operated (GOCO) industrial facility. The RVAAP Installation Restoration Program (IRP) encompasses investigation and cleanup of past activities over the entire 21,683 acres of the former RVAAP, and, therefore, references to the former RVAAP in this document are considered to be inclusive of the historical extent of the former RVAAP, which is inclusive of the combined acreages of the current CRJMTC and former RVAAP, unless otherwise specifically stated.

1.2 Project Description

1.2.1 Historical Monitoring

In 2004, the United States (U.S.) Army and the Ohio Environmental Protection Agency (EPA) finalized the Facility-Wide Groundwater Monitoring Program (FWGWMP) Plan, which details the requirements of the program. The FWGWMP was initiated in 2005 with three consecutive quarters of FWGWMP well sampling. Quarterly sampling has continued through the current




Figure 1-1. Former RVAAP General Location Map



1 monitoring event. The initial FWGWMP wells identified for monitoring were sampled once
2 every quarter, with the exception of the five Resource Conservation and Recovery Act (RCRA)
3 wells that include three Ramsdell Quarry Landfill (RQL) wells (RQLmw-007, -008, and -009)
4 and two Demolition Area 2 (DA2) wells (DETmw-003 and DETmw-004). The RQL and DA2
5 wells are sampled semiannually.

6
7 As detailed in the original FWGWMP Plan (FWGWMPP; September 2004), the initial
8 monitoring program consisted of the sampling of 36 wells specified in Table 4-1 of the
9 FWGWMPP. Fourteen of these wells are “Background Wells,” and the remaining wells are
10 situated at various Areas of Concern (AOCs) at RVAAP. The first sampling event for this
11 project was conducted in April 2005. The results of the previous FWGWMP sampling events
12 are presented in Section 5 of this report. The final assessment monitoring event for the initial
13 well sampling and analysis was completed in October 2007.

14
15 On October 22, 2007, the U.S. Army Corps of Engineers (USACE) submitted to the Ohio EPA
16 the *Preliminary Draft Proposal to Update the Facility-Wide Ground Water Monitoring Program*
17 (USACE, October 2007) at the former Ravenna Army Ammunition Plant. This proposal
18 presented recommendations for modifications to the FWGWMP, the Director’s Final Findings
19 and Orders (DFFOs), and the Conceptual Plan in Appendix E of the Findings and Orders as
20 presented below.

21
22 Section 3.1.2.2 of the original FWGWMPP (September 2004) establishes a protocol for adding
23 and removing wells from the FWGWMP: “*Future wells installed as part of individual AOC*
24 *investigations conducted under the ongoing Comprehensive Environmental Response,*
25 *Compensation, and Liability Act (CERCLA) process at RVAAP will be evaluated for*
26 *incorporation into the FWGWMP upon completion of at least four quarterly groundwater*
27 *sampling events to be conducted as part of the Remedial Investigation (RI) phase at each AOC.*
28 *The frequency of the initial sampling events may be other than quarterly if agreed upon by the*
29 *Army and Ohio EPA.”* Based on this protocol the USACE notified the Ohio EPA on December
30 12, 2007 that the wells to be sampled would be changed effective with the January 2008
31 monitoring event. The Ohio EPA provided concurrence with this change in an email dated
32 January 8, 2008. The Ohio EPA was notified of an additional change on February 27, 2008,
33 increasing the number of wells to be sampled for the April 2008 event. The Ohio EPA was
34 notified on March 21, 2008, that the number of FWGWMP wells to be sampled in April 2008
35 (and the July 2008, October 2008, and January 2009 events) would be increased to 132 plus the
36 five RCRA wells sampled semiannually (in order to complete four quarters of sampling for each
37 of the 132 wells).

38
39 Beginning with the April 2009 sampling event, the remaining wells on the list contained in the
40 *Draft Proposal to Update the Facility-Wide Ground Water Monitoring Program* (USACE,
41 October 2007) were sampled.

42
43 A revised list of wells to be sampled during 2010-2011 was submitted to the Ohio EPA in early
44 2010. The list of wells to be sampled, as well as scheduling issues, were discussed with the Ohio
45 EPA in a telephone conference and verified in a subsequent email on May 26, 2010.

Revisions to the list of wells to be sampled and the analytes to be analyzed from each well were discussed with the Ohio EPA in email correspondences in July 2011. For the groundwater monitoring event, it was agreed to monitor the wells and analytes presented in the Draft 2010 Addendum to the Facility-Wide Groundwater Monitoring Program Plan RVAAP-66 Facility-Wide Groundwater (USACE, 2010). (Note that this document was withdrawn as a submittal to the Ohio EPA; however, the information presented in that document is still relevant and useful.)

1.2.2 May 2014 Event Monitoring

One of the activities conducted under the IRP includes monitoring of an extensive network (now 284 wells) of groundwater monitoring wells at the RVAAP facility. To date, 281 current FWGWMP wells, of the 284 wells at the facility have been sampled and analyzed a minimum of four quarters.

Details of the current program design and requirements are contained in the *Final Facility-Wide Groundwater Monitoring Program Plan RVAAP-66 Facility-Wide Groundwater Semiannual Monitoring Addendum* dated August 1, 2013. Additionally, this document supplements the *Final Facility-Wide Groundwater Monitoring Program Plan RVAAP-66 Facility-Wide Groundwater Addendum* (FWGWMP Addendum; EQM, January 2012), which includes three parts that pertain to the proposed work: Part I- Environmental Investigation Services Addendum, Part II- Quality Assurance Project Plan (QAPP) Addendum, and Part III- Site Safety and Health Plan (SSHP) Addendum. Additional details pertaining to performance of field and laboratory activities are contained in the *Final Facility-Wide Sampling and Analysis Plan for Environmental Investigations at the Ravenna Army Ammunition Plant, Ravenna, Ohio* (FWSAP; SAIC, 2011).

With the exception of three wells installed in December 2013 the current wells to be sampled and the analytes to be analyzed from each well were approved in the FWGWMP Addendum dated August 1, 2013. In December 2013 three wells were installed under the *Facility-Wide Groundwater Monitoring Program Plan RVAAP-66 Facility-Wide Groundwater Additional Well Installation Addendum (September 2013)*. The purpose of the new wells was to evaluate potential groundwater impacts outside of the perimeter fence area of the former RVAAP.

The current Monitoring Well Schedule is presented in Appendix A. This appendix presents the list of wells sampled during the May 2014 event. Note that the new wells are monitored quarterly until four data sets have been completed.

1.3 Scope of Work for the May 2014 Sampling Event

The USACE, under a Government Services Administration (GSA) Performance Based Acquisition (PBA) contract, retained Environmental Quality Management, Inc. (EQM) (Contract No. GS-10F-0293K – Delivery Order W912QR-11-F-0266) to obtain a signed Record of Decision (ROD) for the facility-wide groundwater (RVAAP-66) at the former RVAAP. One objective of this project is to continue monitoring under the RVAAP Facility-Wide Groundwater Monitoring Program. The following tasks were performed during the May 2014 sampling event

1 in accordance with specifications contained in the Semiannual Addendum, FWGWMPP
2 Addendum, the FWSAP, and the Scope of Work written by the USACE:
3

- 4 • Performed groundwater sampling on 6 wells identified in Appendix A.
 - 5 • Gauged water levels/total depth and performed well inspections for 284 groundwater
6 monitoring wells at the facility.
 - 7 • Performed laboratory analysis of all the collected samples.
 - 8 • Verified, validated, and reduced the laboratory analytical data produced for the event
9 (exclusive of the quality assurance samples analyzed by RTI Laboratories).
 - 10 • Prepared the Investigation-Derived Waste (IDW) Characterization and Disposal Plan for
11 the IDW collected during monitoring activities.
 - 12 • Prepared and submitted the monitoring report for the sampling event.
- 13
14

15 **1.4 Report Presentation**

16
17 This report presents the results of the May 2014 sampling event. The report is structured in the
18 following way:
19

- 20 • Section 1.0 – Introduction.
 - 21 • Section 2.0 – Description of Project Activities. This section describes project-specific
22 details not contained in the FWSAP, FWGWMPP Addendum, and Semiannual
23 Addendum. Additionally, details are provided on how the tasks described above were
24 performed.
 - 25 • Section 3.0 – Summary. The results of the sampling event are summarized, including
26 groundwater elevation measurements, analytical results, and data verification/validation
27 information.
 - 28 • Section 4.0 – References.
- 29
- 30 • Appendix A – Monitoring Wells Sampled During the May 2014 Groundwater
31 Monitoring Event
 - 32 • Appendix B – Water-Level Measurements/Field Log Book/Calibration Records/Sample
33 and Purge Records/Daily Quality Control Reports
 - 34 • Appendix C – Data Verification Reports/Laboratory Data Sheets
 - 35 • Appendix D – Investigation-Derived Waste Characterization and Disposal Plan
 - 36 • Appendix E – Reporting Limits that Currently Do Not Meet the RVAAP QAPP Project
37 Action Requirements, MCLs, and/or USEPA RSLs
- 38

SECTION 2 PROJECT ACTIVITIES

2.1 Groundwater Level Monitoring

Depth to water from the top of the inner casing was measured in 284 FWGWMP wells during May 6-8, 2014. Water-level measurements were taken with a Herron Dipper-T or Enviro Inspector electronic water-level indicator. The depth to the bottom of the well from the top of the inner casing was also measured with the electronic water-level indicator. The annual inspection of all the wells was also conducted at that time (the results of the inspections and potentiometric maps will be updated and discussed in the 2014 Annual Report). Potentiometric maps resulting from the water level measurements will be included in the Jul 2014 semiannual report.

Results of the groundwater level monitoring for all the RVAAP wells sampled during this monitoring event are presented in Section 3.1 and Appendix B. The monitoring well location map, identified as Figure 2-1 Eastern Portion RVAAP Map, is included with this report.


2.2 Groundwater Sampling

All identified monitoring wells were sampled from May 7-8, 2014. Wells were sampled using micropurge techniques in accordance with the specifications contained in the approved addendum. The wells were micropurged until certain groundwater parameters (i.e., temperature, specific conductivity, pH, and dissolved oxygen) had stabilized and turbidity readings were less than (<) or equal to 10 nephelometric turbidity units (NTU) or had three consecutive readings within 10 percent (%). The groundwater parameters were measured using a Horiba U-22/U-52 with flow cell. Groundwater parameter measurements obtained during micropurging are presented in Appendix B.

A groundwater pH value of more than 9 standard units (s.u.) has been noted historically at FWGmw-002. EQM is monitoring the pH at this well to evaluate it as a potential groundwater contamination or anomaly. In May 2014, the pH was stabilized to 8.07 s.u. during purging activities. EQM will continue to monitor the pH in this well during the next event.

EQM continued purging after the normal stabilization parameters had stabilized (turbidity is not a stabilization parameter) in an attempt to reach turbidity values that were within 10 percent (%) of each other. Additionally, the groundwater samples for metals analysis were filtered as part of the FWGWMP sampling, thereby reducing the effect of suspended particles in the groundwater.

Groundwater samples were collected using a bladder pump and micropurge sampling techniques. The pump was decontaminated, and the used bladder was discarded and replaced with a new bladder between sample locations. Equipment and sampling details are contained in Appendix B. Groundwater samples were collected in laboratory-supplied containers and stored in iced coolers for shipment in accordance with the specifications presented in the FWSAP, Semiannual Addendum, and FWGWMP.



During the May 2014 sampling, all coolers were received by the laboratory at temperatures within the prescribed tolerance limits. Filtered metals samples were collected through the bladder pump using an inline 0.45-micron filter emptying directly into pre-preserved sample bottles containing nitric acid. All sampling procedures for the filtered metals were conducted in accordance with the FWSAP.

2.3 Laboratory Analysis

Laboratory analyses on all primary samples and associated quality control (QC) samples were performed by Test America Laboratories. Table 2-1 presents the analytical methods used to analyze the groundwater samples.

Note that for this event, wells were sampled for specific analytes as identified in the FWGWMP Addendum. The three new wells were sampled for the full RVAAP analytical suite. The May 2014 groundwater samples were analyzed for the following parameters depending upon the well requirements, as presented in Appendix A: explosives, propellants (nitrocellulose and nitroguanidine), cyanide, volatile organic compounds (VOCs), semivolatile organic compounds (SVOCs), target analyte list (TAL) metals (filtered), pesticides, and polychlorinated biphenyls (PCBs).

Quality control samples, including duplicates and matrix spike/matrix spike duplicates (MS/MSD) were collected from the following wells:

LL3mw-246 – Duplicate Sample
LL2mw-271 – MS/MSD

All samples were picked up from the facility and delivered to the laboratory in a cooler (with wet ice) by a Test America courier under proper chain-of-custody procedures (FWSAP). Laboratory analyses on all quality assurance (QA) samples (i.e., split samples) were performed by RTI Laboratories in Livonia, Michigan. One QA sample set was collected from the same well where the duplicate sample was collected. The QA samples were shipped in coolers (with wet ice) via overnight delivery service under proper chain-of-custody procedures. Table 2-2 presents, in tabular form, all analyses and associated QA/QC for the May 2014 monitoring event. The Daily Quality Control Reports are presented in Appendix B.

Laboratory results are summarized in Section 3.2. Laboratory data sheets, including chain-of-custodies and QA/QC information, are contained in Appendix C.

Table 2-1. Analytical Suite of Chemicals

Constituents	Method ¹	Preservation
PCBs	Gas Chromatograph (GC) – (8082)	Cool, 4° C ³
Pesticides	GC – (8081A)	Cool, 4° C
SVOCs	GC/Mass Spectrograph (MS) SVOCs (8270C)	Cool, 4° C
VOCs	GC/MS VOCs (8260B)	HCl, Cool, 4° C
Nitroguanidine (Propellant)	Organic compounds by UV/HPLC (8330 modified)	Cool, 4° C
Nitroaromatics & Nitramines (Explosives)	GC SVOCs Explosives (8330)	Cool, 4° C
Nitrocellulose as N (Propellant)	General Chemistry (WS-WC-0050)	Cool, 4° C
Nitrate/Nitrites	General Chemistry (353.2) ²	H ₂ SO ₄ , Cool, 4° C
Cyanide (Total)	General Chemistry (9012A)	NaOH to pH > 12, Cool, 4° C
Metals (Magnesium, Manganese, Barium, Nickel, Potassium, Silver, Sodium, Vanadium, Chromium, Calcium, Cobalt, Copper, Arsenic, Lead, Selenium)	Inductively Coupled Plasma (6010B)	0.45µm filter, HNO ₃ , to pH < 2, Cool, 4° C
Metals (Antimony, Iron, Beryllium, Thallium, Zinc, Cadmium, Aluminum)	Inductively Coupled Plasma Mass Spectrometry (6020)	0.45µm filter, HNO ₃ , to pH < 2, Cool, 4° C
Mercury	Liquid Waste Cold Vapor Technique (7470A)	0.45µm filter, HNO ₃ , to pH < 2, Cool, 4° C
Hexavalent Chromium	Method 218.6 ²	0.45µm filter, Buffer solution, Cool, 4° C
Perchlorate	Method 6860	0.2µm filter, with prefilter, Cool, 4° C

1 = USEPA SW846

2 = EPA Methods for Chemical Analysis of Water and Waste

3 = degree Celsius

Table 2-2. QA Table for May 2014 Sampling Event

Sample Locations	Contractor Laboratory							Government Laboratory		Requested Laboratory Analysis							
	Primary Lab Sample ID	Date	Sample Type	Assoc. QC Dup Number	Assoc. QC Rinsate Number	Assoc. QC Trip Blank Number	MS/MSD	QA Lab Sample ID	Assoc. QC Trip Blank Number	VOCs	SVOCs 1	SVOCs 4	Pesticides	PCBs	Explosives & Propellants	Cyanide	Filtered Metals
LL1mw-064	FWGLL1mw-064C-0436-GW/GF	5/7/2014	GW		EQUIPRinse1-0443	FWGTeam3-Trip					1		1		1		1
LL1mw-088	FWGLL1mw-088-0437-GW/GF	5/8/2014	GW		EQUIPRinse2-0444	FWGTeam3-Trip				1		1	1	1	1	1	1
LL2mw-271	FWGLL2mw-271-0438-GW/GF	5/7/2014	GW		EQUIPRinse1-0443	FWGTeam3-Trip	Y			1		1	1	1	1	1	1
LL3mw-246	FWGLL3mw-246-0439-GW/GF	5/7/2014	GW	DUP1-0442	EQUIPRinse1-0443	FWGTeam3-Trip		FWGLL3mw-246-0441s-GW/GF	TRIPBLANK	1		1	1	1	1	1	1
SCFmw-004	FWGSCFmw-004-0440-GW/GF	5/7/2014	GW		EQUIPRinse1-0443	FWGTeam2-Trip					1		1		1		1

SVOCs (1=Phthalates, and 4=Full RVAAP RCRA suite)

1 **2.4 Data Verification/Validation**

2
3 Data from Test America was verified in accordance with project specifications by EQM chemists
4 Ms. Angye Dragotta and Mr. Eric Corbin using the Automated Data Review (ADR) software.
5 Data validation/verification is summarized in Section 3.3. The Data Verification/Validation
6 Summary Reports are presented in Appendix C.
7
8

9 **2.5 Investigation-Derived Waste**

10
11 An IDW Report was prepared for the sampling and water-level measurement activities discussed
12 in Section 3. Purge water was collected at each well location in 5-gallon buckets and transferred
13 to 55-gallon drums located inside Building 1036. No more than 5 gallons were purged from any
14 well. Instruments and equipment were decontaminated after purging and sampling each
15 monitoring well. Decontamination fluids were collected in a separate 55-gallon drum stored
16 inside Building 1036. Pending analysis of the monitoring well samples, IDW fluids were stored
17 in the 55-gallon drums until the IDW Report was approved by the Ohio EPA. The IDW was
18 then disposed of in accordance with the FWSAP, FWGWMPP Addendum, and Semiannual
19 Addendum requirements. The IDW Report is presented in Appendix D. The approval letter
20 from the Ohio EPA for disposal of the IDW is included in Appendix D. Note that the purge
21 water from the May event was disposed of at the same time as the frac tank purge water on
22 August 12, 2014.
23

SECTION 3 SUMMARY

3.1 Groundwater Elevations

Groundwater elevations were measured in 6 RVAAP monitoring wells during May 6-8, 2014. The locations of the 6 monitoring wells sampled are shown on Figure 2-1. The water-level measurement field sheets are presented in Appendix B. Additionally, groundwater elevation measurements are also obtained each time a groundwater sample is collected as part of the FWGWMP, although the measurements from the quarterly sampling events are not used to produce the potentiometric maps. Potentiometric maps resulting from the water level measurements will be included in the Jul 2014 semiannual report.

Water-level measurements were measured in accordance with procedures in Section 4.3.3.1 of the *Facility-Wide Sampling and Analysis Plan for Environmental Investigations at the Ravenna Army Ammunition Plant, Ravenna, Ohio* (SAIC, February 2011). Water-level measurements were made from the top of the inner casing to the top of the groundwater surface using an electronic measuring tape. The depth to the bottom of the well from the top of the inner casing also was measured with the electronic measuring tape.

3.2 Summary of Analytical Results

Summaries of laboratory analytical results are presented in Tables 3-1, 3-2, 3-3, 3-4, and 3-5. Appendix C presents the Laboratory Data Sheets. A brief summary of the detected compounds and elements are presented in the following sub-sections. The data presented in the tables are the validated and verified data. Data verification and validation is discussed in Section 3.3 and Appendix C.

Additionally, please note the following:

- As discussed in Section 3.3 under the data validation process, data are qualified by EQM's validator following the guidelines and qualifier requirements set forth by the FWSAP, QAPP, and U.S. DoD Quality Services Manual (QSM) for Environmental Laboratories, Version 4.1, and the USACE, Louisville District, Quality Systems Manual Supplement (LS). As a result, the flags designated by EQM sometimes differ from those in the laboratory data sheets. The flags designated by the validator override any flagging of the data by the laboratory. For a complete explanation of the data qualifiers used for each constituent refer to Section 3.3 and the Data Verification Summary Reports found in Appendix C.
- Several analytical methods used to analyze a number of explosives, VOCs, SVOCs, metals, PCBs, and pesticides have reporting limits that currently do not meet the RVAAP QAPP project action requirements, Maximum Contaminant Levels (MCLs) or USEPA

1 Regional Screening Levels (RSLs). Note that the RSLs used in this report are the most
2 recent available (May 2014). The laboratory did not meet the requirements due to the
3 following: 1) the detection limit is a statistically derived number that varies based on
4 analytical method and instrumentation; 2) the RSL is independent from analytical method
5 detection limits and is calculated from EPA toxicity values and exposure information.
6 Tables listing the reporting limits that currently do not meet the RVAAP QAPP Project
7 Action Requirements, MCLs, and/or RSLs (May 2014) are presented in Appendix E.
8

9 **3.2.1 Explosives and Propellants**

10
11 Explosive and propellant compound analytical results are summarized in Table 3-1. The
12 following compounds were detected at concentrations above the method detection limit (MDL)s.
13

- 14 • 2-Amino-4,6-dinitrotoluene in LL3mw-246 (0.36 µg/L). There is no MCL for 2-amino-
15 4,6-dinitrotoluene. The RSL (May 2014) is 39 µg/L.
16
- 17 • 4-Amino-2,6-dinitrotoluene in LL3mw-246 (0.35 µg/L). There is no MCL for 4-amino-
18 2,6-dinitrotoluene. The RSL (May 2014) is 39 µg/L.
19
- 20 • HMX in LL3mw-246 (0.039 µg/L J). There is no MCL for HMX. The RSL (May 2014)
21 is 1000 mg/L.
22
- 23 • RDX in LL3mw-246 (0.18 µg/L). There is no MCL for RDX. The RSL (May 2014) is
24 0.70 µg/L.
25

26 As shown in Table 3-1, no explosives or propellants were detected at levels exceeding either
27 their corresponding MCLs or RSLs (May 2014).
28
29

Table 3-1. FWGWMP May 2014 Explosive and Propellant Analytical Results

Station ID				LL1mw-064	LL1mw-088	LL2mw-271	LL3mw-246	SCFmw-004
Sample ID		MCL	USEPA RSL	FWGLL1mw- 064C-0436-GW	FWGLL1mw-088- 0437-GW	FWGLL2mw-271- 0438-GW	FWGLL3mw-246- 0439-GW	FWGSCFmw- 004-0440-GW
Date Collected				5/7/2014	5/8/2014	5/7/2014	5/7/2014	5/7/2014
Sample Type				Grab	Grab	Grab	Grab	Grab
Analyte	Units							
1,3,5-Trinitrobenzene	µg/L	NS	590	0.052 U	0.053 U	0.051 U	0.051 U	0.051 U
1,3-Dinitrobenzene	µg/L	NS	2	0.10 U	0.11 U	0.10 U	0.10 U	0.10 U
2,4,6-Trinitrotoluene	µg/L	NS	2.5	0.10 U	0.11 U	0.10 U	0.10 U	0.10 U
2,4-Dinitrotoluene	µg/L	NS	0.24	0.10 U	0.11 U	0.10 U	0.10 U	0.10 U
2,6-Dinitrotoluene	µg/L	NS	0.048	0.10 U	0.11 U	0.10 U	0.10 U	0.10 U
2-Amino-4,6-dinitrotoluene	µg/L	NS	39	0.10 U	0.11 U	0.10 U	0.36	0.10 U
2-Nitrotoluene	µg/L	NS	0.31	0.10 U	0.11 U	0.10 U	0.10 U	0.10 U
3-Nitrotoluene	µg/L	NS	1.7	0.10 U	0.11 U	0.10 U	0.10 U	0.10 U
4-Amino-2,6-Dinitrotoluene	µg/L	NS	39	0.10 U	0.11 U	0.10 U	0.35	0.10 U
4-Nitrotoluene	µg/L	NS	4.2	0.10 U	0.11 U	0.10 U	0.10 U	0.10 U
HMX	µg/L	NS	1000	0.052 U	0.053 U	0.051 U	0.039 J	0.051 U
Nitrobenzene	µg/L	NS	0.14	0.10 U	0.11 U	0.10 U	0.10 U	0.10 U
Nitrocellulose	mg/L	NS	6.0E+07	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Nitroglycerin	µg/L	NS	2	0.52 U	0.53 U	0.51 U	0.51 U	0.51 U
Nitroguanidine	µg/L	NS	2000	6.0 U	6.0 U	6.0 U	6.0 U	6.0 U
PETN	µg/L	NS	19	0.52 U	0.53 U	0.51 U	0.51 U	0.51 U
RDX	µg/L	NS	0.7	0.052 U	0.053 U	0.051 U	0.18	0.051 U
Tetryl	µg/L	NS	39	0.10 U	0.11 U	0.10 U	0.10 U	0.10 U

Notes:

µg/L = microgram per liter

mg/L = milligram per liter

NS = no standard

N/A = Not Analyzed

Bold = detected compound above the MDL

RSL = USEPA Regional Screening Level, May 2014

MCL = Maximum Contaminant Level

Table 3-1. FWGWMP May 2014 Explosive and Propellant Analytical Results

Data Qualifiers

Data qualifier flags are used in an effort to describe the quality of each piece of data for each constituent. These flags are letter codes appended to the numerical data. The following data qualifiers are specified in the USACE Louisville Chemistry Guidelines. For a complete explanation of qualifiers used for each constituent please refer to the Data Verification Summaries in Appendix C.

- U The analyte was analyzed for but not detected. The numerical value preceding the U is the associated reporting limit.
- J The identification of the analyte is acceptable, but the quality assurance criteria indicate that the quantitative values may be outside the normal expected range of precision (i.e., the quantitative value is estimated). Examples include:
 - Results detected above the laboratory MDL but less than the laboratory reporting limit.
 - MS/MSD percent recoveries outside the acceptance criteria.
 - Laboratory control sample (LCS) percent recoveries outside acceptance criteria.
- R Data are considered to be rejected and shall not be used. This flag denotes the failure of quality control criteria such that it cannot be determined if the analyte is present or absent from the sample [e.g., the method reporting limit (MRL) verification standard was below quality control guidelines; associated sample results that were non-detect are unusable].
- UJ This flag is a combination of the U and J qualifiers, which indicate that the analyte is not present. The reported value is considered to be an estimated reporting limit (RL).
- B The B flag is used for when the analyte is found in the method blank or any of the field blanks. This designation overrides the Contract Laboratory Program (CLP) "B" designation when used by the laboratory as an estimated value for inorganics.

3.2.2 Inorganic Elements

The analytical results for inorganic elements are presented in Table 3-2. The inorganics detected in the samples included: arsenic, barium, calcium, cobalt, iron, magnesium, manganese, nickel, potassium, sodium, and thallium. The inorganic elements that were detected were compared against elements that are considered as essential nutrients to determine if they are to be considered as Site-Related Contaminants (SRCs). Calcium, magnesium, iron, potassium, and sodium were eliminated as potential SRCs because they are considered essential nutrients.

The following compounds were detected at concentrations above the MDLs.

Arsenic

- LL1mw-064 (4.5 µg/L J), LL1mw-088 (18 µg/L), and LL2mw-271 (5.5 µg/L J). The MCL for arsenic is 10 µg /L. The RSL (May 2014) is 0.052 µg/L.

Barium

- LL1mw-064 (48 µg/L), LL1mw-088 (44 µg/L), LL2mw-271 (3.4 µg/L J), LL3mw-246 (16 µg/L), and SCFmw-004 (76 µg/L). The MCL for barium is 2000 µg /L. The RSL (May 2014) is 3800 µg/L.

Cobalt

- LL2mw-271 (9.2 µg/L). There is no MCL for cobalt. The RSL (May 2014) is 6 µg/L.

Manganese

- LL1mw-064 (120 µg/L), LL1mw-088 (86 µg/L), LL2mw-271 (520 µg/L), LL3mw-246 (300 µg/L), and SCFmw-004 (720 µg/L). The MCL for manganese is 50 µg/L. The RSL (May 2014) is 430 µg/L.

Nickel

- LL1mw-064 (2.5 µg/L J), LL2mw-271 (37 µg/L), and LL3mw-246 (5.3 µg/L). There is no MCL for nickel. The RSL (May 2014) is 390 µg/L.

Thallium

- LL2mw-271 (0.83 µg/L J). The MCL for thallium is 2 µg/L. The RSL (May 2014) is 0.2 µg/L

As shown above and on Table 3-2, several of the inorganics (arsenic, cobalt, manganese, and thallium) were detected at levels above their corresponding MCLs or RSLs (May 2014) during the May 2014 sampling event.

The facility-wide groundwater conditions are currently being evaluated under the remedial investigation/feasibility study. This will include an evaluation of aluminum, manganese, arsenic, cyanide, cobalt, iron, and thallium related to exceedances of MCLs/RSLs (May 2014). To date there have been no elevated concentrations of the inorganic analytes found in the groundwater that would pose an immediate threat to human health or the environment.

Table 3-2. FWGWMP May 2014 Inorganics Analytical Results

Station ID				LL1mw-064	LL1mw-088	LL2mw-271	LL3mw-246	SCFmw-004
Sample ID		MCL	USEPA RSL	FWGLL1mw-064C-0436-GF	FWGLL1mw-088-0437-GF	FWGLL2mw-271-0438-GF	FWGLL3mw-246-0439-GF	FWGSCFmw-004-0440-GF
Date Collected				5/7/2014	5/8/2014	5/7/2014	5/7/2014	5/7/2014
Sample Type				Grab	Grab	Grab	Grab	Grab
Analyte	Units							
Aluminum	µg/L	200	20000	60 U	60 U	60 U	60 U	60 U
Antimony	µg/L	6.0	7.8	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Arsenic	µg/L	10	0.052	4.5 J	18	5.5 J	10 U	10 U
Barium	µg/L	2000	3800	48	44	3.4 J	16	76
Beryllium	µg/L	4.0	25	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Cadmium	µg/L	5.0	9.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Calcium	µg/L	NS	NS	58000	84000	56000	22000	150000
Chromium	µg/L	100	22000	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
Cobalt	µg/L	NS	6	4.0 U	4.0 U	9.2	4.0 U	4.0 U
Copper	µg/L	1300	800	10 U	10 U	10 U	10 U	10 U
Cyanide	mg/L	0.20	0.0015	N/A	0.0050 UJ	0.0050 UJ	0.0050 UJ	N/A
Iron	µg/L	300	11000	760	550	4400	1800	100 U
Lead	µg/L	15	NS	5.0 U	2.0 B	5.0 U	5.0 U	5.0 U
Magnesium	µg/L	NS	NS	9800	39000	19000	7400	59000
Manganese	µg/L	50	430	120	86	520	300	720
Mercury	µg/L	2.0	0.63	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Nickel	µg/L	NS	390	2.5 J	5.0 U	37	5.3	5.0 U
Potassium	µg/L	NS	NS	800 J	3400	1000	1600	2800
Selenium	µg/L	50	100	10 U	10 U	10 U	10 U	10 U
Silver	µg/L	100	94	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Sodium	µg/L	NS	NS	5000	24000	4300	3900	10000
Thallium	µg/L	2.0	0.20	1.5 U	1.5 U	0.83 J	1.5 U	1.5 U
Vanadium	µg/L	NS	86	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
Zinc	µg/L	5000	6000	50 U	50 U	50 U	50 U	50 U

Notes:

Bold = detected compound above the MDL

MCL = Maximum Contaminant Level

RSL = USEPA Regional Screening Level, May 2014

N/A = not analyzed

NS = no standard

µg/L = microgram per liter

mg/L = milligram per liter

Table 3-2. FWGWMP May 2014 Inorganics Analytical Results

Data Qualifiers

Data qualifier flags are used in an effort to describe the quality of each piece of data for each constituent. These flags are letter codes appended to the numerical data. The following data qualifiers are specified in the USACE Louisville Chemistry Guidelines. For a complete explanation of qualifiers used for each constituent please refer to the Data Verification Summaries in Appendix C.

- U The analyte was analyzed for but not detected. The numerical value preceding the U is the associated reporting limit.
- J The identification of the analyte is acceptable, but the quality assurance criteria indicate that the quantitative values may be outside the normal expected range of precision (i.e., the quantitative value is estimated). Examples include:
 - Results detected above the laboratory MDL but less than the laboratory reporting limit.
 - MS/MSD percent recoveries outside the acceptance criteria.
 - LCS percent recoveries outside acceptance criteria.
- R Data are considered to be rejected and shall not be used. This flag denotes the failure of quality control criteria such that it cannot be determined if the analyte is present or absent from the sample [e.g., the MRL verification standard was below quality control guidelines; associated sample results that were non-detect are unusable].
- UJ This flag is a combination of the U and J qualifiers, which indicate that the analyte is not present. The reported value is considered to be an estimated RL.
- B The B flag is used for when the analyte is found in the method blank or any of the field blanks. This designation overrides the CLP "B" designation when used by the laboratory as an estimated value for inorganics.

3.2.3 Volatile Organic Compounds

The analytical results for VOCs are summarized in Table 3-3. There were no VOCs detected above the MDL, for this sampling event.

3.2.4 Semivolatile Organic Compounds

The analytical results for SVOCs are summarized in Table 3-4. The following SVOCs were detected above the MDL for this sampling event.

- Diethyl phthalate – LL2mw-271 (0.64 µg/L B). There is no MCL for diethyl phthalate. The RSL (May 2014) is 15,000 µg/L.
- Naphthalene – LL1mw-088 (0.15 µg/L B) and LL3mw-246 (0.10 µg/L J). There is no MCL for naphthalene. The RSL (May 2014) is 0.17 µg/L.
- Phenanthrene – LL1mw-088 (0.10 µg/L). There is no MCL or RSL for phenanthrene. The RSL (May 2014) is 0.17 µg/L.
- Pyrene – LL1mw-088 (0.10 µg/L). There is no MCL for pyrene. The RSL (May 2014) is 120 µg/L.

As shown in Table 3-4 and above, no SVOCs were detected at levels exceeding either their corresponding MCLs or RSLs (May 2014).

3.2.5 Pesticides and Polychlorinated Biphenyls

The analytical results for pesticides and PCBs are summarized in Table 3-5. There were no pesticides and PCBs were detected above the MDL, for this sampling event.

Table 3-3. FWGWMP May 2014 VOC Analytical Results

Station ID				LL1mw-088	LL2mw-271	LL3mw-246
Sample ID		MCL	USEPA RSL	FWGLL1mw-088-0437-GW	FWGLL2mw-271-0438-GW	FWGLL3mw-246-0439-GW
Date Collected				5/8/2014	5/7/2014	5/7/2014
Sample Type				Grab	Grab	Grab
Analyte	Units					
1,1,1-Trichloroethane	µg/L	200	8000	0.25 U	0.25 U	0.25 U
1,1,2,2-Tetrachloroethane	µg/L	NS	0.076	0.25 U	0.25 U	0.25 U
1,1,2-Trichloroethane	µg/L	5.0	0.28	0.50 U	0.50 U	0.50 U
1,1-Dichloroethane	µg/L	NS	2.7	0.25 U	0.25 U	0.25 U
1,1-Dichloroethene (total)	µg/L	7.0	280	0.25 U	0.25 U	0.25 U
1,2-Dibromoethane	µg/L	NS	0.0075	0.25 U	0.25 U	0.25 U
1,2-Dichloroethane	µg/L	5.0	0.17	0.25 U	0.25 U	0.25 U
1,2-Dichloroethene (total)	µg/L	NS	NS	0.25 U	0.25 U	0.25 U
1,2-Dichloropropane	µg/L	5.0	0.44	0.25 U	0.25 U	0.25 U
2-Butanone	µg/L	NS	5600	0.57 UJ	0.57 UJ	0.57 UJ
2-Hexanone	µg/L	NS	38	0.50 UJ	0.50 UJ	0.50 UJ
4-Methyl-2-pentanone	µg/L	NS	1200	0.50 UJ	0.50 UJ	0.50 UJ
Acetone	µg/L	NS	14000	1.1 U	1.1 U	1.1 U
Benzene	µg/L	5.0	0.45	0.25 U	0.25 U	0.25 U
Bromochloromethane	µg/L	NS	83	0.50 U	0.50 U	0.50 U
Bromodichloromethane	µg/L	80	0.13	0.25 UJ	0.25 UJ	0.25 UJ
Bromoform	µg/L	80	9.2	0.64 UJ	0.64 UJ	0.64 UJ
Bromomethane	µg/L	NS	7.5	0.50 U	0.50 U	0.50 U
Carbon disulfide	µg/L	NS	810	0.25 UJ	0.25 UJ	0.25 UJ
Carbon tetrachloride	µg/L	5.0	0.45	0.25 UJ	0.25 UJ	0.25 UJ
Chlorobenzene	µg/L	100	78	0.25 U	0.25 U	0.25 U
Chloroethane	µg/L	NS	21000	0.50 U	0.50 U	0.50 U
Chloroform	µg/L	80	0.22	0.25 U	0.25 U	0.25 U
Chloromethane	µg/L	NS	190	0.50 U	0.50 U	0.50 U
cis-1,2-dichloroethene	µg/L	70	36	0.25 U	0.25 U	0.25 U
cis-1,3-Dichloropropene	µg/L	NS	0.47	0.25 U	0.25 U	0.25 U
Dibromochloromethane	µg/L	NS	0.17	0.25 U	0.25 U	0.25 U
Ethylbenzene	µg/L	700	1.5	0.25 U	0.25 U	0.25 U
m&p-xylenes	µg/L	NS	190	0.50 U	0.50 U	0.50 U
Methylene chloride	µg/L	5.0	11	0.50 U	0.50 U	0.50 U
o-xylene	µg/L	NS	190	0.25 U	0.25 U	0.25 U
Styrene	µg/L	100	1200	0.25 U	0.25 U	0.25 U
Tetrachloroethene	µg/L	5.0	11	0.50 U	0.50 U	0.50 U
Toluene	µg/L	1000	1100	0.25 U	0.25 U	0.25 U
trans-1,2-dichloroethene	µg/L	100	360	0.25 U	0.25 U	0.25 U
trans-1,3-Dichloropropene	µg/L	NS	0.47	0.25 U	0.25 U	0.25 U
Trichloroethene	µg/L	5.0	0.49	0.25 U	0.25 U	0.25 U
Vinyl chloride	µg/L	2.0	0.019	0.25 U	0.25 U	0.25 U
Total Xylenes	µg/L	10000	190	0.25 U	0.25 U	0.25 U

Notes:

MCL = Maximum Contaminant Level

RSL = USEPA Regional Screening Level, May 2014

Bold = detected compound above the MDL

mg/L = milligram per liter

µg/L = microgram per liter

NS = no standard

Table 3-3. FWGWMP May 2014 VOC Analytical Results**Data Qualifiers**

Data qualifier flags are used in an effort to describe the quality of each piece of data for each constituent. These flags are letter codes appended to the numerical data. The following data qualifiers are specified in the USACE Louisville Chemistry Guidelines. For a complete explanation of qualifiers used for each constituent please refer to the Data Verification Summaries in Appendix C.

- U The analyte was analyzed for but not detected. The numerical value preceding the U is the associated reporting limit.
- J The identification of the analyte is acceptable, but the quality assurance criteria indicate that the quantitative values may be outside the normal expected range of precision (i.e., the quantitative value is estimated). Examples include:
- Results detected above the laboratory MDL but less than the laboratory reporting limit.
 - MS/MSD percent recoveries outside the acceptance criteria.
 - LCS percent recoveries outside acceptance criteria.
- R Data are considered to be rejected and shall not be used. This flag denotes the failure of quality control criteria such that it cannot be determined if the analyte is present or absent from the sample [e.g., the MRL verification standard was below quality control guidelines; associated sample results that were non-detect are unusable].
- UJ This flag is a combination of the U and J qualifiers, which indicate that the analyte is not present. The reported value is considered to be an estimated RL.
- B The B flag is used for when the analyte is found in the method blank or any of the field blanks. This designation overrides the CLP “B” designation when used by the laboratory as an estimated value for inorganics.

Table 3-4. FWGWMP May 2014 SVOC Analytical Results

Station ID				LL1mw-064	SCFmw-004
Sample ID		MCL	USEPA RSL	FWGLL1mw- 064C-0436-GW	FWGSCFmw- 004-0440-GW
Date Collected				5/7/2014	5/7/2014
Sample Type				Grab	Grab
Analyte	Units				
bis(2-Ethylhexyl)phthalate	µg/L	6.0	5.6	4.8 U	4.8 U
Butyl benzyl phthalate	µg/L	NS	16	0.48 U	0.48 U
Diethyl phthalate	µg/L	NS	15000	0.95 U	0.95 U
Dimethyl phthalate	µg/L	NS	NS	0.48 U	0.48 U
Di-n-butyl phthalate	µg/L	NS	900	4.8 U	4.8 U
Di-n-octyl phthalate	µg/L	NS	200	0.48 U	0.48 U

Notes:

MCL = Maximum Contaminant Level

RSL = USEPA Regional Screening Level, May 2014

µg/L = microgram per liter

NS = no standard

N/A = Not Analyzed

Bold = detected compound above the MDL

Table 3-4. FWGWMP May 2014 SVOC Analytical Results

Station ID				LL1mw-088	LL2mw-271	LL3mw-246
Sample ID		MCL	USEPA RSL	FWGLL1mw-088-0437-GW	FWGLL2mw-271-0438-GW	FWGLL3mw-246-0439-GW
Date Collected				5/8/2014	5/7/2014	5/7/2014
Sample Type				Grab	Grab	Grab
Analyte	Units					
1,2,4-Trichlorobenzene	µg/L	70	1.1	0.51 U	0.48 U	0.48 U
1,2-Dichlorobenzene	µg/L	600	300	0.51 U	0.48 U	0.48 U
1,3-Dichlorobenzene	µg/L	NS	NS	0.51 U	0.48 U	0.48 U
1,4-Dichlorobenzene	µg/L	75	0.48	0.51 U	0.48 U	0.48 U
2,2-oxybis (1-chloropropane)	µg/L	NS	0.36	0.51 U	0.48 U	0.48 U
2,4,5-Trichlorophenol	µg/L	NS	1200	0.51 U	0.48 U	0.48 U
2,4,6-Trichlorophenol	µg/L	NS	4	0.51 U	0.48 U	0.48 U
2,4-Dichlorophenol	µg/L	NS	46	0.51 U	0.48 U	0.48 U
2,4-Dimethylphenol	µg/L	NS	360	0.51 U	0.48 U	0.48 U
2,4-Dinitrophenol	µg/L	NS	39	1.0 U	0.95 U	0.95 U
2-Chloronaphthalene	µg/L	NS	750	0.51 U	0.48 U	0.48 U
2-Chlorophenol	µg/L	NS	91	0.51 U	0.48 U	0.48 U
2-Methylnaphthalene	µg/L	NS	36	0.10 U	0.095 U	0.095 U
2-Methylphenol	µg/L	NS	930	0.51 U	0.48 U	0.48 U
2-Nitroaniline	µg/L	NS	190	0.51 U	0.48 U	0.48 U
2-Nitrophenol	µg/L	NS	NS	0.51 U	0.48 U	0.48 U
3,3'-Dichlorobenzidine	µg/L	NS	0.12	1.0 U	0.95 U	0.95 U
3- and 4-Methylphenol	µg/L	NS	930	1.0 U	0.95 U	0.95 U
3-Nitroaniline	µg/L	NS	NS	0.51 U	0.48 U	0.48 U
4,6-Dinitro-2-methylphenol	µg/L	NS	1.5	4.0 U	3.8 U	3.8 U
4-Bromophenyl phenyl ether	µg/L	NS	NS	0.51 U	0.48 U	0.48 U
4-Chloro-3-methylphenol	µg/L	NS	1400	0.51 U	0.48 U	0.48 U
4-Chloroaniline	µg/L	NS	0.36	0.51 U	0.48 U	0.48 U
4-Chlorophenyl phenyl ether	µg/L	NS	NS	0.51 U	0.48 U	0.48 U
4-Nitroaniline	µg/L	NS	38	0.51 U	0.48 U	0.48 U
4-Nitrophenol	µg/L	NS	NS	4.0 U	3.8 U	3.8 U
Acenaphthene	µg/L	NS	530	0.10 U	0.095 U	0.095 U
Acenaphthylene	µg/L	NS	NS	0.10 U	0.095 U	0.095 U
Anthracene	µg/L	NS	1800	0.10 U	0.095 U	0.095 U
Benzo(a)anthracene	µg/L	NS	0.034	0.10 U	0.095 U	0.095 U
Benzo(a)pyrene	µg/L	0.2	0.0034	0.10 U	0.095 U	0.095 U
Benzo(b)fluoranthene	µg/L	NS	0.034	0.10 U	0.095 U	0.095 U
Benzo(g,h,i)perylene	µg/L	NS	NS	0.10 U	0.095 U	0.095 U
Benzo(k)fluoranthene	µg/L	NS	0.34	0.10 U	0.095 U	0.095 U
Benzoic acid	µg/L	NS	75000	20 U	19 U	19 U
Benzyl alcohol	µg/L	NS	2000	0.51 U	0.48 U	0.48 U
bis(2-Chloroethoxy)methane	µg/L	NS	59	0.51 U	0.48 U	0.48 U
bis(2-Chloroethyl)ether	µg/L	NS	0.014	0.10 U	0.095 U	0.095 U
bis(2-Ethylhexyl)phthalate	µg/L	6.0	5.6	5.1 U	4.8 U	4.8 U
Butyl benzyl phthalate	µg/L	NS	16	0.51 U	0.48 U	0.48 U

Table 3-4. FWGWMP May 2014 SVOC Analytical Results

Station ID				LL1mw-088	LL2mw-271	LL3mw-246
Sample ID		MCL	USEPA RSL	FWGLL1mw-088-0437-GW	FWGLL2mw-271-0438-GW	FWGLL3mw-246-0439-GW
Date Collected				5/8/2014	5/7/2014	5/7/2014
Sample Type				Grab	Grab	Grab
Analyte	Units					
Carbazole	µg/L	NS	NS	0.51 U	0.48 U	0.48 U
Chrysene	µg/L	NS	3.4	0.10 U	0.095 U	0.095 U
Dibenzo(a,h)anthracene	µg/L	NS	0.0065	0.10 U	0.095 U	0.095 U
Dibenzofuran	µg/L	NS	7.9	0.10 U	0.095 U	0.095 U
Diethyl phthalate	µg/L	NS	15000	1.0 U	0.64 B	0.95 U
Dimethyl phthalate	µg/L	NS	NS	0.51 U	0.48 U	0.48 U
Di-n-butyl phthalate	µg/L	NS	900	5.1 U	4.8 U	4.8 U
Di-n-octyl phthalate	µg/L	NS	200	0.51 U	0.48 U	0.48 U
Fluoranthene	µg/L	NS	800	0.10 U	0.095 U	0.095 U
Fluorene	µg/L	NS	290	0.10 U	0.095 U	0.095 U
Hexachlorobenzene	µg/L	1.0	0.049	0.10 U	0.095 U	0.095 U
Hexachlorobutadiene	µg/L	NS	0.3	0.51 U	0.48 U	0.48 U
Hexachlorocyclopentadiene	µg/L	50	31	0.51 UJ	0.48 U	0.48 UJ
Hexachloroethane	µg/L	NS	0.90	0.51 U	0.48 U	0.48 U
Indeno(1,2,3-cd)pyrene	µg/L	NS	0.034	0.10 U	0.095 U	0.095 U
Isophorone	µg/L	NS	78	0.51 U	0.48 U	0.48 U
Naphthalene	µg/L	NS	0.17	0.15 B	0.095 U	0.10 J
N-Nitroso-di-n-propylamine	µg/L	NS	0.011	0.51 U	0.48 U	0.48 U
N-Nitrosodiphenylamine	µg/L	NS	12	0.51 U	0.48 U	0.48 U
Pentachlorophenol	µg/L	1.0	0.04	1.0 U	0.95 U	0.95 U
Phenanthrene	µg/L	NS	NS	0.10	0.095 U	0.095 U
Phenol	µg/L	NS	5800	1.0 U	0.95 U	0.95 U
Pyrene	µg/L	NS	120	0.10	0.095 U	0.095 U

Notes:

MCL = Maximum Contaminant Level

RSL = USEPA Regional Screening Level, May 2014

µg/L = microgram per liter

NS = no standard

N/A = Not Analyzed

Bold = detected compound above the MDL

Table 3-4. FWGWMP May 2014 SVOC Analytical Results**Data Qualifiers**

Data qualifier flags are used in an effort to describe the quality of each piece of data for each constituent. These flags are letter codes appended to the numerical data. The following data qualifiers are specified in the USACE Louisville Chemistry Guidelines. For a complete explanation of qualifiers used for each constituent please refer to the Data Verification Summaries in Appendix C.

- | | |
|----|---|
| U | The analyte was analyzed for but not detected. The numerical value preceding the U is the associated reporting limit. |
| J | The identification of the analyte is acceptable, but the quality assurance criteria indicate that the quantitative values may be outside the normal expected range of precision (i.e., the quantitative value is estimated). Examples include: <ul style="list-style-type: none">- Results detected above the laboratory MDL but less than the laboratory reporting limit.- MS/MSD percent recoveries outside the acceptance criteria.- LCS percent recoveries outside acceptance criteria. |
| R | Data are considered to be rejected and shall not be used. This flag denotes the failure of quality control criteria such that it cannot be determined if the analyte is present or absent from the sample [e.g., the MRL verification standard was below quality control guidelines; associated sample results that were non-detect are unusable]. |
| UJ | This flag is a combination of the U and J qualifiers, which indicate that the analyte is not present. The reported value is considered to be an estimated RL. |
| B | The B flag is used for when the analyte is found in the method blank or any of the field blanks. This designation overrides the CLP "B" designation when used by the laboratory as an estimated value for inorganics. |

Table 3-5. FWGWMP May 2014 Pesticides and PCBs Analytical Results

Station ID				LL1mw-064	LL1mw-088	LL2mw-271	LL3mw-246	SCFmw-004
Sample ID		MCL	USEPA RSL	FWGLL1mw-064C-0436-GW	FWGLL1mw-088-0437-GW	FWGLL2mw-271-0438-GW	FWGLL3mw-246-0439-GW	FWGSCFmw-004-0440-GW
Date Collected				5/7/2014	5/8/2014	5/7/2014	5/7/2014	5/7/2014
Sample Type				Grab	Grab	Grab	Grab	Grab
Analyte	Units							
4,4'-DDD	µg/L	NS	0.031	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
4,4'-DDE	µg/L	NS	0.23	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
4,4'-DDT	µg/L	NS	0.23	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
Aldrin	µg/L	NS	0.0046	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
alpha-BHC	µg/L	NS	0.0071	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
alpha-Chordane	µg/L	NS	NS	0.019 U	0.019 UJ	0.020 UJ	0.019 U	0.095 U
beta-BHC	µg/L	NS	0.025	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
delta-BHC	µg/L	NS	NS	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
Dieldrin	µg/L	NS	0.0017	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
Endosulfan I	µg/L	NS	100	0.019 U	0.019 UJ	0.020 UJ	0.019 U	0.095 U
Endosulfan II	µg/L	NS	100	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
Endosulfan sulfate	µg/L	NS	NS	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
Endrin	µg/L	2.0	2.3	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
Endrin aldehyde	µg/L	NS	NS	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
Endrin ketone	µg/L	NS	NS	0.019 U	0.019 UJ	0.020 UJ	0.019 U	0.095 U
gamma-BHC	µg/L	0.20	0.041	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
gamma-Chlordane	µg/L	NS	NS	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
Heptachlor	µg/L	0.40	0.002	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
Heptachlor epoxide	µg/L	0.20	0.0038	0.019 U	0.019 UJ	0.020 U	0.019 U	0.095 U
Methoxychlor	µg/L	40	37	0.048 U	0.048 UJ	0.050 U	0.048 U	0.24 U
Toxaphene	µg/L	3.0	0.015	0.76 U	0.76 UJ	0.79 U	0.76 U	3.8 U
PCB- 1016	µg/L	0.50	1.1	N/A	0.19 UJ	0.20 U	0.19 U	N/A
PCB- 1221	µg/L	0.50	0.0046	N/A	0.19 UJ	0.20 U	0.19 U	N/A
PCB- 1232	µg/L	0.50	0.0046	N/A	0.19 UJ	0.20 U	0.19 U	N/A
PCB- 1242	µg/L	0.50	0.039	N/A	0.38 UJ	0.40 U	0.38 U	N/A
PCB- 1248	µg/L	0.50	0.039	N/A	0.19 UJ	0.20 U	0.19 U	N/A
PCB- 1254	µg/L	0.50	0.039	N/A	0.19 UJ	0.20 U	0.19 U	N/A
PCB- 1260	µg/L	0.50	0.039	N/A	0.19 UJ	0.20 U	0.19 U	N/A

Notes:

MCL = Maximum Contaminant Level

RSL = USEPA Regional Screening Level, May 2014

N/A = not analyzed

NS = no standard

Bold = detected compound above the MDL

µg/L = microgram per liter

Table 3-5. FWGWMP May 2014 Pesticides and PCBs Analytical Results

Data Qualifiers

Data qualifier flags are used in an effort to describe the quality of each piece of data for each constituent. These flags are letter codes appended to the numerical data. The following data qualifiers are specified in the USACE Louisville Chemistry Guidelines. For a complete explanation of qualifiers used for each constituent please refer to the Data Verification Summaries in Appendix C.

- U The analyte was analyzed for but not detected. The numerical value preceding the U is the associated reporting limit.
- J The identification of the analyte is acceptable, but the quality assurance criteria indicate that the quantitative values may be outside the normal expected range of precision (i.e., the quantitative value is estimated). Examples include:
 - Results detected above the laboratory MDL but less than the laboratory reporting limit.
 - MS/MSD percent recoveries outside the acceptance criteria.
 - LCS percent recoveries outside acceptance criteria.
- R Data are considered to be rejected and shall not be used. This flag denotes the failure of quality control criteria such that it cannot be determined if the analyte is present or absent from the sample [e.g., the MRL verification standard was below quality control guidelines; associated sample results that were non-detect are unusable].
- UJ This flag is a combination of the U and J qualifiers, which indicate that the analyte is not present. The reported value is considered to be an estimated RL.
- B The B flag is used for when the analyte is found in the method blank or any of the field blanks. This designation overrides the CLP “B” designation when used by the laboratory as an estimated value for inorganics.

3.3 Data Verification/Validation

As discussed in Sections 2.4 and 3.3, all primary chemical data were generated by Test America. RTI conducted the independent QA analysis; however, EQM is not required to verify RTI data. A multi-step process is conducted, which involves the lab, the ADR software, and a data validator performing the data verification and validation of the data. During the first step each lab analyzes the data and assigns a qualifier as necessary in full accordance with DoD QSM and LS guidelines.

Analytical data was then reviewed by qualified EQM personnel, and a report was generated according to Step 2 of the LS and the DoD QSM, with any deviations/outliers noted in the summary report. The USACE-supplied ADR software assigns qualifiers to the data, as necessary, consistent with the programmed criteria of the ADR software. Additionally, the data validator uses professional judgment to check the validity of the qualified data and either accepts, rejects, or re-qualifies the ADR results following strict DoD QSM and LS guidelines.

After this multi-step process has been completed, the resulting final ADR qualifiers may not match the original lab qualifiers that are presented on the laboratory data sheets. As a result of the data validation process, one or more of four possibilities may occur:

1. The lab assigns a B, J, or E qualifier to the data, and the ADR software and/or the data validator changes the qualifier to a J, UJ, U, B, or R.
2. The lab assigns no qualifier to the data, and the ADR software and/or the data validator assigns a J, UJ, U, B, or R qualifier to the data.
3. The lab assigns a B, J, or E qualifier to the data, and the ADR software and/or the data validator assigns no qualifier to the data.
4. The lab assigns a J qualifier or uses no qualifier, and the ADR software and/or the data validator accepts the lab designation.

For the May 2014 Sampling Event Report, the laboratory data, with laboratory-derived qualifiers that follow DoD QSM and LS criteria, are presented in Appendix C. The verification reports for the data are also presented in Appendix C, which includes the definitions of the ADR qualifiers. The data presented in Tables 3-1, 3-2, 3-3, 3-4, and 3-5 are the result of the data that has been subjected to the multi-step process of verification and validation. These tables display the final assigned data qualifier in accordance with DoD QSM and LS criteria.

Data qualifier flags are used in an effort to describe the quality of each piece of data for each constituent. These flags are letter codes appended to the numerical data. The following data qualifiers are specified in the guidelines. For a complete explanation of qualifiers used for each constituent please refer to the Data Verification Summaries in Appendix C.

- U = the analyte was analyzed for but not detected. The numerical value preceding the U is the associated reporting limit.
- J = the identification of the analyte is acceptable, but the quality assurance criteria indicate that the quantitative values may be outside the normal expected range of precision (i.e., the quantitative value is estimated). Examples include:

- Results detected above the laboratory MDL but less than the laboratory reporting limit.
- MS/MSD percent recoveries outside the acceptance criteria.
- LCS percent recoveries outside acceptance criteria.
- R = data are considered to be rejected and shall not be used. This flag denotes the failure of quality control criteria such that it cannot be determined if the analyte is present or absent from the sample (e.g., MRL verification standard was below quality control guidelines; associated sample results that were non-detect are unusable).
- UJ = a combination of the U and J qualifiers, which indicate that the analyte is not present. The reported value is considered to be an estimated reporting limit.
- B = used for organic and inorganic analyses when the analyte is found in the method blank or any of the field blanks. This designation overrides the CLP “B” designation when used by the laboratory as an estimated value for inorganics.

Six wells were sampled during a 2-day sampling event from May 7-8, 2014. During the event, three trip blanks were submitted to Test America for VOCs analysis.

One field duplicate was collected during the sampling event in order to assess the quality and consistency of sample collection. Project requirements of 10% field duplicates were met for this sampling event. In addition, one laboratory split was collected and analyzed in order to assess the quality and consistency of the laboratory analysis. The project requirements of taking 10% laboratory splits were met for this sampling event. One equipment rinsate blank was collected during each day of monitoring well sampling; a total of two equipment rinsate blanks were collected.

For the May 2014 sampling event, the following laboratory or field contamination was identified at detections greater than ½ MRL for the field QA/QC samples.

SDG 240-37114

Trip Blank

Chloroform was detected in FWGTEAM3-Trip050814 at 0.35 µg/L, FWGTEAM3-Trip at 0.29 µg/L and at 0.34 µg/L in sample FWGTEAM2-Trip. There were no detected chloroform concentrations reported for the associated field samples, so no qualifications were required for trip blank contamination.

Equipment Rinse

- FWGEQUIPRinse2-0444-GW had acetone detected at 14 µg/L, carbon disulfide at 0.69 µg/L, 2-butanone at 3.6 µg/L and toluene at 0.22 µg/L.
- FWGEQUIPRinse1-0443-GW had acetone detected at 12 µg/L, 2-butanone at 1.5 µg/L and toluene at 0.20 µg/L.

There were no detected concentrations reported for the associated field samples, so no qualifications were made for the acetone, carbon disulfide, 2-butanone or toluene contamination.

- FWGEQUIPRinse2-0444-GW had diethylphthalate detected at 2.7 µg/L, naphthalene at 0.14 µg/L and phenol at 0.73 µg/L.

1 • FWGEQUIPRinse1-0443-GW had diethylphthalate detected at 3.2 µg/L.
2 The naphthalene result for sample FWGLL1mw-088-0437-GW and the diethyl phthalate result for
3 sample FWGLL2mw-271-0438-GW were qualified, “B”, as the reported concentrations were less
4 than 5x the associated equipment rinse contamination.

5 • FWGEQUIPRinse2-0444-GW had lead detected at 1.7 µg/L.
6 The lead result for sample FWGLL1mw-088-0437-GF was qualified, “B”, as the reported
7 concentration was less than five times the equipment rinse contamination.
8

9 Method Blank

10 Vanadium was detected in the method blank at 1.37 µg/L. No qualifications were made as there
11 were no detected vanadium concentrations reported for the associated field samples.
12

13 For a discussion of method blank contamination please review the Data Verification Reports and
14 the Laboratory Case Narrative in Appendix C. Laboratory analyses were performed in analytical
15 batches of ≤ 20 in order to maximize efficiency and group quality control requirements. Method
16 blanks and laboratory control samples were analyzed at a frequency of 1:20 (5%) samples or per
17 analytical batch, whichever was greater. Sufficient volume was provided to the laboratory in order
18 to assess matrix spike analysis on project samples at a frequency of 1:10 (10%) samples. Matrix
19 spike/matrix spike duplicate analysis was performed by the laboratory as batch quality control at a
20 frequency of 1:20 (5%).
21

22 Field quality control and laboratory quality control results were evaluated as part of the verification
23 assessment provided in Appendix C. Project requirements were met for the frequency and quality
24 of these samples.
25

26 Table 3-6 presents the percent, by analytical method, of data that were acceptable (based on data
27 not rejected) for use.
28

29 All qualified data are discussed in the Data Verification Reports contained in Appendix C. All
30 other data meet the requirements specified in the DoD QSM, LS criteria, and the QAPP associated
31 with this site.
32
33

1 **Table 3-6. Percent of Acceptable Data**

Analytical Method	Total Number of Analytes	Number of Rejects	Percent Completeness
6010B	112	0	100.0
6020	64	0	100.0
7470A	8	0	100.0
8081A	168	0	100.0
8082	42	0	100.0
8260B	351	0	100.0
8270C -SVOC1	12	0	100.0
8270C-SVOC4	378	0	100.0
8330	128	0	100.0
9012A	6	0	100.0
SW8330 Modified	8	0	100.0
WS-WC-0050	8	0	100.0
TOTAL	1285	0	100.0

2
3

SECTION 4 REFERENCES

- Portage Environmental, 2004. *RVAAP Facility-Wide Groundwater Monitoring Program Plan*.
- SAIC. 2001. *RVAAP Facility-Wide Sampling and Analysis Plan/Quality Assurance Project Plan*.
- SAIC. 2001b. *Phase II Remedial Investigation Report for the Winklepeck Burning Grounds at Ravenna Army Ammunition Plant, Ravenna, Ohio*.
- SAIC/REIMS. 2005. *Table of Reported Construction Depths from REIMS Information*.
- SpecPro, Inc. 2005a. *Facility-Wide Groundwater Monitoring Program Report on the April 2005 Sampling Event, Ravenna Training and Logistics Site/Ravenna Army Ammunition Plant, Ravenna, Ohio*.
- SpecPro, Inc. 2005b. *Facility-Wide Groundwater Monitoring Program, Report on the July 2005 Sampling Event, Ravenna Training and Logistics Site/Ravenna Army Ammunition Plant, Ravenna, Ohio*.
- SpecPro, Inc. 2006a. *Facility-Wide Groundwater Monitoring Program, Annual Report for 2005, Ravenna Training and Logistics Site/Ravenna Army Ammunition Plant, Ravenna, Ohio*.
- SpecPro, Inc. 2006b. *Facility-Wide Groundwater Monitoring Program, Report on the March 2006 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio*.
- SpecPro, Inc. 2006c. *Facility-Wide Groundwater Monitoring Program, Report on the May 2006 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio*.
- SpecPro, Inc. 2006d. (Draft) *Facility-Wide Groundwater Monitoring Program, Annual Report for 2006, Ravenna Army Ammunition Plant, Ravenna, Ohio*.
- SpecPro, Inc. 2007a. *Facility-Wide Groundwater Monitoring Program, Report on the July 2006 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio*.
- SpecPro, Inc. 2007b. *Facility-Wide Groundwater Monitoring Program, Report on the October 2006 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio*.
- SpecPro, Inc. 2007c. *Facility-Wide Groundwater Monitoring Program, Report on the January 2006 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio*.
- Environmental Quality Management, Inc. 2007d. *Facility-Wide Groundwater Monitoring Program, Report on the April 2007 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio*.

- 1 Environmental Quality Management, Inc. 2007e. *Facility-Wide Groundwater Monitoring*
2 *Program, Report on the July 2007 Sampling Event, Ravenna Army Ammunition Plant, Ravenna,*
3 *Ohio.*
4
- 5 Environmental Quality Management, Inc. 2007f. *Facility-Wide Groundwater Monitoring*
6 *Program, Report on the October 2007 Sampling Event, Ravenna Army Ammunition Plant, Ravenna,*
7 *Ohio.*
8
- 9 Environmental Quality Management, Inc. 2008a. *Facility-Wide Groundwater Monitoring Program,*
10 *Report on the January 2008 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*
11
- 12 Environmental Quality Management, Inc. 2008b. *Facility-Wide Groundwater Monitoring*
13 *Program, Report on the April 2008 Sampling Event, Ravenna Army Ammunition Plant, Ravenna,*
14 *Ohio.*
15
- 16 Environmental Quality Management, Inc. 2008c. *Facility-Wide Groundwater Monitoring*
17 *Program, Report on the July 2008 Sampling Event, Ravenna Army Ammunition Plant, Ravenna,*
18 *Ohio.*
19
- 20 Environmental Quality Management, Inc. 2008d. *Facility-Wide Groundwater Monitoring*
21 *Program, Report on the October 2008 Sampling Event, Ravenna Army Ammunition Plant, Ravenna,*
22 *Ohio.*
23
- 24 Environmental Quality Management, Inc. 2009a. *Facility-Wide Groundwater Monitoring*
25 *Program, Report on the January 2009 Sampling Event, Ravenna Army Ammunition Plant, Ravenna,*
26 *Ohio.*
27
- 28 Environmental Quality Management, Inc. 2009b. *Facility-Wide Groundwater Monitoring*
29 *Program, Report on the April 2009 Sampling Event, Ravenna Army Ammunition Plant, Ravenna,*
30 *Ohio.*
31
- 32 Environmental Quality Management, Inc. 2009c. *Facility-Wide Groundwater Monitoring*
33 *Program, Report on the July 2009 Sampling Event, Ravenna Army Ammunition Plant, Ravenna,*
34 *Ohio.*
35
- 36 Environmental Quality Management, Inc. 2009c. *Facility-Wide Groundwater Monitoring*
37 *Program, Report on the October 2009 Sampling Event, Ravenna Army Ammunition Plant, Ravenna,*
38 *Ohio.*
39
- 40 Environmental Quality Management, Inc. 2010. *Facility-Wide Groundwater Monitoring Program,*
41 *Report on the January 2010 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*
42
- 43 Environmental Quality Management, Inc. 2010. *Facility-Wide Groundwater Monitoring Program,*
44 *Report on the July 2010 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*
45

- 1 Environmental Quality Management, Inc. 2010. *Facility-Wide Groundwater Monitoring Program,*
2 *Report on the October 2010 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*
3
- 4 Environmental Quality Management, Inc. 2011. *Facility-Wide Groundwater Monitoring Program,*
5 *Report on the January 2011 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*
6
- 7 Environmental Quality Management, Inc. 2011. *Facility-Wide Groundwater Monitoring Program,*
8 *Report on the April 2011 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*
9
- 10 Environmental Quality Management, Inc. 2011. *Facility-Wide Groundwater Monitoring Program,*
11 *Report on the July 2011 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*
12
- 13 Environmental Quality Management, Inc. 2011. *Facility-Wide Groundwater Monitoring Program,*
14 *Report on the October 2011 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*
15
- 16 Environmental Quality Management, Inc. 2012. *Facility-Wide Groundwater Monitoring Program,*
17 *Report on the January 2012 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*
18
- 19 Environmental Quality Management, Inc. 2012. *Facility-Wide Groundwater Monitoring Program,*
20 *Report on the April 2012 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*
21
- 22 Environmental Quality Management, Inc. 2012. *Final Facility-Wide Groundwater Monitoring*
23 *Program Plan RVAAP-66 Facility-Wide Groundwater Semiannual Monitoring Addendum.*
24
- 25 Environmental Quality Management, Inc. 2013. *Facility-Wide Groundwater Monitoring Program,*
26 *Report on the July 2012 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*
27
- 28 Environmental Quality Management, Inc. 2013. *Facility-Wide Groundwater Monitoring Program,*
29 *Report on the October 2012 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*
30
- 31 Environmental Quality Management, Inc. 2013. *Facility-Wide Groundwater Monitoring Program,*
32 *Report on the January 2013 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*
33
- 34 Environmental Quality Management, Inc. 2013. *Final Facility-Wide Groundwater Monitoring*
35 *Program Plan RVAAP-66 Facility-Wide Groundwater Semiannual Monitoring Addendum.*
36
- 37 Environmental Quality Management, Inc. 2014. *Facility-Wide Groundwater Monitoring Program,*
38 *Report on the August 2013 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*
39
- 40 SAIC. 2011. *Final Facility-Wide Sampling and Analysis Plan for Environmental Investigations at*
41 *the Ravenna Army Ammunition Plant, Ravenna, Ohio.*
42
- 43 USACE. 2010. *2010 Addendum to the Facility-Wide Groundwater Monitoring Program Plan*
44 *RVAAP-66 Facility-Wide Groundwater.*

APPENDIX A

MONITORING WELLS SAMPLED DURING THE MAY 2014 GROUNDWATER MONITORING EVENT

May 2014 Well Sampling List

Well ID Number	RVAAP Location	Sampling Rationale
FWGmw-002	Facility-Wide wells	Monitoring Well for pH
LL1mw-064	Load Line 1	Semiannual Well, frozen in January
LL1mw-088	Load Line 1	New well, four events needed
LL2mw-271	Load Line 2	New well, four events needed
LL3mw-246	Load Line 3	New well, four events needed
SCFmw-004	Sharon Conglomerate Formation	Semiannual Well, frozen in January

APPENDIX B

WATER-LEVEL MEASUREMENTS/FIELD LOG BOOK/CALIBRATION RECORDS/ SAMPLE AND PURGE RECORDS/DAILY QUALITY CONTROL REPORTS

Signature Page

May 2014 FWGWMP Monitoring Well Event Field Personnel Abbreviations and Signatures Page

Field Personnel


Name	Affiliation	Initials
Bryan Deskins	EQM	BD
Angela S. Dragotta	EQM	AD/ASD
Colleen A. Lear	EQM	CL/CAL
John Miller	EQM	JM
Stephen Stuergon	EQM	SS
Scott A. Spesshardt	EQM	SAS

Project and Field Leads

Name, Title, Affiliation


John Miller, Project Manager / QC Check, EQM

Signature: _____



Colleen A. Lear, Field Manager / QC Check, EQM

Signature: _____



Erik Corbin, Sample Manager, EQM

Signature: _____



Logbook

Location DVAAP 266Date 5-2-14Project / Client USACEWAL SAs 50s P. only

1500 Onsite for unpack + organize
 1615 TO East first then 1036
 1615 Coolers organized
 OFFSITE

~~Cal 5/5/14~~Location DVAAP 266Date 5-6-14Project / Client USACEWAL SAs SAs B & A D Sunny

0730 Onsite
 0800 Health + Safety
 Stop at Eastern + bring
 water level alert
 1100 Vehicle Stock (partial crew)
 1300 partial crew working
 Continue water levels
 1630 Setup at 1036 for
 tomorrow.
 1645 organize
 1700 offsite

~~5/6/14~~

Location RVAAP Lab Date 5-7-14
 Project / Client USACE 40s-60s
CAV fm SAS AD BD P. Sunny

0730 Organize partial water level
 Partial Sample / Calibration
 Health Safety / Purge sample
 water level + purge sample
 event. Low well purge 5 sample
 1330 partial to 1036.
 1430 partial demo
 of CAV + JVN.
 1730 Office after Angle a Bx/en finished sample
 wells 113-216, 112-271, and 111-064 V

*Still
 off track*

Location RVAAP Date 5/8/14
 Project / Client AD, BD, SAS 50-80s
AD, BD, SAS P. Sunny

Mostly sunny, waiting to meet 80°
 0730 Arrived on site
 0830 Set up on 111 MW-088. Angle a Bx/en
 performed purge of sample
 1220 Finished sampling well
 1400 Conducted picked up samples from yesterday and
 today incl. finger sample and used chel.
 of zinc & lead used
 1447 Office after loading and cleaning up

L. J. Gresham 5/8/14

Location: RVAAP 606

Date: 5-5 to 5-8/14

Project / Client: USACE

DRUM LOG

DRUM ID

CONTENTS

EOM 2014 - 5 Deon/Rinse
EOM 2014 - 6 *Purged Ground Water

* location of groundwater is baseline 1, baseline 2, baseline 3 and SCF areas. Deon was facility wide due to water levels.

Cal 5-8-14

Location

Date

Project / Client

page intentionally blank
Cal 5-8-14

Static Water Level Measurements

EQM MONITOR WELL STATIC WATER LEVEL FORM

PROJECT NAME: **RVAAP**

PROJECT NUMBER: 030174.0016.001

FIELD BOOK#: 2

DATE: 5/7/2014[illegible]

EQM MONITOR WELL STATIC WATER LEVEL FORM

PROJECT NAME: **RVAAP**

PROJECT NUMBER: **030174.0016.001**

FIELD BOOK#: **2**

DATE: **5/8/2014**

Monitor Well Number	Location	Total Well Depth (ft)	Water Level Indicator	Sampler	Time	Depth to Static Water Level (ft)	Sounding	PID Reading (above bkgnd)
LL1mw-088	Loadline 1	27.37	05767	AD	8:30	4.02		0

Cmt: Good, start @ 50 10/5 drawn too fast. Changed cycles per min(CPM) to 2 @ 0840. @0845 changed to 1 CPM. After 0853 reading dumped flow thru & changed 2 CPM. After 0858 read changed to 1CPM.

Calibration Records

CALIBRATION REFERENCE TABLES

Summary of Field Instruments and Calibration/Performance Requirements for RVAAP AOC-Specific Investigations

Instrument and Use	Calibration	Performance
Water level meter used to determine static water level	Calibrated by manufacturer	±0.01 ft
Water quality instrument used to determine groundwater pH	Two points using pH 4.0 and 7.0 standard solutions on a daily basis	±0.1 units
Water quality instrument used to determine groundwater conductivity	One point using 0.01 m KCl or equivalent standard solution on a daily basis. Standard solutions should be close to the range of groundwater sampled	±0.1 µmhos/cm
Water quality instrument used to determine groundwater turbidity	One point using a 0.0 NTU or equivalent standard solution on a daily basis	0.1 NTU
Water quality instrument used to determine dissolved oxygen	One point using standard solution or manufacturer's DO chart	10%
Thermometer used to determine groundwater temperature	Calibration by manufacturer	±1°C
Photoionization detector used to determine organic vapor concentrations emitted from subsurface material	One point using 100-ppm isobutylene calibration gas on a daily basis	±0.1 ppm

AOC = Area of concern KCl = Potassium chloride (solution) ppm = Parts per million
RVAAP = Ravenna Army Ammunition Plant

MODEL 3682 ZOBELL SOLUTION INSTRUCTIONS

ORP CHART

TEMPERATURE in °C	Ag/AgCl (4M KCl) in millivolts	CALOMEL in millivolts
-5	270.0	234.2
0	263.5	226.0
5	257.0	217.8
10	250.5	209.6
15	244.0	201.4
20	237.5	193.2
25	231.0	185.0
30	224.5	176.8
35	218.0	168.6
40	211.5	160.4
45	205.0	152.2
50	198.5	144.0

DO CHART

The ISI 3682 Zobell Solution is not for food or drug use and can be harmful if swallowed. It will react with acids to form harmful by-products, including hydro-

Amounts of saturated dissolved oxygen in water at various temperatures (salinity=0.0%)

JIS K0101

Temp. (°C)	DO (mg/L)	Temp. (°C)	DO (mg/L)	Temp. (°C)	DO (mg/L)	Temp. (°C)	DO (mg/L)
0	14.16						
1	13.77	11	10.67	21	8.68	31	7.42
2	13.40	12	10.43	22	8.53	32	7.32
3	13.04	13	10.20	23	8.39	33	7.22
4	12.70	14	9.97	24	8.25	34	7.13
5	12.37	15	9.76	25	8.11	35	7.04
6	12.06	16	9.56	26	7.99	36	6.94
7	11.75	17	9.37	27	7.87	37	6.86
8	11.47	18	9.18	28	7.75	38	6.76
9	11.19	19	9.01	29	7.64	39	6.68
10	10.92	20	8.84	30	7.53	40	6.59

Instrument Model	Instrument ID	Date	Time	Calibrator	Calibration Type	Standard	Std Concentra	Meter Reading	Units	Comment
EXAMPLE: Horiba U22	3074008	06-Oct-08	11:00	EC	Autocal	pH	4		pH units	1st Read then Cal'd
Horiba U22	706025	02-May-14	1300	CAL	Autocal	pH	4	3.99	pH units	3.99
					Autocal	Cond	4.49	4.48	mS/cm	4.61
					Autocal	Turb	0	0.0	NTU	0.0
					Calibration	pH	7	7.00	pH units	6.49
					Calibration	pH	10	10.08	pH units	9.98
					Temp Check	Temp		13.98	°C	16.00
					Calibration-Chart	DO		10.01	mg/L	10.59
					Calibration-Chart	ORP		251	mV	263
Horiba U22	706025	02-May-14	0745	CAL	Autocal	pH	4	3.99	pH units	
					Autocal	Cond	4.49	4.51	mS/cm	
					Autocal	Turb	0	0.0	NTU	
					Calibration	pH	7	7.00	pH units	
					Calibration	pH	10	10.02	pH units	
					Temp Check	Temp		13.42	°C	
					Calibration-Chart	DO		9.99	mg/L	
					Calibration-Chart	ORP		250	mV	
					Autocal	pH	4		pH units	
					Autocal	Cond	4.49		mS/cm	
					Autocal	Turb	0		NTU	
					Calibration	pH	7		pH units	
					Calibration	pH	10		pH units	
					Temp Check	Temp			°C	
					Calibration-Chart	DO			mg/L	
					Calibration-Chart	ORP			mV	
					Bump - ISO Butylene			102	ppm	
					- ZERO AIR			0	ppm	
					Bump	150		101	ppm	
					1	AIR		0	ppm	

5/2/14

RAE/PID

↓

↓

↓

Purge/Sample Records

EQM MONITOR WELL PURGING FORM

PROJECT NAME: RVAAP PROJECT NUMBER: 030174.0016.001
 LOCATION: FACILITYWIDE DATE: 5/7/2014 START TIME: 10:40
 WELL ID: FWGmw-002 INITIAL WATER LEVEL: 22.66 TOTAL PURGED (L) 5.8
 WELL DEPTH: 69.6
 WELL DIAMETER 2 in. APPROXIMATE SCREEN INTERVAL: 60 - 70
 PUMP/PURGING DEVICE: BP - BLADDER PUMP APPROXIMATE PUMP INTAKE DEPTH: 65
 PUMP READINGS: Throttle (ft.) _____ Recharge: 10.5 Discharge: 4.5
 COMMENTS PURGE ONLY: intake 64, black suspended solids, cleaned out by 1130, gray sed at bottom med to soft

TIME	WATER LEVEL (btoc)	PURGE RATE (L/min)	VOLUME PURGED (L)	TEMP. (°C)	SPECIFIC CONDUCT. (mS/cm)	DO (mg/L)	pH	Turb (NTU)	ORP (mV)
10:55	22.71	0.125	0.2						
11:07	23.12	0.125	1.5	10.92	0.461	1.16	8.22	669	-223
11:12	23.28	0.1	0.5	10.93	0.46	0.68	8.09	611	-225
11:17	23.20	0.1	0.5	11	0.457	0.22	8.05	479	-221
11:20	23.18	0.1	0.3	10.93	0.456	0.04	8.02	355	-226
11:23	23.19	0.1	0.3	10.87	0.455	0.02	8.02	291	-228
11:26	23.18	0.1	0.3	10.81	0.455	0.02	8.03	251	-232
11:30	23.18	0.1	0.4	10.8	0.452	0.04	8.03	179	-233
11:33	23.18	0.1	0.3	10.72	0.452	0.02	8.03	161	-236
11:36	23.18	0.1	0.3	10.75	0.451	0.02	8.04	151	-238
11:39	23.17	0.1	0.3	10.76	0.451	0.03	8.04	148	-239
11:42	23.17	0.1	0.3	10.78	0.452	0.04	8.05	136	-239
11:45	23.17	0.1	0.3	10.81	0.452	0.02	8.06	133	-239
11:48	23.16	0.1	0.3	10.84	0.452	0.02	8.07	129	-238

Note: Condition of the well: See STATIC WATER LEVEL FORM, Note: All depths in feet BTOC.

Field Personnel: CAL

Intentionally Blank Page

EQM MONITOR WELL PURGING FORM

PROJECT NAME: RVAAP PROJECT NUMBER: 030174.0016.001
 LOCATION: LOADLINE 1 DATE: 5/7/2014 START TIME: 15:23
 WELL ID: LL1mw-064 INITIAL WATER LEVEL: 0.7 TOTAL PURGED (L) 18.2
 WELL DEPTH: 21.1
 WELL DIAMETER 2 in. APPROXIMATE SCREEN INTERVAL: 11 - 21
 PUMP/PURGING DEVICE: BP - BLADDER PUMP APPROXIMATE PUMP INTAKE DEPTH: 15.5
 PUMP READINGS: Throttle (ft.) Recharge: 10 Discharge: 5
 COMMENTS Color: Clear, Odor:None,water leaking from weephole at .5 L per Min.

TIME	WATER LEVEL (btoc)	PURGE RATE (L/min)	VOLUME PURGED (L)	TEMP. (°C)	SPECIFIC CONDUCT. (mS/cm)	DO (mg/L)	pH	Turb (NTU)	ORP (mV)
15:33	0.60	0.3	0.5						
15:36	0.60	0.3	0.9	10.56	0.583	7.73	7.1	324	-127
15:39	0.60	0.3	0.9	10.49	99.9	0	7.24	317	-133
15:42	0.60	0.3	0.9	10.5	99.9	0	7.29	322	-135
15:47	0.60	0.3	1.5	10.5	41.4	5.46	7.44	112	-139
15:52	0.60	0.3	1.5	10.58	0.9	5.67	7.54	71.5	-142
15:57	0.60	0.3	1.5	10.56	0.9	5.84	7.56	70.2	-144
16:02	0.60	0.3	1.5	10.62	0.652	5.54	7.61	52	-144
16:07	0.60	0.3	1.5	10.63	0.544	5.53	7.63	48.4	-145
16:12	0.60	0.3	1.5	10.55	0.46	5.44	7.66	72.3	-147
16:17	0.60	0.3	1.5	10.42	0.445	5.42	7.68	54.4	-147
16:22	0.60	0.3	1.5	10.43	0.441	5.33	7.69	49.1	-148
16:27	0.60	0.3	1.5	10.39	0.438	5.32	7.66	45.1	-149
16:32	0.60	0.3	1.5	10.38	0.434	5.27	7.7	44.7	-150

Note: Condition of the well: See STATIC WATER LEVEL FORM, Note: All depths in feet BTOC.

Field Personnel: AD

EQM FIELD SAMPLING REPORT

PROJECT: RVAAP		LOCATION: LOADLINE 1		PROJECT NO.: 030174.0016.001	
SAMPLE INFORMATION					
WELL: <u>LL1mw-064</u>		SampleID: <u>FWGLL1mw-064C-0436-GW</u>		Dup ID: _____	
		SplitID: _____		RinseID: _____	
MATRIX: <u>WG - Ground Water</u>		SAMPLING METHOD: <u>BP - Bladder Pump</u>		MS/MSD: <u>N</u>	
GRAB: <u>Y</u>		COMPOSITE: <u>N</u>		DATE: <u>5/7/2014</u> TIME: <u>16:37</u>	
FIELD READINGS / OBSERVATIONS					
		Turb (NTU): <u>44.9</u>	Color: <u>Clear</u>		
		ORP (mV): <u>-150</u>	Odor: <u>None</u>		
pH: <u>7.71</u>		Temperature (°C): <u>10.32</u>	DO (mg/L): <u>5.23</u>	Specific Conductivity (mS/cm): <u>0.438</u>	
GENERAL INFORMATION					
SUN/OVERCAST <u>Overcast</u>		PERCIPITATION: <u>N</u>		WIND DIRECTION: <u>NE</u> AMBIENT TEMP (°F): <u>60</u>	
SHIPPED VIA: <u>Lab Pickup</u>					
SHIPPED TO: <u>Testamerica</u>					
SAMPLER: <u>AD</u> Cmt: _____					
CONTAINER		PRESERVATIVE	ANALYTICAL METHOD	ANALYSIS	
<i>SIZE/TYPE</i>	<i>NUMBER</i>				
250ml/Poly	1	NaOH	9012	Cyanide	
40ml/Vial	3	HCl	8260	VOC	
1L/Amber	2	4C	8270	SVOC	
1L/Amber	2	4C	8081	Pest	
1L/Amber	2	4C	8082	PCB	
1L/Amber	2	4C	353.2/8330	Propellants	
500ml/Poly	1	HNO3	6010/6020/7470	Metals, filtered	
1L/Amber	1	4C	8330	Explo	

EQM MONITOR WELL PURGING FORM

PROJECT NAME: RVAAP PROJECT NUMBER: 030174.0016.001
 LOCATION: LOADLINE 1 DATE: 5/8/2014 START TIME: 8:30
 WELL ID: LL1mw-088 INITIAL WATER LEVEL: 4.02 TOTAL PURGED (L) 11.1
 WELL DEPTH: 27.37
 WELL DIAMETER 2 in. APPROXIMATE SCREEN INTERVAL: 17.5 - 27.5
 PUMP/PURGING DEVICE: BP - BLADDER PUMP APPROXIMATE PUMP INTAKE DEPTH: 22
 PUMP READINGS: Throttle (ft.) _____ Recharge: 40 Discharge: 20
 COMMENTS Color: Cloudy, Odor:None,start @ 50 10/5 drawn too fast. Changed cycles per min(CPM) to 2 @ 0840. @0845 changed to 1 CPM. After 0853 reading dumped flow thru & changed 2 CPM. After 0858 read changed to 1CPM.

TIME	WATER LEVEL (btoc)	PURGE RATE (L/min)	VOLUME PURGED (L)	TEMP. (°C)	SPECIFIC CONDUCT. (mS/cm)	DO (mg/L)	pH	Turb (NTU)	ORP (mV)
8:35	3.77	0.2	0						
8:40	4.34	0.2	1	10.41	0.999	7.15	7.1	9999	-32
8:45	4.74	0.1	0.5	10.32	0.999	6.98	7.1	9999	-29
8:50	4.69	0.1	0.5	10.72	0.97	6.35	7.19	9999	-30
8:53	4.69	0.1	0.3	10.81	0.999	6.29	7.15	9999	-34
8:58	4.80	0.1	0.5	10.47	0.93	7.5	7.25	9999	-30
9:01	4.71	0.1	0.3	10.54	0.953	6.32	7.26	9999	-39
9:04	4.62	0.1	0.3	10.6	0.941	6.1	7.27	9999	-40
9:07	4.68	0.1	0.3	10.62	0.937	5.97	7.27	9999	-41
9:10	4.58	0.1	0.3	10.66	0.961	5.84	7.28	9999	-43
9:13	4.60	0.1	0.3	10.69	0.934	5.74	7.27	9999	-44
9:16	4.59	0.1	0.3	10.77	0.935	5.7	7.28	9999	-44
9:19	4.65	0.1	0.3	10.84	0.928	5.6	7.29	9999	-46
9:22	4.65	0.1	0.3	10.94	0.932	5.59	7.29	9999	-47
9:25	4.66	0.1	0.3	11.06	0.921	5.55	7.29	928	-49
9:28	4.69	0.1	0.3	11.17	0.918	5.5	7.3	891	-50
9:31	4.71	0.1	0.3	11.16	0.919	5.51	7.3	772	-50
9:34	4.70	0.1	0.3	11.18	0.928	5.55	7.3	680	-52
9:37	4.71	0.1	0.3	11.29	0.913	5.52	7.29	600	-52
9:40	4.60	0.1	0.3	11.29	0.918	5.57	7.3	531	-53
9:43	4.69	0.1	0.3	11.37	0.915	5.61	7.31	474	-54
9:46	4.62	0.1	0.3	11.34	0.915	5.64	7.31	438	-54
9:49	4.68	0.1	0.3	11.41	0.921	5.68	7.31	372	-55
9:51	4.61	0.1	0.2	11.53	0.913	5.65	7.31	389	-55

Note: Condition of the well: See STATIC WATER LEVEL FORM, Note: All depths in feet BTOC.

Field Personnel: AD

EQM MONITOR WELL PURGING FORM

PROJECT NAME: RVAAP PROJECT NUMBER: 030174.0016.001
 LOCATION: LOADLINE 1 DATE: 5/8/2014 START TIME: 8:30
 WELL ID: LL1mw-088 INITIAL WATER LEVEL: 4.02 TOTAL PURGED (L) 11.1
 WELL DEPTH: 27.37
 WELL DIAMETER 2 in. APPROXIMATE SCREEN INTERVAL: 17.5 - 27.5
 PUMP/PURGING DEVICE: BP - BLADDER PUMP APPROXIMATE PUMP INTAKE DEPTH: 22
 PUMP READINGS: Throttle (ft.) _____ Recharge: 40 Discharge: 20
 COMMENTS Color: Cloudy, Odor:None,start @ 50 10/5 drawn too fast. Changed cycles per min(CPM) to 2 @ 0840. @0845 changed to 1 CPM. After 0853 reading dumped flow thru & changed 2 CPM. After 0858 read changed to 1CPM.

TIME	WATER LEVEL (btoc)	PURGE RATE (L/min)	VOLUME PURGED (L)	TEMP. (°C)	SPECIFIC CONDUCT. (mS/cm)	DO (mg/L)	pH	Turb (NTU)	ORP (mV)
9:54	4.65	0.1	0.3	11.57	0.912	5.68	7.3	368	-55
9:57	4.66	0.1	0.3	11.56	0.917	5.63	7.32	330	-56
10:00	4.64	0.1	0.3	11.64	0.913	5.66	7.32	336	-57
10:03	4.68	0.1	0.3	11.86	0.914	5.62	7.32	470	-57
10:06	4.60	0.1	0.3	11.97	0.922	5.63	7.32	342	-59
10:09	4.70	0.1	0.3	12.09	0.925	5.62	7.32	318	-59
10:12	4.60	0.1	0.3	12.06	0.912	5.6	7.32	303	-60
10:15	4.65	0.1	0.3	12.08	0.935	5.59	7.33	287	-61
10:18	4.70	0.1	0.3	12	0.917	5.62	7.33	276	-60
10:21	4.65	0.1	0.3	11.98	0.922	5.62	7.33	276	-61

Note: Condition of the well: See STATIC WATER LEVEL FORM, Note: All depths in feet BTOC.

Field Personnel: AD

EQM FIELD SAMPLING REPORT

PROJECT: RVAAP		LOCATION: LOADLINE 1		PROJECT NO.: 030174.0016.001	
SAMPLE INFORMATION					
WELL: <u>LL1mw-088</u>		SampleID: <u>FWGLL1mw-088-0437-GW/GF</u>		Dup ID: _____	
		SplitID: _____		RinseID: <u>FWGEQUIPRinse2-0444-GW</u>	
MATRIX: <u>WG - Ground Water</u>		SAMPLING METHOD: <u>BP - Bladder Pump</u>		MS/MSD: <u>N</u>	
GRAB: <u>Y</u>		COMPOSITE: <u>N</u>		DATE: <u>5/8/2014</u> TIME: <u>10:29</u>	
FIELD READINGS / OBSERVATIONS					
		Turb (NTU): <u>270</u>		Color: <u>Cloudy</u>	
		ORP (mV): <u>-61</u>		Odor: <u>None</u>	
pH: <u>7.33</u>		Temperature (°C): <u>12</u>		DO (mg/L): <u>5.62</u> Specific Conductivity (mS/cm): <u>0.13</u>	
GENERAL INFORMATION					
SUN/OVERCAST <u>Sunny</u>		PERCIPITATION: <u>N</u>		WIND DIRECTION: <u>SE</u> AMBIENT TEMP (°F): <u>65</u>	
SHIPPED VIA: <u>Lab Pickup</u>					
SHIPPED TO: <u>Testamerica</u>					
SAMPLER: <u>AD</u> Cmt: <u>Rinse @1300</u>					
CONTAINER		PRESERVATIVE	ANALYTICAL METHOD	ANALYSIS	
<i>SIZE/TYPE</i>	<i>NUMBER</i>				
40ml/Vial	3	HCl	8260	VOC	
1L/Amber	2	4C	8270	SVOC	
1L/Amber	2	4C	8081	Pest	
1L/Amber	2	4C	8082	PCB	
1L/Amber	1	4C	8330	Explo	
1L/Amber	2	4C	353.2/8330	Propellants	
250ml/Poly	1	NaOH	9012	Cyanide	
500ml/Poly	1	HNO3	6010/6020/7470	Metals, filtered	

Intentionally Blank Page

EQM MONITOR WELL PURGING FORM

PROJECT NAME: RVAAP PROJECT NUMBER: 030174.0016.001
 LOCATION: LOADLINE 2 DATE: 5/7/2014 START TIME: 12:10
 WELL ID: LL2mw-271 INITIAL WATER LEVEL: 9.29 TOTAL PURGED (L) 8.9
 WELL DEPTH: 27.8
 WELL DIAMETER 2 in. APPROXIMATE SCREEN INTERVAL: 17.5 - 27.5
 PUMP/PURGING DEVICE: BP - BLADDER PUMP APPROXIMATE PUMP INTAKE DEPTH: 22.5
 PUMP READINGS: Throttle (ft.) _____ Recharge: 10 Discharge: 5
 COMMENTS Color: Pale Yellow transparent tint, Odor:None,

TIME	WATER LEVEL (btoc)	PURGE RATE (L/min)	VOLUME PURGED (L)	TEMP. (°C)	SPECIFIC CONDUCT. (mS/cm)	DO (mg/L)	pH	Turb (NTU)	ORP (mV)
12:13	9.32	0.2	0						
12:16	9.35	0.2	0.5	11.38	0.561	7.38	6.55	9999	-3
12:19	9.44	0.2	0.6	10.68	0.569	6.32	6.64	875	-6
12:22	9.38	0.2	0.6	10.67	0.635	8.93	6.66	891	-12
12:25	9.43	0.2	0.6	10.54	0.72	6.31	6.67	671	-9
12:28	9.39	0.2	0.6	10.22	0.565	6.4	6.68	462	-8
12:31	9.44	0.2	0.6	10.1	0.544	6.29	6.69	468	-8
12:34	9.44	0.2	0.6	10.1	0.541	6.28	6.7	416	-11
12:37	9.44	0.2	0.6	10.02	0.541	6.21	6.71	375	-13
12:40	9.44	0.2	0.6	9.95	0.539	5.99	6.72	346	-14
12:43	9.46	0.2	0.6	9.89	0.538	5.84	6.73	300	-14
12:46	9.45	0.2	0.6	9.91	0.534	5.79	6.73	266	-14
12:49	9.40	0.2	0.6	9.93	0.532	5.71	6.74	239	-14
12:52	9.39	0.2	0.6	10.06	0.529	5.67	6.75	214	-14
12:55	9.44	0.2	0.6	10.05	0.529	5.69	6.67	210	-14
12:58	9.44	0.2	0.6	10.04	0.528	5.7	6.77	205	-14

Note: Condition of the well: See STATIC WATER LEVEL FORM, Note: All depths in feet BTOC.

Field Personnel: AD

EQM FIELD SAMPLING REPORT

PROJECT: RVAAP		LOCATION: LOADLINE 2		PROJECT NO.: 030174.0016.001	
SAMPLE INFORMATION					
WELL: <u>LL2mw-271</u>		SampleID: <u>FWGLL2-mw-0271-0438-GW</u>		Dup ID: _____	
		SplitID: _____		RinseID: _____	
MATRIX: <u>WG - Ground Water</u>		SAMPLING METHOD: <u>BP - Bladder Pump</u>		MS/MSD: <u>Y</u>	
GRAB: <u>Y</u>		COMPOSITE: <u>N</u>		DATE: <u>5/7/2014</u> TIME: <u>12:59</u>	
FIELD READINGS / OBSERVATIONS					
		Turb (NTU): <u>200</u>	Color: <u>Pale Yellow transparent tint</u>		
		ORP (mV): <u>-14</u>	Odor: <u>None</u>		
pH: <u>6.77</u>		Temperature (°C): <u>10.02</u>	DO (mg/L): <u>5.73</u>	Specific Conductivity (mS/cm): <u>0.527</u>	
GENERAL INFORMATION					
SUN/OVERCAST <u>Overcast</u>		PERCIPITATION: <u>N</u>		WIND DIRECTION: <u>NE</u> AMBIENT TEMP (°F): <u>52</u>	
SHIPPED VIA: <u>Lab Pickup</u>					
SHIPPED TO: <u>Testamerica</u>					
SAMPLER: <u>AD</u> Cmt: <u>Two 1 L toxaphene sent</u>					
CONTAINER		PRESERVATIVE	ANALYTICAL METHOD	ANALYSIS	
<i>SIZE/TYPE</i>	<i>NUMBER</i>				
250ml/Poly	3	NaOH	9012	Cyanide	
1L/Amber	8	4C	8081	Pest	
40ml/Vial	9	HCl	8260	VOC	
1L/Amber	6	4C	8270	SVOC	
1L/Amber	6	4C	353.2/8330	Propellants	
500ml/Poly	3	HNO3	6010/6020/7470	Metals, filtered	
1L/Amber	3	4C	8330	Explo	
1L/Amber	6	4C	8082	PCB	

EQM MONITOR WELL PURGING FORM

PROJECT NAME: RVAAP PROJECT NUMBER: 030174.0016.001
 LOCATION: LOADLINE 3 DATE: 5/7/2014 START TIME: 9:04
 WELL ID: LL3mw-246 INITIAL WATER LEVEL: 19.1 TOTAL PURGED (L) 6.5
 WELL DEPTH: 45.61 APPROXIMATE SCREEN INTERVAL: 35.5 - 45.5
 PUMP/PURGING DEVICE: BP - BLADDER PUMP APPROXIMATE PUMP INTAKE DEPTH: 40.5
 PUMP READINGS: Throttle (ft.) _____ Recharge: 10 Discharge: 5
 COMMENTS Color: Clear, Odor:None,

TIME	WATER LEVEL (btoc)	PURGE RATE (L/min)	VOLUME PURGED (L)	TEMP. (°C)	SPECIFIC CONDUCT. (mS/cm)	DO (mg/L)	pH	Turb (NTU)	ORP (mV)
9:08	19.19	0.2	0						
9:11	19.21	0.2	0.5	9.56	0.293	7.86	6.55	59.8	126
9:14	19.21	0.2	0.6	9.54	0.297	7.41	6.34	39.9	124
9:17	19.21	0.2	0.6	9.57	0.296	6.88	6.31	31.8	128
9:20	19.22	0.2	0.6	9.59	0.287	6.57	6.27	22.2	133
9:23	19.24	0.2	0.6	9.59	0.282	6.31	6.26	20.9	139
9:26	19.25	0.2	0.6	9.64	0.27	6.17	6.23	16.6	145
9:29	19.25	0.2	0.6	9.65	0.265	6.15	6.21	17.9	148
9:31	19.25	0.2	0.4	9.65	0.262	6.08	6.22	16.1	152
9:34	19.25	0.2	0.6	9.65	0.259	6.04	6.22	18.1	154
9:37	19.25	0.2	0.6	9.63	0.259	6.04	6.21	18.4	158
9:41	19.25	0.2	0.8	9.63	0.256	6.02	6.19	19.1	159

Note: Condition of the well: See STATIC WATER LEVEL FORM, Note: All depths in feet BTOC.

Field Personnel: AD

EQM FIELD SAMPLING REPORT

PROJECT: RVAAP		LOCATION: LOADLINE 3		PROJECT NO.: 030174.0016.001	
SAMPLE INFORMATION					
WELL: <u>LL3mw-246</u>		SampleID: <u>FWGLL3mw-246-0439-GW</u>		Dup ID: <u>FWGLL3mw-DUP1-0442-GW</u>	
		SplitID: <u>FWGLL3mw-246-0441s-GW</u>		RinseID: _____	
MATRIX: <u>WG - Ground Water</u>		SAMPLING METHOD: <u>BP - Bladder Pump</u>		MS/MSD: <u>N</u>	
GRAB: <u>Y</u>		COMPOSITE: <u>N</u>		DATE: <u>5/7/2014</u> TIME: <u>9:43</u>	
FIELD READINGS / OBSERVATIONS					
		Turb (NTU): <u>20.3</u>		Color: <u>Clear</u>	
		ORP (mV): <u>160</u>		Odor: <u>None</u>	
pH: <u>6.19</u>		Temperature (°C): <u>9.64</u>		DO (mg/L): <u>6</u> Specific Conductivity (mS/cm): <u>0.257</u>	
GENERAL INFORMATION					
SUN/OVERCAST <u>Overcast</u>		PERCIPITATION: <u>N</u>		WIND DIRECTION: <u>NE</u> AMBIENT TEMP (°F): <u>41</u>	
SHIPPED VIA: <u>Lab PU/FedEx</u>					
SHIPPED TO: <u>Testamerica</u>					
SAMPLER: <u>AD</u> Cmt: _____					
CONTAINER		PRESERVATIVE	ANALYTICAL METHOD	ANALYSIS	
<i>SIZE/TYPE</i>	<i>NUMBER</i>				
1L/Amber	3	4C	8330	Explo	
40ml/Vial	9	HCl	8260	VOC	
1L/Amber	5	4C	8270	SVOC	
1L/Amber	5	4C	8082	PCB	
1L/Amber	7	4C	353.2/8330	Propellants	
250ml/Poly	3	NaOH	9012	Cyanide	
500ml/Poly	3	HNO3	6010/6020/7470	Metals, filtered	
1L/Amber	5	4C	8081	Pest	

EQM MONITOR WELL PURGING FORM

PROJECT NAME: RVAAP PROJECT NUMBER: 030174.0016.001
 LOCATION: SHARON CONGLOMERATE DATE: 5/7/2014 START TIME: 8:50
 WELL ID: SCFmw-004 INITIAL WATER LEVEL: -0.2 TOTAL PURGED (L) 10.8
 WELL DEPTH: 112.5 APPROXIMATE SCREEN INTERVAL: 102.5 - 112.5
 PUMP/PURGING DEVICE: BP - BLADDER PUMP APPROXIMATE PUMP INTAKE DEPTH: 107.5
 PUMP READINGS: Throttle (ft.) _____ Recharge: 30 Discharge: 30
 COMMENTS Color: Clear, Odor:sulfur,hard bottom, artesian flow, intake depth 107, needs new tubing

TIME	WATER LEVEL (btoc)	PURGE RATE (L/min)	VOLUME PURGED (L)	TEMP. (°C)	SPECIFIC CONDUCT. (mS/cm)	DO (mg/L)	pH	Turb (NTU)	ORP (mV)
8:53	-0.20	0.3	0						
8:55	-0.20	0.28	1	10.74	1.23	7.53	6.53	0.2	-132
9:00	-0.20	0.28	1.4	10.74	1.23	6.77	6.6	0	-133
9:04	-0.20	0.28	1.12	10.78	1.2	6.21	6.69	0	-149
9:08	-0.20	0.28	1.12	10.79	1.18	5.98	6.74	0	-169
9:12	-0.20	0.28	1.12	10.83	1.17	5.82	6.76	0.2	-175
9:16	-0.20	0.28	0.84	10.76	1.16	6.44	6.77	0.9	-178
9:19	-0.20	0.28	0.84	10.84	1.16	5.75	6.78	0.4	-184
9:22	-0.20	0.28	0.84	10.83	1.16	5.61	6.79	0.2	-185
9:25	-0.20	0.28	0.84	10.86	1.15	5.43	6.78	0.6	-187
9:28	-0.20	0.28	0.84	10.86	1.15	5.22	6.79	0.8	-188
9:31	-0.20	0.28	0.84	10.85	1.15	5.13	6.79	0.9	-187

Note: Condition of the well: See STATIC WATER LEVEL FORM, Note: All depths in feet BTOC.

Field Personnel: CAL

EQM FIELD SAMPLING REPORT

PROJECT: RVAAP		LOCATION: SHARON CONGLOM		PROJECT NO.: 030174.0016.001	
SAMPLE INFORMATION					
WELL: <u>SCFmw-004</u>		SampleID: <u>FWGSCFmw-004-0440-GW/GF</u>		Dup ID: _____	
		SplitID: _____		RinseID: <u>FWGEQUIPRinse1-0443-GW</u>	
MATRIX: <u>WG - Ground Water</u>		SAMPLING METHOD: <u>BP - Bladder Pump</u>		MS/MSD: <u>N</u>	
GRAB: <u>Y</u>		COMPOSITE: <u>N</u>		DATE: <u>5/7/2014</u> TIME: <u>9:32</u>	
FIELD READINGS / OBSERVATIONS					
		Turb (NTU): <u>0.9</u>	Color: <u>Clear</u>		
		ORP (mV): <u>-190</u>	Odor: <u>sulfer</u>		
pH: <u>6.79</u>		Temperature (°C): <u>10.84</u>	DO (mg/L): <u>5</u>	Specific Conductivity (mS/cm): <u>1.14</u>	
GENERAL INFORMATION					
SUN/OVERCAST <u>Overcast</u>		PERCIPITATION: <u>N</u>		WIND DIRECTION: <u>NE</u> AMBIENT TEMP (°F): <u>40</u>	
SHIPPED VIA: <u>Lab Pickup</u>					
SHIPPED TO: <u>Testamerica</u>					
SAMPLER: <u>CAL</u> Cmt: Rinse @ 1342					
CONTAINER		PRESERVATIVE	ANALYTICAL METHOD	ANALYSIS	
<i>SIZE/TYPE</i>	<i>NUMBER</i>				
1L/Amber	2	4C	8270	SVOC	
500ml/Poly	1	HNO3	6010/6020/7470	Metals, filtered	
1L/Amber	2	4C	353.2/8330	Propellants	
1L/Amber	1	4C	8330	Explo	
1L/Amber	2	4C	8081	Pest	

Daily QC Records

Date: 6-May

		X							
S	M	T	W	T	F	S			

DAILY QUALITY CONTROL REPORT

COE Project Manager Glen BeckhamProject Ravenna Army Ammunition Plant Groundwater MonitoringJob No. 030174.0016.001

GSA Contract Number GS-10F-0293K

Contract No. Delivery Order W912QR-11-F-0266

Weather	Bright Sun x	Clear	Over- Cast	Rain	Snow
Temp	To 32	32-50 x	50-70 x	70-85	85 up
Wind	Still x	Moder x	High	Report No. 050614	
Humidity	Dry	Moder x	Humid		

SUB-CONTRACTORS ON SITE:

Environmental Quality Management, Inc.

EQUIPMENT ON SITE:

Water level meters, two water quality meters (Horiba-U22/U52); One multigas detector (MSA); two bladder pumps w/ associated controllers and compressors and one deep well bladder set up.

WORK PERFORMED (INCLUDING SAMPLING):

Arrive at Building 1036, unload/load and organize equipment. Partial equipment drop off on 5-5-14. Event water level collections.

Water level collection and inspection completed at the wells. Information was collected at the following areas: ASY, partial BKG, CBL, CBP, CP, EBG, partial FWG, partial FBQ, LL1, LL2, partial LL3, LL4 through LL10, Partial LL11, LL12, NTA, RQL, partial SCF

Project	<u>Ravenna Army Ammunition Plant Groundwater Monitoring</u>	Report No.	<u>050614</u>
Job No.	<u>030174.0016.001</u>	Date:	<u>5/6/2014</u>

QUALITY CONTROL ACTIVITIES (INCLUDING FIELD CALIBRATIONS):

All field equipment was calibrated prior to mobilizing to the field. Water level meter devices were checked for correct footage.

Multigas detector calibrated with Zero Air Standard and 100 ppm Isobutylene. All field equipment was within calibration criteria.

HEALTH AND SAFETY LEVELS AND ACTIVITIES:

H&S briefing conducted prior to mobilizing to the field. All personnel to don modified Level 4 PPE (i.e. steel-toed shoes, safety glasses, & nitrile gloves). First Aid kits were included in each vehicle, & personnel were made aware of eyewash station locations.

Each team was equipped with a cellular phone. Personnel were instructed to hydrate frequently and watch for signs of heat stress. Personnel were also instructed to be alert for storms, poisonous plants, stinging insect, ticks, and roaming deer/turkey (and hunters) in addition to signs of bear/coyotes.

PROBLEMS ENCOUNTERED/CORRECTIVE ACTION (S) TAKEN:

Certain areas soft due to poor drainage.

SPECIAL NOTES:

Turkey hunt discussion at tailgate briefing. Use of mutiple teams to help with stuck vehicles.

TOMORROWS EXPECTATIONS:

Expectations for tomorrow are to safely and correctly collect majority of the remaining water levels in additiona to purge/ sample at a minimum of 4 wells while continuing water level collections.

Date: 7-May

			X						
S	M	T	W	T	F	S			

DAILY QUALITY CONTROL REPORT

COE Project Manager Glen BeckhamProject Ravenna Army Ammunition Plant Groundwater MonitoringJob No. 030174.0016.001

GSA Contract Number GS-10F-0293K

Contract No. Delivery Order W912QR-11-F-0266

Weather	Bright Sun	Clear	Over- Cast	Rain	Snow
			x	x	X
Temp	To 32	32-50	50-70	70-85	85 up
		x	x		
Wind	Still	Moder	High	Report No.	
	x	x			
Humidity	Dry	Moder	Humid	050714	
			x		

SUB-CONTRACTORS ON SITE:

Environmental Quality Management, Inc.

EQUIPMENT ON SITE:

Water level meters, two water quality meters (Horiba-U22/U52); One multigas detector (MSA); two bladder pumps w/ associated controllers and compressors and one deep well bladder set up.

WORK PERFORMED (INCLUDING SAMPLING):

Arrive at Building 1036, unload/load and organize equipment. Event water level collections simultaneous with Purge sample work . Continue purge and sample work at the wells.

Samples were collected at the following locations: SCFmw-004, LL3mw-246, LL2mw-271 and LL1mw-064.

Water level collection and inspection completed at the following areas: partial BKG, B12, DA2, partial FWG, LNW, LL11, partial LL3, patial SCF, MBS, and WBG. All well inspections accounted for.

Field duplicate and QA split samples were collected from LL3mw-246. Extra volume was collected from LL2mw-271 to be designated for matrix spike/matrix spike duplicate analysis at the laboratory. Additionally, a field rinsate was collected by Team # 2.

Project	<u>Ravenna Army Ammunition Plant Groundwater Monitoring</u>	Report No.	<u>050714</u>
Job No.	<u>030174.0016.001</u>	Date:	<u>5/7/2014</u>

QUALITY CONTROL ACTIVITIES (INCLUDING FIELD CALIBRATIONS):

All field equipment was calibrated prior to mobilizing to the field. Water level meter devices were checked for correct footage. Water quality meters were calibrated with AutoCal Solution and standards checks - certified values are: ORP checked okay (per chart), DO checked okay (per chart), Conductivity - 4.49 mS/cm; Turbidity - 0 NTU; pH - 4.0 and 7.0 su.

Multigas detector calibrated with Zero Air Standard and 100 ppm Isobutylene. All field equipment was within calibration criteria.

HEALTH AND SAFETY LEVELS AND ACTIVITIES:

H&S briefing conducted prior to mobilizing to the field. All personnel to don modified Level 4 PPE (i.e. steel-toed shoes, safety glasses, & nitrile gloves). First Aid kits were included in each vehicle, & personnel were made aware of eyewash station locations.

Each team was equipped with a cellular phone. Personnel were instructed to hydrate frequently and watch for signs of heat stress. Personnel were also instructed to be alert for storms, poisonous plants, stinging insect, ticks, and roaming deer/turkey (and hunters) in addition to signs of bear/coyotes.

PROBLEMS ENCOUNTERED/CORRECTIVE ACTION (S) TAKEN:

SCFmw-004 needs new tubing next time.

SPECIAL NOTES:

Lightening and Evacuation Routes at tailgate briefing.

TOMORROWS EXPECTATIONS:

Expectations for tomorrow are to safely and correctly collect samples from a minimum of 9 wells and continue water level collections.

Date: 8-May

S	M	T	W	T	F	S
---	---	---	---	---	---	---

DAILY QUALITY CONTROL REPORT

COE Project Manager Glen BeckhamProject Ravenna Army Ammunition Plant Groundwater MonitoringJob No. 030174.0016.001

GSA Contract Number GS-10F-0293K

 Contract No. Delivery Order W912QR-11-F-0266

Weather	Bright Sun x	Clear	Over- Cast	Rain	Snow X
Temp	To 32	32-50	50-70 x	70-85 x	85 up
Wind	Still x	Moder x	High	Report No. 050814	
Humidity	Dry	Moder x	Humid x		

SUB-CONTRACTORS ON SITE:

Environmental Quality Management, Inc.

EQUIPMENT ON SITE:

Water level meters, two water quality meters (Horiba-U22/U52); One multigas detector (MSA); two bladder pumps w/ associated controllers and compressors.

WORK PERFORMED (INCLUDING SAMPLING):

Arrive at Building 1036, unload/load and organize equipment. Purge sample work and waste characterization. Continue purge and sample work at the wells. Samples were collected at the following locations: LL1mw-088. IDW sampling collected. Packed equipment for return back to Cincinnati, and cleaned Building 1036. Demobilization.

A field rinsate was collected by Team #3.

Project	<u>Ravenna Army Ammunition Plant Groundwater Monitoring</u>	Report No.	<u>050814</u>
Job No.	<u>030174.0016.001</u>	Date:	<u>5/8/2014</u>

QUALITY CONTROL ACTIVITIES (INCLUDING FIELD CALIBRATIONS):

All field equipment was calibrated prior to mobilizing to the field. Water level meter devices were checked for correct footage. Water quality meters were calibrated with AutoCal Solution and standards checks - certified values are: ORP checked okay (per chart), DO checked okay (per chart), Conductivity - 4.49 mS/cm; Turbidity - 0 NTU; pH - 4.0 and 7.0 su.

Multigas detector calibrated with Zero Air Standard and 100 ppm Isobutylene. All field equipment was within calibration criteria.

HEALTH AND SAFETY LEVELS AND ACTIVITIES:

H&S briefing conducted prior to mobilizing to the field. All personnel to don modified Level 4 PPE (i.e. steel-toed shoes, safety glasses, & nitrile gloves). First Aid kits were included in each vehicle, & personnel were made aware of eyewash station locations.

Each team was equipped with a cellular phone. Personnel were instructed to hydrate frequently and watch for signs of heat stress. Personnel were also instructed to be alert for storms, poisonous plants, stinging insect, ticks, and roaming deer/turkey (and hunters) in addition to signs of bear/coyotes.

PROBLEMS ENCOUNTERED/CORRECTIVE ACTION (S) TAKEN:

N/A

SPECIAL NOTES:

Heat stress discussion at tailgate briefing. Confirmed wells = finalized event.

TOMORROWS EXPECTATIONS:

N/A

APPENDIX C

DATA VERIFICATION REPORTS/ LABORATORY DATA SHEETS

Data Verification Summary

Site: Ravenna Army Ammunition Plant
Sampling Event: May 2014
Sample Delivery Group: 240-37114

Date: August 18, 2014
Revision: 1

Data Reviewer: Angela Dragotta /Environmental Quality Management, Inc. (EQM, Inc.)

QA/QC Summary

On May 7-8th, 2014 the following samples were collected from groundwater-monitoring wells at Ravenna Army Ammunition Plant and analyzed as part of SDG 240-37114. Sample analysis was performed by Test America. Test America-North Canton performed all analyses with the exception of the analytical for methods 8330, M8330, TALSOPWS-WC-0050 and 6860. Methods 8330, M8330 and TALSOPWS-WC-0050 were performed by Test America, West Sacramento and method 6860 was performed by Test America-Denver.

Sample ID	VOC by SW846 8260	SVOC 4 by SW846 8270	SVOC 1 and 2 by SW846 8270	SVOC 1 by SW846 8270	Pesticides by SW846 8081	PCBs/ SW846 8082	Explosives/Propellants by SW846 8330, Mod. 8330 and TALSOP WS-WC-0050	Cyanide SW846 9012	Perchlorate by SW846 6860	NO2/NO3, EPA 353.2	Metals ⁴		
											SW846 6010B	SW846 6020	Mercury by SW846 7470A
FWGSCFmw-004-0440-GW/GF				X	X		X				X	X	X
FWGEQUIPRINSE1-0443-GW	X	X			X	X	X	X			X	X	X
FWGLL3MW-246-0439-GW/GF	X	X			X	X	X	X			X	X	X
FWGLL3MW-DUP1-0442-GW/GF	X	X			X	X	X	X			X	X	X
FWGLL2MW-271-0438-GW/GF	X	X			X	X	X	X			X	X	X
FWGLL1MW-064C-0436-GW/GF				X	X		X				X	X	X
FWGLL1MW-088-0437-GW/GF	X	X			X	X	X	X			X	X	X
FWGEQUIPRINSE2-0444-GW	X	X			X	X	X	X			X	X	X

Notes:

- 1) All metals samples with the exception of FWGEQUIPRINSE1-0443-GW and FWGEQUIPRINSE2-0444-GW were field filtered (GF).
- 2) SVOC 1= Nitroaromatics and phthalates, SVOC4=Full RVAAP SVOC list
- 3) EPA 6020 metals include aluminum, antimony, beryllium, cadmium, iron, sodium, thallium and zinc. EPA 6010B metals include arsenic, chromium, cobalt, lead, selenium, silver, vanadium, barium, calcium, copper, magnesium, manganese, nickel and potassium.
- 4) FWGTEAM2-TRIP and FWGTEAM3-TRIP were collected on 5/7/14. FWGTEAM3-TRIP050814 was collected on 5/8/14. All trip blanks were analyzed for VOC by EPA 8260B.

The data presented in this report were evaluated according to the *Final Facility Wide Groundwater Monitoring Program, RVAAP-66 Facility Wide Groundwater Quality Assurance Project Plan (QAPP) Addendum for the Ravenna Army Ammunition Plant, Ravenna, OH, Environmental Quality Management, January, 2012*. The following documents were used as needed to supplement the project documentation: The United States Department of Defense (DoD) Quality Services Manual (QSM) for Environmental Laboratories, Version 4.1, and the United States Army Corps of Engineers (USACE), Louisville District Quality Systems Manual Supplement (LS), *EPA National Functional Guidelines (NFG) for Organic Data Review, EPA-540/R-08-01, June 2008, NFG for Inorganic Data Review, EPA-540/R-04-004, October 2004*, Analytical Methods, and Laboratory Standard Operating Procedures. The QC criteria provided in the reference documents represent accuracy and precision performance goals for each analytical method. QC criteria reviewed for each method are listed below, along with any outliers.

All analytical results have been verified against compliance requirements specified in the project QAPP, QSM, LS, associated analytical methods and/or SOPs, as appropriate, and reported by the laboratory as directed by the DoD QSM.

Data Verification Summary

Site: Ravenna Army Ammunition Plant

Sampling Event: May 2014

Sample Delivery Group: 240-37114

Date: August 18, 2014

Revision: 1

Per the DoD QSM, the laboratory data is reported as follows: Non detected results were reported at the LOD with a “U” flag. Detected results between the DL and LOQ were reported as estimated, qualified with a “J” flag.

LOD - An estimate of the minimum amount of a substance that an analytical process can reliably detect.

LOQ - The lowest concentration that produces a quantitative result within specified limits of precision and bias.

DL- The smallest analyte concentration that can be demonstrated to be different from zero or a blank concentration at the 99% level of confidence.

Checklists used in review of the data have been presented in Appendix 1. Outliers have been noted below and results requiring qualification have been summarized in Appendix 2.

The completeness objective for the project was 90%. The completeness objective was met for this SDG, at 99.7%. Limitations, if any, on the data are indicated with qualifiers detailed below.

VOC- 8260

The following QC criteria were reviewed and determined to be acceptable, except as noted below:

- Holding times, preservation, sample handling
- Tuning criteria
- Initial Calibration Criteria including SPCC and CCC compounds
- ICV/CCV criteria
- Internal standard area counts and retention times
- LOD and MRL verification criteria
- Method /field blank criteria
- Surrogate recoveries
- Field duplicate RPD criteria
- Laboratory Control Sample criteria
- Matrix Spike Recovery Criteria and RPD

MRL Recoveries

- The opening MRL analyzed 5/19/14 @ 1005 recovered above control limits of 70-130% for vinyl chloride at 137%.
- The closing MRL analyzed 5/19/14 @ 1529 recovered above control limits of 70-130% for bromomethane at 138% and below control limits of 70-130% for 2-hexanone at 67%, bromoform at 69%, carbon disulfide at 55%, carbon tetrachloride at 63%, 2-butanone at 66% and MIBK at 67%. A verification check sample was analyzed following the closing MRL with detected results for the outlier analytes.

The 2-hexanone, bromoform, carbon disulfide, carbon tetrachloride, 2-butanone and MIBK results for samples FWGTEAM3-TRIP050814, FWGLL1MW-088-0437-GW, FWGEQUIPRINSE2-0444-GW, FWGTEAM3-TRIP, FWGLL3MW-246-0439-GW, FWGLL3MW-DUP1-0442-GW, FWGLL2MW-271-0438-GW, FWGTEAM2-TRIP and FWGEQUIPRINSE1-0443-GW were qualified as estimated, “J/ UJ”. No qualifications were required for the bromomethane or vinyl chloride outliers as there were no detected concentrations of bromomethane or vinyl chloride reported for the bracketed field samples.

Blank Criteria

- Chloroform was detected in FWGTEAM3-Trip050814 at 0.35µg/L, FWGTEAM3-Trip at 0.29µg/L and at 0.34µg/L in sample FWGTEAM2-Trip.
- FWGEQUIPRINSE2-0444-GW had acetone detected at 14µg/L, carbon disulfide at 0.69µg/L, 2-butanone at 3.6µg/L and toluene at 0.22µg/L. FWGEQUIPRINSE1-0443-GW had acetone detected at 12µg/L, 2-butanone at 1.5µg/L and toluene at 0.20µg/L.

There were no detected acetone, chloroform, carbon disulfide, 2-butanone or toluene concentrations reported for the associated field samples, so no qualifications were required.

Data Verification Summary

Site: **Ravenna Army Ammunition Plant**

Sampling Event: May 2014

Sample Delivery Group: 240-37114

Date: August 18, 2014

Revision: 1

SVOCs- 8270C

The following QC criteria were reviewed and determined to be acceptable, except as noted below:

- Holding times, preservation, sample handling
- Tuning criteria
- Initial Calibration Criteria including SPCC and CCC compounds
- ICV/CCV criteria
- Internal standard area counts and retention times
- LOD and MRL verification criteria
- Method /field blank criteria
- Surrogate recoveries
- Field duplicate RPD criteria
- Laboratory Control Sample criteria
- Matrix Spike Recovery Criteria and RPD

Blanks

- FWGEQUIPRINSE2-0444-GW had diethylphthalate detected at 2.7 µg/L, naphthalene at 0.14 µg/L and phenol at 0.73 µg/L.
- FWGEQUIPRINSE1-0443-GW had diethylphthalate detected at 3.2 µg/L.

The naphthalene result for sample FWGLL1mw-088-0437-GW and the diethyl phthalate result for sample FWGLL2mw-271-0438-GW were qualified, "B", as the reported concentrations were less than 5x the associated equipment rinse contamination.

LCS

Hexachlorocyclopentadiene recovered below control limits of 10-115% in LCS 240-130172 at 9%. The hexachlorocyclopentadiene results for the associated samples (FWGLL1mw-088-0437-GW, FWGLL3mw-246-0439-GW and FWGLL3mw-DUP1-0442-GW) were qualified as estimated, "UJ".

Field Duplicate

The field duplicate analyzed on sample FWGLL3mw-246-0439-GW, had an RPD above control limits of 50% for naphthalene at 200%. The naphthalene result for sample FWGLL3mw-246-0439-GW was qualified as estimated, "J".

Pesticides- 8081A

The following QC criteria were reviewed and determined to be acceptable, except as noted below:

- Preservation, holding time and sample handling
- Initial Calibration criteria
- DDT and Endrin breakdown criteria
- Retention time criteria
- ICV criteria
- CCV Criteria
- Method /field blank criteria
- LCS Recoveries
- Field Duplicate Criteria
- LOD and MRL verification criteria
- Matrix Spike Recovery Criteria and RPD
- Surrogate Recoveries
- Second Column confirmation criteria

LCS Recovery

Endosulfan I recovered below control limits of 50-110% at 46% in the LCS. The endosulfan I result for FWGEQUIPRINSE1-0443-GW was qualified as estimated, "UJ".

Data Verification Summary

Site: Ravenna Army Ammunition Plant
Sampling Event: May 2014
Sample Delivery Group: 240-37114

Date: August 18, 2014
Revision: 1

Matrix Spike Criteria

The matrix spike analysis performed on sample FWGLL2mw-271-0438-GW recovered below control limits of 65-125% for alpha-chlordane in both the MS and MSD at 62% and 53%, respectively. The MSD recovered below control limits of 50-110% for endosulfan I at 40% and for endrin ketone at 68% (control limits 75-125%). The alpha-chlordane, endrin ketone and endosulfan I results for sample FWGLL2mw-271-0438-GW were qualified as estimated, "UJ".

Surrogate Recovery

The surrogate, DCB, recovered below control limits of 30-135% in sample FWGLL1mw-088-0437-GW at 21%. The results for sample FWGLL1mw-088-0437-GW were qualified as estimated, "UJ".

Second Column Confirmation

Second column confirmation was not required as there were no detected concentrations reported for the field samples.

PCB- 8082

The following QC criteria were reviewed and determined to be acceptable, except as noted below:

- Preservation, holding time and sample handling
- Initial Calibration criteria
- Retention time criteria
- ICV criteria
- CCV Criteria
- Method /field blank criteria
- LCS Recoveries
- Field Duplicate Criteria
- LOD and MRL verification criteria
- Matrix Spike Recovery Criteria and RPD
- Surrogate Recoveries
- Second Column confirmation criteria

Holding Time

Samples FWGEQUIPRINSE1-0443-GW was extracted outside of hold but within two times hold. The aroclor results for samples FWGEQUIPRINSE1-0443-GW was qualified as estimated, "UJ".

MRL Recovery

The MRL analyzed 1/31/14@1434 recovered above limits of 70-130% for aroclor 1016 @ 132%. No qualifications were made as there were no detected concentrations reported for the bracketed field samples.

Matrix Spike Analysis

The matrix spike and spike duplicate analyzed on sample FWGLL2mw-271-0438-GW had an MS/MSD RPD above control limits of 30% for aroclor 1260 at 53%. No qualification of the data was required as there were no detected aroclor 1260 results reported for sample FWGLL2mw-271-0438-GW.

Surrogate Recovery

The surrogate, DCB, recovered below control limits of 40-140% for sample FWGLL1mw-088-437-GW at 21%. The aroclor results for sample FWGLL1mw-088-437-GW were qualified as estimated, "UJ".

Second Column Confirmation

No detected concentrations were reported that required confirmation.

Data Verification Summary

Site: **Ravenna Army Ammunition Plant**
Sampling Event: May 2014
Sample Delivery Group: 240-37114

Date: August 18, 2014
Revision: 1

Metals - 6010B

The following QC criteria were reviewed and determined to be acceptable, except as noted below:

- Holding times, preservation, sample handling
- Initial Calibration criteria
- ICV and CCV criteria
- ICB /CCBs criteria
- Method /field blank criteria
- LOD and MRL verification criteria
- LCS percent recovery criteria
- Matrix Spike Recovery
- Lab and Field duplicate RPD criteria

Blanks

The CCB analyzed 5/15/14 @ 1059 had vanadium detected at 2.66 µg/L. No qualifications were made as there were no detected vanadium concentrations reported for the associated environmental samples.

Vanadium was detected in the method blank at 1.37 µg/L. No qualifications were made as there were no detected vanadium concentrations reported for the associated field samples.

Lead was detected in FWGEQUIPRINSE2-0444-GW at 1.7 µg/L. The lead result for sample FWGLL1mw-088-0437-GF was qualified, "B" as the detected concentration was less than five times the equipment rinse contamination.

Metals - 6020

The following QC criteria were reviewed and determined to be acceptable, except as noted below:

- Holding times, preservation, sample handling
- Tuning Criteria
- Initial Calibration criteria
- ICV and CCV criteria
- ICB /CCBs criteria
- Method /field blank criteria
- LOD and MRL verification criteria
- LCS percent recovery criteria
- Matrix Spike Recovery
- Lab and Field Duplicate RPD Criteria

No QC outliers were noted.

Mercury - 7470A

The following QC criteria were reviewed and determined to be acceptable, except as noted below:

- Holding times, preservation, sample handling
- Initial Calibration criteria
- ICV and CCV criteria
- ICB /CCBs criteria
- Method /field blank criteria
- LOD and MRL verification criteria
- LCS percent recovery criteria
- Matrix Spike Recovery
- Lab and Field duplicate RPD criteria

No QC outliers were noted.

Data Verification Summary

Site: Ravenna Army Ammunition Plant

Sampling Event: May 2014

Sample Delivery Group: 240-37114

Date: August 18, 2014

Revision: 1

Cyanide – 9012A

The following QC criteria were reviewed and determined to be acceptable, except as noted below:

- Holding times, preservation, sample handling
- Initial Calibration criteria
- ICV and CCV criteria
- ICB /CCBs criteria
- Method/Field blank criteria
- LOD and MRL verification criteria
- LCS percent recovery criteria
- Matrix Spike Recovery
- Field duplicate RPD criteria

MRL Recovery Criteria

No closing MRL check was analyzed on 5/20/14. Opening MRL checks recovered within control limits. The cyanide results for samples FWGLL1MW-088-0437-GW, FWGEQUIPRINSE2-0444-GW, FWGLL3MW-246-0439-GW, FWGLL3MW-DUP1-0442-GW, FWGLL2MW-271-0438-GW and FWGEQUIPRINSE1-0443-GW were qualified as estimated, "UJ".

Explosives- 8330

The following QC criteria were reviewed and determined to be acceptable, except as noted below:

- Holding times, preservation, sample handling
- Initial Calibration Criteria
- ICV and CCV criteria
- Retention time criteria
- LOD and MRL verification criteria
- Surrogate recovery criteria
- Method /field blank criteria
- LCS/LCD Recovery and RPD Criteria
- Matrix spike and spike duplicate recovery criteria
- Second column confirmation

No QC Outliers were noted.

Nitroguanidine- 8330M

The following QC criteria were reviewed and determined to be acceptable, except as noted below:

- Holding times, preservation, sample handling
- Initial Calibration criteria
- Retention time criteria
- LOD and MRL verification criteria
- ICV and CCV criteria
- Method /field blank criteria
- LCS/LCSD percent recoveries and RPD value criteria
- Matrix spike recovery criteria
- Second column confirmation

No QC outliers were noted.

Data Verification Summary

Site: Ravenna Army Ammunition Plant

Sampling Event: May 2014

Sample Delivery Group: 240-37114

Date: August 18, 2014

Revision: 1

Nitrocellulose – WS-WC-0050

The following QC criteria were reviewed and determined to be acceptable, except as noted below:

- Holding times, preservation, sample handling
- Sample preparation criteria
- Initial Calibration criteria
- ICV and CCV criteria
- Method /field blank criteria
- LOD and MRL verification criteria
- ICB and CCBs were free from contamination
- LCS/LCSD percent recoveries and RPD value criteria
- MS/MSD percent recoveries

No QC outliers were noted.

Page left blank intentionally.

Sample Summary

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-37114-1	FWGTEAM3-TRIP050814	Water	05/08/14 08:00	05/08/14 14:50
240-37114-2	FWGLL1MW-088-0437-GW	Water	05/08/14 10:29	05/08/14 14:50
240-37114-3	FWGLL1MW-088-0437-GF	Water	05/08/14 10:29	05/08/14 14:50
240-37114-4	FWGEQUIPRINSE2-0444-GW	Water	05/08/14 13:00	05/08/14 14:50
240-37114-5	FWGTEAM3-TRIP	Water	05/07/14 07:30	05/08/14 14:50
240-37114-6	FWGLL3MW-246-0439-GW	Water	05/07/14 09:43	05/08/14 14:50
240-37114-7	FWGLL3MW-246-0439-GF	Water	05/07/14 09:43	05/08/14 14:50
240-37114-8	FWGLL3MW-DUP1-0442-GW	Water	05/07/14 10:43	05/08/14 14:50
240-37114-9	FWGLL3MW-DUP1-0442-GF	Water	05/07/14 10:43	05/08/14 14:50
240-37114-10	FWGLL2MW-271-0438-GW	Water	05/07/14 12:59	05/08/14 14:50
240-37114-11	FWGLL2MW-271-0438-GF	Water	05/07/14 12:59	05/08/14 14:50
240-37114-12	FWGLL1MW-064C-0436-GW	Water	05/07/14 16:34	05/08/14 14:50
240-37114-13	FWGLL1MW-064C-0436-GF	Water	05/07/14 16:37	05/08/14 14:50
240-37114-14	FWGTEAM2-TRIP	Water	05/07/14 07:30	05/08/14 14:50
240-37114-15	FWGSCFMW-004-0440-GW	Water	05/07/14 09:32	05/08/14 14:50
240-37114-16	FWGSCFMW-004-0440-GF	Water	05/07/14 09:32	05/08/14 14:50
240-37114-17	FWGEQUIPRINSE1-0443-GW	Water	05/07/14 13:42	05/08/14 14:50

Method Summary

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8270C	Semivolatile Organic Compounds (GC/MS)	SW846	TAL CAN
8081A	Organochlorine Pesticides (GC)	SW846	TAL CAN
8082	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	TAL CAN
8330 Modified	Nitroguanidine (HPLC)	SW846	TAL SAC
8330A	Nitroaromatics and Nitramines	SW846	TAL SAC
6010B	Metals (ICP)	SW846	TAL CAN
6020	Metals (ICP/MS)	SW846	TAL CAN
7470A	Mercury (CVAA)	SW846	TAL CAN
9012A	Cyanide, Total and/or Amenable	SW846	TAL CAN
WS-WC-0050	Nitrocellulose	TAL-SAC	TAL SAC

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-SAC = TestAmerica Laboratories, West Sacramento, Facility Standard Operating Procedure.

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Case Narrative

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Job ID: 240-37114-1

Laboratory: TestAmerica Canton

Narrative

CASE NARRATIVE REVISED

Client: Environmental Quality Mgt., Inc.

Project: RVAAP (OH)

Report Number: 240-37114-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

The 353.2 Nitrocellulose, 8330 Nitroguanidine and 8330A Explosives analysis were performed at the TestAmerica Sacramento Laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

TestAmerica utilizes USEPA approved methods and DOD QSM, where applicable, in all analytical work. The samples presented in this report were analyzed for the parameter(s) listed on the analytical methods summary page in accordance with the method(s) indicated. A summary of QC data for these analyses is included at the back of the report.

TestAmerica Canton attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the applicable methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

All parameters for which TestAmerica North Canton has certification were evaluated to the limit of detection (LOD) and include qualified results where applicable. Parameters not certified under QSM, if any, were evaluated to the detection limit (DL) and include qualified results where applicable.

REVISION 1: The case narrative has been revised to remove comments that were not applicable for this job. A pesticide CCV comment was not applicable as data was not reported from that analytical sequence. A Metals sample dup RPD comment was also not applicable to this job.

The sample(s) that contain constituents flagged with U are undetected. The result associated with this flag is the limit of detection (LOD).

RECEIPT

The samples were received on 5/8/2014 2:50 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 12 coolers at receipt time were 2.4° C, 3.2° C, 3.4° C, 3.4° C, 3.4° C, 3.8° C, 4.0° C, 4.1° C, 4.8° C, 5.2° C, 5.6° C and 5.8° C.

Case Narrative

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Job ID: 240-37114-1 (Continued)

Laboratory: TestAmerica Canton (Continued)

Except:

The following sample(s) was submitted for analysis; however, it was not listed on the Chain-of-Custody (COC): Received #17 not listed on COC and did not receive preserved bottles for 353.2.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples FWGTEAM3-TRIP050814 (240-37114-1), FWGLL1MW-088-0437-GW (240-37114-2), FWGEQUIPRINSE2-0444-GW (240-37114-4), FWGTEAM3-TRIP (240-37114-5), FWGLL3MW-246-0439-GW (240-37114-6), FWGLL3MW-DUP1-0442-GW (240-37114-8), FWGLL2MW-271-0438-GW (240-37114-10), FWGTEAM2-TRIP (240-37114-14) and FWGEQUIPRINSE1-0443-GW (240-37114-17) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B DoD. The samples were analyzed on 05/19/2014.

2-Butanone (MEK), 2-Hexanone, 4-Methyl-2-pentanone (MIBK), Bromodichloromethane, Bromoform, Carbon disulfide and Carbon tetrachloride failed the recovery criteria low for MRL 240-131127/18. Bromomethane failed the recovery criteria high. Vinyl chloride failed the recovery criteria high for MRL 240-131127/4. Refer to the QC report for details.

No other difficulties were encountered during the VOCs analysis. All other quality control parameters were within the acceptance limits.

SEMIVOLATILE ORGANIC COMPOUNDS (GCMS)

Samples FWGLL1MW-088-0437-GW (240-37114-2), FWGEQUIPRINSE2-0444-GW (240-37114-4), FWGLL3MW-246-0439-GW (240-37114-6), FWGLL3MW-DUP1-0442-GW (240-37114-8), FWGLL2MW-271-0438-GW (240-37114-10), FWGLL1MW-064C-0436-GW (240-37114-12), FWGSCFMW-004-0440-GW (240-37114-15) and FWGEQUIPRINSE1-0443-GW (240-37114-17) were analyzed for semivolatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8270C. The samples were prepared on 05/12/2014 and analyzed on 05/16/2014 and 05/30/2014.

Surrogates are added during the extraction process prior to dilution. When the sample is diluted, surrogate recoveries are diluted out and no corrective action is required.

Hexachlorocyclopentadiene failed the recovery criteria low for LCS 240-130172/24-A. No corrective action was taken due to the length of time elapsed since sampling; therefore, the data have been reported.

No other difficulties were encountered during the SVOCs analysis. All other quality control parameters were within the acceptance limits.

NITROGUANIDINE (HPLC)

Samples FWGLL1MW-088-0437-GW (240-37114-2), FWGEQUIPRINSE2-0444-GW (240-37114-4), FWGLL3MW-246-0439-GW (240-37114-6), FWGLL3MW-DUP1-0442-GW (240-37114-8), FWGLL2MW-271-0438-GW (240-37114-10), FWGLL1MW-064C-0436-GW (240-37114-12), FWGSCFMW-004-0440-GW (240-37114-15) and FWGEQUIPRINSE1-0443-GW (240-37114-17) were analyzed for nitroguanidine (HPLC) in accordance with EPA SW-846 Method 8330_Ngu. The samples were prepared on 05/12/2014 and 05/15/2014 and analyzed on 05/13/2014 and 05/19/2014.

No difficulties were encountered during the explosives analysis. All quality control parameters were within the acceptance limits.

CHLORINATED PESTICIDES

Samples FWGLL1MW-088-0437-GW (240-37114-2), FWGEQUIPRINSE2-0444-GW (240-37114-4), FWGLL3MW-246-0439-GW (240-37114-6), FWGLL3MW-DUP1-0442-GW (240-37114-8), FWGLL2MW-271-0438-GW (240-37114-10), FWGLL1MW-064C-0436-GW (240-37114-12), FWGSCFMW-004-0440-GW (240-37114-15) and FWGEQUIPRINSE1-0443-GW (240-37114-17) were analyzed for chlorinated pesticides in accordance with EPA SW-846 Method 8081A DoD. The samples were prepared on 05/10/2014 and 05/14/2014 and analyzed on 05/16/2014 and 05/20/2014.

DCB Decachlorobiphenyl failed the surrogate recovery criteria low for FWGLL1MW-088-0437-GW (240-37114-2) and FWGLL2MW-271-0438-GWMS (240-37114-10MS). surrogate (DCB) failed low but above 10%. Data reportable as per PM.

Endosulfan I failed the recovery criteria low for LCS 240-130591/3-A. Refer to the QC report for details.

Case Narrative

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Job ID: 240-37114-1 (Continued)

Laboratory: TestAmerica Canton (Continued)

alpha-Chlordane failed the recovery criteria low for the MS of sample FWGLL2MW-271-0438-GWMS (240-37114-10) in batch 240-130948.

alpha-Chlordane, Endosulfan I and Endrin ketone failed the recovery criteria low for the MSD of sample FWGLL2MW-271-0438-GWMSD (240-37114-10) in batch 240-130948.

Sample FWGSCFMW-004-0440-GW (240-37114-15)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

The opening MRL failed low on confirmation column for 4,4'-DDD and 4,4'-DDT. These compounds passed on primary column. Since all samples are ND, the data is considered reportable.

The MRL was high on the confirmation column for 4,4'-DDD, but passed on the primary column. The samples were ND for the compound and data is reported.

The LCS failed low for Endosulfan I on both columns and Endosulfan II on the confirmation column. The sample was re-extracted but was outside the 2 times hold time window. Only the original data is reported.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with batch 130591.

No other difficulties were encountered during the pesticides analysis. All other quality control parameters were within the acceptance limits.

POLYCHLORINATED BIPHENYLS (PCBS)

Samples FWGLL1MW-088-0437-GW (240-37114-2), FWGEQUIPRINSE2-0444-GW (240-37114-4), FWGLL3MW-246-0439-GW (240-37114-6), FWGLL3MW-DUP1-0442-GW (240-37114-8), FWGLL2MW-271-0438-GW (240-37114-10) and FWGEQUIPRINSE1-0443-GW (240-37114-17) were analyzed for polychlorinated biphenyls (PCBs) in accordance with EPA SW-846 Method 8082 DoD. The samples were prepared on 05/10/2014 and 05/20/2014 and analyzed on 05/13/2014 and 05/22/2014.

Surrogates are added during the extraction process prior to dilution. When the sample dilution is 5X or greater, surrogate recoveries are diluted out and no corrective action is required. All of the samples in this data set analyzed for PCBs were subjected to the sulfuric acid cleanup procedure before instrumental analysis, per EPA Method 3665A.

DCB Decachlorobiphenyl failed the surrogate recovery criteria low for FWGLL1MW-088-0437-GW (240-37114-2) and FWGLL2MW-271-0438-GWMS (240-37114-10MS).

Aroclor-1260 exceeded the RPD limit for the MSD of sample FWGLL2MW-271-0438-GWMSD (240-37114-10) in batch 240-130494.

Two surrogates are used for this analysis. The laboratory's SOP allows one of these surrogates to be outside acceptance criteria without performing re-extraction. The following sample(s) contained an allowable number of surrogate compounds outside limits but above 10% and were re-analyzed to confirm: FWGLL1MW-088-0437-GW (240-37114-2), FWGLL2MW-271-0438-GW (240-37114-10 MS). These results have been reported and qualified per client.

Reanalysis of the following sample was performed outside of the analytical holding time due to suspicious hit in the original extract. Only the re-extract data being reported only: FWGEQUIPRINSE1-0443-GW (240-37114-17).

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with batch 130590, 8082.

No other difficulties were encountered during the PCBs analysis. All other quality control parameters were within the acceptance limits.

EXPLOSIVES

Samples FWGLL1MW-088-0437-GW (240-37114-2), FWGEQUIPRINSE2-0444-GW (240-37114-4), FWGLL3MW-246-0439-GW (240-37114-6), FWGLL3MW-DUP1-0442-GW (240-37114-8), FWGLL2MW-271-0438-GW (240-37114-10), FWGLL1MW-064C-0436-GW (240-37114-12), FWGSCFMW-004-0440-GW (240-37114-15) and FWGEQUIPRINSE1-0443-GW (240-37114-17) were analyzed for

Case Narrative

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Job ID: 240-37114-1 (Continued)

Laboratory: TestAmerica Canton (Continued)

explosives in accordance with EPA SW-846 Method 8330A. The samples were prepared on 05/12/2014 and 05/13/2014 and analyzed on 05/16/2014, 05/17/2014, 05/19/2014 and 05/21/2014.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with batch 42254.

No other difficulties were encountered during the explosives analysis. All quality control parameters were within the acceptance limits.

TOTAL RECOVERABLE METALS (ICP)

Samples FWGLL1MW-088-0437-GF (240-37114-3), FWGEQUIPRINSE2-0444-GW (240-37114-4), FWGLL3MW-246-0439-GF (240-37114-7), FWGLL3MW-DUP1-0442-GF (240-37114-9), FWGLL2MW-271-0438-GF (240-37114-11), FWGLL1MW-064C-0436-GF (240-37114-13), FWGSCFMW-004-0440-GF (240-37114-16) and FWGEQUIPRINSE1-0443-GW (240-37114-17) were analyzed for total recoverable metals (ICP) in accordance with EPA SW-846 Method 6010B DoD. The samples were prepared on 05/14/2014 and analyzed on 05/15/2014.

ICB, CCB, and ICSA samples are evaluated using the lowest LOD and DL criteria in LIMS. Using this criteria, an individual element may occasionally be flagged as out of control. If the element has a higher LOD or DL, the data is evaluated to the higher limit and determined to be acceptable.

Vanadium was detected in method blank MB 240-130550/1-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged. Refer to the QC report for details.

No other difficulties were encountered during the metals analysis. All other quality control parameters were within the acceptance limits.

TOTAL RECOVERABLE METALS (ICPMS)

Samples FWGLL1MW-088-0437-GF (240-37114-3), FWGEQUIPRINSE2-0444-GW (240-37114-4), FWGLL3MW-246-0439-GF (240-37114-7), FWGLL3MW-DUP1-0442-GF (240-37114-9), FWGLL2MW-271-0438-GF (240-37114-11), FWGLL1MW-064C-0436-GF (240-37114-13), FWGSCFMW-004-0440-GF (240-37114-16) and FWGEQUIPRINSE1-0443-GW (240-37114-17) were analyzed for total recoverable metals (ICPMS) in accordance with EPA SW-846 Method 6020 DoD. The samples were prepared on 05/14/2014 and analyzed on 05/21/2014.

ICB, CCB, and ICSA samples are evaluated using the lowest LOD and DL criteria in LIMS. Using this criteria, an individual element may occasionally be flagged as out of control. If the element has a higher LOD or DL, the data is evaluated to the higher limit and determined to be acceptable.

No difficulties were encountered during the metals analysis. All quality control parameters were within the acceptance limits.

TOTAL MERCURY

Samples FWGLL1MW-088-0437-GF (240-37114-3), FWGEQUIPRINSE2-0444-GW (240-37114-4), FWGLL3MW-246-0439-GF (240-37114-7), FWGLL3MW-DUP1-0442-GF (240-37114-9), FWGLL2MW-271-0438-GF (240-37114-11), FWGLL1MW-064C-0436-GF (240-37114-13), FWGSCFMW-004-0440-GF (240-37114-16) and FWGEQUIPRINSE1-0443-GW (240-37114-17) were analyzed for total mercury in accordance with EPA SW-846 Method 7470A. The samples were prepared on 05/14/2014 and analyzed on 05/15/2014.

No difficulties were encountered during the mercury analysis. All quality control parameters were within the acceptance limits.

NITROCELLULOSE

Samples FWGLL1MW-088-0437-GW (240-37114-2), FWGEQUIPRINSE2-0444-GW (240-37114-4), FWGLL3MW-246-0439-GW (240-37114-6), FWGLL3MW-DUP1-0442-GW (240-37114-8), FWGLL2MW-271-0438-GW (240-37114-10), FWGLL1MW-064C-0436-GW (240-37114-12), FWGSCFMW-004-0440-GW (240-37114-15) and FWGEQUIPRINSE1-0443-GW (240-37114-17) were analyzed for Nitrocellulose in accordance with EPA Method 353.2. The samples were prepared on 05/14/2014 and analyzed on 05/15/2014.

No difficulties were encountered during the Nitrocellulose analysis. All quality control parameters were within the acceptance limits.

TOTAL CYANIDE

Case Narrative

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Job ID: 240-37114-1 (Continued)

Laboratory: TestAmerica Canton (Continued)

Samples FWGLL1MW-088-0437-GW (240-37114-2), FWGEQUIPRINSE2-0444-GW (240-37114-4), FWGLL3MW-246-0439-GW (240-37114-6), FWGLL3MW-DUP1-0442-GW (240-37114-8), FWGLL2MW-271-0438-GW (240-37114-10) and FWGEQUIPRINSE1-0443-GW (240-37114-17) were analyzed for total cyanide in accordance with EPA SW-846 Method 9012A DoD. The samples were prepared and analyzed on 05/20/2014.

No difficulties were encountered during the cyanide analysis. All quality control parameters were within the acceptance limits.

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGTEAM3-TRIP050814

Lab Sample ID: 240-37114-1

Date Collected: 05/08/14 08:00

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 10:51	1
1,1,2,2-Tetrachloroethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 10:51	1
1,1,2-Trichloroethane	0.50	U	1.0	0.50	0.27	ug/L		05/19/14 10:51	1
1,1-Dichloroethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 10:51	1
1,1-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 10:51	1
1,2-Dichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 10:51	1
1,2-Dichloroethene, Total	0.25	U	2.0	0.25	0.17	ug/L		05/19/14 10:51	1
1,2-Dichloropropane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 10:51	1
2-Hexanone	0.50	U	10	0.50	0.41	ug/L		05/19/14 10:51	1
Bromochloromethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 10:51	1
Acetone	1.1	U	10	1.1	1.1	ug/L		05/19/14 10:51	1
Benzene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 10:51	1
Bromoform	0.64	U	1.0	0.64	0.64	ug/L		05/19/14 10:51	1
Bromomethane	0.50	U	1.0	0.50	0.41	ug/L		05/19/14 10:51	1
Carbon disulfide	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 10:51	1
Carbon tetrachloride	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 10:51	1
Chlorobenzene	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 10:51	1
Chloroethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 10:51	1
Chloroform	0.35	J	1.0	0.25	0.16	ug/L		05/19/14 10:51	1
Chloromethane	0.50	U	1.0	0.50	0.30	ug/L		05/19/14 10:51	1
cis-1,2-Dichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 10:51	1
cis-1,3-Dichloropropene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 10:51	1
Bromodichloromethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 10:51	1
Ethylbenzene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 10:51	1
1,2-Dibromoethane	0.25	U	1.0	0.25	0.24	ug/L		05/19/14 10:51	1
m-Xylene & p-Xylene	0.50	U	2.0	0.50	0.24	ug/L		05/19/14 10:51	1
2-Butanone (MEK)	0.57	U	10	0.57	0.57	ug/L		05/19/14 10:51	1
4-Methyl-2-pentanone (MIBK)	0.50	U	10	0.50	0.32	ug/L		05/19/14 10:51	1
Methylene Chloride	0.50	U	1.0	0.50	0.33	ug/L		05/19/14 10:51	1
o-Xylene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 10:51	1
Styrene	0.25	U	1.0	0.25	0.11	ug/L		05/19/14 10:51	1
Tetrachloroethene	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 10:51	1
Toluene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 10:51	1
trans-1,2-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 10:51	1
trans-1,3-Dichloropropene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 10:51	1
Trichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 10:51	1
Vinyl chloride	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 10:51	1
Xylenes, Total	0.25	U	2.0	0.25	0.14	ug/L		05/19/14 10:51	1
Dibromochloromethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 10:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		70 - 120		05/19/14 10:51	1
4-Bromofluorobenzene (Surr)	94		75 - 120		05/19/14 10:51	1
Toluene-d8 (Surr)	104		85 - 120		05/19/14 10:51	1
Dibromofluoromethane (Surr)	90		85 - 115		05/19/14 10:51	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL1MW-088-0437-GW

Lab Sample ID: 240-37114-2

Date Collected: 05/08/14 10:29

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 11:16	1
1,1,1,2-Tetrachloroethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 11:16	1
1,1,2-Trichloroethane	0.50	U	1.0	0.50	0.27	ug/L		05/19/14 11:16	1
1,1-Dichloroethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 11:16	1
1,1-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 11:16	1
1,2-Dichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 11:16	1
1,2-Dichloroethene, Total	0.25	U	2.0	0.25	0.17	ug/L		05/19/14 11:16	1
1,2-Dichloropropane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 11:16	1
2-Hexanone	0.50	U	10	0.50	0.41	ug/L		05/19/14 11:16	1
Bromochloromethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 11:16	1
Acetone	1.1	U	10	1.1	1.1	ug/L		05/19/14 11:16	1
Benzene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 11:16	1
Bromoform	0.64	U	1.0	0.64	0.64	ug/L		05/19/14 11:16	1
Bromomethane	0.50	U	1.0	0.50	0.41	ug/L		05/19/14 11:16	1
Carbon disulfide	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 11:16	1
Carbon tetrachloride	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 11:16	1
Chlorobenzene	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 11:16	1
Chloroethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 11:16	1
Chloroform	0.25	U	1.0	0.25	0.16	ug/L		05/19/14 11:16	1
Chloromethane	0.50	U	1.0	0.50	0.30	ug/L		05/19/14 11:16	1
cis-1,2-Dichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 11:16	1
cis-1,3-Dichloropropene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 11:16	1
Bromodichloromethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 11:16	1
Ethylbenzene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 11:16	1
1,2-Dibromoethane	0.25	U	1.0	0.25	0.24	ug/L		05/19/14 11:16	1
m-Xylene & p-Xylene	0.50	U	2.0	0.50	0.24	ug/L		05/19/14 11:16	1
2-Butanone (MEK)	0.57	U	10	0.57	0.57	ug/L		05/19/14 11:16	1
4-Methyl-2-pentanone (MIBK)	0.50	U	10	0.50	0.32	ug/L		05/19/14 11:16	1
Methylene Chloride	0.50	U	1.0	0.50	0.33	ug/L		05/19/14 11:16	1
o-Xylene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 11:16	1
Styrene	0.25	U	1.0	0.25	0.11	ug/L		05/19/14 11:16	1
Tetrachloroethene	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 11:16	1
Toluene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 11:16	1
trans-1,2-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 11:16	1
trans-1,3-Dichloropropene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 11:16	1
Trichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 11:16	1
Vinyl chloride	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 11:16	1
Xylenes, Total	0.25	U	2.0	0.25	0.14	ug/L		05/19/14 11:16	1
Dibromochloromethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 11:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		70 - 120		05/19/14 11:16	1
4-Bromofluorobenzene (Surr)	98		75 - 120		05/19/14 11:16	1
Toluene-d8 (Surr)	103		85 - 120		05/19/14 11:16	1
Dibromofluoromethane (Surr)	93		85 - 115		05/19/14 11:16	1

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Acenaphthene	0.10	U	0.20	0.10	0.045	ug/L		05/30/14 10:08	1
Acenaphthylene	0.10	U	0.20	0.10	0.049	ug/L		05/30/14 10:08	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL1MW-088-0437-GW

Lab Sample ID: 240-37114-2

Date Collected: 05/08/14 10:29

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Anthracene	0.10	U	0.20	0.10	0.089	ug/L		05/30/14 10:08	1
Benzo[a]anthracene	0.10	U	0.20	0.10	0.030	ug/L		05/30/14 10:08	1
Benzo[a]pyrene	0.10	U	0.20	0.10	0.052	ug/L		05/30/14 10:08	1
Benzo[b]fluoranthene	0.10	U	0.20	0.10	0.040	ug/L		05/30/14 10:08	1
Benzo[g,h,i]perylene	0.10	U	0.20	0.10	0.047	ug/L		05/30/14 10:08	1
Benzoic acid	20	U	25	20	10	ug/L		05/30/14 10:08	1
Benzo[k]fluoranthene	0.10	U	0.20	0.10	0.045	ug/L		05/30/14 10:08	1
Benzyl alcohol	0.51	U	5.1	0.51	0.38	ug/L		05/30/14 10:08	1
Bis(2-chloroethoxy)methane	0.51	U	1.0	0.51	0.32	ug/L		05/30/14 10:08	1
Bis(2-chloroethyl)ether	0.10	U	1.0	0.10	0.10	ug/L		05/30/14 10:08	1
Bis(2-ethylhexyl) phthalate	5.1	U	5.1	5.1	1.7	ug/L		05/30/14 10:08	1
4-Bromophenyl phenyl ether	0.51	U	2.0	0.51	0.22	ug/L		05/30/14 10:08	1
Butyl benzyl phthalate	0.51	U	5.1	0.51	0.26	ug/L		05/30/14 10:08	1
Carbazole	0.51	U	1.0	0.51	0.28	ug/L		05/30/14 10:08	1
4-Chloroaniline	0.51	U	2.0	0.51	0.21	ug/L		05/30/14 10:08	1
4-Chloro-3-methylphenol	0.51	U	2.0	0.51	0.21	ug/L		05/30/14 10:08	1
2-Chloronaphthalene	0.51	U	1.0	0.51	0.10	ug/L		05/30/14 10:08	1
2-Chlorophenol	0.51	U	1.0	0.51	0.29	ug/L		05/30/14 10:08	1
4-Chlorophenyl phenyl ether	0.51	U	2.0	0.51	0.30	ug/L		05/30/14 10:08	1
Chrysene	0.10	U	0.20	0.10	0.051	ug/L		05/30/14 10:08	1
Dibenz(a,h)anthracene	0.10	U	0.20	0.10	0.045	ug/L		05/30/14 10:08	1
Dibenzofuran	0.10	U	1.0	0.10	0.020	ug/L		05/30/14 10:08	1
1,2-Dichlorobenzene	0.51	U	1.0	0.51	0.29	ug/L		05/30/14 10:08	1
1,3-Dichlorobenzene	0.51	U	1.0	0.51	0.23	ug/L		05/30/14 10:08	1
1,4-Dichlorobenzene	0.51	U	1.0	0.51	0.34	ug/L		05/30/14 10:08	1
3,3'-Dichlorobenzidine	1.0	U	5.1	1.0	0.37	ug/L		05/30/14 10:08	1
2,4-Dichlorophenol	0.51	U	2.0	0.51	0.19	ug/L		05/30/14 10:08	1
Diethyl phthalate	1.0	U	2.0	1.0	0.61	ug/L		05/30/14 10:08	1
2,4-Dimethylphenol	0.51	U	2.0	0.51	0.25	ug/L		05/30/14 10:08	1
Dimethyl phthalate	0.51	U	2.0	0.51	0.29	ug/L		05/30/14 10:08	1
Di-n-butyl phthalate	5.1	U	5.1	5.1	1.7	ug/L		05/30/14 10:08	1
4,6-Dinitro-2-methylphenol	4.0	U	5.1	4.0	2.4	ug/L		05/30/14 10:08	1
2,4-Dinitrophenol	1.0	U	5.1	1.0	0.32	ug/L		05/30/14 10:08	1
Di-n-octyl phthalate	0.51	U	2.0	0.51	0.23	ug/L		05/30/14 10:08	1
Fluoranthene	0.10	U	0.20	0.10	0.045	ug/L		05/30/14 10:08	1
Fluorene	0.10	U	0.20	0.10	0.041	ug/L		05/30/14 10:08	1
Hexachlorobenzene	0.10	U	0.20	0.10	0.086	ug/L		05/30/14 10:08	1
Hexachlorobutadiene	0.51	U	1.0	0.51	0.27	ug/L		05/30/14 10:08	1
Hexachlorocyclopentadiene	0.51	U Q	10	0.51	0.24	ug/L		05/30/14 10:08	1
Hexachloroethane	0.51	U	1.0	0.51	0.19	ug/L		05/30/14 10:08	1
Indeno[1,2,3-cd]pyrene	0.10	U	0.20	0.10	0.044	ug/L		05/30/14 10:08	1
Isophorone	0.51	U	1.0	0.51	0.27	ug/L		05/30/14 10:08	1
2-Methylnaphthalene	0.10	U	0.20	0.10	0.091	ug/L		05/30/14 10:08	1
2-Methylphenol	0.51	U	1.0	0.51	0.17	ug/L		05/30/14 10:08	1
3 & 4 Methylphenol	1.0	U	2.0	1.0	0.81	ug/L		05/30/14 10:08	1
Naphthalene	0.15	J	0.20	0.10	0.063	ug/L		05/30/14 10:08	1
2-Nitroaniline	0.51	U	2.0	0.51	0.21	ug/L		05/30/14 10:08	1
3-Nitroaniline	0.51	U	2.0	0.51	0.28	ug/L		05/30/14 10:08	1
4-Nitroaniline	0.51	U	2.0	0.51	0.22	ug/L		05/30/14 10:08	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL1MW-088-0437-GW

Lab Sample ID: 240-37114-2

Date Collected: 05/08/14 10:29

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
2-Nitrophenol	0.51	U	2.0	0.51	0.28	ug/L		05/30/14 10:08	1
4-Nitrophenol	4.0	U	5.1	4.0	0.29	ug/L		05/30/14 10:08	1
N-Nitrosodi-n-propylamine	0.51	U	1.0	0.51	0.24	ug/L		05/30/14 10:08	1
N-Nitrosodiphenylamine	0.51	U	1.0	0.51	0.31	ug/L		05/30/14 10:08	1
2,2'-oxybis[1-chloropropane]	0.51	U	1.0	0.51	0.40	ug/L		05/30/14 10:08	1
Pentachlorophenol	1.0	U	5.1	1.0	0.27	ug/L		05/30/14 10:08	1
Phenanthrene	0.10	J	0.20	0.10	0.063	ug/L		05/30/14 10:08	1
Phenol	1.0	U	1.0	1.0	0.61	ug/L		05/30/14 10:08	1
Pyrene	0.10	J	0.20	0.10	0.042	ug/L		05/30/14 10:08	1
1,2,4-Trichlorobenzene	0.51	U	1.0	0.51	0.28	ug/L		05/30/14 10:08	1
2,4,5-Trichlorophenol	0.51	U	5.1	0.51	0.30	ug/L		05/30/14 10:08	1
2,4,6-Trichlorophenol	0.51	U	5.1	0.51	0.24	ug/L		05/30/14 10:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	72		50 - 110	05/12/14 07:34	05/30/14 10:08	1
2-Fluorophenol (Surr)	75		20 - 110	05/12/14 07:34	05/30/14 10:08	1
Nitrobenzene-d5 (Surr)	73		40 - 110	05/12/14 07:34	05/30/14 10:08	1
Phenol-d5 (Surr)	78		10 - 115	05/12/14 07:34	05/30/14 10:08	1
Terphenyl-d14 (Surr)	86		50 - 135	05/12/14 07:34	05/30/14 10:08	1
2,4,6-Tribromophenol (Surr)	89		40 - 125	05/12/14 07:34	05/30/14 10:08	1

Method: 8081A - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
4,4'-DDD	0.019	U	0.048	0.019	0.0091	ug/L		05/16/14 15:08	1
4,4'-DDE	0.019	U	0.048	0.019	0.0092	ug/L		05/16/14 15:08	1
4,4'-DDT	0.019	U	0.048	0.019	0.015	ug/L		05/16/14 15:08	1
Aldrin	0.019	U	0.029	0.019	0.0078	ug/L		05/16/14 15:08	1
alpha-BHC	0.019	U	0.029	0.019	0.0067	ug/L		05/16/14 15:08	1
alpha-Chlordane	0.019	U	0.048	0.019	0.013	ug/L		05/16/14 15:08	1
beta-BHC	0.019	U	0.048	0.019	0.0080	ug/L		05/16/14 15:08	1
delta-BHC	0.019	U	0.048	0.019	0.0083	ug/L		05/16/14 15:08	1
Dieldrin	0.019	U	0.029	0.019	0.0071	ug/L		05/16/14 15:08	1
Endosulfan I	0.019	U	0.048	0.019	0.012	ug/L		05/16/14 15:08	1
Endosulfan II	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 15:08	1
Endosulfan sulfate	0.019	U	0.048	0.019	0.010	ug/L		05/16/14 15:08	1
Endrin	0.019	U	0.048	0.019	0.010	ug/L		05/16/14 15:08	1
Endrin aldehyde	0.019	U	0.048	0.019	0.010	ug/L		05/16/14 15:08	1
Endrin ketone	0.019	U	0.048	0.019	0.0074	ug/L		05/16/14 15:08	1
gamma-BHC (Lindane)	0.019	U	0.048	0.019	0.0061	ug/L		05/16/14 15:08	1
gamma-Chlordane	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 15:08	1
Heptachlor	0.019	U	0.029	0.019	0.0076	ug/L		05/16/14 15:08	1
Heptachlor epoxide	0.019	U	0.029	0.019	0.0068	ug/L		05/16/14 15:08	1
Methoxychlor	0.048	U	0.095	0.048	0.030	ug/L		05/16/14 15:08	1
Toxaphene	0.76	U	1.9	0.76	0.30	ug/L		05/16/14 15:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	21	Q	30 - 135	05/10/14 10:23	05/16/14 15:08	1
DCB Decachlorobiphenyl	21	Q	30 - 135	05/10/14 10:23	05/16/14 15:08	1
Tetrachloro-m-xylene	81		25 - 140	05/10/14 10:23	05/16/14 15:08	1
Tetrachloro-m-xylene	80		25 - 140	05/10/14 10:23	05/16/14 15:08	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL1MW-088-0437-GW

Lab Sample ID: 240-37114-2

Date Collected: 05/08/14 10:29

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aroclor-1016	0.19	U	0.48	0.19	0.16	ug/L		05/13/14 14:33	1
Aroclor-1221	0.19	U	0.48	0.19	0.12	ug/L		05/13/14 14:33	1
Aroclor-1232	0.19	U	0.48	0.19	0.15	ug/L		05/13/14 14:33	1
Aroclor-1242	0.38	U	0.48	0.38	0.21	ug/L		05/13/14 14:33	1
Aroclor-1248	0.19	U	0.48	0.19	0.095	ug/L		05/13/14 14:33	1
Aroclor-1254	0.19	U	0.48	0.19	0.15	ug/L		05/13/14 14:33	1
Aroclor-1260	0.19	U	0.48	0.19	0.16	ug/L		05/13/14 14:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	92		40 - 140	05/10/14 10:20	05/13/14 14:33	1
Tetrachloro-m-xylene	99		40 - 140	05/10/14 10:20	05/13/14 14:33	1
DCB Decachlorobiphenyl	21	Q	40 - 135	05/10/14 10:20	05/13/14 14:33	1
DCB Decachlorobiphenyl	21	Q	40 - 135	05/10/14 10:20	05/13/14 14:33	1

Method: 8330 Modified - Nitroguanidine (HPLC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Nitroguanidine	6.0	U	20	6.0	2.4	ug/L		05/13/14 15:05	1

Method: 8330A - Nitroaromatics and Nitramines

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,3,5-Trinitrobenzene	0.053	U	0.16	0.053	0.033	ug/L		05/19/14 22:47	1
1,3-Dinitrobenzene	0.11	U	0.16	0.11	0.053	ug/L		05/19/14 22:47	1
2,4,6-Trinitrotoluene	0.11	U M	0.16	0.11	0.053	ug/L		05/19/14 22:47	1
2,4-Dinitrotoluene	0.11	U	0.14	0.11	0.053	ug/L		05/19/14 22:47	1
2,6-Dinitrotoluene	0.11	U	0.14	0.11	0.053	ug/L		05/19/14 22:47	1
2-Amino-4,6-dinitrotoluene	0.11	U	0.16	0.11	0.016	ug/L		05/19/14 22:47	1
2-Nitrotoluene	0.11	U M	0.53	0.11	0.094	ug/L		05/19/14 22:47	1
3-Nitrotoluene	0.11	U	0.53	0.11	0.061	ug/L		05/19/14 22:47	1
4-Nitrotoluene	0.11	U	0.53	0.11	0.094	ug/L		05/19/14 22:47	1
4-Amino-2,6-dinitrotoluene	0.11	U	0.16	0.11	0.053	ug/L		05/19/14 22:47	1
HMX	0.053	U M	0.16	0.053	0.038	ug/L		05/19/14 22:47	1
RDX	0.053	U M	0.16	0.053	0.038	ug/L		05/19/14 22:47	1
Nitrobenzene	0.11	U M	0.16	0.11	0.053	ug/L		05/19/14 22:47	1
Tetryl	0.11	U M	0.16	0.11	0.053	ug/L		05/19/14 22:47	1
Nitroglycerin	0.53	U	0.69	0.53	0.35	ug/L		05/19/14 22:47	1
PETN	0.53	U	0.69	0.53	0.32	ug/L		05/19/14 22:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
3,4-Dinitrotoluene	100		79 - 111	05/12/14 14:49	05/17/14 07:08	1
3,4-Dinitrotoluene	95	M	79 - 111	05/12/14 14:49	05/19/14 22:47	1

General Chemistry

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Cyanide, Total	0.0050	U	0.010	0.0050	0.0032	mg/L		05/20/14 10:30	1
Nitrocellulose	1.0	U	2.0	1.0	0.48	mg/L		05/15/14 16:37	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL1MW-088-0437-GF

Lab Sample ID: 240-37114-3

Date Collected: 05/08/14 10:29

Matrix: Water

Date Received: 05/08/14 14:50

Method: 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Arsenic	18		10	10	3.3	ug/L		05/15/14 09:56	1
Chromium	4.0	U	7.0	4.0	1.4	ug/L		05/15/14 09:56	1
Cobalt	4.0	U	7.0	4.0	1.5	ug/L		05/15/14 09:56	1
Lead	2.0	J	10	5.0	1.7	ug/L		05/15/14 09:56	1
Selenium	10	U	15	10	4.0	ug/L		05/15/14 09:56	1
Silver	5.0	U	7.0	5.0	1.7	ug/L		05/15/14 09:56	1
Vanadium	4.0	U	7.0	4.0	1.3	ug/L		05/15/14 09:56	1
Barium	44	J	200	5.0	2.8	ug/L		05/15/14 09:56	1
Calcium	84000		5000	1000	630	ug/L		05/15/14 09:56	1
Copper	10	U	25	10	4.4	ug/L		05/15/14 09:56	1
Magnesium	39000		5000	300	120	ug/L		05/15/14 09:56	1
Manganese	86		15	5.0	1.8	ug/L		05/15/14 09:56	1
Nickel	5.0	U	40	5.0	2.2	ug/L		05/15/14 09:56	1
Potassium	3400	J	5000	900	300	ug/L		05/15/14 09:56	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aluminum	60	U	60	60	20	ug/L		05/21/14 14:26	1
Antimony	1.0	U	2.0	1.0	0.33	ug/L		05/21/14 14:26	1
Beryllium	1.0	U	1.0	1.0	0.50	ug/L		05/21/14 14:26	1
Cadmium	1.0	U	2.0	1.0	0.40	ug/L		05/21/14 14:26	1
Iron	550		150	100	44	ug/L		05/21/14 14:26	1
Sodium	24000		1000	400	160	ug/L		05/21/14 14:26	1
Thallium	1.5	U	2.0	1.5	0.79	ug/L		05/21/14 14:26	1
Zinc	50	U	50	50	27	ug/L		05/21/14 14:26	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Hg	0.20	U	0.20	0.20	0.12	ug/L		05/15/14 15:05	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGEQUIPRINSE2-0444-GW

Lab Sample ID: 240-37114-4

Date Collected: 05/08/14 13:00

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 12:02	1
1,1,1,2-Tetrachloroethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 12:02	1
1,1,2-Trichloroethane	0.50	U	1.0	0.50	0.27	ug/L		05/19/14 12:02	1
1,1-Dichloroethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 12:02	1
1,1-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 12:02	1
1,2-Dichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 12:02	1
1,2-Dichloroethene, Total	0.25	U	2.0	0.25	0.17	ug/L		05/19/14 12:02	1
1,2-Dichloropropane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 12:02	1
2-Hexanone	0.50	U	10	0.50	0.41	ug/L		05/19/14 12:02	1
Bromochloromethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 12:02	1
Acetone	14		10	1.1	1.1	ug/L		05/19/14 12:02	1
Benzene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 12:02	1
Bromoform	0.64	U	1.0	0.64	0.64	ug/L		05/19/14 12:02	1
Bromomethane	0.50	U	1.0	0.50	0.41	ug/L		05/19/14 12:02	1
Carbon disulfide	0.69	J M	1.0	0.25	0.13	ug/L		05/19/14 12:02	1
Carbon tetrachloride	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 12:02	1
Chlorobenzene	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 12:02	1
Chloroethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 12:02	1
Chloroform	0.25	U	1.0	0.25	0.16	ug/L		05/19/14 12:02	1
Chloromethane	0.50	U	1.0	0.50	0.30	ug/L		05/19/14 12:02	1
cis-1,2-Dichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 12:02	1
cis-1,3-Dichloropropene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 12:02	1
Bromodichloromethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 12:02	1
Ethylbenzene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 12:02	1
1,2-Dibromoethane	0.25	U	1.0	0.25	0.24	ug/L		05/19/14 12:02	1
m-Xylene & p-Xylene	0.50	U	2.0	0.50	0.24	ug/L		05/19/14 12:02	1
2-Butanone (MEK)	3.6	J	10	0.57	0.57	ug/L		05/19/14 12:02	1
4-Methyl-2-pentanone (MIBK)	0.50	U	10	0.50	0.32	ug/L		05/19/14 12:02	1
Methylene Chloride	0.50	U	1.0	0.50	0.33	ug/L		05/19/14 12:02	1
o-Xylene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 12:02	1
Styrene	0.25	U	1.0	0.25	0.11	ug/L		05/19/14 12:02	1
Tetrachloroethene	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 12:02	1
Toluene	0.22	J	1.0	0.25	0.13	ug/L		05/19/14 12:02	1
trans-1,2-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 12:02	1
trans-1,3-Dichloropropene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 12:02	1
Trichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 12:02	1
Vinyl chloride	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 12:02	1
Xylenes, Total	0.25	U	2.0	0.25	0.14	ug/L		05/19/14 12:02	1
Dibromochloromethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 12:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		70 - 120		05/19/14 12:02	1
4-Bromofluorobenzene (Surr)	92		75 - 120		05/19/14 12:02	1
Toluene-d8 (Surr)	99		85 - 120		05/19/14 12:02	1
Dibromofluoromethane (Surr)	90		85 - 115		05/19/14 12:02	1

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Acenaphthene	0.095	U	0.19	0.095	0.042	ug/L		05/30/14 10:33	1
Acenaphthylene	0.095	U	0.19	0.095	0.046	ug/L		05/30/14 10:33	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGEQUIPRINSE2-0444-GW

Lab Sample ID: 240-37114-4

Date Collected: 05/08/14 13:00

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Anthracene	0.095	U	0.19	0.095	0.084	ug/L		05/30/14 10:33	1
Benzo[a]anthracene	0.095	U	0.19	0.095	0.028	ug/L		05/30/14 10:33	1
Benzo[a]pyrene	0.095	U	0.19	0.095	0.049	ug/L		05/30/14 10:33	1
Benzo[b]fluoranthene	0.095	U	0.19	0.095	0.038	ug/L		05/30/14 10:33	1
Benzo[g,h,i]perylene	0.095	U	0.19	0.095	0.044	ug/L		05/30/14 10:33	1
Benzoic acid	19	U	24	19	9.5	ug/L		05/30/14 10:33	1
Benzo[k]fluoranthene	0.095	U	0.19	0.095	0.043	ug/L		05/30/14 10:33	1
Benzyl alcohol	0.48	U	4.8	0.48	0.36	ug/L		05/30/14 10:33	1
Bis(2-chloroethoxy)methane	0.48	U	0.95	0.48	0.30	ug/L		05/30/14 10:33	1
Bis(2-chloroethyl)ether	0.095	U	0.95	0.095	0.095	ug/L		05/30/14 10:33	1
Bis(2-ethylhexyl) phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/30/14 10:33	1
4-Bromophenyl phenyl ether	0.48	U	1.9	0.48	0.21	ug/L		05/30/14 10:33	1
Butyl benzyl phthalate	0.48	U	4.8	0.48	0.25	ug/L		05/30/14 10:33	1
Carbazole	0.48	U	0.95	0.48	0.27	ug/L		05/30/14 10:33	1
4-Chloroaniline	0.48	U	1.9	0.48	0.20	ug/L		05/30/14 10:33	1
4-Chloro-3-methylphenol	0.48	U	1.9	0.48	0.20	ug/L		05/30/14 10:33	1
2-Chloronaphthalene	0.48	U	0.95	0.48	0.095	ug/L		05/30/14 10:33	1
2-Chlorophenol	0.48	U	0.95	0.48	0.28	ug/L		05/30/14 10:33	1
4-Chlorophenyl phenyl ether	0.48	U	1.9	0.48	0.29	ug/L		05/30/14 10:33	1
Chrysene	0.095	U	0.19	0.095	0.048	ug/L		05/30/14 10:33	1
Dibenz(a,h)anthracene	0.095	U	0.19	0.095	0.042	ug/L		05/30/14 10:33	1
Dibenzofuran	0.095	U	0.95	0.095	0.019	ug/L		05/30/14 10:33	1
1,2-Dichlorobenzene	0.48	U	0.95	0.48	0.28	ug/L		05/30/14 10:33	1
1,3-Dichlorobenzene	0.48	U	0.95	0.48	0.22	ug/L		05/30/14 10:33	1
1,4-Dichlorobenzene	0.48	U	0.95	0.48	0.32	ug/L		05/30/14 10:33	1
3,3'-Dichlorobenzidine	0.95	U	4.8	0.95	0.35	ug/L		05/30/14 10:33	1
2,4-Dichlorophenol	0.48	U	1.9	0.48	0.18	ug/L		05/30/14 10:33	1
Diethyl phthalate	2.7		1.9	0.95	0.57	ug/L		05/30/14 10:33	1
2,4-Dimethylphenol	0.48	U	1.9	0.48	0.24	ug/L		05/30/14 10:33	1
Dimethyl phthalate	0.48	U	1.9	0.48	0.28	ug/L		05/30/14 10:33	1
Di-n-butyl phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/30/14 10:33	1
4,6-Dinitro-2-methylphenol	3.8	U	4.8	3.8	2.3	ug/L		05/30/14 10:33	1
2,4-Dinitrophenol	0.95	U	4.8	0.95	0.30	ug/L		05/30/14 10:33	1
Di-n-octyl phthalate	0.48	U	1.9	0.48	0.22	ug/L		05/30/14 10:33	1
Fluoranthene	0.095	U	0.19	0.095	0.042	ug/L		05/30/14 10:33	1
Fluorene	0.095	U	0.19	0.095	0.039	ug/L		05/30/14 10:33	1
Hexachlorobenzene	0.095	U	0.19	0.095	0.081	ug/L		05/30/14 10:33	1
Hexachlorobutadiene	0.48	U	0.95	0.48	0.26	ug/L		05/30/14 10:33	1
Hexachlorocyclopentadiene	0.48	U Q	9.5	0.48	0.23	ug/L		05/30/14 10:33	1
Hexachloroethane	0.48	U	0.95	0.48	0.18	ug/L		05/30/14 10:33	1
Indeno[1,2,3-cd]pyrene	0.095	U	0.19	0.095	0.041	ug/L		05/30/14 10:33	1
Isophorone	0.48	U	0.95	0.48	0.26	ug/L		05/30/14 10:33	1
2-Methylnaphthalene	0.095	U	0.19	0.095	0.086	ug/L		05/30/14 10:33	1
2-Methylphenol	0.48	U	0.95	0.48	0.16	ug/L		05/30/14 10:33	1
3 & 4 Methylphenol	0.95	U	1.9	0.95	0.76	ug/L		05/30/14 10:33	1
Naphthalene	0.14	J	0.19	0.095	0.060	ug/L		05/30/14 10:33	1
2-Nitroaniline	0.48	U	1.9	0.48	0.20	ug/L		05/30/14 10:33	1
3-Nitroaniline	0.48	U	1.9	0.48	0.27	ug/L		05/30/14 10:33	1
4-Nitroaniline	0.48	U	1.9	0.48	0.21	ug/L		05/30/14 10:33	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGEQUIPRINSE2-0444-GW

Lab Sample ID: 240-37114-4

Date Collected: 05/08/14 13:00

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
2-Nitrophenol	0.48	U	1.9	0.48	0.27	ug/L		05/30/14 10:33	1
4-Nitrophenol	3.8	U	4.8	3.8	0.28	ug/L		05/30/14 10:33	1
N-Nitrosodi-n-propylamine	0.48	U	0.95	0.48	0.23	ug/L		05/30/14 10:33	1
N-Nitrosodiphenylamine	0.48	U	0.95	0.48	0.30	ug/L		05/30/14 10:33	1
2,2'-oxybis[1-chloropropane]	0.48	U	0.95	0.48	0.38	ug/L		05/30/14 10:33	1
Pentachlorophenol	0.95	U	4.8	0.95	0.26	ug/L		05/30/14 10:33	1
Phenanthrene	0.095	U	0.19	0.095	0.059	ug/L		05/30/14 10:33	1
Phenol	0.73	J	0.95	0.95	0.57	ug/L		05/30/14 10:33	1
Pyrene	0.095	U	0.19	0.095	0.040	ug/L		05/30/14 10:33	1
1,2,4-Trichlorobenzene	0.48	U	0.95	0.48	0.27	ug/L		05/30/14 10:33	1
2,4,5-Trichlorophenol	0.48	U	4.8	0.48	0.29	ug/L		05/30/14 10:33	1
2,4,6-Trichlorophenol	0.48	U	4.8	0.48	0.23	ug/L		05/30/14 10:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	71		50 - 110	05/12/14 07:34	05/30/14 10:33	1
2-Fluorophenol (Surr)	75		20 - 110	05/12/14 07:34	05/30/14 10:33	1
Nitrobenzene-d5 (Surr)	72		40 - 110	05/12/14 07:34	05/30/14 10:33	1
Phenol-d5 (Surr)	75		10 - 115	05/12/14 07:34	05/30/14 10:33	1
Terphenyl-d14 (Surr)	93		50 - 135	05/12/14 07:34	05/30/14 10:33	1
2,4,6-Tribromophenol (Surr)	77		40 - 125	05/12/14 07:34	05/30/14 10:33	1

Method: 8081A - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
4,4'-DDD	0.019	U	0.048	0.019	0.0092	ug/L		05/16/14 15:30	1
4,4'-DDE	0.019	U	0.048	0.019	0.0093	ug/L		05/16/14 15:30	1
4,4'-DDT	0.019	U	0.048	0.019	0.015	ug/L		05/16/14 15:30	1
Aldrin	0.019	U	0.029	0.019	0.0079	ug/L		05/16/14 15:30	1
alpha-BHC	0.019	U	0.029	0.019	0.0067	ug/L		05/16/14 15:30	1
alpha-Chlordane	0.019	U	0.048	0.019	0.013	ug/L		05/16/14 15:30	1
beta-BHC	0.019	U	0.048	0.019	0.0081	ug/L		05/16/14 15:30	1
delta-BHC	0.019	U	0.048	0.019	0.0084	ug/L		05/16/14 15:30	1
Dieldrin	0.019	U	0.029	0.019	0.0072	ug/L		05/16/14 15:30	1
Endosulfan I	0.019	U	0.048	0.019	0.013	ug/L		05/16/14 15:30	1
Endosulfan II	0.019	U	0.048	0.019	0.012	ug/L		05/16/14 15:30	1
Endosulfan sulfate	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 15:30	1
Endrin	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 15:30	1
Endrin aldehyde	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 15:30	1
Endrin ketone	0.019	U	0.048	0.019	0.0075	ug/L		05/16/14 15:30	1
gamma-BHC (Lindane)	0.019	U	0.048	0.019	0.0062	ug/L		05/16/14 15:30	1
gamma-Chlordane	0.019	U	0.048	0.019	0.012	ug/L		05/16/14 15:30	1
Heptachlor	0.019	U	0.029	0.019	0.0077	ug/L		05/16/14 15:30	1
Heptachlor epoxide	0.019	U	0.029	0.019	0.0068	ug/L		05/16/14 15:30	1
Methoxychlor	0.048	U	0.096	0.048	0.031	ug/L		05/16/14 15:30	1
Toxaphene	0.77	U	1.9	0.77	0.31	ug/L		05/16/14 15:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	84		30 - 135	05/10/14 10:23	05/16/14 15:30	1
DCB Decachlorobiphenyl	77		30 - 135	05/10/14 10:23	05/16/14 15:30	1
Tetrachloro-m-xylene	84		25 - 140	05/10/14 10:23	05/16/14 15:30	1
Tetrachloro-m-xylene	80		25 - 140	05/10/14 10:23	05/16/14 15:30	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGEQUIPRINSE2-0444-GW

Lab Sample ID: 240-37114-4

Date Collected: 05/08/14 13:00

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aroclor-1016	0.19	U	0.48	0.19	0.16	ug/L		05/13/14 14:49	1
Aroclor-1221	0.19	U	0.48	0.19	0.13	ug/L		05/13/14 14:49	1
Aroclor-1232	0.19	U	0.48	0.19	0.15	ug/L		05/13/14 14:49	1
Aroclor-1242	0.38	U	0.48	0.38	0.21	ug/L		05/13/14 14:49	1
Aroclor-1248	0.19	U	0.48	0.19	0.096	ug/L		05/13/14 14:49	1
Aroclor-1254	0.19	U	0.48	0.19	0.15	ug/L		05/13/14 14:49	1
Aroclor-1260	0.19	U	0.48	0.19	0.16	ug/L		05/13/14 14:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	88		40 - 140	05/10/14 10:20	05/13/14 14:49	1
Tetrachloro-m-xylene	94		40 - 140	05/10/14 10:20	05/13/14 14:49	1
DCB Decachlorobiphenyl	83		40 - 135	05/10/14 10:20	05/13/14 14:49	1
DCB Decachlorobiphenyl	80		40 - 135	05/10/14 10:20	05/13/14 14:49	1

Method: 8330 Modified - Nitroguanidine (HPLC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Nitroguanidine	6.0	U	20	6.0	2.4	ug/L		05/13/14 15:23	1

Method: 8330A - Nitroaromatics and Nitramines

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,3,5-Trinitrobenzene	0.055	U	0.16	0.055	0.034	ug/L		05/21/14 06:50	1
1,3-Dinitrobenzene	0.11	U	0.16	0.11	0.055	ug/L		05/21/14 06:50	1
2,4,6-Trinitrotoluene	0.11	U	0.16	0.11	0.055	ug/L		05/21/14 06:50	1
2,4-Dinitrotoluene	0.11	U M	0.14	0.11	0.055	ug/L		05/21/14 06:50	1
2,6-Dinitrotoluene	0.11	U M	0.14	0.11	0.055	ug/L		05/21/14 06:50	1
2-Amino-4,6-dinitrotoluene	0.11	U	0.16	0.11	0.016	ug/L		05/21/14 06:50	1
2-Nitrotoluene	0.11	U	0.55	0.11	0.096	ug/L		05/21/14 06:50	1
3-Nitrotoluene	0.11	U	0.55	0.11	0.062	ug/L		05/21/14 06:50	1
4-Nitrotoluene	0.11	U	0.55	0.11	0.096	ug/L		05/21/14 06:50	1
4-Amino-2,6-dinitrotoluene	0.11	U	0.16	0.11	0.055	ug/L		05/21/14 06:50	1
HMX	0.055	U M	0.16	0.055	0.039	ug/L		05/21/14 06:50	1
RDX	0.055	U	0.16	0.055	0.039	ug/L		05/21/14 06:50	1
Nitrobenzene	0.11	U	0.16	0.11	0.055	ug/L		05/21/14 06:50	1
Tetryl	0.11	U	0.16	0.11	0.055	ug/L		05/21/14 06:50	1
Nitroglycerin	0.55	U	0.71	0.55	0.36	ug/L		05/21/14 06:50	1
PETN	0.55	U	0.71	0.55	0.33	ug/L		05/21/14 06:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
3,4-Dinitrotoluene	100		79 - 111	05/12/14 14:49	05/17/14 08:14	1
3,4-Dinitrotoluene	95		79 - 111	05/12/14 14:49	05/21/14 06:50	1

Method: 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Arsenic	10	U	10	10	3.3	ug/L		05/15/14 10:08	1
Chromium	4.0	U	7.0	4.0	1.4	ug/L		05/15/14 10:08	1
Cobalt	4.0	U	7.0	4.0	1.5	ug/L		05/15/14 10:08	1
Lead	1.7	J	10	5.0	1.7	ug/L		05/15/14 10:08	1
Selenium	10	U	15	10	4.0	ug/L		05/15/14 10:08	1
Silver	5.0	U	7.0	5.0	1.7	ug/L		05/15/14 10:08	1
Vanadium	4.0	U	7.0	4.0	1.3	ug/L		05/15/14 10:08	1
Barium	5.0	U	200	5.0	2.8	ug/L		05/15/14 10:08	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGTEAM3-TRIP050814

Lab Sample ID: 240-37114-1

Date Collected: 05/08/14 08:00

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 10:51	1
1,1,2,2-Tetrachloroethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 10:51	1
1,1,2-Trichloroethane	0.50	U	1.0	0.50	0.27	ug/L		05/19/14 10:51	1
1,1-Dichloroethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 10:51	1
1,1-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 10:51	1
1,2-Dichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 10:51	1
1,2-Dichloroethene, Total	0.25	U	2.0	0.25	0.17	ug/L		05/19/14 10:51	1
1,2-Dichloropropane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 10:51	1
2-Hexanone	0.50	U	10	0.50	0.41	ug/L		05/19/14 10:51	1
Bromochloromethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 10:51	1
Acetone	1.1	U	10	1.1	1.1	ug/L		05/19/14 10:51	1
Benzene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 10:51	1
Bromoform	0.64	U	1.0	0.64	0.64	ug/L		05/19/14 10:51	1
Bromomethane	0.50	U	1.0	0.50	0.41	ug/L		05/19/14 10:51	1
Carbon disulfide	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 10:51	1
Carbon tetrachloride	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 10:51	1
Chlorobenzene	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 10:51	1
Chloroethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 10:51	1
Chloroform	0.35	J	1.0	0.25	0.16	ug/L		05/19/14 10:51	1
Chloromethane	0.50	U	1.0	0.50	0.30	ug/L		05/19/14 10:51	1
cis-1,2-Dichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 10:51	1
cis-1,3-Dichloropropene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 10:51	1
Bromodichloromethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 10:51	1
Ethylbenzene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 10:51	1
1,2-Dibromoethane	0.25	U	1.0	0.25	0.24	ug/L		05/19/14 10:51	1
m-Xylene & p-Xylene	0.50	U	2.0	0.50	0.24	ug/L		05/19/14 10:51	1
2-Butanone (MEK)	0.57	U	10	0.57	0.57	ug/L		05/19/14 10:51	1
4-Methyl-2-pentanone (MIBK)	0.50	U	10	0.50	0.32	ug/L		05/19/14 10:51	1
Methylene Chloride	0.50	U	1.0	0.50	0.33	ug/L		05/19/14 10:51	1
o-Xylene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 10:51	1
Styrene	0.25	U	1.0	0.25	0.11	ug/L		05/19/14 10:51	1
Tetrachloroethene	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 10:51	1
Toluene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 10:51	1
trans-1,2-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 10:51	1
trans-1,3-Dichloropropene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 10:51	1
Trichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 10:51	1
Vinyl chloride	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 10:51	1
Xylenes, Total	0.25	U	2.0	0.25	0.14	ug/L		05/19/14 10:51	1
Dibromochloromethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 10:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		70 - 120		05/19/14 10:51	1
4-Bromofluorobenzene (Surr)	94		75 - 120		05/19/14 10:51	1
Toluene-d8 (Surr)	104		85 - 120		05/19/14 10:51	1
Dibromofluoromethane (Surr)	90		85 - 115		05/19/14 10:51	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL1MW-088-0437-GW

Lab Sample ID: 240-37114-2

Date Collected: 05/08/14 10:29

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 11:16	1
1,1,1,2-Tetrachloroethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 11:16	1
1,1,2-Trichloroethane	0.50	U	1.0	0.50	0.27	ug/L		05/19/14 11:16	1
1,1-Dichloroethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 11:16	1
1,1-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 11:16	1
1,2-Dichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 11:16	1
1,2-Dichloroethene, Total	0.25	U	2.0	0.25	0.17	ug/L		05/19/14 11:16	1
1,2-Dichloropropane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 11:16	1
2-Hexanone	0.50	U	10	0.50	0.41	ug/L		05/19/14 11:16	1
Bromochloromethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 11:16	1
Acetone	1.1	U	10	1.1	1.1	ug/L		05/19/14 11:16	1
Benzene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 11:16	1
Bromoform	0.64	U	1.0	0.64	0.64	ug/L		05/19/14 11:16	1
Bromomethane	0.50	U	1.0	0.50	0.41	ug/L		05/19/14 11:16	1
Carbon disulfide	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 11:16	1
Carbon tetrachloride	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 11:16	1
Chlorobenzene	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 11:16	1
Chloroethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 11:16	1
Chloroform	0.25	U	1.0	0.25	0.16	ug/L		05/19/14 11:16	1
Chloromethane	0.50	U	1.0	0.50	0.30	ug/L		05/19/14 11:16	1
cis-1,2-Dichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 11:16	1
cis-1,3-Dichloropropene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 11:16	1
Bromodichloromethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 11:16	1
Ethylbenzene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 11:16	1
1,2-Dibromoethane	0.25	U	1.0	0.25	0.24	ug/L		05/19/14 11:16	1
m-Xylene & p-Xylene	0.50	U	2.0	0.50	0.24	ug/L		05/19/14 11:16	1
2-Butanone (MEK)	0.57	U	10	0.57	0.57	ug/L		05/19/14 11:16	1
4-Methyl-2-pentanone (MIBK)	0.50	U	10	0.50	0.32	ug/L		05/19/14 11:16	1
Methylene Chloride	0.50	U	1.0	0.50	0.33	ug/L		05/19/14 11:16	1
o-Xylene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 11:16	1
Styrene	0.25	U	1.0	0.25	0.11	ug/L		05/19/14 11:16	1
Tetrachloroethene	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 11:16	1
Toluene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 11:16	1
trans-1,2-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 11:16	1
trans-1,3-Dichloropropene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 11:16	1
Trichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 11:16	1
Vinyl chloride	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 11:16	1
Xylenes, Total	0.25	U	2.0	0.25	0.14	ug/L		05/19/14 11:16	1
Dibromochloromethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 11:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		70 - 120		05/19/14 11:16	1
4-Bromofluorobenzene (Surr)	98		75 - 120		05/19/14 11:16	1
Toluene-d8 (Surr)	103		85 - 120		05/19/14 11:16	1
Dibromofluoromethane (Surr)	93		85 - 115		05/19/14 11:16	1

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Acenaphthene	0.10	U	0.20	0.10	0.045	ug/L		05/30/14 10:08	1
Acenaphthylene	0.10	U	0.20	0.10	0.049	ug/L		05/30/14 10:08	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL1MW-088-0437-GW

Lab Sample ID: 240-37114-2

Date Collected: 05/08/14 10:29

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Anthracene	0.10	U	0.20	0.10	0.089	ug/L		05/30/14 10:08	1
Benzo[a]anthracene	0.10	U	0.20	0.10	0.030	ug/L		05/30/14 10:08	1
Benzo[a]pyrene	0.10	U	0.20	0.10	0.052	ug/L		05/30/14 10:08	1
Benzo[b]fluoranthene	0.10	U	0.20	0.10	0.040	ug/L		05/30/14 10:08	1
Benzo[g,h,i]perylene	0.10	U	0.20	0.10	0.047	ug/L		05/30/14 10:08	1
Benzoic acid	20	U	25	20	10	ug/L		05/30/14 10:08	1
Benzo[k]fluoranthene	0.10	U	0.20	0.10	0.045	ug/L		05/30/14 10:08	1
Benzyl alcohol	0.51	U	5.1	0.51	0.38	ug/L		05/30/14 10:08	1
Bis(2-chloroethoxy)methane	0.51	U	1.0	0.51	0.32	ug/L		05/30/14 10:08	1
Bis(2-chloroethyl)ether	0.10	U	1.0	0.10	0.10	ug/L		05/30/14 10:08	1
Bis(2-ethylhexyl) phthalate	5.1	U	5.1	5.1	1.7	ug/L		05/30/14 10:08	1
4-Bromophenyl phenyl ether	0.51	U	2.0	0.51	0.22	ug/L		05/30/14 10:08	1
Butyl benzyl phthalate	0.51	U	5.1	0.51	0.26	ug/L		05/30/14 10:08	1
Carbazole	0.51	U	1.0	0.51	0.28	ug/L		05/30/14 10:08	1
4-Chloroaniline	0.51	U	2.0	0.51	0.21	ug/L		05/30/14 10:08	1
4-Chloro-3-methylphenol	0.51	U	2.0	0.51	0.21	ug/L		05/30/14 10:08	1
2-Chloronaphthalene	0.51	U	1.0	0.51	0.10	ug/L		05/30/14 10:08	1
2-Chlorophenol	0.51	U	1.0	0.51	0.29	ug/L		05/30/14 10:08	1
4-Chlorophenyl phenyl ether	0.51	U	2.0	0.51	0.30	ug/L		05/30/14 10:08	1
Chrysene	0.10	U	0.20	0.10	0.051	ug/L		05/30/14 10:08	1
Dibenz(a,h)anthracene	0.10	U	0.20	0.10	0.045	ug/L		05/30/14 10:08	1
Dibenzofuran	0.10	U	1.0	0.10	0.020	ug/L		05/30/14 10:08	1
1,2-Dichlorobenzene	0.51	U	1.0	0.51	0.29	ug/L		05/30/14 10:08	1
1,3-Dichlorobenzene	0.51	U	1.0	0.51	0.23	ug/L		05/30/14 10:08	1
1,4-Dichlorobenzene	0.51	U	1.0	0.51	0.34	ug/L		05/30/14 10:08	1
3,3'-Dichlorobenzidine	1.0	U	5.1	1.0	0.37	ug/L		05/30/14 10:08	1
2,4-Dichlorophenol	0.51	U	2.0	0.51	0.19	ug/L		05/30/14 10:08	1
Diethyl phthalate	1.0	U	2.0	1.0	0.61	ug/L		05/30/14 10:08	1
2,4-Dimethylphenol	0.51	U	2.0	0.51	0.25	ug/L		05/30/14 10:08	1
Dimethyl phthalate	0.51	U	2.0	0.51	0.29	ug/L		05/30/14 10:08	1
Di-n-butyl phthalate	5.1	U	5.1	5.1	1.7	ug/L		05/30/14 10:08	1
4,6-Dinitro-2-methylphenol	4.0	U	5.1	4.0	2.4	ug/L		05/30/14 10:08	1
2,4-Dinitrophenol	1.0	U	5.1	1.0	0.32	ug/L		05/30/14 10:08	1
Di-n-octyl phthalate	0.51	U	2.0	0.51	0.23	ug/L		05/30/14 10:08	1
Fluoranthene	0.10	U	0.20	0.10	0.045	ug/L		05/30/14 10:08	1
Fluorene	0.10	U	0.20	0.10	0.041	ug/L		05/30/14 10:08	1
Hexachlorobenzene	0.10	U	0.20	0.10	0.086	ug/L		05/30/14 10:08	1
Hexachlorobutadiene	0.51	U	1.0	0.51	0.27	ug/L		05/30/14 10:08	1
Hexachlorocyclopentadiene	0.51	U Q	10	0.51	0.24	ug/L		05/30/14 10:08	1
Hexachloroethane	0.51	U	1.0	0.51	0.19	ug/L		05/30/14 10:08	1
Indeno[1,2,3-cd]pyrene	0.10	U	0.20	0.10	0.044	ug/L		05/30/14 10:08	1
Isophorone	0.51	U	1.0	0.51	0.27	ug/L		05/30/14 10:08	1
2-Methylnaphthalene	0.10	U	0.20	0.10	0.091	ug/L		05/30/14 10:08	1
2-Methylphenol	0.51	U	1.0	0.51	0.17	ug/L		05/30/14 10:08	1
3 & 4 Methylphenol	1.0	U	2.0	1.0	0.81	ug/L		05/30/14 10:08	1
Naphthalene	0.15	J	0.20	0.10	0.063	ug/L		05/30/14 10:08	1
2-Nitroaniline	0.51	U	2.0	0.51	0.21	ug/L		05/30/14 10:08	1
3-Nitroaniline	0.51	U	2.0	0.51	0.28	ug/L		05/30/14 10:08	1
4-Nitroaniline	0.51	U	2.0	0.51	0.22	ug/L		05/30/14 10:08	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL1MW-088-0437-GW

Lab Sample ID: 240-37114-2

Date Collected: 05/08/14 10:29

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
2-Nitrophenol	0.51	U	2.0	0.51	0.28	ug/L		05/30/14 10:08	1
4-Nitrophenol	4.0	U	5.1	4.0	0.29	ug/L		05/30/14 10:08	1
N-Nitrosodi-n-propylamine	0.51	U	1.0	0.51	0.24	ug/L		05/30/14 10:08	1
N-Nitrosodiphenylamine	0.51	U	1.0	0.51	0.31	ug/L		05/30/14 10:08	1
2,2'-oxybis[1-chloropropane]	0.51	U	1.0	0.51	0.40	ug/L		05/30/14 10:08	1
Pentachlorophenol	1.0	U	5.1	1.0	0.27	ug/L		05/30/14 10:08	1
Phenanthrene	0.10	J	0.20	0.10	0.063	ug/L		05/30/14 10:08	1
Phenol	1.0	U	1.0	1.0	0.61	ug/L		05/30/14 10:08	1
Pyrene	0.10	J	0.20	0.10	0.042	ug/L		05/30/14 10:08	1
1,2,4-Trichlorobenzene	0.51	U	1.0	0.51	0.28	ug/L		05/30/14 10:08	1
2,4,5-Trichlorophenol	0.51	U	5.1	0.51	0.30	ug/L		05/30/14 10:08	1
2,4,6-Trichlorophenol	0.51	U	5.1	0.51	0.24	ug/L		05/30/14 10:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	72		50 - 110	05/12/14 07:34	05/30/14 10:08	1
2-Fluorophenol (Surr)	75		20 - 110	05/12/14 07:34	05/30/14 10:08	1
Nitrobenzene-d5 (Surr)	73		40 - 110	05/12/14 07:34	05/30/14 10:08	1
Phenol-d5 (Surr)	78		10 - 115	05/12/14 07:34	05/30/14 10:08	1
Terphenyl-d14 (Surr)	86		50 - 135	05/12/14 07:34	05/30/14 10:08	1
2,4,6-Tribromophenol (Surr)	89		40 - 125	05/12/14 07:34	05/30/14 10:08	1

Method: 8081A - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
4,4'-DDD	0.019	U	0.048	0.019	0.0091	ug/L		05/16/14 15:08	1
4,4'-DDE	0.019	U	0.048	0.019	0.0092	ug/L		05/16/14 15:08	1
4,4'-DDT	0.019	U	0.048	0.019	0.015	ug/L		05/16/14 15:08	1
Aldrin	0.019	U	0.029	0.019	0.0078	ug/L		05/16/14 15:08	1
alpha-BHC	0.019	U	0.029	0.019	0.0067	ug/L		05/16/14 15:08	1
alpha-Chlordane	0.019	U	0.048	0.019	0.013	ug/L		05/16/14 15:08	1
beta-BHC	0.019	U	0.048	0.019	0.0080	ug/L		05/16/14 15:08	1
delta-BHC	0.019	U	0.048	0.019	0.0083	ug/L		05/16/14 15:08	1
Dieldrin	0.019	U	0.029	0.019	0.0071	ug/L		05/16/14 15:08	1
Endosulfan I	0.019	U	0.048	0.019	0.012	ug/L		05/16/14 15:08	1
Endosulfan II	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 15:08	1
Endosulfan sulfate	0.019	U	0.048	0.019	0.010	ug/L		05/16/14 15:08	1
Endrin	0.019	U	0.048	0.019	0.010	ug/L		05/16/14 15:08	1
Endrin aldehyde	0.019	U	0.048	0.019	0.010	ug/L		05/16/14 15:08	1
Endrin ketone	0.019	U	0.048	0.019	0.0074	ug/L		05/16/14 15:08	1
gamma-BHC (Lindane)	0.019	U	0.048	0.019	0.0061	ug/L		05/16/14 15:08	1
gamma-Chlordane	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 15:08	1
Heptachlor	0.019	U	0.029	0.019	0.0076	ug/L		05/16/14 15:08	1
Heptachlor epoxide	0.019	U	0.029	0.019	0.0068	ug/L		05/16/14 15:08	1
Methoxychlor	0.048	U	0.095	0.048	0.030	ug/L		05/16/14 15:08	1
Toxaphene	0.76	U	1.9	0.76	0.30	ug/L		05/16/14 15:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	21	Q	30 - 135	05/10/14 10:23	05/16/14 15:08	1
DCB Decachlorobiphenyl	21	Q	30 - 135	05/10/14 10:23	05/16/14 15:08	1
Tetrachloro-m-xylene	81		25 - 140	05/10/14 10:23	05/16/14 15:08	1
Tetrachloro-m-xylene	80		25 - 140	05/10/14 10:23	05/16/14 15:08	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL1MW-088-0437-GW

Lab Sample ID: 240-37114-2

Date Collected: 05/08/14 10:29

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aroclor-1016	0.19	U	0.48	0.19	0.16	ug/L		05/13/14 14:33	1
Aroclor-1221	0.19	U	0.48	0.19	0.12	ug/L		05/13/14 14:33	1
Aroclor-1232	0.19	U	0.48	0.19	0.15	ug/L		05/13/14 14:33	1
Aroclor-1242	0.38	U	0.48	0.38	0.21	ug/L		05/13/14 14:33	1
Aroclor-1248	0.19	U	0.48	0.19	0.095	ug/L		05/13/14 14:33	1
Aroclor-1254	0.19	U	0.48	0.19	0.15	ug/L		05/13/14 14:33	1
Aroclor-1260	0.19	U	0.48	0.19	0.16	ug/L		05/13/14 14:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	92		40 - 140	05/10/14 10:20	05/13/14 14:33	1
Tetrachloro-m-xylene	99		40 - 140	05/10/14 10:20	05/13/14 14:33	1
DCB Decachlorobiphenyl	21	Q	40 - 135	05/10/14 10:20	05/13/14 14:33	1
DCB Decachlorobiphenyl	21	Q	40 - 135	05/10/14 10:20	05/13/14 14:33	1

Method: 8330 Modified - Nitroguanidine (HPLC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Nitroguanidine	6.0	U	20	6.0	2.4	ug/L		05/13/14 15:05	1

Method: 8330A - Nitroaromatics and Nitramines

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,3,5-Trinitrobenzene	0.053	U	0.16	0.053	0.033	ug/L		05/19/14 22:47	1
1,3-Dinitrobenzene	0.11	U	0.16	0.11	0.053	ug/L		05/19/14 22:47	1
2,4,6-Trinitrotoluene	0.11	U M	0.16	0.11	0.053	ug/L		05/19/14 22:47	1
2,4-Dinitrotoluene	0.11	U	0.14	0.11	0.053	ug/L		05/19/14 22:47	1
2,6-Dinitrotoluene	0.11	U	0.14	0.11	0.053	ug/L		05/19/14 22:47	1
2-Amino-4,6-dinitrotoluene	0.11	U	0.16	0.11	0.016	ug/L		05/19/14 22:47	1
2-Nitrotoluene	0.11	U M	0.53	0.11	0.094	ug/L		05/19/14 22:47	1
3-Nitrotoluene	0.11	U	0.53	0.11	0.061	ug/L		05/19/14 22:47	1
4-Nitrotoluene	0.11	U	0.53	0.11	0.094	ug/L		05/19/14 22:47	1
4-Amino-2,6-dinitrotoluene	0.11	U	0.16	0.11	0.053	ug/L		05/19/14 22:47	1
HMX	0.053	U M	0.16	0.053	0.038	ug/L		05/19/14 22:47	1
RDX	0.053	U M	0.16	0.053	0.038	ug/L		05/19/14 22:47	1
Nitrobenzene	0.11	U M	0.16	0.11	0.053	ug/L		05/19/14 22:47	1
Tetryl	0.11	U M	0.16	0.11	0.053	ug/L		05/19/14 22:47	1
Nitroglycerin	0.53	U	0.69	0.53	0.35	ug/L		05/19/14 22:47	1
PETN	0.53	U	0.69	0.53	0.32	ug/L		05/19/14 22:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
3,4-Dinitrotoluene	100		79 - 111	05/12/14 14:49	05/17/14 07:08	1
3,4-Dinitrotoluene	95	M	79 - 111	05/12/14 14:49	05/19/14 22:47	1

General Chemistry

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Cyanide, Total	0.0050	U	0.010	0.0050	0.0032	mg/L		05/20/14 10:30	1
Nitrocellulose	1.0	U	2.0	1.0	0.48	mg/L		05/15/14 16:37	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL1MW-088-0437-GF

Lab Sample ID: 240-37114-3

Date Collected: 05/08/14 10:29

Matrix: Water

Date Received: 05/08/14 14:50

Method: 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Arsenic	18		10	10	3.3	ug/L		05/15/14 09:56	1
Chromium	4.0	U	7.0	4.0	1.4	ug/L		05/15/14 09:56	1
Cobalt	4.0	U	7.0	4.0	1.5	ug/L		05/15/14 09:56	1
Lead	2.0	J	10	5.0	1.7	ug/L		05/15/14 09:56	1
Selenium	10	U	15	10	4.0	ug/L		05/15/14 09:56	1
Silver	5.0	U	7.0	5.0	1.7	ug/L		05/15/14 09:56	1
Vanadium	4.0	U	7.0	4.0	1.3	ug/L		05/15/14 09:56	1
Barium	44	J	200	5.0	2.8	ug/L		05/15/14 09:56	1
Calcium	84000		5000	1000	630	ug/L		05/15/14 09:56	1
Copper	10	U	25	10	4.4	ug/L		05/15/14 09:56	1
Magnesium	39000		5000	300	120	ug/L		05/15/14 09:56	1
Manganese	86		15	5.0	1.8	ug/L		05/15/14 09:56	1
Nickel	5.0	U	40	5.0	2.2	ug/L		05/15/14 09:56	1
Potassium	3400	J	5000	900	300	ug/L		05/15/14 09:56	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aluminum	60	U	60	60	20	ug/L		05/21/14 14:26	1
Antimony	1.0	U	2.0	1.0	0.33	ug/L		05/21/14 14:26	1
Beryllium	1.0	U	1.0	1.0	0.50	ug/L		05/21/14 14:26	1
Cadmium	1.0	U	2.0	1.0	0.40	ug/L		05/21/14 14:26	1
Iron	550		150	100	44	ug/L		05/21/14 14:26	1
Sodium	24000		1000	400	160	ug/L		05/21/14 14:26	1
Thallium	1.5	U	2.0	1.5	0.79	ug/L		05/21/14 14:26	1
Zinc	50	U	50	50	27	ug/L		05/21/14 14:26	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Hg	0.20	U	0.20	0.20	0.12	ug/L		05/15/14 15:05	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGEQUIPRINSE2-0444-GW

Lab Sample ID: 240-37114-4

Date Collected: 05/08/14 13:00

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 12:02	1
1,1,1,2-Tetrachloroethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 12:02	1
1,1,2-Trichloroethane	0.50	U	1.0	0.50	0.27	ug/L		05/19/14 12:02	1
1,1-Dichloroethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 12:02	1
1,1-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 12:02	1
1,2-Dichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 12:02	1
1,2-Dichloroethene, Total	0.25	U	2.0	0.25	0.17	ug/L		05/19/14 12:02	1
1,2-Dichloropropane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 12:02	1
2-Hexanone	0.50	U	10	0.50	0.41	ug/L		05/19/14 12:02	1
Bromochloromethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 12:02	1
Acetone	14		10	1.1	1.1	ug/L		05/19/14 12:02	1
Benzene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 12:02	1
Bromoform	0.64	U	1.0	0.64	0.64	ug/L		05/19/14 12:02	1
Bromomethane	0.50	U	1.0	0.50	0.41	ug/L		05/19/14 12:02	1
Carbon disulfide	0.69	J M	1.0	0.25	0.13	ug/L		05/19/14 12:02	1
Carbon tetrachloride	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 12:02	1
Chlorobenzene	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 12:02	1
Chloroethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 12:02	1
Chloroform	0.25	U	1.0	0.25	0.16	ug/L		05/19/14 12:02	1
Chloromethane	0.50	U	1.0	0.50	0.30	ug/L		05/19/14 12:02	1
cis-1,2-Dichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 12:02	1
cis-1,3-Dichloropropene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 12:02	1
Bromodichloromethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 12:02	1
Ethylbenzene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 12:02	1
1,2-Dibromoethane	0.25	U	1.0	0.25	0.24	ug/L		05/19/14 12:02	1
m-Xylene & p-Xylene	0.50	U	2.0	0.50	0.24	ug/L		05/19/14 12:02	1
2-Butanone (MEK)	3.6	J	10	0.57	0.57	ug/L		05/19/14 12:02	1
4-Methyl-2-pentanone (MIBK)	0.50	U	10	0.50	0.32	ug/L		05/19/14 12:02	1
Methylene Chloride	0.50	U	1.0	0.50	0.33	ug/L		05/19/14 12:02	1
o-Xylene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 12:02	1
Styrene	0.25	U	1.0	0.25	0.11	ug/L		05/19/14 12:02	1
Tetrachloroethene	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 12:02	1
Toluene	0.22	J	1.0	0.25	0.13	ug/L		05/19/14 12:02	1
trans-1,2-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 12:02	1
trans-1,3-Dichloropropene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 12:02	1
Trichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 12:02	1
Vinyl chloride	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 12:02	1
Xylenes, Total	0.25	U	2.0	0.25	0.14	ug/L		05/19/14 12:02	1
Dibromochloromethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 12:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		70 - 120		05/19/14 12:02	1
4-Bromofluorobenzene (Surr)	92		75 - 120		05/19/14 12:02	1
Toluene-d8 (Surr)	99		85 - 120		05/19/14 12:02	1
Dibromofluoromethane (Surr)	90		85 - 115		05/19/14 12:02	1

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Acenaphthene	0.095	U	0.19	0.095	0.042	ug/L		05/30/14 10:33	1
Acenaphthylene	0.095	U	0.19	0.095	0.046	ug/L		05/30/14 10:33	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGEQUIPRINSE2-0444-GW

Lab Sample ID: 240-37114-4

Date Collected: 05/08/14 13:00

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Anthracene	0.095	U	0.19	0.095	0.084	ug/L		05/30/14 10:33	1
Benzo[a]anthracene	0.095	U	0.19	0.095	0.028	ug/L		05/30/14 10:33	1
Benzo[a]pyrene	0.095	U	0.19	0.095	0.049	ug/L		05/30/14 10:33	1
Benzo[b]fluoranthene	0.095	U	0.19	0.095	0.038	ug/L		05/30/14 10:33	1
Benzo[g,h,i]perylene	0.095	U	0.19	0.095	0.044	ug/L		05/30/14 10:33	1
Benzoic acid	19	U	24	19	9.5	ug/L		05/30/14 10:33	1
Benzo[k]fluoranthene	0.095	U	0.19	0.095	0.043	ug/L		05/30/14 10:33	1
Benzyl alcohol	0.48	U	4.8	0.48	0.36	ug/L		05/30/14 10:33	1
Bis(2-chloroethoxy)methane	0.48	U	0.95	0.48	0.30	ug/L		05/30/14 10:33	1
Bis(2-chloroethyl)ether	0.095	U	0.95	0.095	0.095	ug/L		05/30/14 10:33	1
Bis(2-ethylhexyl) phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/30/14 10:33	1
4-Bromophenyl phenyl ether	0.48	U	1.9	0.48	0.21	ug/L		05/30/14 10:33	1
Butyl benzyl phthalate	0.48	U	4.8	0.48	0.25	ug/L		05/30/14 10:33	1
Carbazole	0.48	U	0.95	0.48	0.27	ug/L		05/30/14 10:33	1
4-Chloroaniline	0.48	U	1.9	0.48	0.20	ug/L		05/30/14 10:33	1
4-Chloro-3-methylphenol	0.48	U	1.9	0.48	0.20	ug/L		05/30/14 10:33	1
2-Chloronaphthalene	0.48	U	0.95	0.48	0.095	ug/L		05/30/14 10:33	1
2-Chlorophenol	0.48	U	0.95	0.48	0.28	ug/L		05/30/14 10:33	1
4-Chlorophenyl phenyl ether	0.48	U	1.9	0.48	0.29	ug/L		05/30/14 10:33	1
Chrysene	0.095	U	0.19	0.095	0.048	ug/L		05/30/14 10:33	1
Dibenz(a,h)anthracene	0.095	U	0.19	0.095	0.042	ug/L		05/30/14 10:33	1
Dibenzofuran	0.095	U	0.95	0.095	0.019	ug/L		05/30/14 10:33	1
1,2-Dichlorobenzene	0.48	U	0.95	0.48	0.28	ug/L		05/30/14 10:33	1
1,3-Dichlorobenzene	0.48	U	0.95	0.48	0.22	ug/L		05/30/14 10:33	1
1,4-Dichlorobenzene	0.48	U	0.95	0.48	0.32	ug/L		05/30/14 10:33	1
3,3'-Dichlorobenzidine	0.95	U	4.8	0.95	0.35	ug/L		05/30/14 10:33	1
2,4-Dichlorophenol	0.48	U	1.9	0.48	0.18	ug/L		05/30/14 10:33	1
Diethyl phthalate	2.7		1.9	0.95	0.57	ug/L		05/30/14 10:33	1
2,4-Dimethylphenol	0.48	U	1.9	0.48	0.24	ug/L		05/30/14 10:33	1
Dimethyl phthalate	0.48	U	1.9	0.48	0.28	ug/L		05/30/14 10:33	1
Di-n-butyl phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/30/14 10:33	1
4,6-Dinitro-2-methylphenol	3.8	U	4.8	3.8	2.3	ug/L		05/30/14 10:33	1
2,4-Dinitrophenol	0.95	U	4.8	0.95	0.30	ug/L		05/30/14 10:33	1
Di-n-octyl phthalate	0.48	U	1.9	0.48	0.22	ug/L		05/30/14 10:33	1
Fluoranthene	0.095	U	0.19	0.095	0.042	ug/L		05/30/14 10:33	1
Fluorene	0.095	U	0.19	0.095	0.039	ug/L		05/30/14 10:33	1
Hexachlorobenzene	0.095	U	0.19	0.095	0.081	ug/L		05/30/14 10:33	1
Hexachlorobutadiene	0.48	U	0.95	0.48	0.26	ug/L		05/30/14 10:33	1
Hexachlorocyclopentadiene	0.48	U Q	9.5	0.48	0.23	ug/L		05/30/14 10:33	1
Hexachloroethane	0.48	U	0.95	0.48	0.18	ug/L		05/30/14 10:33	1
Indeno[1,2,3-cd]pyrene	0.095	U	0.19	0.095	0.041	ug/L		05/30/14 10:33	1
Isophorone	0.48	U	0.95	0.48	0.26	ug/L		05/30/14 10:33	1
2-Methylnaphthalene	0.095	U	0.19	0.095	0.086	ug/L		05/30/14 10:33	1
2-Methylphenol	0.48	U	0.95	0.48	0.16	ug/L		05/30/14 10:33	1
3 & 4 Methylphenol	0.95	U	1.9	0.95	0.76	ug/L		05/30/14 10:33	1
Naphthalene	0.14	J	0.19	0.095	0.060	ug/L		05/30/14 10:33	1
2-Nitroaniline	0.48	U	1.9	0.48	0.20	ug/L		05/30/14 10:33	1
3-Nitroaniline	0.48	U	1.9	0.48	0.27	ug/L		05/30/14 10:33	1
4-Nitroaniline	0.48	U	1.9	0.48	0.21	ug/L		05/30/14 10:33	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGEQUIPRINSE2-0444-GW

Lab Sample ID: 240-37114-4

Date Collected: 05/08/14 13:00

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
2-Nitrophenol	0.48	U	1.9	0.48	0.27	ug/L		05/30/14 10:33	1
4-Nitrophenol	3.8	U	4.8	3.8	0.28	ug/L		05/30/14 10:33	1
N-Nitrosodi-n-propylamine	0.48	U	0.95	0.48	0.23	ug/L		05/30/14 10:33	1
N-Nitrosodiphenylamine	0.48	U	0.95	0.48	0.30	ug/L		05/30/14 10:33	1
2,2'-oxybis[1-chloropropane]	0.48	U	0.95	0.48	0.38	ug/L		05/30/14 10:33	1
Pentachlorophenol	0.95	U	4.8	0.95	0.26	ug/L		05/30/14 10:33	1
Phenanthrene	0.095	U	0.19	0.095	0.059	ug/L		05/30/14 10:33	1
Phenol	0.73	J	0.95	0.95	0.57	ug/L		05/30/14 10:33	1
Pyrene	0.095	U	0.19	0.095	0.040	ug/L		05/30/14 10:33	1
1,2,4-Trichlorobenzene	0.48	U	0.95	0.48	0.27	ug/L		05/30/14 10:33	1
2,4,5-Trichlorophenol	0.48	U	4.8	0.48	0.29	ug/L		05/30/14 10:33	1
2,4,6-Trichlorophenol	0.48	U	4.8	0.48	0.23	ug/L		05/30/14 10:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	71		50 - 110	05/12/14 07:34	05/30/14 10:33	1
2-Fluorophenol (Surr)	75		20 - 110	05/12/14 07:34	05/30/14 10:33	1
Nitrobenzene-d5 (Surr)	72		40 - 110	05/12/14 07:34	05/30/14 10:33	1
Phenol-d5 (Surr)	75		10 - 115	05/12/14 07:34	05/30/14 10:33	1
Terphenyl-d14 (Surr)	93		50 - 135	05/12/14 07:34	05/30/14 10:33	1
2,4,6-Tribromophenol (Surr)	77		40 - 125	05/12/14 07:34	05/30/14 10:33	1

Method: 8081A - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
4,4'-DDD	0.019	U	0.048	0.019	0.0092	ug/L		05/16/14 15:30	1
4,4'-DDE	0.019	U	0.048	0.019	0.0093	ug/L		05/16/14 15:30	1
4,4'-DDT	0.019	U	0.048	0.019	0.015	ug/L		05/16/14 15:30	1
Aldrin	0.019	U	0.029	0.019	0.0079	ug/L		05/16/14 15:30	1
alpha-BHC	0.019	U	0.029	0.019	0.0067	ug/L		05/16/14 15:30	1
alpha-Chlordane	0.019	U	0.048	0.019	0.013	ug/L		05/16/14 15:30	1
beta-BHC	0.019	U	0.048	0.019	0.0081	ug/L		05/16/14 15:30	1
delta-BHC	0.019	U	0.048	0.019	0.0084	ug/L		05/16/14 15:30	1
Dieldrin	0.019	U	0.029	0.019	0.0072	ug/L		05/16/14 15:30	1
Endosulfan I	0.019	U	0.048	0.019	0.013	ug/L		05/16/14 15:30	1
Endosulfan II	0.019	U	0.048	0.019	0.012	ug/L		05/16/14 15:30	1
Endosulfan sulfate	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 15:30	1
Endrin	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 15:30	1
Endrin aldehyde	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 15:30	1
Endrin ketone	0.019	U	0.048	0.019	0.0075	ug/L		05/16/14 15:30	1
gamma-BHC (Lindane)	0.019	U	0.048	0.019	0.0062	ug/L		05/16/14 15:30	1
gamma-Chlordane	0.019	U	0.048	0.019	0.012	ug/L		05/16/14 15:30	1
Heptachlor	0.019	U	0.029	0.019	0.0077	ug/L		05/16/14 15:30	1
Heptachlor epoxide	0.019	U	0.029	0.019	0.0068	ug/L		05/16/14 15:30	1
Methoxychlor	0.048	U	0.096	0.048	0.031	ug/L		05/16/14 15:30	1
Toxaphene	0.77	U	1.9	0.77	0.31	ug/L		05/16/14 15:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	84		30 - 135	05/10/14 10:23	05/16/14 15:30	1
DCB Decachlorobiphenyl	77		30 - 135	05/10/14 10:23	05/16/14 15:30	1
Tetrachloro-m-xylene	84		25 - 140	05/10/14 10:23	05/16/14 15:30	1
Tetrachloro-m-xylene	80		25 - 140	05/10/14 10:23	05/16/14 15:30	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGEQUIPRINSE2-0444-GW

Lab Sample ID: 240-37114-4

Date Collected: 05/08/14 13:00

Matrix: Water

Date Received: 05/08/14 14:50

Method: 6010B - Metals (ICP) - Total Recoverable (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Calcium	1000	U	5000	1000	630	ug/L		05/15/14 10:08	1
Copper	10	U	25	10	4.4	ug/L		05/15/14 10:08	1
Magnesium	300	U	5000	300	120	ug/L		05/15/14 10:08	1
Manganese	5.0	U	15	5.0	1.8	ug/L		05/15/14 10:08	1
Nickel	5.0	U	40	5.0	2.2	ug/L		05/15/14 10:08	1
Potassium	900	U	5000	900	300	ug/L		05/15/14 10:08	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aluminum	60	U	60	60	20	ug/L		05/21/14 14:33	1
Antimony	1.0	U	2.0	1.0	0.33	ug/L		05/21/14 14:33	1
Beryllium	1.0	U	1.0	1.0	0.50	ug/L		05/21/14 14:33	1
Cadmium	1.0	U	2.0	1.0	0.40	ug/L		05/21/14 14:33	1
Iron	100	U	150	100	44	ug/L		05/21/14 14:33	1
Sodium	400	U	1000	400	160	ug/L		05/21/14 14:33	1
Thallium	1.5	U	2.0	1.5	0.79	ug/L		05/21/14 14:33	1
Zinc	50	U	50	50	27	ug/L		05/21/14 14:33	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Hg	0.20	U	0.20	0.20	0.12	ug/L		05/15/14 15:07	1

General Chemistry

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Cyanide, Total	0.0050	U	0.010	0.0050	0.0032	mg/L		05/20/14 10:30	1
Nitrocellulose	1.0	U	2.0	1.0	0.48	mg/L		05/15/14 16:39	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGEQUIPRINSE2-0444-GW

Lab Sample ID: 240-37114-4

Date Collected: 05/08/14 13:00

Matrix: Water

Date Received: 05/08/14 14:50

Method: 6010B - Metals (ICP) - Total Recoverable (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Calcium	1000	U	5000	1000	630	ug/L		05/15/14 10:08	1
Copper	10	U	25	10	4.4	ug/L		05/15/14 10:08	1
Magnesium	300	U	5000	300	120	ug/L		05/15/14 10:08	1
Manganese	5.0	U	15	5.0	1.8	ug/L		05/15/14 10:08	1
Nickel	5.0	U	40	5.0	2.2	ug/L		05/15/14 10:08	1
Potassium	900	U	5000	900	300	ug/L		05/15/14 10:08	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aluminum	60	U	60	60	20	ug/L		05/21/14 14:33	1
Antimony	1.0	U	2.0	1.0	0.33	ug/L		05/21/14 14:33	1
Beryllium	1.0	U	1.0	1.0	0.50	ug/L		05/21/14 14:33	1
Cadmium	1.0	U	2.0	1.0	0.40	ug/L		05/21/14 14:33	1
Iron	100	U	150	100	44	ug/L		05/21/14 14:33	1
Sodium	400	U	1000	400	160	ug/L		05/21/14 14:33	1
Thallium	1.5	U	2.0	1.5	0.79	ug/L		05/21/14 14:33	1
Zinc	50	U	50	50	27	ug/L		05/21/14 14:33	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Hg	0.20	U	0.20	0.20	0.12	ug/L		05/15/14 15:07	1

General Chemistry

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Cyanide, Total	0.0050	U	0.010	0.0050	0.0032	mg/L		05/20/14 10:30	1
Nitrocellulose	1.0	U	2.0	1.0	0.48	mg/L		05/15/14 16:39	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGTEAM3-TRIP

Lab Sample ID: 240-37114-5

Date Collected: 05/07/14 07:30

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 13:34	1
1,1,2,2-Tetrachloroethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 13:34	1
1,1,2-Trichloroethane	0.50	U	1.0	0.50	0.27	ug/L		05/19/14 13:34	1
1,1-Dichloroethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 13:34	1
1,1-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 13:34	1
1,2-Dichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 13:34	1
1,2-Dichloroethene, Total	0.25	U	2.0	0.25	0.17	ug/L		05/19/14 13:34	1
1,2-Dichloropropane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 13:34	1
2-Hexanone	0.50	U	10	0.50	0.41	ug/L		05/19/14 13:34	1
Bromochloromethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 13:34	1
Acetone	1.1	U	10	1.1	1.1	ug/L		05/19/14 13:34	1
Benzene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 13:34	1
Bromoform	0.64	U	1.0	0.64	0.64	ug/L		05/19/14 13:34	1
Bromomethane	0.50	U	1.0	0.50	0.41	ug/L		05/19/14 13:34	1
Carbon disulfide	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 13:34	1
Carbon tetrachloride	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 13:34	1
Chlorobenzene	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 13:34	1
Chloroethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 13:34	1
Chloroform	0.29	J	1.0	0.25	0.16	ug/L		05/19/14 13:34	1
Chloromethane	0.50	U	1.0	0.50	0.30	ug/L		05/19/14 13:34	1
cis-1,2-Dichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 13:34	1
cis-1,3-Dichloropropene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 13:34	1
Bromodichloromethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 13:34	1
Ethylbenzene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 13:34	1
1,2-Dibromoethane	0.25	U	1.0	0.25	0.24	ug/L		05/19/14 13:34	1
m-Xylene & p-Xylene	0.50	U	2.0	0.50	0.24	ug/L		05/19/14 13:34	1
2-Butanone (MEK)	0.57	U	10	0.57	0.57	ug/L		05/19/14 13:34	1
4-Methyl-2-pentanone (MIBK)	0.50	U	10	0.50	0.32	ug/L		05/19/14 13:34	1
Methylene Chloride	0.50	U	1.0	0.50	0.33	ug/L		05/19/14 13:34	1
o-Xylene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 13:34	1
Styrene	0.25	U	1.0	0.25	0.11	ug/L		05/19/14 13:34	1
Tetrachloroethene	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 13:34	1
Toluene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 13:34	1
trans-1,2-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 13:34	1
trans-1,3-Dichloropropene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 13:34	1
Trichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 13:34	1
Vinyl chloride	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 13:34	1
Xylenes, Total	0.25	U	2.0	0.25	0.14	ug/L		05/19/14 13:34	1
Dibromochloromethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 13:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		70 - 120		05/19/14 13:34	1
4-Bromofluorobenzene (Surr)	95		75 - 120		05/19/14 13:34	1
Toluene-d8 (Surr)	102		85 - 120		05/19/14 13:34	1
Dibromofluoromethane (Surr)	92		85 - 115		05/19/14 13:34	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL3MW-246-0439-GW

Lab Sample ID: 240-37114-6

Date Collected: 05/07/14 09:43

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 13:57	1
1,1,2,2-Tetrachloroethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 13:57	1
1,1,2-Trichloroethane	0.50	U	1.0	0.50	0.27	ug/L		05/19/14 13:57	1
1,1-Dichloroethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 13:57	1
1,1-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 13:57	1
1,2-Dichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 13:57	1
1,2-Dichloroethene, Total	0.25	U	2.0	0.25	0.17	ug/L		05/19/14 13:57	1
1,2-Dichloropropane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 13:57	1
2-Hexanone	0.50	U	10	0.50	0.41	ug/L		05/19/14 13:57	1
Bromochloromethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 13:57	1
Acetone	1.1	U	10	1.1	1.1	ug/L		05/19/14 13:57	1
Benzene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 13:57	1
Bromoform	0.64	U	1.0	0.64	0.64	ug/L		05/19/14 13:57	1
Bromomethane	0.50	U	1.0	0.50	0.41	ug/L		05/19/14 13:57	1
Carbon disulfide	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 13:57	1
Carbon tetrachloride	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 13:57	1
Chlorobenzene	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 13:57	1
Chloroethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 13:57	1
Chloroform	0.25	U	1.0	0.25	0.16	ug/L		05/19/14 13:57	1
Chloromethane	0.50	U	1.0	0.50	0.30	ug/L		05/19/14 13:57	1
cis-1,2-Dichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 13:57	1
cis-1,3-Dichloropropene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 13:57	1
Bromodichloromethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 13:57	1
Ethylbenzene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 13:57	1
1,2-Dibromoethane	0.25	U	1.0	0.25	0.24	ug/L		05/19/14 13:57	1
m-Xylene & p-Xylene	0.50	U	2.0	0.50	0.24	ug/L		05/19/14 13:57	1
2-Butanone (MEK)	0.57	U	10	0.57	0.57	ug/L		05/19/14 13:57	1
4-Methyl-2-pentanone (MIBK)	0.50	U	10	0.50	0.32	ug/L		05/19/14 13:57	1
Methylene Chloride	0.50	U	1.0	0.50	0.33	ug/L		05/19/14 13:57	1
o-Xylene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 13:57	1
Styrene	0.25	U	1.0	0.25	0.11	ug/L		05/19/14 13:57	1
Tetrachloroethene	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 13:57	1
Toluene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 13:57	1
trans-1,2-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 13:57	1
trans-1,3-Dichloropropene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 13:57	1
Trichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 13:57	1
Vinyl chloride	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 13:57	1
Xylenes, Total	0.25	U	2.0	0.25	0.14	ug/L		05/19/14 13:57	1
Dibromochloromethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 13:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		70 - 120		05/19/14 13:57	1
4-Bromofluorobenzene (Surr)	96		75 - 120		05/19/14 13:57	1
Toluene-d8 (Surr)	105		85 - 120		05/19/14 13:57	1
Dibromofluoromethane (Surr)	94		85 - 115		05/19/14 13:57	1

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Acenaphthene	0.095	U	0.19	0.095	0.042	ug/L		05/30/14 10:58	1
Acenaphthylene	0.095	U	0.19	0.095	0.046	ug/L		05/30/14 10:58	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL3MW-246-0439-GW

Lab Sample ID: 240-37114-6

Date Collected: 05/07/14 09:43

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Anthracene	0.095	U	0.19	0.095	0.084	ug/L		05/30/14 10:58	1
Benzo[a]anthracene	0.095	U	0.19	0.095	0.028	ug/L		05/30/14 10:58	1
Benzo[a]pyrene	0.095	U	0.19	0.095	0.049	ug/L		05/30/14 10:58	1
Benzo[b]fluoranthene	0.095	U	0.19	0.095	0.038	ug/L		05/30/14 10:58	1
Benzo[g,h,i]perylene	0.095	U	0.19	0.095	0.044	ug/L		05/30/14 10:58	1
Benzoic acid	19	U	24	19	9.5	ug/L		05/30/14 10:58	1
Benzo[k]fluoranthene	0.095	U	0.19	0.095	0.043	ug/L		05/30/14 10:58	1
Benzyl alcohol	0.48	U	4.8	0.48	0.36	ug/L		05/30/14 10:58	1
Bis(2-chloroethoxy)methane	0.48	U	0.95	0.48	0.30	ug/L		05/30/14 10:58	1
Bis(2-chloroethyl)ether	0.095	U	0.95	0.095	0.095	ug/L		05/30/14 10:58	1
Bis(2-ethylhexyl) phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/30/14 10:58	1
4-Bromophenyl phenyl ether	0.48	U	1.9	0.48	0.21	ug/L		05/30/14 10:58	1
Butyl benzyl phthalate	0.48	U	4.8	0.48	0.25	ug/L		05/30/14 10:58	1
Carbazole	0.48	U	0.95	0.48	0.27	ug/L		05/30/14 10:58	1
4-Chloroaniline	0.48	U	1.9	0.48	0.20	ug/L		05/30/14 10:58	1
4-Chloro-3-methylphenol	0.48	U	1.9	0.48	0.20	ug/L		05/30/14 10:58	1
2-Chloronaphthalene	0.48	U	0.95	0.48	0.095	ug/L		05/30/14 10:58	1
2-Chlorophenol	0.48	U	0.95	0.48	0.28	ug/L		05/30/14 10:58	1
4-Chlorophenyl phenyl ether	0.48	U	1.9	0.48	0.29	ug/L		05/30/14 10:58	1
Chrysene	0.095	U	0.19	0.095	0.048	ug/L		05/30/14 10:58	1
Dibenz(a,h)anthracene	0.095	U	0.19	0.095	0.042	ug/L		05/30/14 10:58	1
Dibenzofuran	0.095	U	0.95	0.095	0.019	ug/L		05/30/14 10:58	1
1,2-Dichlorobenzene	0.48	U	0.95	0.48	0.28	ug/L		05/30/14 10:58	1
1,3-Dichlorobenzene	0.48	U	0.95	0.48	0.22	ug/L		05/30/14 10:58	1
1,4-Dichlorobenzene	0.48	U	0.95	0.48	0.32	ug/L		05/30/14 10:58	1
3,3'-Dichlorobenzidine	0.95	U	4.8	0.95	0.35	ug/L		05/30/14 10:58	1
2,4-Dichlorophenol	0.48	U	1.9	0.48	0.18	ug/L		05/30/14 10:58	1
Diethyl phthalate	0.95	U	1.9	0.95	0.57	ug/L		05/30/14 10:58	1
2,4-Dimethylphenol	0.48	U	1.9	0.48	0.24	ug/L		05/30/14 10:58	1
Dimethyl phthalate	0.48	U	1.9	0.48	0.28	ug/L		05/30/14 10:58	1
Di-n-butyl phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/30/14 10:58	1
4,6-Dinitro-2-methylphenol	3.8	U	4.8	3.8	2.3	ug/L		05/30/14 10:58	1
2,4-Dinitrophenol	0.95	U	4.8	0.95	0.30	ug/L		05/30/14 10:58	1
Di-n-octyl phthalate	0.48	U	1.9	0.48	0.22	ug/L		05/30/14 10:58	1
Fluoranthene	0.095	U	0.19	0.095	0.042	ug/L		05/30/14 10:58	1
Fluorene	0.095	U	0.19	0.095	0.039	ug/L		05/30/14 10:58	1
Hexachlorobenzene	0.095	U	0.19	0.095	0.081	ug/L		05/30/14 10:58	1
Hexachlorobutadiene	0.48	U	0.95	0.48	0.26	ug/L		05/30/14 10:58	1
Hexachlorocyclopentadiene	0.48	U Q	9.5	0.48	0.23	ug/L		05/30/14 10:58	1
Hexachloroethane	0.48	U	0.95	0.48	0.18	ug/L		05/30/14 10:58	1
Indeno[1,2,3-cd]pyrene	0.095	U	0.19	0.095	0.041	ug/L		05/30/14 10:58	1
Isophorone	0.48	U	0.95	0.48	0.26	ug/L		05/30/14 10:58	1
2-Methylnaphthalene	0.095	U	0.19	0.095	0.086	ug/L		05/30/14 10:58	1
2-Methylphenol	0.48	U	0.95	0.48	0.16	ug/L		05/30/14 10:58	1
3 & 4 Methylphenol	0.95	U	1.9	0.95	0.76	ug/L		05/30/14 10:58	1
Naphthalene	0.10	J	0.19	0.095	0.060	ug/L		05/30/14 10:58	1
2-Nitroaniline	0.48	U	1.9	0.48	0.20	ug/L		05/30/14 10:58	1
3-Nitroaniline	0.48	U	1.9	0.48	0.27	ug/L		05/30/14 10:58	1
4-Nitroaniline	0.48	U	1.9	0.48	0.21	ug/L		05/30/14 10:58	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL3MW-246-0439-GW

Lab Sample ID: 240-37114-6

Date Collected: 05/07/14 09:43

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
2-Nitrophenol	0.48	U	1.9	0.48	0.27	ug/L		05/30/14 10:58	1
4-Nitrophenol	3.8	U	4.8	3.8	0.28	ug/L		05/30/14 10:58	1
N-Nitrosodi-n-propylamine	0.48	U	0.95	0.48	0.23	ug/L		05/30/14 10:58	1
N-Nitrosodiphenylamine	0.48	U	0.95	0.48	0.30	ug/L		05/30/14 10:58	1
2,2'-oxybis[1-chloropropane]	0.48	U	0.95	0.48	0.38	ug/L		05/30/14 10:58	1
Pentachlorophenol	0.95	U	4.8	0.95	0.26	ug/L		05/30/14 10:58	1
Phenanthrene	0.095	U	0.19	0.095	0.059	ug/L		05/30/14 10:58	1
Phenol	0.95	U	0.95	0.95	0.57	ug/L		05/30/14 10:58	1
Pyrene	0.095	U	0.19	0.095	0.040	ug/L		05/30/14 10:58	1
1,2,4-Trichlorobenzene	0.48	U	0.95	0.48	0.27	ug/L		05/30/14 10:58	1
2,4,5-Trichlorophenol	0.48	U	4.8	0.48	0.29	ug/L		05/30/14 10:58	1
2,4,6-Trichlorophenol	0.48	U	4.8	0.48	0.23	ug/L		05/30/14 10:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	68		50 - 110	05/12/14 07:34	05/30/14 10:58	1
2-Fluorophenol (Surr)	71		20 - 110	05/12/14 07:34	05/30/14 10:58	1
Nitrobenzene-d5 (Surr)	71		40 - 110	05/12/14 07:34	05/30/14 10:58	1
Phenol-d5 (Surr)	74		10 - 115	05/12/14 07:34	05/30/14 10:58	1
Terphenyl-d14 (Surr)	85		50 - 135	05/12/14 07:34	05/30/14 10:58	1
2,4,6-Tribromophenol (Surr)	80		40 - 125	05/12/14 07:34	05/30/14 10:58	1

Method: 8081A - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
4,4'-DDD	0.019	U	0.048	0.019	0.0091	ug/L		05/16/14 15:52	1
4,4'-DDE	0.019	U	0.048	0.019	0.0092	ug/L		05/16/14 15:52	1
4,4'-DDT	0.019	U	0.048	0.019	0.015	ug/L		05/16/14 15:52	1
Aldrin	0.019	U	0.029	0.019	0.0078	ug/L		05/16/14 15:52	1
alpha-BHC	0.019	U	0.029	0.019	0.0067	ug/L		05/16/14 15:52	1
alpha-Chlordane	0.019	U	0.048	0.019	0.013	ug/L		05/16/14 15:52	1
beta-BHC	0.019	U	0.048	0.019	0.0080	ug/L		05/16/14 15:52	1
delta-BHC	0.019	U	0.048	0.019	0.0083	ug/L		05/16/14 15:52	1
Dieldrin	0.019	U	0.029	0.019	0.0071	ug/L		05/16/14 15:52	1
Endosulfan I	0.019	U	0.048	0.019	0.012	ug/L		05/16/14 15:52	1
Endosulfan II	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 15:52	1
Endosulfan sulfate	0.019	U	0.048	0.019	0.010	ug/L		05/16/14 15:52	1
Endrin	0.019	U	0.048	0.019	0.010	ug/L		05/16/14 15:52	1
Endrin aldehyde	0.019	U	0.048	0.019	0.010	ug/L		05/16/14 15:52	1
Endrin ketone	0.019	U	0.048	0.019	0.0074	ug/L		05/16/14 15:52	1
gamma-BHC (Lindane)	0.019	U	0.048	0.019	0.0061	ug/L		05/16/14 15:52	1
gamma-Chlordane	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 15:52	1
Heptachlor	0.019	U	0.029	0.019	0.0076	ug/L		05/16/14 15:52	1
Heptachlor epoxide	0.019	U	0.029	0.019	0.0068	ug/L		05/16/14 15:52	1
Methoxychlor	0.048	U	0.095	0.048	0.030	ug/L		05/16/14 15:52	1
Toxaphene	0.76	U	1.9	0.76	0.30	ug/L		05/16/14 15:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	86		30 - 135	05/10/14 10:23	05/16/14 15:52	1
DCB Decachlorobiphenyl	74		30 - 135	05/10/14 10:23	05/16/14 15:52	1
Tetrachloro-m-xylene	85		25 - 140	05/10/14 10:23	05/16/14 15:52	1
Tetrachloro-m-xylene	86		25 - 140	05/10/14 10:23	05/16/14 15:52	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL3MW-246-0439-GW

Lab Sample ID: 240-37114-6

Date Collected: 05/07/14 09:43

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aroclor-1016	0.19	U	0.48	0.19	0.16	ug/L		05/13/14 15:06	1
Aroclor-1221	0.19	U	0.48	0.19	0.12	ug/L		05/13/14 15:06	1
Aroclor-1232	0.19	U	0.48	0.19	0.15	ug/L		05/13/14 15:06	1
Aroclor-1242	0.38	U	0.48	0.38	0.21	ug/L		05/13/14 15:06	1
Aroclor-1248	0.19	U	0.48	0.19	0.095	ug/L		05/13/14 15:06	1
Aroclor-1254	0.19	U	0.48	0.19	0.15	ug/L		05/13/14 15:06	1
Aroclor-1260	0.19	U	0.48	0.19	0.16	ug/L		05/13/14 15:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	102		40 - 140	05/10/14 10:20	05/13/14 15:06	1
Tetrachloro-m-xylene	109		40 - 140	05/10/14 10:20	05/13/14 15:06	1
DCB Decachlorobiphenyl	85		40 - 135	05/10/14 10:20	05/13/14 15:06	1
DCB Decachlorobiphenyl	84		40 - 135	05/10/14 10:20	05/13/14 15:06	1

Method: 8330 Modified - Nitroguanidine (HPLC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Nitroguanidine	6.0	U	20	6.0	2.4	ug/L		05/13/14 15:41	1

Method: 8330A - Nitroaromatics and Nitramines

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,3,5-Trinitrobenzene	0.051	U	0.15	0.051	0.032	ug/L		05/19/14 16:58	1
1,3-Dinitrobenzene	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 16:58	1
2,4,6-Trinitrotoluene	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 16:58	1
2,4-Dinitrotoluene	0.10	U	0.13	0.10	0.051	ug/L		05/19/14 16:58	1
2,6-Dinitrotoluene	0.10	U	0.13	0.10	0.051	ug/L		05/19/14 16:58	1
2-Amino-4,6-dinitrotoluene	0.36		0.15	0.10	0.015	ug/L		05/19/14 16:58	1
2-Nitrotoluene	0.10	U	0.51	0.10	0.090	ug/L		05/19/14 16:58	1
3-Nitrotoluene	0.10	U	0.51	0.10	0.058	ug/L		05/19/14 16:58	1
4-Nitrotoluene	0.10	U	0.51	0.10	0.090	ug/L		05/19/14 16:58	1
4-Amino-2,6-dinitrotoluene	0.35		0.15	0.10	0.051	ug/L		05/19/14 16:58	1
HMX	0.039	J M	0.15	0.051	0.037	ug/L		05/19/14 16:58	1
RDX	0.18	M	0.15	0.051	0.037	ug/L		05/19/14 16:58	1
Nitrobenzene	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 16:58	1
Tetryl	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 16:58	1
Nitroglycerin	0.51	U	0.66	0.51	0.34	ug/L		05/19/14 16:58	1
PETN	0.51	U	0.66	0.51	0.31	ug/L		05/19/14 16:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
3,4-Dinitrotoluene	99		79 - 111	05/12/14 13:43	05/17/14 00:35	1
3,4-Dinitrotoluene	92		79 - 111	05/12/14 13:43	05/19/14 16:58	1

General Chemistry

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Cyanide, Total	0.0050	U	0.010	0.0050	0.0032	mg/L		05/20/14 10:30	1
Nitrocellulose	1.0	U	2.0	1.0	0.48	mg/L		05/15/14 16:41	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL3MW-246-0439-GF

Lab Sample ID: 240-37114-7

Date Collected: 05/07/14 09:43

Matrix: Water

Date Received: 05/08/14 14:50

Method: 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Arsenic	10	U	10	10	3.3	ug/L		05/15/14 10:12	1
Chromium	4.0	U	7.0	4.0	1.4	ug/L		05/15/14 10:12	1
Cobalt	4.0	U	7.0	4.0	1.5	ug/L		05/15/14 10:12	1
Lead	5.0	U	10	5.0	1.7	ug/L		05/15/14 10:12	1
Selenium	10	U	15	10	4.0	ug/L		05/15/14 10:12	1
Silver	5.0	U	7.0	5.0	1.7	ug/L		05/15/14 10:12	1
Vanadium	4.0	U	7.0	4.0	1.3	ug/L		05/15/14 10:12	1
Barium	16	J	200	5.0	2.8	ug/L		05/15/14 10:12	1
Calcium	22000		5000	1000	630	ug/L		05/15/14 10:12	1
Copper	10	U	25	10	4.4	ug/L		05/15/14 10:12	1
Magnesium	7400		5000	300	120	ug/L		05/15/14 10:12	1
Manganese	300		15	5.0	1.8	ug/L		05/15/14 10:12	1
Nickel	5.3	J	40	5.0	2.2	ug/L		05/15/14 10:12	1
Potassium	1600	J	5000	900	300	ug/L		05/15/14 10:12	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aluminum	60	U	60	60	20	ug/L		05/21/14 14:40	1
Antimony	1.0	U	2.0	1.0	0.33	ug/L		05/21/14 14:40	1
Beryllium	1.0	U	1.0	1.0	0.50	ug/L		05/21/14 14:40	1
Cadmium	1.0	U	2.0	1.0	0.40	ug/L		05/21/14 14:40	1
Iron	1800		150	100	44	ug/L		05/21/14 14:40	1
Sodium	3900		1000	400	160	ug/L		05/21/14 14:40	1
Thallium	1.5	U	2.0	1.5	0.79	ug/L		05/21/14 14:40	1
Zinc	50	U	50	50	27	ug/L		05/21/14 14:40	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Hg	0.20	U	0.20	0.20	0.12	ug/L		05/15/14 15:10	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL3MW-DUP1-0442-GW

Lab Sample ID: 240-37114-8

Date Collected: 05/07/14 10:43

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 14:20	1
1,1,1,2-Tetrachloroethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 14:20	1
1,1,2-Trichloroethane	0.50	U	1.0	0.50	0.27	ug/L		05/19/14 14:20	1
1,1-Dichloroethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 14:20	1
1,1-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 14:20	1
1,2-Dichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 14:20	1
1,2-Dichloroethene, Total	0.25	U	2.0	0.25	0.17	ug/L		05/19/14 14:20	1
1,2-Dichloropropane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 14:20	1
2-Hexanone	0.50	U	10	0.50	0.41	ug/L		05/19/14 14:20	1
Bromochloromethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 14:20	1
Acetone	1.1	U	10	1.1	1.1	ug/L		05/19/14 14:20	1
Benzene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 14:20	1
Bromoform	0.64	U	1.0	0.64	0.64	ug/L		05/19/14 14:20	1
Bromomethane	0.50	U	1.0	0.50	0.41	ug/L		05/19/14 14:20	1
Carbon disulfide	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 14:20	1
Carbon tetrachloride	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 14:20	1
Chlorobenzene	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 14:20	1
Chloroethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 14:20	1
Chloroform	0.25	U	1.0	0.25	0.16	ug/L		05/19/14 14:20	1
Chloromethane	0.50	U	1.0	0.50	0.30	ug/L		05/19/14 14:20	1
cis-1,2-Dichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 14:20	1
cis-1,3-Dichloropropene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 14:20	1
Bromodichloromethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 14:20	1
Ethylbenzene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 14:20	1
1,2-Dibromoethane	0.25	U	1.0	0.25	0.24	ug/L		05/19/14 14:20	1
m-Xylene & p-Xylene	0.50	U	2.0	0.50	0.24	ug/L		05/19/14 14:20	1
2-Butanone (MEK)	0.57	U	10	0.57	0.57	ug/L		05/19/14 14:20	1
4-Methyl-2-pentanone (MIBK)	0.50	U	10	0.50	0.32	ug/L		05/19/14 14:20	1
Methylene Chloride	0.50	U	1.0	0.50	0.33	ug/L		05/19/14 14:20	1
o-Xylene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 14:20	1
Styrene	0.25	U	1.0	0.25	0.11	ug/L		05/19/14 14:20	1
Tetrachloroethene	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 14:20	1
Toluene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 14:20	1
trans-1,2-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 14:20	1
trans-1,3-Dichloropropene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 14:20	1
Trichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 14:20	1
Vinyl chloride	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 14:20	1
Xylenes, Total	0.25	U	2.0	0.25	0.14	ug/L		05/19/14 14:20	1
Dibromochloromethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 14:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		70 - 120		05/19/14 14:20	1
4-Bromofluorobenzene (Surr)	94		75 - 120		05/19/14 14:20	1
Toluene-d8 (Surr)	103		85 - 120		05/19/14 14:20	1
Dibromofluoromethane (Surr)	91		85 - 115		05/19/14 14:20	1

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Acenaphthene	0.095	U	0.19	0.095	0.042	ug/L		05/30/14 11:23	1
Acenaphthylene	0.095	U	0.19	0.095	0.046	ug/L		05/30/14 11:23	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL3MW-DUP1-0442-GW

Lab Sample ID: 240-37114-8

Date Collected: 05/07/14 10:43

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Anthracene	0.095	U	0.19	0.095	0.084	ug/L		05/30/14 11:23	1
Benzo[a]anthracene	0.095	U	0.19	0.095	0.028	ug/L		05/30/14 11:23	1
Benzo[a]pyrene	0.095	U	0.19	0.095	0.049	ug/L		05/30/14 11:23	1
Benzo[b]fluoranthene	0.095	U	0.19	0.095	0.038	ug/L		05/30/14 11:23	1
Benzo[g,h,i]perylene	0.095	U	0.19	0.095	0.044	ug/L		05/30/14 11:23	1
Benzoic acid	19	U	24	19	9.5	ug/L		05/30/14 11:23	1
Benzo[k]fluoranthene	0.095	U	0.19	0.095	0.043	ug/L		05/30/14 11:23	1
Benzyl alcohol	0.48	U	4.8	0.48	0.36	ug/L		05/30/14 11:23	1
Bis(2-chloroethoxy)methane	0.48	U	0.95	0.48	0.30	ug/L		05/30/14 11:23	1
Bis(2-chloroethyl)ether	0.095	U	0.95	0.095	0.095	ug/L		05/30/14 11:23	1
Bis(2-ethylhexyl) phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/30/14 11:23	1
4-Bromophenyl phenyl ether	0.48	U	1.9	0.48	0.21	ug/L		05/30/14 11:23	1
Butyl benzyl phthalate	0.48	U	4.8	0.48	0.25	ug/L		05/30/14 11:23	1
Carbazole	0.48	U	0.95	0.48	0.27	ug/L		05/30/14 11:23	1
4-Chloroaniline	0.48	U	1.9	0.48	0.20	ug/L		05/30/14 11:23	1
4-Chloro-3-methylphenol	0.48	U	1.9	0.48	0.20	ug/L		05/30/14 11:23	1
2-Chloronaphthalene	0.48	U	0.95	0.48	0.095	ug/L		05/30/14 11:23	1
2-Chlorophenol	0.48	U	0.95	0.48	0.28	ug/L		05/30/14 11:23	1
4-Chlorophenyl phenyl ether	0.48	U	1.9	0.48	0.29	ug/L		05/30/14 11:23	1
Chrysene	0.095	U	0.19	0.095	0.048	ug/L		05/30/14 11:23	1
Dibenz(a,h)anthracene	0.095	U	0.19	0.095	0.042	ug/L		05/30/14 11:23	1
Dibenzofuran	0.095	U	0.95	0.095	0.019	ug/L		05/30/14 11:23	1
1,2-Dichlorobenzene	0.48	U	0.95	0.48	0.28	ug/L		05/30/14 11:23	1
1,3-Dichlorobenzene	0.48	U	0.95	0.48	0.22	ug/L		05/30/14 11:23	1
1,4-Dichlorobenzene	0.48	U	0.95	0.48	0.32	ug/L		05/30/14 11:23	1
3,3'-Dichlorobenzidine	0.95	U	4.8	0.95	0.35	ug/L		05/30/14 11:23	1
2,4-Dichlorophenol	0.48	U	1.9	0.48	0.18	ug/L		05/30/14 11:23	1
Diethyl phthalate	0.95	U	1.9	0.95	0.57	ug/L		05/30/14 11:23	1
2,4-Dimethylphenol	0.48	U	1.9	0.48	0.24	ug/L		05/30/14 11:23	1
Dimethyl phthalate	0.48	U	1.9	0.48	0.28	ug/L		05/30/14 11:23	1
Di-n-butyl phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/30/14 11:23	1
4,6-Dinitro-2-methylphenol	3.8	U	4.8	3.8	2.3	ug/L		05/30/14 11:23	1
2,4-Dinitrophenol	0.95	U	4.8	0.95	0.30	ug/L		05/30/14 11:23	1
Di-n-octyl phthalate	0.48	U	1.9	0.48	0.22	ug/L		05/30/14 11:23	1
Fluoranthene	0.095	U	0.19	0.095	0.042	ug/L		05/30/14 11:23	1
Fluorene	0.095	U	0.19	0.095	0.039	ug/L		05/30/14 11:23	1
Hexachlorobenzene	0.095	U	0.19	0.095	0.081	ug/L		05/30/14 11:23	1
Hexachlorobutadiene	0.48	U	0.95	0.48	0.26	ug/L		05/30/14 11:23	1
Hexachlorocyclopentadiene	0.48	U Q	9.5	0.48	0.23	ug/L		05/30/14 11:23	1
Hexachloroethane	0.48	U	0.95	0.48	0.18	ug/L		05/30/14 11:23	1
Indeno[1,2,3-cd]pyrene	0.095	U	0.19	0.095	0.041	ug/L		05/30/14 11:23	1
Isophorone	0.48	U	0.95	0.48	0.26	ug/L		05/30/14 11:23	1
2-Methylnaphthalene	0.095	U	0.19	0.095	0.086	ug/L		05/30/14 11:23	1
2-Methylphenol	0.48	U	0.95	0.48	0.16	ug/L		05/30/14 11:23	1
3 & 4 Methylphenol	0.95	U	1.9	0.95	0.76	ug/L		05/30/14 11:23	1
Naphthalene	0.095	U	0.19	0.095	0.060	ug/L		05/30/14 11:23	1
2-Nitroaniline	0.48	U	1.9	0.48	0.20	ug/L		05/30/14 11:23	1
3-Nitroaniline	0.48	U	1.9	0.48	0.27	ug/L		05/30/14 11:23	1
4-Nitroaniline	0.48	U	1.9	0.48	0.21	ug/L		05/30/14 11:23	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL3MW-DUP1-0442-GW

Lab Sample ID: 240-37114-8

Date Collected: 05/07/14 10:43

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
2-Nitrophenol	0.48	U	1.9	0.48	0.27	ug/L		05/30/14 11:23	1
4-Nitrophenol	3.8	U	4.8	3.8	0.28	ug/L		05/30/14 11:23	1
N-Nitrosodi-n-propylamine	0.48	U	0.95	0.48	0.23	ug/L		05/30/14 11:23	1
N-Nitrosodiphenylamine	0.48	U	0.95	0.48	0.30	ug/L		05/30/14 11:23	1
2,2'-oxybis[1-chloropropane]	0.48	U	0.95	0.48	0.38	ug/L		05/30/14 11:23	1
Pentachlorophenol	0.95	U	4.8	0.95	0.26	ug/L		05/30/14 11:23	1
Phenanthrene	0.095	U	0.19	0.095	0.059	ug/L		05/30/14 11:23	1
Phenol	0.95	U	0.95	0.95	0.57	ug/L		05/30/14 11:23	1
Pyrene	0.095	U	0.19	0.095	0.040	ug/L		05/30/14 11:23	1
1,2,4-Trichlorobenzene	0.48	U	0.95	0.48	0.27	ug/L		05/30/14 11:23	1
2,4,5-Trichlorophenol	0.48	U	4.8	0.48	0.29	ug/L		05/30/14 11:23	1
2,4,6-Trichlorophenol	0.48	U	4.8	0.48	0.23	ug/L		05/30/14 11:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	69		50 - 110	05/12/14 07:34	05/30/14 11:23	1
2-Fluorophenol (Surr)	74		20 - 110	05/12/14 07:34	05/30/14 11:23	1
Nitrobenzene-d5 (Surr)	72		40 - 110	05/12/14 07:34	05/30/14 11:23	1
Phenol-d5 (Surr)	76		10 - 115	05/12/14 07:34	05/30/14 11:23	1
Terphenyl-d14 (Surr)	90		50 - 135	05/12/14 07:34	05/30/14 11:23	1
2,4,6-Tribromophenol (Surr)	86		40 - 125	05/12/14 07:34	05/30/14 11:23	1

Method: 8081A - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
4,4'-DDD	0.019	U	0.048	0.019	0.0091	ug/L		05/16/14 16:14	1
4,4'-DDE	0.019	U	0.048	0.019	0.0092	ug/L		05/16/14 16:14	1
4,4'-DDT	0.019	U	0.048	0.019	0.015	ug/L		05/16/14 16:14	1
Aldrin	0.019	U	0.029	0.019	0.0078	ug/L		05/16/14 16:14	1
alpha-BHC	0.019	U	0.029	0.019	0.0067	ug/L		05/16/14 16:14	1
alpha-Chlordane	0.019	U	0.048	0.019	0.013	ug/L		05/16/14 16:14	1
beta-BHC	0.019	U	0.048	0.019	0.0080	ug/L		05/16/14 16:14	1
delta-BHC	0.019	U	0.048	0.019	0.0083	ug/L		05/16/14 16:14	1
Dieldrin	0.019	U	0.029	0.019	0.0071	ug/L		05/16/14 16:14	1
Endosulfan I	0.019	U	0.048	0.019	0.012	ug/L		05/16/14 16:14	1
Endosulfan II	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 16:14	1
Endosulfan sulfate	0.019	U	0.048	0.019	0.010	ug/L		05/16/14 16:14	1
Endrin	0.019	U	0.048	0.019	0.010	ug/L		05/16/14 16:14	1
Endrin aldehyde	0.019	U	0.048	0.019	0.010	ug/L		05/16/14 16:14	1
Endrin ketone	0.019	U	0.048	0.019	0.0074	ug/L		05/16/14 16:14	1
gamma-BHC (Lindane)	0.019	U	0.048	0.019	0.0061	ug/L		05/16/14 16:14	1
gamma-Chlordane	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 16:14	1
Heptachlor	0.019	U	0.029	0.019	0.0076	ug/L		05/16/14 16:14	1
Heptachlor epoxide	0.019	U	0.029	0.019	0.0068	ug/L		05/16/14 16:14	1
Methoxychlor	0.048	U	0.095	0.048	0.030	ug/L		05/16/14 16:14	1
Toxaphene	0.76	U	1.9	0.76	0.30	ug/L		05/16/14 16:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	63		30 - 135	05/10/14 10:23	05/16/14 16:14	1
DCB Decachlorobiphenyl	57		30 - 135	05/10/14 10:23	05/16/14 16:14	1
Tetrachloro-m-xylene	81		25 - 140	05/10/14 10:23	05/16/14 16:14	1
Tetrachloro-m-xylene	81		25 - 140	05/10/14 10:23	05/16/14 16:14	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL3MW-DUP1-0442-GW

Lab Sample ID: 240-37114-8

Date Collected: 05/07/14 10:43

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aroclor-1016	0.19	U	0.48	0.19	0.16	ug/L		05/13/14 15:22	1
Aroclor-1221	0.19	U	0.48	0.19	0.12	ug/L		05/13/14 15:22	1
Aroclor-1232	0.19	U	0.48	0.19	0.15	ug/L		05/13/14 15:22	1
Aroclor-1242	0.38	U	0.48	0.38	0.21	ug/L		05/13/14 15:22	1
Aroclor-1248	0.19	U	0.48	0.19	0.095	ug/L		05/13/14 15:22	1
Aroclor-1254	0.19	U	0.48	0.19	0.15	ug/L		05/13/14 15:22	1
Aroclor-1260	0.19	U	0.48	0.19	0.16	ug/L		05/13/14 15:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	91		40 - 140	05/10/14 10:20	05/13/14 15:22	1
Tetrachloro-m-xylene	101		40 - 140	05/10/14 10:20	05/13/14 15:22	1
DCB Decachlorobiphenyl	66		40 - 135	05/10/14 10:20	05/13/14 15:22	1
DCB Decachlorobiphenyl	66		40 - 135	05/10/14 10:20	05/13/14 15:22	1

Method: 8330 Modified - Nitroguanidine (HPLC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Nitroguanidine	6.0	U	20	6.0	2.4	ug/L		05/13/14 15:58	1

Method: 8330A - Nitroaromatics and Nitramines

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,3,5-Trinitrobenzene	0.050	U	0.15	0.050	0.031	ug/L		05/19/14 17:42	1
1,3-Dinitrobenzene	0.10	U	0.15	0.10	0.050	ug/L		05/19/14 17:42	1
2,4,6-Trinitrotoluene	0.10	U	0.15	0.10	0.050	ug/L		05/19/14 17:42	1
2,4-Dinitrotoluene	0.10	U	0.13	0.10	0.050	ug/L		05/19/14 17:42	1
2,6-Dinitrotoluene	0.10	U	0.13	0.10	0.050	ug/L		05/19/14 17:42	1
2-Amino-4,6-dinitrotoluene	0.35		0.15	0.10	0.015	ug/L		05/19/14 17:42	1
2-Nitrotoluene	0.10	U	0.50	0.10	0.088	ug/L		05/19/14 17:42	1
3-Nitrotoluene	0.10	U	0.50	0.10	0.057	ug/L		05/19/14 17:42	1
4-Nitrotoluene	0.10	U M	0.50	0.10	0.088	ug/L		05/19/14 17:42	1
4-Amino-2,6-dinitrotoluene	0.33		0.15	0.10	0.050	ug/L		05/19/14 17:42	1
HMX	0.036	J M	0.15	0.050	0.036	ug/L		05/19/14 17:42	1
RDX	0.20	M	0.15	0.050	0.036	ug/L		05/19/14 17:42	1
Nitrobenzene	0.10	U	0.15	0.10	0.050	ug/L		05/19/14 17:42	1
Tetryl	0.10	U	0.15	0.10	0.050	ug/L		05/19/14 17:42	1
Nitroglycerin	0.50	U	0.65	0.50	0.33	ug/L		05/19/14 17:42	1
PETN	0.50	U	0.65	0.50	0.30	ug/L		05/19/14 17:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
3,4-Dinitrotoluene	99		79 - 111	05/12/14 13:43	05/17/14 01:40	1
3,4-Dinitrotoluene	92		79 - 111	05/12/14 13:43	05/19/14 17:42	1

General Chemistry

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Cyanide, Total	0.0050	U	0.010	0.0050	0.0032	mg/L		05/20/14 10:30	1
Nitrocellulose	1.0	U	2.0	1.0	0.48	mg/L		05/15/14 16:43	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL3MW-DUP1-0442-GF

Lab Sample ID: 240-37114-9

Date Collected: 05/07/14 10:43

Matrix: Water

Date Received: 05/08/14 14:50

Method: 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Arsenic	10	U	10	10	3.3	ug/L		05/15/14 10:16	1
Chromium	4.0	U	7.0	4.0	1.4	ug/L		05/15/14 10:16	1
Cobalt	4.0	U	7.0	4.0	1.5	ug/L		05/15/14 10:16	1
Lead	5.0	U	10	5.0	1.7	ug/L		05/15/14 10:16	1
Selenium	10	U	15	10	4.0	ug/L		05/15/14 10:16	1
Silver	5.0	U	7.0	5.0	1.7	ug/L		05/15/14 10:16	1
Vanadium	4.0	U	7.0	4.0	1.3	ug/L		05/15/14 10:16	1
Barium	16	J	200	5.0	2.8	ug/L		05/15/14 10:16	1
Calcium	22000		5000	1000	630	ug/L		05/15/14 10:16	1
Copper	10	U	25	10	4.4	ug/L		05/15/14 10:16	1
Magnesium	7600		5000	300	120	ug/L		05/15/14 10:16	1
Manganese	310		15	5.0	1.8	ug/L		05/15/14 10:16	1
Nickel	5.6	J	40	5.0	2.2	ug/L		05/15/14 10:16	1
Potassium	1600	J	5000	900	300	ug/L		05/15/14 10:16	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aluminum	60	U	60	60	20	ug/L		05/21/14 14:47	1
Antimony	0.35	J	2.0	1.0	0.33	ug/L		05/21/14 14:47	1
Beryllium	1.0	U	1.0	1.0	0.50	ug/L		05/21/14 14:47	1
Cadmium	1.0	U	2.0	1.0	0.40	ug/L		05/21/14 14:47	1
Iron	1900		150	100	44	ug/L		05/21/14 14:47	1
Sodium	4000		1000	400	160	ug/L		05/21/14 14:47	1
Thallium	1.5	U	2.0	1.5	0.79	ug/L		05/21/14 14:47	1
Zinc	50	U	50	50	27	ug/L		05/21/14 14:47	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Hg	0.20	U	0.20	0.20	0.12	ug/L		05/15/14 15:12	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL2MW-271-0438-GW

Lab Sample ID: 240-37114-10

Date Collected: 05/07/14 12:59

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 11:39	1
1,1,1,2-Tetrachloroethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 11:39	1
1,1,2-Trichloroethane	0.50	U	1.0	0.50	0.27	ug/L		05/19/14 11:39	1
1,1-Dichloroethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 11:39	1
1,1-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 11:39	1
1,2-Dichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 11:39	1
1,2-Dichloroethene, Total	0.25	U	2.0	0.25	0.17	ug/L		05/19/14 11:39	1
1,2-Dichloropropane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 11:39	1
2-Hexanone	0.50	U	10	0.50	0.41	ug/L		05/19/14 11:39	1
Bromochloromethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 11:39	1
Acetone	1.1	U	10	1.1	1.1	ug/L		05/19/14 11:39	1
Benzene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 11:39	1
Bromoform	0.64	U	1.0	0.64	0.64	ug/L		05/19/14 11:39	1
Bromomethane	0.50	U	1.0	0.50	0.41	ug/L		05/19/14 11:39	1
Carbon disulfide	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 11:39	1
Carbon tetrachloride	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 11:39	1
Chlorobenzene	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 11:39	1
Chloroethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 11:39	1
Chloroform	0.25	U	1.0	0.25	0.16	ug/L		05/19/14 11:39	1
Chloromethane	0.50	U	1.0	0.50	0.30	ug/L		05/19/14 11:39	1
cis-1,2-Dichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 11:39	1
cis-1,3-Dichloropropene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 11:39	1
Bromodichloromethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 11:39	1
Ethylbenzene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 11:39	1
1,2-Dibromoethane	0.25	U	1.0	0.25	0.24	ug/L		05/19/14 11:39	1
m-Xylene & p-Xylene	0.50	U	2.0	0.50	0.24	ug/L		05/19/14 11:39	1
2-Butanone (MEK)	0.57	U	10	0.57	0.57	ug/L		05/19/14 11:39	1
4-Methyl-2-pentanone (MIBK)	0.50	U	10	0.50	0.32	ug/L		05/19/14 11:39	1
Methylene Chloride	0.50	U	1.0	0.50	0.33	ug/L		05/19/14 11:39	1
o-Xylene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 11:39	1
Styrene	0.25	U	1.0	0.25	0.11	ug/L		05/19/14 11:39	1
Tetrachloroethene	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 11:39	1
Toluene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 11:39	1
trans-1,2-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 11:39	1
trans-1,3-Dichloropropene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 11:39	1
Trichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 11:39	1
Vinyl chloride	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 11:39	1
Xylenes, Total	0.25	U	2.0	0.25	0.14	ug/L		05/19/14 11:39	1
Dibromochloromethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 11:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		70 - 120		05/19/14 11:39	1
4-Bromofluorobenzene (Surr)	94		75 - 120		05/19/14 11:39	1
Toluene-d8 (Surr)	104		85 - 120		05/19/14 11:39	1
Dibromofluoromethane (Surr)	88		85 - 115		05/19/14 11:39	1

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Acenaphthene	0.095	U	0.19	0.095	0.042	ug/L		05/16/14 14:34	1
Acenaphthylene	0.095	U	0.19	0.095	0.046	ug/L		05/16/14 14:34	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL2MW-271-0438-GW

Lab Sample ID: 240-37114-10

Date Collected: 05/07/14 12:59

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Anthracene	0.095	U	0.19	0.095	0.084	ug/L		05/16/14 14:34	1
Benzo[a]anthracene	0.095	U	0.19	0.095	0.028	ug/L		05/16/14 14:34	1
Benzo[a]pyrene	0.095	U	0.19	0.095	0.049	ug/L		05/16/14 14:34	1
Benzo[b]fluoranthene	0.095	U	0.19	0.095	0.038	ug/L		05/16/14 14:34	1
Benzo[g,h,i]perylene	0.095	U	0.19	0.095	0.044	ug/L		05/16/14 14:34	1
Benzoic acid	19	U	24	19	9.5	ug/L		05/16/14 14:34	1
Benzo[k]fluoranthene	0.095	U	0.19	0.095	0.043	ug/L		05/16/14 14:34	1
Benzyl alcohol	0.48	U	4.8	0.48	0.36	ug/L		05/16/14 14:34	1
Bis(2-chloroethoxy)methane	0.48	U	0.95	0.48	0.30	ug/L		05/16/14 14:34	1
Bis(2-chloroethyl)ether	0.095	U	0.95	0.095	0.095	ug/L		05/16/14 14:34	1
Bis(2-ethylhexyl) phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/16/14 14:34	1
4-Bromophenyl phenyl ether	0.48	U	1.9	0.48	0.21	ug/L		05/16/14 14:34	1
Butyl benzyl phthalate	0.48	U	4.8	0.48	0.25	ug/L		05/16/14 14:34	1
Carbazole	0.48	U	0.95	0.48	0.27	ug/L		05/16/14 14:34	1
4-Chloroaniline	0.48	U	1.9	0.48	0.20	ug/L		05/16/14 14:34	1
4-Chloro-3-methylphenol	0.48	U	1.9	0.48	0.20	ug/L		05/16/14 14:34	1
2-Chloronaphthalene	0.48	U	0.95	0.48	0.095	ug/L		05/16/14 14:34	1
2-Chlorophenol	0.48	U	0.95	0.48	0.28	ug/L		05/16/14 14:34	1
4-Chlorophenyl phenyl ether	0.48	U	1.9	0.48	0.29	ug/L		05/16/14 14:34	1
Chrysene	0.095	U	0.19	0.095	0.048	ug/L		05/16/14 14:34	1
Dibenz(a,h)anthracene	0.095	U	0.19	0.095	0.042	ug/L		05/16/14 14:34	1
Dibenzofuran	0.095	U	0.95	0.095	0.019	ug/L		05/16/14 14:34	1
1,2-Dichlorobenzene	0.48	U	0.95	0.48	0.28	ug/L		05/16/14 14:34	1
1,3-Dichlorobenzene	0.48	U	0.95	0.48	0.22	ug/L		05/16/14 14:34	1
1,4-Dichlorobenzene	0.48	U	0.95	0.48	0.32	ug/L		05/16/14 14:34	1
3,3'-Dichlorobenzidine	0.95	U	4.8	0.95	0.35	ug/L		05/16/14 14:34	1
2,4-Dichlorophenol	0.48	U	1.9	0.48	0.18	ug/L		05/16/14 14:34	1
Diethyl phthalate	0.64	J	1.9	0.95	0.57	ug/L		05/16/14 14:34	1
2,4-Dimethylphenol	0.48	U	1.9	0.48	0.24	ug/L		05/16/14 14:34	1
Dimethyl phthalate	0.48	U	1.9	0.48	0.28	ug/L		05/16/14 14:34	1
Di-n-butyl phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/16/14 14:34	1
4,6-Dinitro-2-methylphenol	3.8	U	4.8	3.8	2.3	ug/L		05/16/14 14:34	1
2,4-Dinitrophenol	0.95	U	4.8	0.95	0.30	ug/L		05/16/14 14:34	1
Di-n-octyl phthalate	0.48	U	1.9	0.48	0.22	ug/L		05/16/14 14:34	1
Fluoranthene	0.095	U	0.19	0.095	0.042	ug/L		05/16/14 14:34	1
Fluorene	0.095	U	0.19	0.095	0.039	ug/L		05/16/14 14:34	1
Hexachlorobenzene	0.095	U	0.19	0.095	0.081	ug/L		05/16/14 14:34	1
Hexachlorobutadiene	0.48	U	0.95	0.48	0.26	ug/L		05/16/14 14:34	1
Hexachlorocyclopentadiene	0.48	U	9.5	0.48	0.23	ug/L		05/16/14 14:34	1
Hexachloroethane	0.48	U	0.95	0.48	0.18	ug/L		05/16/14 14:34	1
Indeno[1,2,3-cd]pyrene	0.095	U	0.19	0.095	0.041	ug/L		05/16/14 14:34	1
Isophorone	0.48	U	0.95	0.48	0.26	ug/L		05/16/14 14:34	1
2-Methylnaphthalene	0.095	U	0.19	0.095	0.086	ug/L		05/16/14 14:34	1
2-Methylphenol	0.48	U	0.95	0.48	0.16	ug/L		05/16/14 14:34	1
3 & 4 Methylphenol	0.95	U	1.9	0.95	0.76	ug/L		05/16/14 14:34	1
Naphthalene	0.095	U	0.19	0.095	0.060	ug/L		05/16/14 14:34	1
2-Nitroaniline	0.48	U	1.9	0.48	0.20	ug/L		05/16/14 14:34	1
3-Nitroaniline	0.48	U	1.9	0.48	0.27	ug/L		05/16/14 14:34	1
4-Nitroaniline	0.48	U	1.9	0.48	0.21	ug/L		05/16/14 14:34	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL2MW-271-0438-GW

Lab Sample ID: 240-37114-10

Date Collected: 05/07/14 12:59

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
2-Nitrophenol	0.48	U	1.9	0.48	0.27	ug/L		05/16/14 14:34	1
4-Nitrophenol	3.8	U	4.8	3.8	0.28	ug/L		05/16/14 14:34	1
N-Nitrosodi-n-propylamine	0.48	U	0.95	0.48	0.23	ug/L		05/16/14 14:34	1
N-Nitrosodiphenylamine	0.48	U	0.95	0.48	0.30	ug/L		05/16/14 14:34	1
2,2'-oxybis[1-chloropropane]	0.48	U	0.95	0.48	0.38	ug/L		05/16/14 14:34	1
Pentachlorophenol	0.95	U	4.8	0.95	0.26	ug/L		05/16/14 14:34	1
Phenanthrene	0.095	U	0.19	0.095	0.059	ug/L		05/16/14 14:34	1
Phenol	0.95	U	0.95	0.95	0.57	ug/L		05/16/14 14:34	1
Pyrene	0.095	U	0.19	0.095	0.040	ug/L		05/16/14 14:34	1
1,2,4-Trichlorobenzene	0.48	U	0.95	0.48	0.27	ug/L		05/16/14 14:34	1
2,4,5-Trichlorophenol	0.48	U	4.8	0.48	0.29	ug/L		05/16/14 14:34	1
2,4,6-Trichlorophenol	0.48	U	4.8	0.48	0.23	ug/L		05/16/14 14:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	75		50 - 110	05/12/14 07:40	05/16/14 14:34	1
2-Fluorophenol (Surr)	71		20 - 110	05/12/14 07:40	05/16/14 14:34	1
Nitrobenzene-d5 (Surr)	71		40 - 110	05/12/14 07:40	05/16/14 14:34	1
Phenol-d5 (Surr)	78		10 - 115	05/12/14 07:40	05/16/14 14:34	1
Terphenyl-d14 (Surr)	96		50 - 135	05/12/14 07:40	05/16/14 14:34	1
2,4,6-Tribromophenol (Surr)	84		40 - 125	05/12/14 07:40	05/16/14 14:34	1

Method: 8081A - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
4,4'-DDD	0.020	U	0.050	0.020	0.0095	ug/L		05/16/14 16:35	1
4,4'-DDE	0.020	U	0.050	0.020	0.0096	ug/L		05/16/14 16:35	1
4,4'-DDT	0.020	U	0.050	0.020	0.016	ug/L		05/16/14 16:35	1
Aldrin	0.020	U	0.030	0.020	0.0081	ug/L		05/16/14 16:35	1
alpha-BHC	0.020	U	0.030	0.020	0.0069	ug/L		05/16/14 16:35	1
alpha-Chlordane	0.020	U J	0.050	0.020	0.014	ug/L		05/16/14 16:35	1
beta-BHC	0.020	U	0.050	0.020	0.0083	ug/L		05/16/14 16:35	1
delta-BHC	0.020	U	0.050	0.020	0.0086	ug/L		05/16/14 16:35	1
Dieldrin	0.020	U	0.030	0.020	0.0074	ug/L		05/16/14 16:35	1
Endosulfan I	0.020	U J	0.050	0.020	0.013	ug/L		05/16/14 16:35	1
Endosulfan II	0.020	U	0.050	0.020	0.012	ug/L		05/16/14 16:35	1
Endosulfan sulfate	0.020	U	0.050	0.020	0.011	ug/L		05/16/14 16:35	1
Endrin	0.020	U	0.050	0.020	0.011	ug/L		05/16/14 16:35	1
Endrin aldehyde	0.020	U	0.050	0.020	0.011	ug/L		05/16/14 16:35	1
Endrin ketone	0.020	U J	0.050	0.020	0.0077	ug/L		05/16/14 16:35	1
gamma-BHC (Lindane)	0.020	U	0.050	0.020	0.0063	ug/L		05/16/14 16:35	1
gamma-Chlordane	0.020	U	0.050	0.020	0.012	ug/L		05/16/14 16:35	1
Heptachlor	0.020	U	0.030	0.020	0.0079	ug/L		05/16/14 16:35	1
Heptachlor epoxide	0.020	U	0.030	0.020	0.0070	ug/L		05/16/14 16:35	1
Methoxychlor	0.050	U	0.099	0.050	0.032	ug/L		05/16/14 16:35	1
Toxaphene	0.79	U	2.0	0.79	0.32	ug/L		05/16/14 16:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	45		30 - 135	05/10/14 10:23	05/16/14 16:35	1
DCB Decachlorobiphenyl	43		30 - 135	05/10/14 10:23	05/16/14 16:35	1
Tetrachloro-m-xylene	81		25 - 140	05/10/14 10:23	05/16/14 16:35	1
Tetrachloro-m-xylene	79		25 - 140	05/10/14 10:23	05/16/14 16:35	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL2MW-271-0438-GW

Lab Sample ID: 240-37114-10

Date Collected: 05/07/14 12:59

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aroclor-1016	0.20	U	0.50	0.20	0.17	ug/L		05/13/14 15:39	1
Aroclor-1221	0.20	U	0.50	0.20	0.13	ug/L		05/13/14 15:39	1
Aroclor-1232	0.20	U	0.50	0.20	0.16	ug/L		05/13/14 15:39	1
Aroclor-1242	0.40	U	0.50	0.40	0.22	ug/L		05/13/14 15:39	1
Aroclor-1248	0.20	U	0.50	0.20	0.099	ug/L		05/13/14 15:39	1
Aroclor-1254	0.20	U	0.50	0.20	0.16	ug/L		05/13/14 15:39	1
Aroclor-1260	0.20	U J	0.50	0.20	0.17	ug/L		05/13/14 15:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	89		40 - 140	05/10/14 10:20	05/13/14 15:39	1
Tetrachloro-m-xylene	97		40 - 140	05/10/14 10:20	05/13/14 15:39	1
DCB Decachlorobiphenyl	48		40 - 135	05/10/14 10:20	05/13/14 15:39	1
DCB Decachlorobiphenyl	49		40 - 135	05/10/14 10:20	05/13/14 15:39	1

Method: 8330 Modified - Nitroguanidine (HPLC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Nitroguanidine	6.0	U	20	6.0	2.4	ug/L		05/13/14 16:16	1

Method: 8330A - Nitroaromatics and Nitramines

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,3,5-Trinitrobenzene	0.051	U	0.15	0.051	0.031	ug/L		05/19/14 18:25	1
1,3-Dinitrobenzene	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 18:25	1
2,4,6-Trinitrotoluene	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 18:25	1
2,4-Dinitrotoluene	0.10	U	0.13	0.10	0.051	ug/L		05/19/14 18:25	1
2,6-Dinitrotoluene	0.10	U	0.13	0.10	0.051	ug/L		05/19/14 18:25	1
2-Amino-4,6-dinitrotoluene	0.10	U	0.15	0.10	0.015	ug/L		05/19/14 18:25	1
2-Nitrotoluene	0.10	U	0.51	0.10	0.089	ug/L		05/19/14 18:25	1
3-Nitrotoluene	0.10	U	0.51	0.10	0.058	ug/L		05/19/14 18:25	1
4-Nitrotoluene	0.10	U	0.51	0.10	0.089	ug/L		05/19/14 18:25	1
4-Amino-2,6-dinitrotoluene	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 18:25	1
HMX	0.051	U	0.15	0.051	0.037	ug/L		05/19/14 18:25	1
RDX	0.051	U	0.15	0.051	0.037	ug/L		05/19/14 18:25	1
Nitrobenzene	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 18:25	1
Tetryl	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 18:25	1
Nitroglycerin	0.51	U	0.66	0.51	0.34	ug/L		05/19/14 18:25	1
PETN	0.51	U	0.66	0.51	0.30	ug/L		05/19/14 18:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
3,4-Dinitrotoluene	95	M	79 - 111	05/12/14 13:43	05/19/14 18:25	1

General Chemistry

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Cyanide, Total	0.0050	U	0.010	0.0050	0.0032	mg/L		05/20/14 10:24	1
Nitrocellulose	1.0	U	2.0	1.0	0.48	mg/L		05/15/14 16:45	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL2MW-271-0438-GF

Lab Sample ID: 240-37114-11

Date Collected: 05/07/14 12:59

Matrix: Water

Date Received: 05/08/14 14:50

Method: 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Arsenic	5.5	J	10	10	3.3	ug/L		05/15/14 09:36	1
Chromium	4.0	U	7.0	4.0	1.4	ug/L		05/15/14 09:36	1
Cobalt	9.2		7.0	4.0	1.5	ug/L		05/15/14 09:36	1
Lead	5.0	U	10	5.0	1.7	ug/L		05/15/14 09:36	1
Selenium	10	U	15	10	4.0	ug/L		05/15/14 09:36	1
Silver	5.0	U	7.0	5.0	1.7	ug/L		05/15/14 09:36	1
Vanadium	4.0	U	7.0	4.0	1.3	ug/L		05/15/14 09:36	1
Barium	3.4	J	200	5.0	2.8	ug/L		05/15/14 09:36	1
Calcium	56000		5000	1000	630	ug/L		05/15/14 09:36	1
Copper	10	U	25	10	4.4	ug/L		05/15/14 09:36	1
Magnesium	19000		5000	300	120	ug/L		05/15/14 09:36	1
Manganese	520		15	5.0	1.8	ug/L		05/15/14 09:36	1
Nickel	37	J	40	5.0	2.2	ug/L		05/15/14 09:36	1
Potassium	1000	J	5000	900	300	ug/L		05/15/14 09:36	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aluminum	60	U	60	60	20	ug/L		05/21/14 13:36	1
Antimony	1.0	U	2.0	1.0	0.33	ug/L		05/21/14 13:36	1
Beryllium	1.0	U	1.0	1.0	0.50	ug/L		05/21/14 13:36	1
Cadmium	1.0	U	2.0	1.0	0.40	ug/L		05/21/14 13:36	1
Iron	4400		150	100	44	ug/L		05/21/14 13:36	1
Sodium	4300		1000	400	160	ug/L		05/21/14 13:36	1
Thallium	0.83	J	2.0	1.5	0.79	ug/L		05/21/14 13:36	1
Zinc	50	U	50	50	27	ug/L		05/21/14 13:36	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Hg	0.20	U	0.20	0.20	0.12	ug/L		05/15/14 14:56	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL1MW-064C-0436-GW

Lab Sample ID: 240-37114-12

Date Collected: 05/07/14 16:34

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Bis(2-ethylhexyl) phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/16/14 16:18	1
Butyl benzyl phthalate	0.48	U	4.8	0.48	0.25	ug/L		05/16/14 16:18	1
Diethyl phthalate	0.95	U	1.9	0.95	0.57	ug/L		05/16/14 16:18	1
Dimethyl phthalate	0.48	U	1.9	0.48	0.28	ug/L		05/16/14 16:18	1
Di-n-butyl phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/16/14 16:18	1
Di-n-octyl phthalate	0.48	U	1.9	0.48	0.22	ug/L		05/16/14 16:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	81		50 - 110	05/12/14 07:40	05/16/14 16:18	1
2-Fluorophenol (Surr)	72		20 - 110	05/12/14 07:40	05/16/14 16:18	1
Nitrobenzene-d5 (Surr)	79		40 - 110	05/12/14 07:40	05/16/14 16:18	1
Phenol-d5 (Surr)	81		10 - 115	05/12/14 07:40	05/16/14 16:18	1
Terphenyl-d14 (Surr)	107		50 - 135	05/12/14 07:40	05/16/14 16:18	1
2,4,6-Tribromophenol (Surr)	83		40 - 125	05/12/14 07:40	05/16/14 16:18	1

Method: 8081A - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
4,4'-DDD	0.019	U	0.048	0.019	0.0091	ug/L		05/16/14 18:24	1
4,4'-DDE	0.019	U	0.048	0.019	0.0092	ug/L		05/16/14 18:24	1
4,4'-DDT	0.019	U	0.048	0.019	0.015	ug/L		05/16/14 18:24	1
Aldrin	0.019	U	0.029	0.019	0.0078	ug/L		05/16/14 18:24	1
alpha-BHC	0.019	U	0.029	0.019	0.0067	ug/L		05/16/14 18:24	1
alpha-Chlordane	0.019	U	0.048	0.019	0.013	ug/L		05/16/14 18:24	1
beta-BHC	0.019	U	0.048	0.019	0.0080	ug/L		05/16/14 18:24	1
delta-BHC	0.019	U	0.048	0.019	0.0083	ug/L		05/16/14 18:24	1
Dieldrin	0.019	U	0.029	0.019	0.0071	ug/L		05/16/14 18:24	1
Endosulfan I	0.019	U	0.048	0.019	0.012	ug/L		05/16/14 18:24	1
Endosulfan II	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 18:24	1
Endosulfan sulfate	0.019	U	0.048	0.019	0.010	ug/L		05/16/14 18:24	1
Endrin	0.019	U	0.048	0.019	0.010	ug/L		05/16/14 18:24	1
Endrin aldehyde	0.019	U	0.048	0.019	0.010	ug/L		05/16/14 18:24	1
Endrin ketone	0.019	U	0.048	0.019	0.0074	ug/L		05/16/14 18:24	1
gamma-BHC (Lindane)	0.019	U	0.048	0.019	0.0061	ug/L		05/16/14 18:24	1
gamma-Chlordane	0.019	U	0.048	0.019	0.011	ug/L		05/16/14 18:24	1
Heptachlor	0.019	U	0.029	0.019	0.0076	ug/L		05/16/14 18:24	1
Heptachlor epoxide	0.019	U	0.029	0.019	0.0068	ug/L		05/16/14 18:24	1
Methoxychlor	0.048	U	0.095	0.048	0.030	ug/L		05/16/14 18:24	1
Toxaphene	0.76	U	1.9	0.76	0.30	ug/L		05/16/14 18:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	73		30 - 135	05/10/14 10:23	05/16/14 18:24	1
DCB Decachlorobiphenyl	68		30 - 135	05/10/14 10:23	05/16/14 18:24	1
Tetrachloro-m-xylene	92		25 - 140	05/10/14 10:23	05/16/14 18:24	1
Tetrachloro-m-xylene	85		25 - 140	05/10/14 10:23	05/16/14 18:24	1

Method: 8330 Modified - Nitroguanidine (HPLC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Nitroguanidine	6.0	U	20	6.0	2.4	ug/L		05/13/14 17:27	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL1MW-064C-0436-GW

Lab Sample ID: 240-37114-12

Date Collected: 05/07/14 16:34

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8330A - Nitroaromatics and Nitramines

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,3,5-Trinitrobenzene	0.052	U	0.15	0.052	0.032	ug/L		05/19/14 21:20	1
1,3-Dinitrobenzene	0.10	U	0.15	0.10	0.052	ug/L		05/19/14 21:20	1
2,4,6-Trinitrotoluene	0.10	U	0.15	0.10	0.052	ug/L		05/19/14 21:20	1
2,4-Dinitrotoluene	0.10	U	0.13	0.10	0.052	ug/L		05/19/14 21:20	1
2,6-Dinitrotoluene	0.10	U	0.13	0.10	0.052	ug/L		05/19/14 21:20	1
2-Amino-4,6-dinitrotoluene	0.10	U	0.15	0.10	0.015	ug/L		05/19/14 21:20	1
2-Nitrotoluene	0.10	U	0.52	0.10	0.091	ug/L		05/19/14 21:20	1
3-Nitrotoluene	0.10	U	0.52	0.10	0.059	ug/L		05/19/14 21:20	1
4-Nitrotoluene	0.10	U	0.52	0.10	0.091	ug/L		05/19/14 21:20	1
4-Amino-2,6-dinitrotoluene	0.10	U	0.15	0.10	0.052	ug/L		05/19/14 21:20	1
HMX	0.052	U M	0.15	0.052	0.037	ug/L		05/19/14 21:20	1
RDX	0.052	U	0.15	0.052	0.037	ug/L		05/19/14 21:20	1
Nitrobenzene	0.10	U	0.15	0.10	0.052	ug/L		05/19/14 21:20	1
Tetryl	0.10	U	0.15	0.10	0.052	ug/L		05/19/14 21:20	1
Nitroglycerin	0.52	U	0.67	0.52	0.34	ug/L		05/19/14 21:20	1
PETN	0.52	U	0.67	0.52	0.31	ug/L		05/19/14 21:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
3,4-Dinitrotoluene	96		79 - 111	05/12/14 13:43	05/19/14 21:20	1

General Chemistry

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Nitrocellulose	1.0	U	2.0	1.0	0.48	mg/L		05/15/14 16:51	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGLL1MW-064C-0436-GF

Lab Sample ID: 240-37114-13

Date Collected: 05/07/14 16:37

Matrix: Water

Date Received: 05/08/14 14:50

Method: 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Arsenic	4.5	J	10	10	3.3	ug/L		05/15/14 10:20	1
Chromium	4.0	U	7.0	4.0	1.4	ug/L		05/15/14 10:20	1
Cobalt	4.0	U	7.0	4.0	1.5	ug/L		05/15/14 10:20	1
Lead	5.0	U	10	5.0	1.7	ug/L		05/15/14 10:20	1
Selenium	10	U	15	10	4.0	ug/L		05/15/14 10:20	1
Silver	5.0	U	7.0	5.0	1.7	ug/L		05/15/14 10:20	1
Vanadium	4.0	U	7.0	4.0	1.3	ug/L		05/15/14 10:20	1
Barium	48	J	200	5.0	2.8	ug/L		05/15/14 10:20	1
Calcium	58000		5000	1000	630	ug/L		05/15/14 10:20	1
Copper	10	U	25	10	4.4	ug/L		05/15/14 10:20	1
Magnesium	9800		5000	300	120	ug/L		05/15/14 10:20	1
Manganese	120		15	5.0	1.8	ug/L		05/15/14 10:20	1
Nickel	2.5	J	40	5.0	2.2	ug/L		05/15/14 10:20	1
Potassium	800	J	5000	900	300	ug/L		05/15/14 10:20	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aluminum	60	U	60	60	20	ug/L		05/21/14 14:54	1
Antimony	1.0	U	2.0	1.0	0.33	ug/L		05/21/14 14:54	1
Beryllium	1.0	U	1.0	1.0	0.50	ug/L		05/21/14 14:54	1
Cadmium	1.0	U	2.0	1.0	0.40	ug/L		05/21/14 14:54	1
Iron	760		150	100	44	ug/L		05/21/14 14:54	1
Sodium	5000		1000	400	160	ug/L		05/21/14 14:54	1
Thallium	1.5	U	2.0	1.5	0.79	ug/L		05/21/14 14:54	1
Zinc	50	U	50	50	27	ug/L		05/21/14 14:54	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Hg	0.20	U	0.20	0.20	0.12	ug/L		05/15/14 15:15	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGTEAM2-TRIP

Lab Sample ID: 240-37114-14

Date Collected: 05/07/14 07:30

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 14:43	1
1,1,1,2-Tetrachloroethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 14:43	1
1,1,2-Trichloroethane	0.50	U	1.0	0.50	0.27	ug/L		05/19/14 14:43	1
1,1-Dichloroethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 14:43	1
1,1-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 14:43	1
1,2-Dichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 14:43	1
1,2-Dichloroethene, Total	0.25	U	2.0	0.25	0.17	ug/L		05/19/14 14:43	1
1,2-Dichloropropane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 14:43	1
2-Hexanone	0.50	U	10	0.50	0.41	ug/L		05/19/14 14:43	1
Bromochloromethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 14:43	1
Acetone	1.1	U	10	1.1	1.1	ug/L		05/19/14 14:43	1
Benzene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 14:43	1
Bromoform	0.64	U	1.0	0.64	0.64	ug/L		05/19/14 14:43	1
Bromomethane	0.50	U	1.0	0.50	0.41	ug/L		05/19/14 14:43	1
Carbon disulfide	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 14:43	1
Carbon tetrachloride	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 14:43	1
Chlorobenzene	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 14:43	1
Chloroethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 14:43	1
Chloroform	0.34	J	1.0	0.25	0.16	ug/L		05/19/14 14:43	1
Chloromethane	0.50	U	1.0	0.50	0.30	ug/L		05/19/14 14:43	1
cis-1,2-Dichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 14:43	1
cis-1,3-Dichloropropene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 14:43	1
Bromodichloromethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 14:43	1
Ethylbenzene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 14:43	1
1,2-Dibromoethane	0.25	U	1.0	0.25	0.24	ug/L		05/19/14 14:43	1
m-Xylene & p-Xylene	0.50	U	2.0	0.50	0.24	ug/L		05/19/14 14:43	1
2-Butanone (MEK)	0.57	U	10	0.57	0.57	ug/L		05/19/14 14:43	1
4-Methyl-2-pentanone (MIBK)	0.50	U	10	0.50	0.32	ug/L		05/19/14 14:43	1
Methylene Chloride	0.50	U	1.0	0.50	0.33	ug/L		05/19/14 14:43	1
o-Xylene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 14:43	1
Styrene	0.25	U	1.0	0.25	0.11	ug/L		05/19/14 14:43	1
Tetrachloroethene	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 14:43	1
Toluene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 14:43	1
trans-1,2-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 14:43	1
trans-1,3-Dichloropropene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 14:43	1
Trichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 14:43	1
Vinyl chloride	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 14:43	1
Xylenes, Total	0.25	U	2.0	0.25	0.14	ug/L		05/19/14 14:43	1
Dibromochloromethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 14:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		70 - 120		05/19/14 14:43	1
4-Bromofluorobenzene (Surr)	92		75 - 120		05/19/14 14:43	1
Toluene-d8 (Surr)	103		85 - 120		05/19/14 14:43	1
Dibromofluoromethane (Surr)	92		85 - 115		05/19/14 14:43	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGSCFMW-004-0440-GW

Lab Sample ID: 240-37114-15

Date Collected: 05/07/14 09:32

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Bis(2-ethylhexyl) phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/16/14 16:44	1
Butyl benzyl phthalate	0.48	U	4.8	0.48	0.25	ug/L		05/16/14 16:44	1
Diethyl phthalate	0.95	U	1.9	0.95	0.57	ug/L		05/16/14 16:44	1
Dimethyl phthalate	0.48	U	1.9	0.48	0.28	ug/L		05/16/14 16:44	1
Di-n-butyl phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/16/14 16:44	1
Di-n-octyl phthalate	0.48	U	1.9	0.48	0.22	ug/L		05/16/14 16:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	65		50 - 110	05/12/14 07:40	05/16/14 16:44	1
2-Fluorophenol (Surr)	62		20 - 110	05/12/14 07:40	05/16/14 16:44	1
Nitrobenzene-d5 (Surr)	60		40 - 110	05/12/14 07:40	05/16/14 16:44	1
Phenol-d5 (Surr)	69		10 - 115	05/12/14 07:40	05/16/14 16:44	1
Terphenyl-d14 (Surr)	100		50 - 135	05/12/14 07:40	05/16/14 16:44	1
2,4,6-Tribromophenol (Surr)	78		40 - 125	05/12/14 07:40	05/16/14 16:44	1

Method: 8081A - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
4,4'-DDD	0.095	U	0.24	0.095	0.046	ug/L		05/16/14 19:07	5
4,4'-DDE	0.095	U	0.24	0.095	0.046	ug/L		05/16/14 19:07	5
4,4'-DDT	0.095	U	0.24	0.095	0.076	ug/L		05/16/14 19:07	5
Aldrin	0.095	U	0.14	0.095	0.039	ug/L		05/16/14 19:07	5
alpha-BHC	0.095	U	0.14	0.095	0.033	ug/L		05/16/14 19:07	5
alpha-Chlordane	0.095	U	0.24	0.095	0.067	ug/L		05/16/14 19:07	5
beta-BHC	0.095	U	0.24	0.095	0.040	ug/L		05/16/14 19:07	5
delta-BHC	0.095	U	0.24	0.095	0.041	ug/L		05/16/14 19:07	5
Dieldrin	0.095	U	0.14	0.095	0.036	ug/L		05/16/14 19:07	5
Endosulfan I	0.095	U	0.24	0.095	0.062	ug/L		05/16/14 19:07	5
Endosulfan II	0.095	U	0.24	0.095	0.057	ug/L		05/16/14 19:07	5
Endosulfan sulfate	0.095	U	0.24	0.095	0.052	ug/L		05/16/14 19:07	5
Endrin	0.095	U	0.24	0.095	0.052	ug/L		05/16/14 19:07	5
Endrin aldehyde	0.095	U	0.24	0.095	0.052	ug/L		05/16/14 19:07	5
Endrin ketone	0.095	U	0.24	0.095	0.037	ug/L		05/16/14 19:07	5
gamma-BHC (Lindane)	0.095	U	0.24	0.095	0.030	ug/L		05/16/14 19:07	5
gamma-Chlordane	0.095	U	0.24	0.095	0.057	ug/L		05/16/14 19:07	5
Heptachlor	0.095	U	0.14	0.095	0.038	ug/L		05/16/14 19:07	5
Heptachlor epoxide	0.095	U	0.14	0.095	0.034	ug/L		05/16/14 19:07	5
Methoxychlor	0.24	U	0.48	0.24	0.15	ug/L		05/16/14 19:07	5
Toxaphene	3.8	U	9.5	3.8	1.5	ug/L		05/16/14 19:07	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	92		30 - 135	05/10/14 10:23	05/16/14 19:07	5
DCB Decachlorobiphenyl	90		30 - 135	05/10/14 10:23	05/16/14 19:07	5
Tetrachloro-m-xylene	89		25 - 140	05/10/14 10:23	05/16/14 19:07	5
Tetrachloro-m-xylene	83		25 - 140	05/10/14 10:23	05/16/14 19:07	5

Method: 8330 Modified - Nitroguanidine (HPLC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Nitroguanidine	6.0	U	20	6.0	2.4	ug/L		05/13/14 17:45	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGSCFMW-004-0440-GW

Lab Sample ID: 240-37114-15

Date Collected: 05/07/14 09:32

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8330A - Nitroaromatics and Nitramines

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,3,5-Trinitrobenzene	0.051	U	0.15	0.051	0.032	ug/L		05/19/14 22:04	1
1,3-Dinitrobenzene	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 22:04	1
2,4,6-Trinitrotoluene	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 22:04	1
2,4-Dinitrotoluene	0.10	U	0.13	0.10	0.051	ug/L		05/19/14 22:04	1
2,6-Dinitrotoluene	0.10	U	0.13	0.10	0.051	ug/L		05/19/14 22:04	1
2-Amino-4,6-dinitrotoluene	0.10	U	0.15	0.10	0.015	ug/L		05/19/14 22:04	1
2-Nitrotoluene	0.10	U	0.51	0.10	0.090	ug/L		05/19/14 22:04	1
3-Nitrotoluene	0.10	U	0.51	0.10	0.058	ug/L		05/19/14 22:04	1
4-Nitrotoluene	0.10	U	0.51	0.10	0.090	ug/L		05/19/14 22:04	1
4-Amino-2,6-dinitrotoluene	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 22:04	1
HMX	0.051	U	0.15	0.051	0.037	ug/L		05/19/14 22:04	1
RDX	0.051	U	0.15	0.051	0.037	ug/L		05/19/14 22:04	1
Nitrobenzene	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 22:04	1
Tetryl	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 22:04	1
Nitroglycerin	0.51	U	0.66	0.51	0.34	ug/L		05/19/14 22:04	1
PETN	0.51	U	0.66	0.51	0.31	ug/L		05/19/14 22:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
3,4-Dinitrotoluene	97		79 - 111	05/12/14 13:43	05/19/14 22:04	1

General Chemistry

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Nitrocellulose	1.0	U	2.0	1.0	0.48	mg/L		05/15/14 17:01	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGSCFMW-004-0440-GF

Lab Sample ID: 240-37114-16

Date Collected: 05/07/14 09:32

Matrix: Water

Date Received: 05/08/14 14:50

Method: 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Arsenic	10	U	10	10	3.3	ug/L		05/15/14 10:24	1
Chromium	4.0	U	7.0	4.0	1.4	ug/L		05/15/14 10:24	1
Cobalt	4.0	U	7.0	4.0	1.5	ug/L		05/15/14 10:24	1
Lead	5.0	U	10	5.0	1.7	ug/L		05/15/14 10:24	1
Selenium	10	U	15	10	4.0	ug/L		05/15/14 10:24	1
Silver	5.0	U	7.0	5.0	1.7	ug/L		05/15/14 10:24	1
Vanadium	4.0	U	7.0	4.0	1.3	ug/L		05/15/14 10:24	1
Barium	76	J	200	5.0	2.8	ug/L		05/15/14 10:24	1
Calcium	150000		5000	1000	630	ug/L		05/15/14 10:24	1
Copper	10	U	25	10	4.4	ug/L		05/15/14 10:24	1
Magnesium	59000		5000	300	120	ug/L		05/15/14 10:24	1
Manganese	720		15	5.0	1.8	ug/L		05/15/14 10:24	1
Nickel	5.0	U	40	5.0	2.2	ug/L		05/15/14 10:24	1
Potassium	2800	J	5000	900	300	ug/L		05/15/14 10:24	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aluminum	60	U	60	60	20	ug/L		05/21/14 15:01	1
Antimony	1.0	U	2.0	1.0	0.33	ug/L		05/21/14 15:01	1
Beryllium	1.0	U	1.0	1.0	0.50	ug/L		05/21/14 15:01	1
Cadmium	1.0	U	2.0	1.0	0.40	ug/L		05/21/14 15:01	1
Iron	100	U	150	100	44	ug/L		05/21/14 15:01	1
Sodium	10000		1000	400	160	ug/L		05/21/14 15:01	1
Thallium	1.5	U	2.0	1.5	0.79	ug/L		05/21/14 15:01	1
Zinc	50	U	50	50	27	ug/L		05/21/14 15:01	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Hg	0.20	U	0.20	0.20	0.12	ug/L		05/15/14 15:23	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGEQUIPRINSE1-0443-GW

Lab Sample ID: 240-37114-17

Date Collected: 05/07/14 13:42

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 15:06	1
1,1,1,2-Tetrachloroethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 15:06	1
1,1,2-Trichloroethane	0.50	U	1.0	0.50	0.27	ug/L		05/19/14 15:06	1
1,1-Dichloroethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 15:06	1
1,1-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 15:06	1
1,2-Dichloroethane	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 15:06	1
1,2-Dichloroethene, Total	0.25	U	2.0	0.25	0.17	ug/L		05/19/14 15:06	1
1,2-Dichloropropane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 15:06	1
2-Hexanone	0.50	U	10	0.50	0.41	ug/L		05/19/14 15:06	1
Bromochloromethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 15:06	1
Acetone	12		10	1.1	1.1	ug/L		05/19/14 15:06	1
Benzene	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 15:06	1
Bromoform	0.64	U	1.0	0.64	0.64	ug/L		05/19/14 15:06	1
Bromomethane	0.50	U	1.0	0.50	0.41	ug/L		05/19/14 15:06	1
Carbon disulfide	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 15:06	1
Carbon tetrachloride	0.25	U	1.0	0.25	0.13	ug/L		05/19/14 15:06	1
Chlorobenzene	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 15:06	1
Chloroethane	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 15:06	1
Chloroform	0.25	U	1.0	0.25	0.16	ug/L		05/19/14 15:06	1
Chloromethane	0.50	U	1.0	0.50	0.30	ug/L		05/19/14 15:06	1
cis-1,2-Dichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 15:06	1
cis-1,3-Dichloropropene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 15:06	1
Bromodichloromethane	0.25	U	1.0	0.25	0.15	ug/L		05/19/14 15:06	1
Ethylbenzene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 15:06	1
1,2-Dibromoethane	0.25	U	1.0	0.25	0.24	ug/L		05/19/14 15:06	1
m-Xylene & p-Xylene	0.50	U	2.0	0.50	0.24	ug/L		05/19/14 15:06	1
2-Butanone (MEK)	1.5	J	10	0.57	0.57	ug/L		05/19/14 15:06	1
4-Methyl-2-pentanone (MIBK)	0.50	U	10	0.50	0.32	ug/L		05/19/14 15:06	1
Methylene Chloride	0.50	U	1.0	0.50	0.33	ug/L		05/19/14 15:06	1
o-Xylene	0.25	U	1.0	0.25	0.14	ug/L		05/19/14 15:06	1
Styrene	0.25	U	1.0	0.25	0.11	ug/L		05/19/14 15:06	1
Tetrachloroethene	0.50	U	1.0	0.50	0.29	ug/L		05/19/14 15:06	1
Toluene	0.20	J	1.0	0.25	0.13	ug/L		05/19/14 15:06	1
trans-1,2-Dichloroethene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 15:06	1
trans-1,3-Dichloropropene	0.25	U	1.0	0.25	0.19	ug/L		05/19/14 15:06	1
Trichloroethene	0.25	U	1.0	0.25	0.17	ug/L		05/19/14 15:06	1
Vinyl chloride	0.25	U	1.0	0.25	0.22	ug/L		05/19/14 15:06	1
Xylenes, Total	0.25	U	2.0	0.25	0.14	ug/L		05/19/14 15:06	1
Dibromochloromethane	0.25	U	1.0	0.25	0.18	ug/L		05/19/14 15:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		70 - 120		05/19/14 15:06	1
4-Bromofluorobenzene (Surr)	96		75 - 120		05/19/14 15:06	1
Toluene-d8 (Surr)	104		85 - 120		05/19/14 15:06	1
Dibromofluoromethane (Surr)	90		85 - 115		05/19/14 15:06	1

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Acenaphthene	0.095	U	0.19	0.095	0.042	ug/L		05/16/14 15:52	1
Acenaphthylene	0.095	U	0.19	0.095	0.046	ug/L		05/16/14 15:52	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGEQUIPRINSE1-0443-GW

Lab Sample ID: 240-37114-17

Date Collected: 05/07/14 13:42

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Anthracene	0.095	U	0.19	0.095	0.084	ug/L		05/16/14 15:52	1
Benzo[a]anthracene	0.095	U	0.19	0.095	0.028	ug/L		05/16/14 15:52	1
Benzo[a]pyrene	0.095	U	0.19	0.095	0.049	ug/L		05/16/14 15:52	1
Benzo[b]fluoranthene	0.095	U	0.19	0.095	0.038	ug/L		05/16/14 15:52	1
Benzo[g,h,i]perylene	0.095	U	0.19	0.095	0.044	ug/L		05/16/14 15:52	1
Benzoic acid	19	U	24	19	9.5	ug/L		05/16/14 15:52	1
Benzo[k]fluoranthene	0.095	U	0.19	0.095	0.043	ug/L		05/16/14 15:52	1
Benzyl alcohol	0.48	U	4.8	0.48	0.36	ug/L		05/16/14 15:52	1
Bis(2-chloroethoxy)methane	0.48	U	0.95	0.48	0.30	ug/L		05/16/14 15:52	1
Bis(2-chloroethyl)ether	0.095	U	0.95	0.095	0.095	ug/L		05/16/14 15:52	1
Bis(2-ethylhexyl) phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/16/14 15:52	1
4-Bromophenyl phenyl ether	0.48	U	1.9	0.48	0.21	ug/L		05/16/14 15:52	1
Butyl benzyl phthalate	0.48	U	4.8	0.48	0.25	ug/L		05/16/14 15:52	1
Carbazole	0.48	U	0.95	0.48	0.27	ug/L		05/16/14 15:52	1
4-Chloroaniline	0.48	U	1.9	0.48	0.20	ug/L		05/16/14 15:52	1
4-Chloro-3-methylphenol	0.48	U	1.9	0.48	0.20	ug/L		05/16/14 15:52	1
2-Chloronaphthalene	0.48	U	0.95	0.48	0.095	ug/L		05/16/14 15:52	1
2-Chlorophenol	0.48	U	0.95	0.48	0.28	ug/L		05/16/14 15:52	1
4-Chlorophenyl phenyl ether	0.48	U	1.9	0.48	0.29	ug/L		05/16/14 15:52	1
Chrysene	0.095	U	0.19	0.095	0.048	ug/L		05/16/14 15:52	1
Dibenz(a,h)anthracene	0.095	U	0.19	0.095	0.042	ug/L		05/16/14 15:52	1
Dibenzofuran	0.095	U	0.95	0.095	0.019	ug/L		05/16/14 15:52	1
1,2-Dichlorobenzene	0.48	U	0.95	0.48	0.28	ug/L		05/16/14 15:52	1
1,3-Dichlorobenzene	0.48	U	0.95	0.48	0.22	ug/L		05/16/14 15:52	1
1,4-Dichlorobenzene	0.48	U	0.95	0.48	0.32	ug/L		05/16/14 15:52	1
3,3'-Dichlorobenzidine	0.95	U	4.8	0.95	0.35	ug/L		05/16/14 15:52	1
2,4-Dichlorophenol	0.48	U	1.9	0.48	0.18	ug/L		05/16/14 15:52	1
Diethyl phthalate	3.2		1.9	0.95	0.57	ug/L		05/16/14 15:52	1
2,4-Dimethylphenol	0.48	U	1.9	0.48	0.24	ug/L		05/16/14 15:52	1
Dimethyl phthalate	0.48	U	1.9	0.48	0.28	ug/L		05/16/14 15:52	1
Di-n-butyl phthalate	4.8	U	4.8	4.8	1.6	ug/L		05/16/14 15:52	1
4,6-Dinitro-2-methylphenol	3.8	U	4.8	3.8	2.3	ug/L		05/16/14 15:52	1
2,4-Dinitrophenol	0.95	U	4.8	0.95	0.30	ug/L		05/16/14 15:52	1
Di-n-octyl phthalate	0.48	U	1.9	0.48	0.22	ug/L		05/16/14 15:52	1
Fluoranthene	0.095	U	0.19	0.095	0.042	ug/L		05/16/14 15:52	1
Fluorene	0.095	U	0.19	0.095	0.039	ug/L		05/16/14 15:52	1
Hexachlorobenzene	0.095	U	0.19	0.095	0.081	ug/L		05/16/14 15:52	1
Hexachlorobutadiene	0.48	U	0.95	0.48	0.26	ug/L		05/16/14 15:52	1
Hexachlorocyclopentadiene	0.48	U	9.5	0.48	0.23	ug/L		05/16/14 15:52	1
Hexachloroethane	0.48	U	0.95	0.48	0.18	ug/L		05/16/14 15:52	1
Indeno[1,2,3-cd]pyrene	0.095	U	0.19	0.095	0.041	ug/L		05/16/14 15:52	1
Isophorone	0.48	U	0.95	0.48	0.26	ug/L		05/16/14 15:52	1
2-Methylnaphthalene	0.095	U	0.19	0.095	0.086	ug/L		05/16/14 15:52	1
2-Methylphenol	0.48	U	0.95	0.48	0.16	ug/L		05/16/14 15:52	1
3 & 4 Methylphenol	0.95	U	1.9	0.95	0.76	ug/L		05/16/14 15:52	1
Naphthalene	0.095	U	0.19	0.095	0.060	ug/L		05/16/14 15:52	1
2-Nitroaniline	0.48	U	1.9	0.48	0.20	ug/L		05/16/14 15:52	1
3-Nitroaniline	0.48	U	1.9	0.48	0.27	ug/L		05/16/14 15:52	1
4-Nitroaniline	0.48	U	1.9	0.48	0.21	ug/L		05/16/14 15:52	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGEQUIPRINSE1-0443-GW

Lab Sample ID: 240-37114-17

Date Collected: 05/07/14 13:42

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
2-Nitrophenol	0.48	U	1.9	0.48	0.27	ug/L		05/16/14 15:52	1
4-Nitrophenol	3.8	U	4.8	3.8	0.28	ug/L		05/16/14 15:52	1
N-Nitrosodi-n-propylamine	0.48	U	0.95	0.48	0.23	ug/L		05/16/14 15:52	1
N-Nitrosodiphenylamine	0.48	U	0.95	0.48	0.30	ug/L		05/16/14 15:52	1
2,2'-oxybis[1-chloropropane]	0.48	U	0.95	0.48	0.38	ug/L		05/16/14 15:52	1
Pentachlorophenol	0.95	U	4.8	0.95	0.26	ug/L		05/16/14 15:52	1
Phenanthrene	0.095	U	0.19	0.095	0.059	ug/L		05/16/14 15:52	1
Phenol	0.95	U	0.95	0.95	0.57	ug/L		05/16/14 15:52	1
Pyrene	0.095	U	0.19	0.095	0.040	ug/L		05/16/14 15:52	1
1,2,4-Trichlorobenzene	0.48	U	0.95	0.48	0.27	ug/L		05/16/14 15:52	1
2,4,5-Trichlorophenol	0.48	U	4.8	0.48	0.29	ug/L		05/16/14 15:52	1
2,4,6-Trichlorophenol	0.48	U	4.8	0.48	0.23	ug/L		05/16/14 15:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	83		50 - 110	05/12/14 07:40	05/16/14 15:52	1
2-Fluorophenol (Surr)	82		20 - 110	05/12/14 07:40	05/16/14 15:52	1
Nitrobenzene-d5 (Surr)	80		40 - 110	05/12/14 07:40	05/16/14 15:52	1
Phenol-d5 (Surr)	88		10 - 115	05/12/14 07:40	05/16/14 15:52	1
Terphenyl-d14 (Surr)	111		50 - 135	05/12/14 07:40	05/16/14 15:52	1
2,4,6-Tribromophenol (Surr)	92		40 - 125	05/12/14 07:40	05/16/14 15:52	1

Method: 8081A - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
4,4'-DDD	0.020	U	0.050	0.020	0.0096	ug/L		05/20/14 17:36	1
4,4'-DDE	0.020	U	0.050	0.020	0.0097	ug/L		05/20/14 17:36	1
4,4'-DDT	0.020	U	0.050	0.020	0.016	ug/L		05/20/14 17:36	1
Aldrin	0.020	U	0.030	0.020	0.0082	ug/L		05/20/14 17:36	1
alpha-BHC	0.020	U	0.030	0.020	0.0070	ug/L		05/20/14 17:36	1
alpha-Chlordane	0.020	U	0.050	0.020	0.014	ug/L		05/20/14 17:36	1
beta-BHC	0.020	U	0.050	0.020	0.0084	ug/L		05/20/14 17:36	1
delta-BHC	0.020	U	0.050	0.020	0.0087	ug/L		05/20/14 17:36	1
Dieldrin	0.020	U	0.030	0.020	0.0075	ug/L		05/20/14 17:36	1
Endosulfan I	0.020	U Q	0.050	0.020	0.013	ug/L		05/20/14 17:36	1
Endosulfan II	0.020	U	0.050	0.020	0.012	ug/L		05/20/14 17:36	1
Endosulfan sulfate	0.020	U	0.050	0.020	0.011	ug/L		05/20/14 17:36	1
Endrin	0.020	U	0.050	0.020	0.011	ug/L		05/20/14 17:36	1
Endrin aldehyde	0.020	U	0.050	0.020	0.011	ug/L		05/20/14 17:36	1
Endrin ketone	0.020	U	0.050	0.020	0.0078	ug/L		05/20/14 17:36	1
gamma-BHC (Lindane)	0.020	U	0.050	0.020	0.0064	ug/L		05/20/14 17:36	1
gamma-Chlordane	0.020	U	0.050	0.020	0.012	ug/L		05/20/14 17:36	1
Heptachlor	0.020	U	0.030	0.020	0.0080	ug/L		05/20/14 17:36	1
Heptachlor epoxide	0.020	U	0.030	0.020	0.0071	ug/L		05/20/14 17:36	1
Methoxychlor	0.050	U	0.10	0.050	0.032	ug/L		05/20/14 17:36	1
Toxaphene	0.80	U	2.0	0.80	0.32	ug/L		05/20/14 17:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	82		30 - 135	05/14/14 09:10	05/20/14 17:36	1
DCB Decachlorobiphenyl	82		30 - 135	05/14/14 09:10	05/20/14 17:36	1
Tetrachloro-m-xylene	80		25 - 140	05/14/14 09:10	05/20/14 17:36	1
Tetrachloro-m-xylene	75		25 - 140	05/14/14 09:10	05/20/14 17:36	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGEQUIPRINSE1-0443-GW

Lab Sample ID: 240-37114-17

Date Collected: 05/07/14 13:42

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aroclor-1016	0.20	U H	0.50	0.20	0.17	ug/L		05/22/14 10:13	1
Aroclor-1221	0.20	U H	0.50	0.20	0.13	ug/L		05/22/14 10:13	1
Aroclor-1232	0.20	U H	0.50	0.20	0.16	ug/L		05/22/14 10:13	1
Aroclor-1242	0.40	U H	0.50	0.40	0.22	ug/L		05/22/14 10:13	1
Aroclor-1248	0.20	U H	0.50	0.20	0.099	ug/L		05/22/14 10:13	1
Aroclor-1254	0.20	U H	0.50	0.20	0.16	ug/L		05/22/14 10:13	1
Aroclor-1260	0.20	U H	0.50	0.20	0.17	ug/L		05/22/14 10:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	74		40 - 140	05/20/14 07:42	05/22/14 10:13	1
Tetrachloro-m-xylene	72		40 - 140	05/20/14 07:42	05/22/14 10:13	1
DCB Decachlorobiphenyl	86		40 - 135	05/20/14 07:42	05/22/14 10:13	1
DCB Decachlorobiphenyl	81		40 - 135	05/20/14 07:42	05/22/14 10:13	1

Method: 8330 Modified - Nitroguanidine (HPLC)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Nitroguanidine	6.0	U	20	6.0	2.4	ug/L		05/19/14 14:02	1

Method: 8330A - Nitroaromatics and Nitramines

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
1,3,5-Trinitrobenzene	0.051	U	0.15	0.051	0.032	ug/L		05/19/14 14:47	1
1,3-Dinitrobenzene	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 14:47	1
2,4,6-Trinitrotoluene	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 14:47	1
2,4-Dinitrotoluene	0.10	U M	0.13	0.10	0.051	ug/L		05/19/14 14:47	1
2,6-Dinitrotoluene	0.10	U	0.13	0.10	0.051	ug/L		05/19/14 14:47	1
2-Amino-4,6-dinitrotoluene	0.10	U	0.15	0.10	0.015	ug/L		05/19/14 14:47	1
2-Nitrotoluene	0.10	U	0.51	0.10	0.090	ug/L		05/19/14 14:47	1
3-Nitrotoluene	0.10	U	0.51	0.10	0.059	ug/L		05/19/14 14:47	1
4-Nitrotoluene	0.10	U	0.51	0.10	0.090	ug/L		05/19/14 14:47	1
4-Amino-2,6-dinitrotoluene	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 14:47	1
HMX	0.051	U	0.15	0.051	0.037	ug/L		05/19/14 14:47	1
RDX	0.051	U	0.15	0.051	0.037	ug/L		05/19/14 14:47	1
Nitrobenzene	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 14:47	1
Tetryl	0.10	U	0.15	0.10	0.051	ug/L		05/19/14 14:47	1
Nitroglycerin	0.51	U	0.67	0.51	0.34	ug/L		05/19/14 14:47	1
PETN	0.51	U	0.67	0.51	0.31	ug/L		05/19/14 14:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
3,4-Dinitrotoluene	94		79 - 111	05/13/14 13:31	05/16/14 22:23	1
3,4-Dinitrotoluene	89		79 - 111	05/13/14 13:31	05/19/14 14:47	1

Method: 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Arsenic	10	U	10	10	3.3	ug/L		05/15/14 10:28	1
Chromium	4.0	U	7.0	4.0	1.4	ug/L		05/15/14 10:28	1
Cobalt	4.0	U	7.0	4.0	1.5	ug/L		05/15/14 10:28	1
Lead	5.0	U	10	5.0	1.7	ug/L		05/15/14 10:28	1
Selenium	10	U	15	10	4.0	ug/L		05/15/14 10:28	1
Silver	5.0	U	7.0	5.0	1.7	ug/L		05/15/14 10:28	1
Vanadium	4.0	U	7.0	4.0	1.3	ug/L		05/15/14 10:28	1
Barium	5.0	U	200	5.0	2.8	ug/L		05/15/14 10:28	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH)

TestAmerica Job ID: 240-37114-1

Client Sample ID: FWGEQUIPRINSE1-0443-GW

Lab Sample ID: 240-37114-17

Date Collected: 05/07/14 13:42

Matrix: Water

Date Received: 05/08/14 14:50

Method: 6010B - Metals (ICP) - Total Recoverable (Continued)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Calcium	1000	U	5000	1000	630	ug/L		05/15/14 10:28	1
Copper	10	U	25	10	4.4	ug/L		05/15/14 10:28	1
Magnesium	300	U	5000	300	120	ug/L		05/15/14 10:28	1
Manganese	5.0	U	15	5.0	1.8	ug/L		05/15/14 10:28	1
Nickel	5.0	U	40	5.0	2.2	ug/L		05/15/14 10:28	1
Potassium	900	U	5000	900	300	ug/L		05/15/14 10:28	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Aluminum	60	U	60	60	20	ug/L		05/21/14 15:08	1
Antimony	1.0	U	2.0	1.0	0.33	ug/L		05/21/14 15:08	1
Beryllium	1.0	U	1.0	1.0	0.50	ug/L		05/21/14 15:08	1
Cadmium	1.0	U	2.0	1.0	0.40	ug/L		05/21/14 15:08	1
Iron	100	U	150	100	44	ug/L		05/21/14 15:08	1
Sodium	400	U	1000	400	160	ug/L		05/21/14 15:08	1
Thallium	1.5	U	2.0	1.5	0.79	ug/L		05/21/14 15:08	1
Zinc	50	U	50	50	27	ug/L		05/21/14 15:08	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Hg	0.20	U	0.20	0.20	0.12	ug/L		05/15/14 15:25	1

General Chemistry

Analyte	Result	Qualifier	LOQ	LOD	DL	Unit	D	Analyzed	Dil Fac
Cyanide, Total	0.0050	U	0.010	0.0050	0.0032	mg/L		05/20/14 10:33	1
Nitrocellulose	1.0	U	2.0	1.0	0.48	mg/L		05/15/14 17:03	1

TestAmerica Canton

**CHAIN OF CUSTODY
AND
RECEIVING DOCUMENTS**



240-37114 Chain of Custody

THE LEADER IN ENVIRONMENTAL TESTING

Regulatory program: ☐ DW ☐ NPDES ☒ RCRA ☐ Other

©2008, TestAmerica Laboratories, Inc. All rights reserved.
TestAmerica & Design™ are trademarks of TestAmerica Laboratories, Inc.

TAL-0018 (1008)

Chain of Custody Record

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratory location:

North Canton

Regulatory program:

☐ DW☐ NPDES☐ RCRA☒ OtherDDO ASM / 10/15
246 5/17/14

TestAmerica Laboratories, Inc.

Client Contact		Client Project Manager:		Site Contact:		Lab Contact:		COC No:	
Company Name: EQM		Sohn Miller		A. Dragotta		Mark Loeb		56010	
Address: 1800 Carillon Blvd		Telephone: 513 825-7500		Telephone: 513-825-7500		Telephone: 330-497-9396		1 of 1 COCs	
City/State/Zip: Cincinnati Ohio 45240		Email: adragotta@eqm.com		Analysis Turnaround Time (in BUS days)		Analyses		For lab use only	
Phone: 513-825-7500				TAT if different from below		<input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		Walk-in client <input type="checkbox"/> Lab pickup <input type="checkbox"/> Lab sampling <input type="checkbox"/> Job/SDG No:	
Project Name: RYAAP (0+1)		Method of Shipment/Carrier: Lab Pickup							
Project Number: C30174.0016.001.11.1		Shipping/Tracking No: N/A							
PO #									
Sample Identification		Sample Date		Sample Time		Matrix		Containers & Preservatives	
						<input type="checkbox"/> Air <input type="checkbox"/> Aqueous <input type="checkbox"/> Sediment <input type="checkbox"/> Solid <input type="checkbox"/> Other:		<input type="checkbox"/> H2SO4 <input type="checkbox"/> HNO3 <input type="checkbox"/> HCl <input type="checkbox"/> NaOH <input type="checkbox"/> ZnAc/ <input type="checkbox"/> NaOH <input type="checkbox"/> Unpres <input type="checkbox"/> Other:	
						Filtered Sample (Y/N)		Composited (Y/N)	
						VSA 820		SVOC 4 8270	
						Pesticides 8281		PCB 8082	
						Explosive/Propellants		Cyanide 9012	
						Metals base/lead/7470		SVOC 1 8270	
								Sample Specific Notes / Special Instructions: COOLER ID	
FWG Team 3 - TRIP		05/17/14		0730		X		2	
FWG LL3mw-246-0439-GW				0943		X		1 9	
FWG LL3mw-246-0439-GF				↓		X		1	
FWG LL3mw-DUPI-0442-GW				1043		X		1 9	
FWG LL3mw-DUPI-0442-GF				↓		X		1	
FWG LL2mw-271-0438-GW				1259		X		3X 29	
FWG LL2mw-271-0438-GF				↓		X		X3	
FWG LL1mw-064C-0436-GW				1637		X		7	
FWG LL1mw-064C-0436-GF				↓		X		1	
								5/17/14	
Possible Hazard Identification		<input type="checkbox"/> Non-Hazard		<input type="checkbox"/> Flammable		<input type="checkbox"/> Skin Irritant		<input type="checkbox"/> Poison B	
		<input checked="" type="checkbox"/> Unknown							
Special Instructions/QC Requirements & Comments		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)		<input type="checkbox"/> Return to Client		<input checked="" type="checkbox"/> Disposal By Lab		<input type="checkbox"/> Archive For _____ Months	
Metals field filtered		All VOA's in cooler TAO		MS/MSD on sample FWG LL2mw-271-0438-GW/GF					
Relinquished by: [Signature]		Company: EQ		Date/Time: 5/18/14 1400		Received by: [Signature]		Company: TestAmerica	
Relinquished by: [Signature]		Company: TestAmerica		Date/Time: 5-8-14-1450		Received by: [Signature]		Company: TAC	
Relinquished by: [Signature]		Company: [Signature]		Date/Time: [Signature]		Received in Laboratory by: [Signature]		Company: [Signature]	

North Canton

Regulatory program:

DW

☐ NPDES☐ RCRA☒ Other

DOD CGM
12/15

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

©2008 TestAmerica Laboratories, Inc. All rights reserved.
TestAmerica & Design™ are trademarks of TestAmerica Laboratories, Inc.

TAL 0018- 1 (04/10)

TestAmerica Canton Sample Receipt Form/Narrative

Login # : 37114

Canton Facility

Client ERM

Site Name

Cooler unpacked by: [Signature]

Cooler Received on 5/8/14

Opened on 5/8/14

FedEx: 1st Grd Exp UPS FAS Stetson Client Drop Off TestAmerica Courier Other

TestAmerica Cooler # Foam Box Client Cooler Box Other

Packing material used: Bubble Wrap Foam Plastic Bag None Other

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt

IR GUN# A (CF +0 °C) Observed Cooler Temp. °C Corrected Cooler Temp. °C

IR GUN# 4 (CF -1 °C) Observed Cooler Temp. °C Corrected Cooler Temp. °C

IR GUN# 5 (CF +1 °C) Observed Cooler Temp. °C Corrected Cooler Temp. °C

IR GUN# 8 (CF +1 °C) Observed Cooler Temp. °C Corrected Cooler Temp. °C

☒ See Multiple Cooler Form

2. Were custody seals on the outside of the cooler(s)? If Yes Quantity 1EA Yes No

-Were custody seals on the outside of the cooler(s) signed & dated? Yes No NA

-Were custody seals on the bottle(s)? Yes No

3. Shippers' packing slip attached to the cooler(s)? Yes No

4. Did custody papers accompany the sample(s)? Yes No

5. Were the custody papers relinquished & signed in the appropriate place? Yes No

6. Did all bottles arrive in good condition (Unbroken)? Yes No

7. Could all bottle labels be reconciled with the COC? Yes No

8. Were correct bottle(s) used for the test(s) indicated? Yes No

9. Sufficient quantity received to perform indicated analyses? Yes No

10. Were sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC391902

11. Were VOAs on the COC? Yes No

12. Were air bubbles >6 mm in any VOA vials? Yes No NA

13. Was a trip blank present in the cooler(s)? Yes No

Contacted PM Date by via Verbal Voice Mail Other

Concerning

14. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: [Signature]

15. SAMPLE CONDITION

Sample(s) were received after the recommended holding time had expired.

Sample(s) were received in a broken container.

Sample(s) were received with bubble >6 mm in diameter. (Notify PM)

16. SAMPLE PRESERVATION

Sample(s) were further preserved in the laboratory.

Time preserved: Preservative(s) added/Lot number(s):

Appendix I

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angye Dragotta/August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8260B

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
1. Did Chain-of-Custody information agree with laboratory report?	X				
2. Were samples preserved properly and received in good condition?	X				QAPP Table 5-1,
3. Were holding times met?	X				QAPP Table 5-1, J/UJ/R
4. Were sample storage requirements met?	X				QAPP Table 5-1,
5. Were all QAPP addendum-specified target analytes reported?	X				QAPP Table 4-5
6. Was the GC/MS system tuned with bromofluorobenzene (BFB) during each 12 hour shift (prior to ICAL and Cal Ver.)?	X				QSM Table F-4
7. Calibration					
7a. Did the initial calibration curve consist of 5 concentration levels?	X			Instrument A3UX9-4/3/14	QSM Table F-4 R
7b. Did the Calibration Check Compounds (CCCs) (see Table 1 below) relative standard deviations (%RSD) \leq 30%?	X				QSM Table F-4 R
7c. Were the minimum response factors (RFs) for the System Performance Check Compounds (SPCCs) (see Table 2 below) met?	X				QSM Table F-4
7d. Did target analytes with an average calibration type have an RSD \leq 15%?	X				QSM Table F-4 15% <RSD< 20% = J/UJ
7e. IF the RSD was >15% was a different calibration option used?	X				
7f. If a linear regression curve was used, was the correlation coefficient $r > 0.995$?	X			Bromomethane, carbon disulfide, trans-1,2-dichloroethene used a linear fit	QSM Table F-4 R<0.995=-J/R
7g. If a non-linear regression was used, was the COD $r \geq 0.99$, with a minimum of 6 points for second order and 7 points for third order?	X				QSM Table F-4 R<0.99=-J/R
8. Was a LOD Level Verification performed quarterly for each reported analyte with detected results?	X				QSM Table F-4 and section D.1.2.1

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angye Dragotta/August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8260B

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
9. Was a MRL Level Verification run at the beginning and end of every daily sequence or every 12 hours?	X			5/19/14 @ 1005 and 1529	
10. Were the QC/MRL recoveries 70-130%		X		<ul style="list-style-type: none"> The opening MRL analyzed 5/19/14 @ 1005 recovered above control limits of 70-130% for vinyl chloride at 137%. The closing MRL analyzed 5/19/14 @ 1529 recovered above control limits of 70-130% for bromomethane at 138% and below control limits of 70-130% for 2-hexanone at 67%, bromoform at 69%, carbon disulfide at 55%, carbon tetrachloride at 63%, 2-butanone at 66% and MIBK at 67%. A verification check sample was analyzed following the closing MRL with detected results for the outlier analytes. <p>The 2-hexanone, bromoform, carbon disulfide, carbon tetrachloride, 2-butanone and MIBK results for samples FWGTEAM3-TRIP050814, FWGLL1MW-088-0437-GW, FWGEQUIPRINSE2-0444-GW, FWGTEAM3-TRIP, FWGLL3MW-246-0439-GW, FWGLL3MW-DUP1-0442-GW, FWGLL2MW-271-0438-GW, FWGTEAM2-TRIP and FWGEQUIPRINSE1-0443-GW were qualified as estimated, "J/ UJ". No qualifications were required for the bromomethane or vinyl chloride outliers as there were no detected concentrations of bromomethane or vinyl chloride reported for the bracketed field samples.</p>	Louisville Supplement to the DOD QSM
11. Was a second source verification (ICV) analyzed? Were results 80-120%?	X			4/3/14 @ 2204	QSM Table F-4 J=<80% and >120%
12. Was a CCV run daily prior to analysis and every 12 hours of analysis time?	X			5/19/14 @0907	QSM Table F-4
12a. Were the average response factors (RFs) for the (SPCCs) (see Table 2 below) met?	X				QSM Table F-4
12b. Were all target analytes $\leq 20\%D$?	X				QSM Table F-4 %D <20% = J/UJ
13. Were the internal standards added to every sample?	X				QSM Table F-4
13a. Was the EICP area between -50% and +100% of the ICAL mid-point standard?	X				QSM Table F-4 R
13b. Were the retention times for all IS compounds within ± 30 seconds from the RT of the mid-point standard in the ICAL?	X				QSM Table F-4 J/UJ
14. Were the retention times for target analytes	X				QSM Table F-4

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angye Dragotta/August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8260B

within ± 0.06 RRT units from the RT of the mid-point standard in the ICAL or the most recently updated RRT for all samples?					J
15. Was a method blank prepared and analyzed with each batch?	X				QSM Table F-4
15a. Were target analytes detected in the method blank $>1/2$ the MRL and $>RL$ for common contaminants?		X		Checked by ADR.	QSM Table F-4 $<5/10X = B$
16. Was a field blank (equipment and/or trip) collected and analyzed?	X				
16a. Were target analytes detected in the field blanks?	X			Checked by ADR. Chloroform was detected in FWGTEAM3-Trip050814 at $0.35\mu\text{g/L}$, FWGTEAM3-Trip at $0.29\mu\text{g/L}$ and at $0.34\mu\text{g/L}$ in sample FWGTEAM2-Trip. FWGEQUIPRINSE2-0444-GW had acetone detected at $14\mu\text{g/L}$, carbon disulfide at $0.69\mu\text{g/L}$, 2-butanone at $3.6\mu\text{g/L}$ and toluene at $0.22\mu\text{g/L}$. FWGEQUIPRINSE1-0443-GW had acetone detected at $12\mu\text{g/L}$, 2-butanone at $1.5\mu\text{g/L}$ and toluene at $0.20\mu\text{g/L}$. There were no detected acetone, chloroform, carbon disulfide, 2-butanone or toluene concentrations reported for the associated field samples, so no qualifications were required.	QSM Table F-4 $<5/10X = B$
17. Was a LCS prepared and analyzed with each batch?	X				QSM Table F-4
17a. Were the LCS recoveries within limits specified in Table G-5 of the DoD QSM?	X			ADR checked section;	QSM Table F-4, Table G-5, J/UJ
18. Was a MS/MSD prepared with each batch?	X				QSM Table F-4
18a. Were the MS/MSD recoveries within limits specified in Table G-4 of the DoD QSM with an RPD $<30\%$?	X				QSM Table F-4, Table G-5 J/UJ Parent sample only
19. Was a field duplicate analyzed?	X				QSM Table F-4,
19a. Were the field duplicates RPDs within $\pm 30\%$?	X				QSM Table F-4, RPD $>30 = J$ Parent sample only

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angye Dragotta/August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8260B

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
20. Were surrogate recoveries within control limits specified in the DOD QSM?	X				QSM Tables F-4 & G-3 >150%=J; 10% -50%=J/UJ; <10%=J/R
21. Were reported sample concentrations within calibration range?	X				

References:

DoD Quality Systems Manual (QSM), version 4.1, October 2010

Louisville DoD Quality Systems Manual Supplement (LS), Version 1 March 2007

Final Facility Wide Groundwater Monitoring Program, RVAAP-66 Facility Wide Groundwater Quality Assurance Project Plan (QAPP) Addendum for the Ravenna Army Ammunition Plant, Ravenna, OH, Environmental Quality Management, January 2012

Final Facility Wide Quality Assurance Project Plan for Environmental Investigations Groundwater for the Ravenna Army Ammunition Plant, Ravenna, OH, SAIC, February 2011

Additional Comments:

Table1- CCCs

Analyte
1,1-Dichloroethene
Chloroform
1,2-Dichloropropane
Toluene
Ethylbenzene
Vinyl chloride

Table 2- SPCCs

Analyte	Minimum RF
Chloromethane	0.10
1,1-Dichlorethane	0.10
Bromoform	0.10
Chlorobenzene	0.30
1,1,2,2-Tetrachloroethane	0.30

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta/ August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8270

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
1. Did Chain-of-Custody information agree with laboratory report?	X				
2. Were samples preserved properly and received in good condition?	X				QAPP Table 5-1,
3. Were holding times met?	X				QAPP Table 5-1, J/UJ/R
4. Were sample storage requirements met?	X				QAPP Table 5-1,
5. Were all QAPP-specified target analytes reported?	X				QAPP Table 4-6
6. Was the GC/MS system tuned each 12 hour shift (prior to ICAL and Cal Ver.)?	X				QSM Table F-4
7. Initial Calibration					
7a. Did the initial calibration curve consist of 5 concentration levels?	X			Instrument A4HP9-5/28/14 Instrument A4HP7-5/14/14	QSM Table F-4 R
7b. Did the Calibration Check Compounds (CCCs) (see Table 1 below) relative standard deviations (%RSD) \leq 30%?	X				QSM Table F-4 R
7c. Were the minimum response factors (RFs) for the System Performance Check Compounds (SPCCs) (see Table 2 below) \leq 0.050?	X				QSM Table F-4
7d. Were all other target analytes reported with an avg response have an RSD \leq 15%?	X				QSM Table F-4 15% <RSD< 20% = J/UJ
7e. IF the RSD was >15% was a different calibration option used?	X				
7f. If a linear regression curve was used, was the correlation coefficient $r > 0.995$?	X				QSM Table F-4 R<0.99=-J/R
7g. If a non-linear regression was used, was the COD $r \geq 0.99$, with a minimum of 6 points for second order and 7 points for third order?	X			Instrument A4HP7; 2,4-dinitrophenol and 4,6-dinitro-2-methylphenol used a linear fit. Instrument A4HP9; Benzoic acid and 4,6-dinitro-2-methylphenol used a linear fit.	QSM Table F-4 R<0.99=-J/R
8. Was a LOD Level Verification performed quarterly for each reported analyte?	X				QSM Table F-4 and section D.1.2.1
9. Was a breakdown check run at the beginning of every 12 hours with DDT degradation <20% and tailing factors of benzidine and pentachlorophenol ≤ 2 ?	X				QSM Table F-4 R

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta/ August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8270

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
10. Was a MRL Level Verification run at the beginning and end of every daily sequence or every 12 hours with recoveries within 70-130%?	X			Instrument A4HP7-5/16/14 @ 1108, 1710 Instrument A4HP9-5/30/14 @0853, 1148	Louisville Supplement to the DOD QSM
11. Was a second source verification (ICV) analyzed? Were results 80-120%?	X			Instrument A4HP7-5/14/14 @ 2018 Instrument A4HP9-5/28/14 @1644	QSM Table F-4 J=<80% and >120%
12. Was a CCV run daily prior to analysis and every 12 hours of analysis time?	X			Instrument A4HP7-5/16/14 @ 0956 Instrument A4HP9-5/30/14 @0823	QSM Table F-4
12a. Were the average response factors (RFs) for the System Performance Check Compounds (SPCCs) ≥ 0.050 ?	X				QSM Table F-4
12b. Were all target analytes $\leq 20\% D$?	X				QSM Table F-4 %D <20% = J/UJ
13. Were the internal standards added to every sample?	X				QSM Table F-4
13a. Was the EICP area between -50% and +100% of the ICAL mid-point standard?	X				QSM Table F-4 R
13b. Were the retention times for all IS compounds within ± 30 seconds from the RT of the mid-point standard in the ICAL?	X				QSM Table F-4 J/UJ
14. Were the retention times for target analytes within ± 0.06 RRT units from the RT of the mid-point standard in the ICAL or the most recently updated RRT for all samples?	X				QSM Table F-4 J
15. Was a method blank prepared and analyzed with each batch?	X				QSM Table F-4
15a. Were target analytes detected in the method blank $> 1/2$ the MRL, $> RL$ for common contaminants?	X			Checked by ADR.	QSM Table F-4 <5/10X =B
16. Was a field blank (equipment and/or trip) collected and analyzed?	X			FWGEQUIPRINSE2-0444-GW and FWGEQUIPRINSE1-0443-GW	
16a. Were target analytes detected in the field blank?	X			<ul style="list-style-type: none"> FWGEQUIPRINSE2-0444-GW had diethylphthalate detected at 2.7 $\mu\text{g/L}$, naphthalene at 0.14 $\mu\text{g/L}$ and phenol at 0.73 $\mu\text{g/L}$. FWGEQUIPRINSE1-0443-GW had diethylphthalate detected at 3.2 $\mu\text{g/L}$. 	QSM Table F-4 <5/10X =B

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta/ August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8270

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
				The naphthalene result for sample FWGLL1mw-088-0437-GW and the diethyl phthalate result for sample FWGLL2mw-271-0438-GW were qualified, "B", as the reported concentrations were less than 5x the associated equipment rinse contamination.	
17. Was a LCS prepared and analyzed with each batch?	X				QSM Table F-4
17a. Were the LCS recoveries within limits specified in Table G-6 of the DoD QSM?		X		ADR checked section; Hexachlorocyclopentadiene recovered below control limits of 10-115% in LCS 240-130172 at 9%. The hexachlorocyclopentadiene results for the associated samples (FWGLL1mw-088-0437-GW, FWGLL3mw-246-0439-GW and FWGLL3mw-DUP1-0442-GW) were qualified as estimated, "UJ".	QSM Table F-4, Table G-6 J/UJ
18. Was a MS/MSD prepared with each batch?	X				
18a. Were the MS/MSD recoveries within limits specified in Table G-6 of the DoD QSM with an RPD <30%?	X			Checked by ADR	QSM Table F-4, Table G-6 J/UJ Parent sample only
19. Was a field duplicate analyzed?	X				
19a. Were the field duplicates RPDs within $\pm 50\%$?		X		The field duplicate analyzed on sample FWGLL3mw-246-0439-GW, had an RPD above control limits of 50% for naphthalene at 200%. The naphthalene result for sample FWGLL3mw-246-0439-GW was qualified as estimated, "J".	QSM Table F-4, RPD >50=J Parent sample only
20. Were surrogate recoveries within control limits specified in the DOD QSM?	X				QSM Tables F-4 & G-3 >150%=J; 10% - 50%=J/UJ; <10%=J/R
21. Were reported sample concentrations within calibration range?	X				

References:

- *DoD Quality Systems Manual (QSM), version 4.1, October 2010*
- *Louisville DoD Quality Systems Manual Supplement (LS), Version 1 March 2007*
- *Final Facility Wide Groundwater Monitoring Program, RVAAP-66 Facility Wide Groundwater Quality Assurance Project Plan (QAPP) Addendum for the Ravenna Army Ammunition Plant, Ravenna, OH, Environmental Quality Management, January 2012*
- *Final Facility Wide Quality Assurance Project Plan for Environmental Investigations Groundwater for the Ravenna Army Ammunition Plant, Ravenna, OH, SAIC, February 2011*

Additional Comments:

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta/ August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8270

Table 1: CCCs (*All analytes if CCCs not included in standard*)

Base / Neutral Compounds	Acid Compounds
Acenaphthalene	4-Chloro-3-methylphenol
1,4-Dichlorobenzene	2,4-Dichlorophenol
Hexachlorobutadiene	2-Nitrophenol
N-Nitrosodiphehylamine	Phenol
Di-n-octylphthalate	Pentachlorophenol
Fluoroanthene	2,4,6-Trichlorophenol
Benzo(a)pyrene	

Table 2: SPCCs -

N-Nitroso-di-n-propylamine	0.050
Hexachlorocyclopentadiene	0.050
2,4-Dinitrophenol	0.050
4-Nitrophenol	0.050

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta / June 13, 2014

SDG: 240-37114, rev1

Analysis: SW846 8081A

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
1. Did Chain-of-Custody information agree with laboratory report?	X				
2. Were samples preserved properly and received in good condition?	X				QAPP Table 5-1, NELAC
3. Were holding times met?	X			Checked by ADR.	QAPP Table 5-1 J/UJ/R
4. Were sample storage requirements met?	X				QAPP Table 5-1
5. Were all QAPP-specified target analytes reported?	X				QAPP Table 4-3
6. Was a DDT standard analyzed every 12 hours? Was the DDT %breakdown <15%?	X				QSM Table F-2 >15%=J/R
7. Was an endrin standard analyzed every 12 hours? Was the endrin %breakdown <15%?	X				QSM Table F-2 >15%=J/R
8. Initial Calibration					
8a. Does the initial calibration curve consist of 5 concentration levels?	X			Instrument A2HP3 4/30/14 & 5/20/14, 4/30/14 (tox)	QSM Table F-2 R
8a. Were the %RSDs for each analyte $\leq 20\%$? OR was the average %RSD $\geq 20\%$ with the $r^2 > 0.990$?	X				QSM Table F-2 RSD>20% or r<0.99=J/R
9. Was a LOD Level Verification performed once per quarter with all target analytes detected?	X				QSM Table F-2 R
10. Was a MRL Verification performed at the beginning and end of the sequence or every 12 hours with results within limits of 70-130%?	X			Only the primary column recoveries were evaluated as there were no detected concentrations reported requiring confirmation.	QSM Table F-2, G-14 >UL=J; <LL=J/UJ/R
11. Was a second source (ICV) verification analyzed after the ICAL? Were results 80-120%?	X			A2HP3 5/1/14 @0118 and 5/20/14 @ 1544 4/30/14 @ 2007 (tox)	QSM Table F-2 >120%=J;<80%=J/UJ
12. Was a CCV run every 12 hours or at the beginning and end of the analytical run with the %D for all target analytes $\leq 20\%$?	X			A2HP3; 5/16/14 @ 1403, 1846 and 2139. 5/16/14 (tox) @ 1342 and 2118. 5/20/14 @ 2017 and tox on 5/20/14 @1607 and 1954.	QSM Table F-2 >120%=J; <80%=J/UJ
13. Was a method blank prepared and analyzed with each batch?	X				QSM Table F-2
14. Were target analytes detected > ½ the RL?		X			QSM Table F-2 <5x=B
15. Was a field blank collected and analyzed?	X				
16. Were target analytes detected in the field blank		X			QSM Table F-2

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta / June 13, 2014

SDG: 240-37114, rev1

Analysis: SW846 8081A

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
analyses >1/2 the MRL?					<5x=B
17. Was an LCS prepared and analyzed with each batch?	X				QSM Table F-2
18. Were the LCS recoveries within limits specified in QSM Table G-14?		X		Checked by ADR. Endosulfan I recovered below control limits of 50-110% at 46%. The endosulfan I sample result associated with the outlier LCS, FEGEQUIPRINSE1-0443-GW, was qualified as estimated, "UJ".	QSM Table G-14 >UL=J; <LL=J/UJ/R
19. Was a MS/MSD pair prepared with each batch?	X				QSM Table F-2
20. Was the MS/MSD parent a Ravenna sample?	X				
21. Were MS/MSD recoveries and RPD within limits specified in QSM Table G-14?	X			The matrix spike analysis performed on sample FWGLL2mw-271-0438-GW recovered below control limits of 65-125% for alpha-chlordane in both the MS and MSD at 62% and 53%, respectively. The MSD recovered below control limits of 50-110% for endosulfan I at 40% and for endrin ketone at 68% (control limits 75-125%). The alpha-chlordane, endrin ketone and endosulfan I results for sample FWGLL2mw-271-0438-GW were qualified as estimated, "UJ".	QSM Table F-2 Pj with >UL=J; <LL=J/UJ/R
22. Were surrogate recoveries as specified in QSM table G-3?		X		Decachlorobiphenyl recovered below control limits of 30-135% in sample FWGLL1mw-088-0437-GW at 21%. The results for sample FWGLL1mw-088-0437-GW were qualified as estimated, "UJ".	QSM Table F-2 >LL=J; <LL=UJ/J/R
23. Was a field duplicate analyzed? Were the RPDs ≤50%?	X			Checked by ADR.	RPD >50=J parent sample only
24. Were all positive results verified by a second column confirmation? Were the RPD's ≤ 40?			X	There were no detected concentrations greater than the LOQ, so no evaluation was made.	QSM Table F-2 >40 RPD=J

References:

DoD Quality Systems Manual (QSM), version 4.1, October 2010

Louisville DoD Quality Systems Manual Supplement (LS), Version 1 March 2007

Final Facility Wide Groundwater Monitoring Program, RVAAP-66 Facility Wide Groundwater Quality Assurance Project Plan (QAPP) Addendum for the Ravenna Army Ammunition Plant, Ravenna, OH, Environmental Quality Management, January 2012

Final Facility Wide Quality Assurance Project Plan for Environmental Investigations Groundwater for the Ravenna Army Ammunition Plant, Ravenna, OH, SAIC, February 2011

Additional Comments:

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta/ August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8082

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
1. Did Chain-of-Custody information agree with laboratory report?	X				
2. Were samples preserved properly and received in good condition?	X				QAPP Table 5-1
3. Were holding times met?		X		Samples FWGEQUIPRINSE1-0443-GW was extracted outside of hold but within two times hold. The aroclor results for samples FWGEQUIPRINSE1-0443-GW was qualified as estimated, "UJ".	QAPP Table 5-1 J/UJ/R
4. Were sample storage requirements met?	X				QAPP Table 5-1
5. Were all QAPP-specified target analytes reported?	X				QAPP Table 4-3
6. Calibration					
6a. Does the initial calibration curve consist of 5 concentration levels of Aroclors 1016 and 1260?	X			Instrument A2HP12 1/28/14, 5/20/14 Std's = 0.05, 0.1, 0.2, 0.5, 1.0, 2.0	QSM Table F-2 R
6b. Was the % RSD \leq 20%? or Were the r^2 's >0.990 ?	X				QSM Table F-2 RSD $>$ 20% or $r<0.99$ = J/R
7. Was a LOD Verification performed once per quarter? Were all target analytes detected?	X				QSM Table F-2 R
8. Was an MRL Level Verification performed at the beginning and end of the sequence or every 12 hours? Were recoveries 70-130%?	X				LCG Table 3 $>UCL=J$; $<LCL=J/UJ/R$;
9. Was a second source (ICV) verification performed after the ICAL? Were the avg of all peaks for each aroclor 80-120%?	X			1/28/14, 5/21/14	QSM Table F-2 $>120\%=J$; $<80\%=J/UJ/R$
10. Were single standards of the other five Aroclors run to aid in pattern recognition and to determine a single point calibration factor?		X		All aroclors had a multi-point calibration.	Method 8082 Section 5.6.2
11. Was a CCV run every 12 hours?	X			5/13/14@1400, 1701 and 5/22/14@0744, 1102	QSM Table F-2

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta/ August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8082

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
12. Was the % D \leq 20 % for each analyte?	X				QSM Table F-2 D>20%(neg)=J/R D>20% (pos) =J
13. Was a method blank prepared and analyzed with each batch?	X			Section checked by ADR	QSM Table F-2
14. Were target analytes <1/2 the MRL?	X				QSM Table F-2 <5x = B
15. Was an equipment blank collected and analyzed?	X				
16. Were target analytes in the field blank analyses (equipment) <1/2 the MRL?	X			Section checked by ADR	QSM Table F-2 <5x = B
17. Was an LCS prepared and analyzed with each batch?	X				QSM Table F-2
18. Were the LCS recoveries within limits specified in LCG Appendix C?	X			Section checked by ADR	QSM Table F-2, Table G-16, >UL=J; <LCL%=J/R/UJ;
19. Was a MS/MSD pair prepared with each batch?	X				LCG Table 3
20. Was the MS/MSD parent a Ravenna sample?	X				
21. Were MS/MSD recoveries and RPD within limits specified in the DOD QSM Table G-16?	X			The matrix spike and spike duplicate analyzed on sample FWGLL2mw-271-0438-GW had an MS/MSD RPD above control limits of 30% for aroclor 1260 at 53%. No qualification of the data was required as there were no detected aroclor 1260 results reported for sample FWGLL2mw-271-0438-GW.	QSM Table F-2, Table G-16, >UL=J; <LCL%=J/R/UJ;
22. Was the surrogate spiked into all samples?	X				
23. Were surrogate recoveries As specified in table G-3 of the DoD QSM?		X		Checked by ADR. The surrogate, DCB, recovered below control limits of 40-140% for sample FWGLL1mw-088-437-GW at 21%. The aroclor results for sample FWGLL1mw-088-437-GW were qualified as estimated, "UJ".	QSM Table F-2, Table G-3 >UCL=J; <LCL=J/UJ/R
24. Was a field duplicate analyzed? Were the RPDs <50%?	X			Checked by ADR. A field duplicate was not submitted for analysis with this set of samples.	QSM Table F-2, RPD >50=J
25. Were all positive results verified by a second dissimilar column confirmation? Was the RPD \leq 40?			X	No detected concentrations were reported that required confirmation.	QSM Table F-2, RPD>40=J

References:

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angye Dragotta/August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8260B

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
1. Did Chain-of-Custody information agree with laboratory report?	X				
2. Were samples preserved properly and received in good condition?	X				QAPP Table 5-1,
3. Were holding times met?	X				QAPP Table 5-1, J/UJ/R
4. Were sample storage requirements met?	X				QAPP Table 5-1,
5. Were all QAPP addendum-specified target analytes reported?	X				QAPP Table 4-5
6. Was the GC/MS system tuned with bromofluorobenzene (BFB) during each 12 hour shift (prior to ICAL and Cal Ver.)?	X				QSM Table F-4
7. Calibration					
7a. Did the initial calibration curve consist of 5 concentration levels?	X			Instrument A3UX9-4/3/14	QSM Table F-4 R
7b. Did the Calibration Check Compounds (CCCs) (see Table 1 below) relative standard deviations (%RSD) \leq 30%?	X				QSM Table F-4 R
7c. Were the minimum response factors (RFs) for the System Performance Check Compounds (SPCCs) (see Table 2 below) met?	X				QSM Table F-4
7d. Did target analytes with an average calibration type have an RSD \leq 15%?	X				QSM Table F-4 15% <RSD< 20% = J/UJ
7e. IF the RSD was >15% was a different calibration option used?	X				
7f. If a linear regression curve was used, was the correlation coefficient $r > 0.995$?	X			Bromomethane, carbon disulfide, trans-1,2-dichloroethene used a linear fit	QSM Table F-4 R<0.995=-J/R
7g. If a non-linear regression was used, was the COD $r \geq 0.99$, with a minimum of 6 points for second order and 7 points for third order?	X				QSM Table F-4 R<0.99=-J/R
8. Was a LOD Level Verification performed quarterly for each reported analyte with detected results?	X				QSM Table F-4 and section D.1.2.1

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angye Dragotta/August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8260B

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
9. Was a MRL Level Verification run at the beginning and end of every daily sequence or every 12 hours?	X			5/19/14 @ 1005 and 1529	
10. Were the QC/MRL recoveries 70-130%		X		<ul style="list-style-type: none"> The opening MRL analyzed 5/19/14 @ 1005 recovered above control limits of 70-130% for vinyl chloride at 137%. The closing MRL analyzed 5/19/14 @ 1529 recovered above control limits of 70-130% for bromomethane at 138% and below control limits of 70-130% for 2-hexanone at 67%, bromoform at 69%, carbon disulfide at 55%, carbon tetrachloride at 63%, 2-butanone at 66% and MIBK at 67%. A verification check sample was analyzed following the closing MRL with detected results for the outlier analytes. <p>The 2-hexanone, bromoform, carbon disulfide, carbon tetrachloride, 2-butanone and MIBK results for samples FWGTEAM3-TRIP050814, FWGLL1MW-088-0437-GW, FWGEQUIPRINSE2-0444-GW, FWGTEAM3-TRIP, FWGLL3MW-246-0439-GW, FWGLL3MW-DUP1-0442-GW, FWGLL2MW-271-0438-GW, FWGTEAM2-TRIP and FWGEQUIPRINSE1-0443-GW were qualified as estimated, "J/ UJ". No qualifications were required for the bromomethane or vinyl chloride outliers as there were no detected concentrations of bromomethane or vinyl chloride reported for the bracketed field samples.</p>	Louisville Supplement to the DOD QSM
11. Was a second source verification (ICV) analyzed? Were results 80-120%?	X			4/3/14 @ 2204	QSM Table F-4 J=<80% and >120%
12. Was a CCV run daily prior to analysis and every 12 hours of analysis time?	X			5/19/14 @0907	QSM Table F-4
12a. Were the average response factors (RFs) for the (SPCCs) (see Table 2 below) met?	X				QSM Table F-4
12b. Were all target analytes $\leq 20\%D$?	X				QSM Table F-4 %D <20% = J/UJ
13. Were the internal standards added to every sample?	X				QSM Table F-4
13a. Was the EICP area between -50% and +100% of the ICAL mid-point standard?	X				QSM Table F-4 R
13b. Were the retention times for all IS compounds within ± 30 seconds from the RT of the mid-point standard in the ICAL?	X				QSM Table F-4 J/UJ
14. Were the retention times for target analytes	X				QSM Table F-4

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angye Dragotta/August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8260B

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
within ± 0.06 RRT units from the RT of the mid-point standard in the ICAL or the most recently updated RRT for all samples?					J
15. Was a method blank prepared and analyzed with each batch?	X				QSM Table F-4
15a. Were target analytes detected in the method blank $>1/2$ the MRL and $>RL$ for common contaminants?		X		Checked by ADR.	QSM Table F-4 $<5/10X = B$
16. Was a field blank (equipment and/or trip) collected and analyzed?	X				
16a. Were target analytes detected in the field blanks?	X			Checked by ADR. Chloroform was detected in FWGTEAM3-Trip050814 at $0.35\mu\text{g/L}$, FWGTEAM3-Trip at $0.29\mu\text{g/L}$ and at $0.34\mu\text{g/L}$ in sample FWGTEAM2-Trip. FWGEQUIPRINSE2-0444-GW had acetone detected at $14\mu\text{g/L}$, carbon disulfide at $0.69\mu\text{g/L}$, 2-butanone at $3.6\mu\text{g/L}$ and toluene at $0.22\mu\text{g/L}$. FWGEQUIPRINSE1-0443-GW had acetone detected at $12\mu\text{g/L}$, 2-butanone at $1.5\mu\text{g/L}$ and toluene at $0.20\mu\text{g/L}$. There were no detected acetone, chloroform, carbon disulfide, 2-butanone or toluene concentrations reported for the associated field samples, so no qualifications were required.	QSM Table F-4 $<5/10X = B$
17. Was a LCS prepared and analyzed with each batch?	X				QSM Table F-4
17a. Were the LCS recoveries within limits specified in Table G-5 of the DoD QSM?	X			ADR checked section;	QSM Table F-4, Table G-5, J/UJ
18. Was a MS/MSD prepared with each batch?	X				QSM Table F-4
18a. Were the MS/MSD recoveries within limits specified in Table G-4 of the DoD QSM with an RPD $<30\%$?	X				QSM Table F-4, Table G-5 J/UJ Parent sample only
19. Was a field duplicate analyzed?	X				QSM Table F-4,
19a. Were the field duplicates RPDs within $\pm 30\%$?	X				QSM Table F-4, RPD $>30 = J$ Parent sample only

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angye Dragotta/August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8260B

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
20. Were surrogate recoveries within control limits specified in the DOD QSM?	X				QSM Tables F-4 & G-3 >150%=J; 10% -50%=J/UJ; <10%=J/R
21. Were reported sample concentrations within calibration range?	X				

References:

DoD Quality Systems Manual (QSM), version 4.1, October 2010

Louisville DoD Quality Systems Manual Supplement (LS), Version 1 March 2007

Final Facility Wide Groundwater Monitoring Program, RVAAP-66 Facility Wide Groundwater Quality Assurance Project Plan (QAPP) Addendum for the Ravenna Army Ammunition Plant, Ravenna, OH, Environmental Quality Management, January 2012

Final Facility Wide Quality Assurance Project Plan for Environmental Investigations Groundwater for the Ravenna Army Ammunition Plant, Ravenna, OH, SAIC, February 2011

Additional Comments:

Table1- CCCs

Analyte
1,1-Dichloroethene
Chloroform
1,2-Dichloropropane
Toluene
Ethylbenzene
Vinyl chloride

Table 2- SPCCs

Analyte	Minimum RF
Chloromethane	0.10
1,1-Dichlorethane	0.10
Bromoform	0.10
Chlorobenzene	0.30
1,1,2,2-Tetrachloroethane	0.30

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta/ August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8270

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
1. Did Chain-of-Custody information agree with laboratory report?	X				
2. Were samples preserved properly and received in good condition?	X				QAPP Table 5-1,
3. Were holding times met?	X				QAPP Table 5-1, J/UJ/R
4. Were sample storage requirements met?	X				QAPP Table 5-1,
5. Were all QAPP-specified target analytes reported?	X				QAPP Table 4-6
6. Was the GC/MS system tuned each 12 hour shift (prior to ICAL and Cal Ver.)?	X				QSM Table F-4
7. Initial Calibration					
7a. Did the initial calibration curve consist of 5 concentration levels?	X			Instrument A4HP9-5/28/14 Instrument A4HP7-5/14/14	QSM Table F-4 R
7b. Did the Calibration Check Compounds (CCCs) (see Table 1 below) relative standard deviations (%RSD) \leq 30%?	X				QSM Table F-4 R
7c. Were the minimum response factors (RFs) for the System Performance Check Compounds (SPCCs) (see Table 2 below) \leq 0.050?	X				QSM Table F-4
7d. Were all other target analytes reported with an avg response have an RSD \leq 15%?	X				QSM Table F-4 15% <RSD< 20% = J/UJ
7e. IF the RSD was >15% was a different calibration option used?	X				
7f. If a linear regression curve was used, was the correlation coefficient $r > 0.995$?	X				QSM Table F-4 R<0.99=-J/R
7g. If a non-linear regression was used, was the COD $r \geq 0.99$, with a minimum of 6 points for second order and 7 points for third order?	X			Instrument A4HP7; 2,4-dinitrophenol and 4,6-dinitro-2-methylphenol used a linear fit. Instrument A4HP9; Benzoic acid and 4,6-dinitro-2-methylphenol used a linear fit.	QSM Table F-4 R<0.99=-J/R
8. Was a LOD Level Verification performed quarterly for each reported analyte?	X				QSM Table F-4 and section D.1.2.1
9. Was a breakdown check run at the beginning of every 12 hours with DDT degradation <20% and tailing factors of benzidine and pentachlorophenol ≤ 2 ?	X				QSM Table F-4 R

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta/ August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8270

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
10. Was a MRL Level Verification run at the beginning and end of every daily sequence or every 12 hours with recoveries within 70-130%?	X			Instrument A4HP7-5/16/14 @ 1108, 1710 Instrument A4HP9-5/30/14 @0853, 1148	Louisville Supplement to the DOD QSM
11. Was a second source verification (ICV) analyzed? Were results 80-120%?	X			Instrument A4HP7-5/14/14 @ 2018 Instrument A4HP9-5/28/14 @1644	QSM Table F-4 J=<80% and >120%
12. Was a CCV run daily prior to analysis and every 12 hours of analysis time?	X			Instrument A4HP7-5/16/14 @ 0956 Instrument A4HP9-5/30/14 @0823	QSM Table F-4
12a. Were the average response factors (RFs) for the System Performance Check Compounds (SPCCs) ≥ 0.050 ?	X				QSM Table F-4
12b. Were all target analytes $\leq 20\% D$?	X				QSM Table F-4 %D <20% = J/UJ
13. Were the internal standards added to every sample?	X				QSM Table F-4
13a. Was the EICP area between -50% and +100% of the ICAL mid-point standard?	X				QSM Table F-4 R
13b. Were the retention times for all IS compounds within ± 30 seconds from the RT of the mid-point standard in the ICAL?	X				QSM Table F-4 J/UJ
14. Were the retention times for target analytes within ± 0.06 RRT units from the RT of the mid-point standard in the ICAL or the most recently updated RRT for all samples?	X				QSM Table F-4 J
15. Was a method blank prepared and analyzed with each batch?	X				QSM Table F-4
15a. Were target analytes detected in the method blank $> 1/2$ the MRL, $> RL$ for common contaminants?	X			Checked by ADR.	QSM Table F-4 <5/10X =B
16. Was a field blank (equipment and/or trip) collected and analyzed?	X			FWGEQUIPRINSE2-0444-GW and FWGEQUIPRINSE1-0443-GW	
16a. Were target analytes detected in the field blank?	X			<ul style="list-style-type: none"> FWGEQUIPRINSE2-0444-GW had diethylphthalate detected at 2.7 $\mu\text{g/L}$, naphthalene at 0.14 $\mu\text{g/L}$ and phenol at 0.73 $\mu\text{g/L}$. FWGEQUIPRINSE1-0443-GW had diethylphthalate detected at 3.2 $\mu\text{g/L}$. 	QSM Table F-4 <5/10X =B

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta/ August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8270

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
				The naphthalene result for sample FWGLL1mw-088-0437-GW and the diethyl phthalate result for sample FWGLL2mw-271-0438-GW were qualified, "B", as the reported concentrations were less than 5x the associated equipment rinse contamination.	
17. Was a LCS prepared and analyzed with each batch?	X				QSM Table F-4
17a. Were the LCS recoveries within limits specified in Table G-6 of the DoD QSM?		X		ADR checked section; Hexachlorocyclopentadiene recovered below control limits of 10-115% in LCS 240-130172 at 9%. The hexachlorocyclopentadiene results for the associated samples (FWGLL1mw-088-0437-GW, FWGLL3mw-246-0439-GW and FWGLL3mw-DUP1-0442-GW) were qualified as estimated, "UJ".	QSM Table F-4, Table G-6 J/UJ
18. Was a MS/MSD prepared with each batch?	X				
18a. Were the MS/MSD recoveries within limits specified in Table G-6 of the DoD QSM with an RPD <30%?	X			Checked by ADR	QSM Table F-4, Table G-6 J/UJ Parent sample only
19. Was a field duplicate analyzed?	X				
19a. Were the field duplicates RPDs within $\pm 50\%$?		X		The field duplicate analyzed on sample FWGLL3mw-246-0439-GW, had an RPD above control limits of 50% for naphthalene at 200%. The naphthalene result for sample FWGLL3mw-246-0439-GW was qualified as estimated, "J".	QSM Table F-4, RPD >50=J Parent sample only
20. Were surrogate recoveries within control limits specified in the DOD QSM?	X				QSM Tables F-4 & G-3 >150%=J; 10% - 50%=J/UJ; <10%=J/R
21. Were reported sample concentrations within calibration range?	X				

References:

- *DoD Quality Systems Manual (QSM), version 4.1, October 2010*
- *Louisville DoD Quality Systems Manual Supplement (LS), Version 1 March 2007*
- *Final Facility Wide Groundwater Monitoring Program, RVAAP-66 Facility Wide Groundwater Quality Assurance Project Plan (QAPP) Addendum for the Ravenna Army Ammunition Plant, Ravenna, OH, Environmental Quality Management, January 2012*
- *Final Facility Wide Quality Assurance Project Plan for Environmental Investigations Groundwater for the Ravenna Army Ammunition Plant, Ravenna, OH, SAIC, February 2011*

Additional Comments:

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta/ August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8270

Table 1: CCCs (*All analytes if CCCs not included in standard*)

Base / Neutral Compounds	Acid Compounds
Acenaphthalene	4-Chloro-3-methylphenol
1,4-Dichlorobenzene	2,4-Dichlorophenol
Hexachlorobutadiene	2-Nitrophenol
N-Nitrosodiphehylamine	Phenol
Di-n-octylphthalate	Pentachlorophenol
Fluoroanthene	2,4,6-Trichlorophenol
Benzo(a)pyrene	

Table 2: SPCCs -

N-Nitroso-di-n-propylamine	0.050
Hexachlorocyclopentadiene	0.050
2,4-Dinitrophenol	0.050
4-Nitrophenol	0.050

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta / June 13, 2014

SDG: 240-37114, rev1

Analysis: SW846 8081A

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
1. Did Chain-of-Custody information agree with laboratory report?	X				
2. Were samples preserved properly and received in good condition?	X				QAPP Table 5-1, NELAC
3. Were holding times met?	X			Checked by ADR.	QAPP Table 5-1 J/UJ/R
4. Were sample storage requirements met?	X				QAPP Table 5-1
5. Were all QAPP-specified target analytes reported?	X				QAPP Table 4-3
6. Was a DDT standard analyzed every 12 hours? Was the DDT %breakdown <15%?	X				QSM Table F-2 >15%=J/R
7. Was an endrin standard analyzed every 12 hours? Was the endrin %breakdown <15%?	X				QSM Table F-2 >15%=J/R
8. Initial Calibration					
8a. Does the initial calibration curve consist of 5 concentration levels?	X			Instrument A2HP3 4/30/14 & 5/20/14, 4/30/14 (tox)	QSM Table F-2 R
8a. Were the %RSDs for each analyte $\leq 20\%$? OR was the average %RSD $\geq 20\%$ with the $r^2 > 0.990$?	X				QSM Table F-2 RSD>20% or r<0.99=J/R
9. Was a LOD Level Verification performed once per quarter with all target analytes detected?	X				QSM Table F-2 R
10. Was a MRL Verification performed at the beginning and end of the sequence or every 12 hours with results within limits of 70-130%?	X			Only the primary column recoveries were evaluated as there were no detected concentrations reported requiring confirmation.	QSM Table F-2, G-14 >UL=J; <LL=J/UJ/R
11. Was a second source (ICV) verification analyzed after the ICAL? Were results 80-120%?	X			A2HP3 5/1/14 @0118 and 5/20/14 @ 1544 4/30/14 @ 2007 (tox)	QSM Table F-2 >120%=J;<80%=J/UJ
12. Was a CCV run every 12 hours or at the beginning and end of the analytical run with the %D for all target analytes $\leq 20\%$?	X			A2HP3; 5/16/14 @ 1403, 1846 and 2139. 5/16/14 (tox) @ 1342 and 2118. 5/20/14 @ 2017 and tox on 5/20/14 @1607 and 1954.	QSM Table F-2 >120%=J; <80%=J/UJ
13. Was a method blank prepared and analyzed with each batch?	X				QSM Table F-2
14. Were target analytes detected > ½ the RL?		X			QSM Table F-2 <5x=B
15. Was a field blank collected and analyzed?	X				
16. Were target analytes detected in the field blank		X			QSM Table F-2

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta / June 13, 2014

SDG: 240-37114, rev1

Analysis: SW846 8081A

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
analyses >1/2 the MRL?					<5x=B
17. Was an LCS prepared and analyzed with each batch?	X				QSM Table F-2
18. Were the LCS recoveries within limits specified in QSM Table G-14?		X		Checked by ADR. Endosulfan I recovered below control limits of 50-110% at 46%. The endosulfan I sample result associated with the outlier LCS, FEGEQUIPRINSE1-0443-GW, was qualified as estimated, "UJ".	QSM Table G-14 >UL=J; <LL=J/UJ/R
19. Was a MS/MSD pair prepared with each batch?	X				QSM Table F-2
20. Was the MS/MSD parent a Ravenna sample?	X				
21. Were MS/MSD recoveries and RPD within limits specified in QSM Table G-14?	X			The matrix spike analysis performed on sample FWGLL2mw-271-0438-GW recovered below control limits of 65-125% for alpha-chlordane in both the MS and MSD at 62% and 53%, respectively. The MSD recovered below control limits of 50-110% for endosulfan I at 40% and for endrin ketone at 68% (control limits 75-125%). The alpha-chlordane, endrin ketone and endosulfan I results for sample FWGLL2mw-271-0438-GW were qualified as estimated, "UJ".	QSM Table F-2 Pj with >UL=J; <LL=J/UJ/R
22. Were surrogate recoveries as specified in QSM table G-3?		X		Decachlorobiphenyl recovered below control limits of 30-135% in sample FWGLL1mw-088-0437-GW at 21%. The results for sample FWGLL1mw-088-0437-GW were qualified as estimated, "UJ".	QSM Table F-2 >LL=J; <LL=UJ/J/R
23. Was a field duplicate analyzed? Were the RPDs ≤50%?	X			Checked by ADR.	RPD >50=J parent sample only
24. Were all positive results verified by a second column confirmation? Were the RPD's ≤ 40?			X	There were no detected concentrations greater than the LOQ, so no evaluation was made.	QSM Table F-2 >40 RPD=J

References:

DoD Quality Systems Manual (QSM), version 4.1, October 2010

Louisville DoD Quality Systems Manual Supplement (LS), Version 1 March 2007

Final Facility Wide Groundwater Monitoring Program, RVAAP-66 Facility Wide Groundwater Quality Assurance Project Plan (QAPP) Addendum for the Ravenna Army Ammunition Plant, Ravenna, OH, Environmental Quality Management, January 2012

Final Facility Wide Quality Assurance Project Plan for Environmental Investigations Groundwater for the Ravenna Army Ammunition Plant, Ravenna, OH, SAIC, February 2011

Additional Comments:

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta/ August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8082

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
1. Did Chain-of-Custody information agree with laboratory report?	X				
2. Were samples preserved properly and received in good condition?	X				QAPP Table 5-1
3. Were holding times met?		X		Samples FWGEQUIPRINSE1-0443-GW was extracted outside of hold but within two times hold. The aroclor results for samples FWGEQUIPRINSE1-0443-GW was qualified as estimated, "UJ".	QAPP Table 5-1 J/UJ/R
4. Were sample storage requirements met?	X				QAPP Table 5-1
5. Were all QAPP-specified target analytes reported?	X				QAPP Table 4-3
6. Calibration					
6a. Does the initial calibration curve consist of 5 concentration levels of Aroclors 1016 and 1260?	X			Instrument A2HP12 1/28/14, 5/20/14 Std's = 0.05, 0.1, 0.2, 0.5, 1.0, 2.0	QSM Table F-2 R
6b. Was the % RSD \leq 20%? or Were the r^2 's >0.990 ?	X				QSM Table F-2 RSD $>$ 20% or $r<0.99$ = J/R
7. Was a LOD Verification performed once per quarter? Were all target analytes detected?	X				QSM Table F-2 R
8. Was an MRL Level Verification performed at the beginning and end of the sequence or every 12 hours? Were recoveries 70-130%?	X				LCG Table 3 >UCL=J; <LCL=J/UJ/R;
9. Was a second source (ICV) verification performed after the ICAL? Were the avg of all peaks for each aroclor 80-120%?	X			1/28/14, 5/21/14	QSM Table F-2 >120%=J; <80%=J/ UJ/R
10. Were single standards of the other five Aroclors run to aid in pattern recognition and to determine a single point calibration factor?		X		All aroclors had a multi-point calibration.	Method 8082 Section 5.6.2
11. Was a CCV run every 12 hours?	X			5/13/14@1400, 1701 and 5/22/14@0744, 1102	QSM Table F-2

Ravenna, OH Data Review Checklist

Project Number: 030174.0016

Sample Event: May 2014

Data Reviewer/Date: Angela Dragotta/ August 18, 2014

SDG: 240-37114, rev1

Analysis: SW846 8082

Review Questions:	Yes	No	N/A	Comments	Qual/Criteria
12. Was the % D \leq 20 % for each analyte?	X				QSM Table F-2 D>20%(neg)=J/R D>20% (pos) =J
13. Was a method blank prepared and analyzed with each batch?	X			Section checked by ADR	QSM Table F-2
14. Were target analytes <1/2 the MRL?	X				QSM Table F-2 <5x = B
15. Was an equipment blank collected and analyzed?	X				
16. Were target analytes in the field blank analyses (equipment) <1/2 the MRL?	X			Section checked by ADR	QSM Table F-2 <5x = B
17. Was an LCS prepared and analyzed with each batch?	X				QSM Table F-2
18. Were the LCS recoveries within limits specified in LCG Appendix C?	X			Section checked by ADR	QSM Table F-2, Table G-16, >UL=J; <LCL%=J/R/UJ;
19. Was a MS/MSD pair prepared with each batch?	X				LCG Table 3
20. Was the MS/MSD parent a Ravenna sample?	X				
21. Were MS/MSD recoveries and RPD within limits specified in the DOD QSM Table G-16?	X			The matrix spike and spike duplicate analyzed on sample FWGLL2mw-271-0438-GW had an MS/MSD RPD above control limits of 30% for aroclor 1260 at 53%. No qualification of the data was required as there were no detected aroclor 1260 results reported for sample FWGLL2mw-271-0438-GW.	QSM Table F-2, Table G-16, >UL=J; <LCL%=J/R/UJ;
22. Was the surrogate spiked into all samples?	X				
23. Were surrogate recoveries As specified in table G-3 of the DoD QSM?		X		Checked by ADR. The surrogate, DCB, recovered below control limits of 40-140% for sample FWGLL1mw-088-437-GW at 21%. The aroclor results for sample FWGLL1mw-088-437-GW were qualified as estimated, "UJ".	QSM Table F-2, Table G-3 >UCL=J; <LCL=J/UJ/R
24. Was a field duplicate analyzed? Were the RPDs <50%?	X			Checked by ADR. A field duplicate was not submitted for analysis with this set of samples.	QSM Table F-2, RPD >50=J
25. Were all positive results verified by a second dissimilar column confirmation? Was the RPD \leq 40?			X	No detected concentrations were reported that required confirmation.	QSM Table F-2, RPD>40=J

References:

Appendix II

Overall Qualified Results

Analytical Method	Field Sample ID	Matrix	Sample Type	Analyte	RL	Lab Result	Unc / Error	Overall Qualifier	Units	Reason Code
SDG: 240-37114-1										
6010B	FWGEQUIPRINSE2-0444-GW	AQ	EB	LEAD	5.0	1.7J		J	ug/L	RI
6010B	FWGLL1MW-064C-0436-GF	AQ	N	ARSENIC	10	4.5J		J	ug/L	RI
				NICKEL	5.0	2.5J		J	ug/L	RI
				POTASSIUM	900	800J		J	ug/L	RI
6010B	FWGLL1MW-088-0437-GF	AQ	N	LEAD	5.0	2.0J		B	ug/L	Eb
6010B	FWGLL2MW-271-0438-GF	AQ	N	ARSENIC	10	5.5J		J	ug/L	RI
				BARIUM	5.0	3.4J		J	ug/L	RI
6020	FWGLL2MW-271-0438-GF	AQ	N	THALLIUM	1.5	0.83J		J	ug/L	RI
6020	FWGLL3MW-DUP1-0442-GF	AQ	FD	ANTIMONY	1.0	0.35J		J	ug/L	RI
8081A	FWGEQUIPRINSE1-0443-GW	AQ	EB	ENDOSULFAN I	0.020	0.020U Q		UJ	ug/L	Lcs

Overall Qualified Results

Analytical Method	Field Sample ID	Matrix	Sample Type	Analyte	RL	Lab Result	Unc / Error	Overall Qualifier	Units	Reason Code
SDG: 240-37114-1										
8081A	FWGLL1MW-088-0437-GW	AQ	N							
				4,4'-DDD	0.019	0.019U		UJ	ug/L	Surr
				4,4'-DDE	0.019	0.019U		UJ	ug/L	Surr
				4,4'-DDT	0.019	0.019U		UJ	ug/L	Surr
				ALDRIN	0.019	0.019U		UJ	ug/L	Surr
				ALPHA-BHC	0.019	0.019U		UJ	ug/L	Surr
				ALPHA-CHLORDANE	0.019	0.019U		UJ	ug/L	Surr
				BETA-BHC	0.019	0.019U		UJ	ug/L	Surr
				DELTA-BHC	0.019	0.019U		UJ	ug/L	Surr
				DIELDRIN	0.019	0.019U		UJ	ug/L	Surr
				ENDOSULFAN I	0.019	0.019U		UJ	ug/L	Surr
				ENDOSULFAN II	0.019	0.019U		UJ	ug/L	Surr
				ENDOSULFAN SULFATE	0.019	0.019U		UJ	ug/L	Surr
				ENDRIN	0.019	0.019U		UJ	ug/L	Surr
				ENDRIN ALDEHYDE	0.019	0.019U		UJ	ug/L	Surr
				ENDRIN KETONE	0.019	0.019U		UJ	ug/L	Surr
				gamma-BHC (Lindane)	0.019	0.019U		UJ	ug/L	Surr
				GAMMA-CHLORDANE	0.019	0.019U		UJ	ug/L	Surr
				HEPTACHLOR	0.019	0.019U		UJ	ug/L	Surr
				HEPTACHLOR EPOXIDE	0.019	0.019U		UJ	ug/L	Surr
				METHOXYCHLOR	0.048	0.048U		UJ	ug/L	Surr
				TOXAPHENE	0.76	0.76U		UJ	ug/L	Surr
8081A	FWGLL2MW-271-0438-GW	AQ	N							
				ALPHA-CHLORDANE	0.020	0.020U J		UJ	ug/L	Ms
				ENDOSULFAN I	0.020	0.020U J		UJ	ug/L	Ms
				ENDRIN KETONE	0.020	0.020U J		UJ	ug/L	Ms

Overall Qualified Results

Analytical Method	Field Sample ID	Matrix	Sample Type	Analyte	RL	Lab Result	Unc / Error	Overall Qualifier	Units	Reason Code
SDG: 240-37114-1										
8082	FWGEQUIPRINSE1-0443-GW	AQ	EB							
				AROCLOR 1016	0.20	0.20U H		UJ	ug/L	StoE
				AROCLOR 1221	0.20	0.20U H		UJ	ug/L	StoE
				AROCLOR 1232	0.20	0.20U H		UJ	ug/L	StoE
				AROCLOR 1242	0.40	0.40U H		UJ	ug/L	StoE
				AROCLOR 1248	0.20	0.20U H		UJ	ug/L	StoE
				AROCLOR 1254	0.20	0.20U H		UJ	ug/L	StoE
				AROCLOR 1260	0.20	0.20U H		UJ	ug/L	StoE
8082	FWGLL1MW-088-0437-GW	AQ	N							
				AROCLOR 1016	0.19	0.19U		UJ	ug/L	Surr
				AROCLOR 1221	0.19	0.19U		UJ	ug/L	Surr
				AROCLOR 1232	0.19	0.19U		UJ	ug/L	Surr
				AROCLOR 1242	0.38	0.38U		UJ	ug/L	Surr
				AROCLOR 1248	0.19	0.19U		UJ	ug/L	Surr
				AROCLOR 1254	0.19	0.19U		UJ	ug/L	Surr
				AROCLOR 1260	0.19	0.19U		UJ	ug/L	Surr
8260B	FWGEQUIPRINSE1-0443-GW	AQ	EB							
				2-BUTANONE	0.57	1.5J		J	ug/L	ProfJudg
				2-HEXANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				4-METHYL-2-PENTANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				BROMODICHLOROMETHANE	0.25	0.25U		UJ	ug/L	ProfJudg
				BROMOFORM	0.64	0.64U		UJ	ug/L	ProfJudg
				CARBON DISULFIDE	0.25	0.25U		UJ	ug/L	ProfJudg
				CARBON TETRACHLORIDE	0.25	0.25U		UJ	ug/L	ProfJudg
				TOLUENE	0.25	0.20J		J	ug/L	RI

Overall Qualified Results

Analytical Method	Field Sample ID	Matrix	Sample Type	Analyte	RL	Lab Result	Unc / Error	Overall Qualifier	Units	Reason Code
SDG: 240-37114-1										
8260B	FWGEQUIPRINSE2-0444-GW	AQ	EB							
				2-BUTANONE	0.57	3.6J		J	ug/L	ProfJudg
				2-HEXANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				4-METHYL-2-PENTANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				BROMODICHLOROMETHANE	0.25	0.25U		UJ	ug/L	ProfJudg
				BROMOFORM	0.64	0.64U		UJ	ug/L	ProfJudg
				CARBON DISULFIDE	0.25	0.69J M		J	ug/L	ProfJudg
				CARBON TETRACHLORIDE	0.25	0.25U		UJ	ug/L	ProfJudg
				TOLUENE	0.25	0.22J		J	ug/L	RI
8260B	FWGLL1MW-088-0437-GW	AQ	N							
				2-BUTANONE	0.57	0.57U		UJ	ug/L	ProfJudg
				2-HEXANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				4-METHYL-2-PENTANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				BROMODICHLOROMETHANE	0.25	0.25U		UJ	ug/L	ProfJudg
				BROMOFORM	0.64	0.64U		UJ	ug/L	ProfJudg
				CARBON DISULFIDE	0.25	0.25U		UJ	ug/L	ProfJudg
				CARBON TETRACHLORIDE	0.25	0.25U		UJ	ug/L	ProfJudg
8260B	FWGLL2MW-271-0438-GW	AQ	N							
				2-BUTANONE	0.57	0.57U		UJ	ug/L	ProfJudg
				2-HEXANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				4-METHYL-2-PENTANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				BROMODICHLOROMETHANE	0.25	0.25U		UJ	ug/L	ProfJudg
				BROMOFORM	0.64	0.64U		UJ	ug/L	ProfJudg
				CARBON DISULFIDE	0.25	0.25U		UJ	ug/L	ProfJudg
				CARBON TETRACHLORIDE	0.25	0.25U		UJ	ug/L	ProfJudg

Overall Qualified Results

Analytical Method	Field Sample ID	Matrix	Sample Type	Analyte	RL	Lab Result	Unc / Error	Overall Qualifier	Units	Reason Code
SDG: 240-37114-1										
8260B	FWGLL3MW-246-0439-GW	AQ	N							
				2-BUTANONE	0.57	0.57U		UJ	ug/L	ProfJudg
				2-HEXANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				4-METHYL-2-PENTANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				BROMODICHLOROMETHANE	0.25	0.25U		UJ	ug/L	ProfJudg
				BROMOFORM	0.64	0.64U		UJ	ug/L	ProfJudg
				CARBON DISULFIDE	0.25	0.25U		UJ	ug/L	ProfJudg
				CARBON TETRACHLORIDE	0.25	0.25U		UJ	ug/L	ProfJudg
8260B	FWGLL3MW-DUP1-0442-GW	AQ	FD							
				2-BUTANONE	0.57	0.57U		UJ	ug/L	ProfJudg
				2-HEXANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				4-METHYL-2-PENTANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				BROMODICHLOROMETHANE	0.25	0.25U		UJ	ug/L	ProfJudg
				BROMOFORM	0.64	0.64U		UJ	ug/L	ProfJudg
				CARBON DISULFIDE	0.25	0.25U		UJ	ug/L	ProfJudg
				CARBON TETRACHLORIDE	0.25	0.25U		UJ	ug/L	ProfJudg
8260B	FWGTEAM2-TRIP	AQ	TB							
				2-BUTANONE	0.57	0.57U		UJ	ug/L	ProfJudg
				2-HEXANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				4-METHYL-2-PENTANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				BROMODICHLOROMETHANE	0.25	0.25U		UJ	ug/L	ProfJudg
				BROMOFORM	0.64	0.64U		UJ	ug/L	ProfJudg
				CARBON DISULFIDE	0.25	0.25U		UJ	ug/L	ProfJudg
				CARBON TETRACHLORIDE	0.25	0.25U		UJ	ug/L	ProfJudg

N = Normal Sample *TB = Trip Blank*
FD = Field Duplicate *FB = Field Blank*

Overall Qualified Results

Analytical Method	Field Sample ID	Matrix	Sample Type	Analyte	RL	Lab Result	Unc / Error	Overall Qualifier	Units	Reason Code
SDG: 240-37114-1										
8260B	FWGTEAM3-TRIP	AQ	TB	2-BUTANONE	0.57	0.57U		UJ	ug/L	ProfJudg
				2-HEXANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				4-METHYL-2-PENTANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				BROMODICHLOROMETHANE	0.25	0.25U		UJ	ug/L	ProfJudg
				BROMOFORM	0.64	0.64U		UJ	ug/L	ProfJudg
				CARBON DISULFIDE	0.25	0.25U		UJ	ug/L	ProfJudg
				CARBON TETRACHLORIDE	0.25	0.25U		UJ	ug/L	ProfJudg
8260B	FWGTEAM3-TRIP050814	AQ	TB	2-BUTANONE	0.57	0.57U		UJ	ug/L	ProfJudg
				2-HEXANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				4-METHYL-2-PENTANONE	0.50	0.50U		UJ	ug/L	ProfJudg
				BROMODICHLOROMETHANE	0.25	0.25U		UJ	ug/L	ProfJudg
				BROMOFORM	0.64	0.64U		UJ	ug/L	ProfJudg
				CARBON DISULFIDE	0.25	0.25U		UJ	ug/L	ProfJudg
				CARBON TETRACHLORIDE	0.25	0.25U		UJ	ug/L	ProfJudg
8270C-SVOC4	FWGEQUIPRINSE2-0444-GW	AQ	EB	HEXACHLOROCYCLOPENTADIENE	0.48	0.48U Q		UJ	ug/L	Lcs
				PHENOL	0.95	0.73J		J	ug/L	RI
8270C-SVOC4	FWGLL1MW-088-0437-GW	AQ	N	HEXACHLOROCYCLOPENTADIENE	0.51	0.51U Q		UJ	ug/L	Lcs
				NAPHTHALENE	0.10	0.15J		B	ug/L	Eb
8270C-SVOC4	FWGLL2MW-271-0438-GW	AQ	N	Diethylphthalate	0.95	0.64J		B	ug/L	Eb
8270C-SVOC4	FWGLL3MW-246-0439-GW	AQ	N	HEXACHLOROCYCLOPENTADIENE	0.48	0.48U Q		UJ	ug/L	Lcs
				NAPHTHALENE	0.095	0.10J		J	ug/L	Fd

N = Normal Sample TB = Trip Blank
 FD = Field Duplicate FB = Field Blank

Overall Qualified Results

Analytical Method	Field Sample ID	Matrix	Sample Type	Analyte	RL	Lab Result	Unc / Error	Overall Qualifier	Units	Reason Code
SDG: 240-37114-1										
8270C-SVOC4	FWGLL3MW-DUP1-0442-GW	AQ	FD	HEXACHLOROCYCLOPENTADIENE	0.48	0.48U Q		UJ	ug/L	Lcs
8330	FWGLL3MW-246-0439-GW	AQ	N	Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	0.051	0.039J M		J	ug/L	RI
8330	FWGLL3MW-DUP1-0442-GW	AQ	FD	Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	0.050	0.036J M		J	ug/L	RI
9012A	FWGEQUIPRINSE1-0443-GW	AQ	EB	CYANIDE	0.0050	0.0050U		UJ	mg/L	ProfJudg
9012A	FWGEQUIPRINSE2-0444-GW	AQ	EB	CYANIDE	0.0050	0.0050U		UJ	mg/L	ProfJudg
9012A	FWGLL1MW-088-0437-GW	AQ	N	CYANIDE	0.0050	0.0050U		UJ	mg/L	ProfJudg
9012A	FWGLL2MW-271-0438-GW	AQ	N	CYANIDE	0.0050	0.0050U		UJ	mg/L	ProfJudg
9012A	FWGLL3MW-246-0439-GW	AQ	N	CYANIDE	0.0050	0.0050U		UJ	mg/L	ProfJudg
9012A	FWGLL3MW-DUP1-0442-GW	AQ	FD	CYANIDE	0.0050	0.0050U		UJ	mg/L	ProfJudg

N = Normal Sample *TB* = Trip Blank
FD = Field Duplicate *FB* = Field Blank



Data Qualifier Summary

Lab Reporting Batch ID: 240-37114-1

Laboratory: TA CAN

EDD Filename: Prep240-37114-1revA3

eQAPP Name: RVAAP 66-rev June 2014

Method Category: GENCHEM

Method: 9012A

Matrix: AQ

Sample ID: FWGEQUIPRINSE1-0443-GW

Collected: 5/7/2014 1:42:00 PM

Analysis Type: RES/TOT

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
CYANIDE	0.0050	U	0.0032	MDL	0.0050	LOD	mg/L	UJ	ProfJudg

Sample ID: FWGEQUIPRINSE2-0444-GW

Collected: 5/8/2014 1:00:00 PM

Analysis Type: RES/TOT

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
CYANIDE	0.0050	U	0.0032	MDL	0.0050	LOD	mg/L	UJ	ProfJudg

Sample ID: FWGLL1MW-088-0437-GW

Collected: 5/8/2014 10:29:00

Analysis Type: RES/TOT

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
CYANIDE	0.0050	U	0.0032	MDL	0.0050	LOD	mg/L	UJ	ProfJudg

Sample ID: FWGLL2MW-271-0438-GW

Collected: 5/7/2014 12:59:00

Analysis Type: RES/TOT

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
CYANIDE	0.0050	U	0.0032	MDL	0.0050	LOD	mg/L	UJ	ProfJudg

Sample ID: FWGLL3MW-246-0439-GW

Collected: 5/7/2014 9:43:00 AM

Analysis Type: RES/TOT

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
CYANIDE	0.0050	U	0.0032	MDL	0.0050	LOD	mg/L	UJ	ProfJudg

Sample ID: FWGLL3MW-DUP1-0442-GW

Collected: 5/7/2014 10:43:00

Analysis Type: RES/TOT

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
CYANIDE	0.0050	U	0.0032	MDL	0.0050	LOD	mg/L	UJ	ProfJudg

Method Category: METALS

Method: 6010B

Matrix: AQ

Sample ID: FWGEQUIPRINSE2-0444-GW

Collected: 5/8/2014 1:00:00 PM

Analysis Type: RES/TOT

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
LEAD	1.7	J	1.7	MDL	5.0	LOD	ug/L	J	RI

* denotes a non-reportable result

Project Name and Number: 30174.0016.01.11.1 - USACE Project: USACE Project: RVAAP (OH)

6/16/2014 12:56:03 PM

ADR version 1.8.0.248 (Licensed For Use On USACE Projects Only)

Page 1 of 9



Data Qualifier Summary

Lab Reporting Batch ID: 240-37114-1

Laboratory: TA CAN

EDD Filename: Prep240-37114-1revA3

eQAPP Name: RVAAP 66-rev June 2014

Method Category: METALS

Method: 6010B

Matrix: AQ

Sample ID: FWGLL1MW-064C-0436-GF

Collected: 5/7/2014 4:37:00 PM

Analysis Type: RES/TOT

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
ARSENIC	4.5	J	3.3	MDL	10	LOD	ug/L	J	RI
NICKEL	2.5	J	2.2	MDL	5.0	LOD	ug/L	J	RI
POTASSIUM	800	J	300	MDL	900	LOD	ug/L	J	RI

Sample ID: FWGLL1MW-088-0437-GF

Collected: 5/8/2014 10:29:00

Analysis Type: RES/TOT

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
LEAD	2.0	J	1.7	MDL	5.0	LOD	ug/L	U	Eb

Sample ID: FWGLL2MW-271-0438-GF

Collected: 5/7/2014 12:59:00

Analysis Type: RES/TOT

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
ARSENIC	5.5	J	3.3	MDL	10	LOD	ug/L	J	RI
BARIUM	3.4	J	2.8	MDL	5.0	LOD	ug/L	J	RI

Method Category: METALS

Method: 6020

Matrix: AQ

Sample ID: FWGLL2MW-271-0438-GF

Collected: 5/7/2014 12:59:00

Analysis Type: RES/TOT

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
THALLIUM	0.83	J	0.79	MDL	1.5	LOD	ug/L	J	RI

Sample ID: FWGLL3MW-DUP1-0442-GF

Collected: 5/7/2014 10:43:00

Analysis Type: RES/TOT

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
ANTIMONY	0.35	J	0.33	MDL	1.0	LOD	ug/L	J	RI

Method Category: SVOA

Method: 8081A

Matrix: AQ

Sample ID: FWGEQUIPRINSE1-0443-GW

Collected: 5/7/2014 1:42:00 PM

Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
ENDOSULFAN I	0.020	U Q	0.013	MDL	0.020	LOD	ug/L	UJ	Lcs

* denotes a non-reportable result

Project Name and Number: 30174.0016.01.11.1 - USACE Project: USACE Project: RVAAP (OH)

6/16/2014 12:56:03 PM

ADR version 1.8.0.248 (Licensed For Use On USACE Projects Only)

Page 2 of 9



Data Qualifier Summary

Lab Reporting Batch ID: 240-37114-1

Laboratory: TA CAN

EDD Filename: Prep240-37114-1revA3

eQAPP Name: RVAAP 66-rev June 2014

Method Category: SVOA

Method: 8081A

Matrix: AQ

Sample ID: FWGLL1MW-088-0437-GW

Collected: 5/8/2014 10:29:00

Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
4,4'-DDD	0.019	U	0.0091	MDL	0.019	LOD	ug/L	UJ	Surr
4,4'-DDE	0.019	U	0.0092	MDL	0.019	LOD	ug/L	UJ	Surr
4,4'-DDT	0.019	U	0.015	MDL	0.019	LOD	ug/L	UJ	Surr
ALDRIN	0.019	U	0.0078	MDL	0.019	LOD	ug/L	UJ	Surr
ALPHA-BHC	0.019	U	0.0067	MDL	0.019	LOD	ug/L	UJ	Surr
ALPHA-CHLORDANE	0.019	U	0.013	MDL	0.019	LOD	ug/L	UJ	Surr
BETA-BHC	0.019	U	0.0080	MDL	0.019	LOD	ug/L	UJ	Surr
DELTA-BHC	0.019	U	0.0083	MDL	0.019	LOD	ug/L	UJ	Surr
DIELDRIN	0.019	U	0.0071	MDL	0.019	LOD	ug/L	UJ	Surr
ENDOSULFAN I	0.019	U	0.012	MDL	0.019	LOD	ug/L	UJ	Surr
ENDOSULFAN II	0.019	U	0.011	MDL	0.019	LOD	ug/L	UJ	Surr
ENDOSULFAN SULFATE	0.019	U	0.010	MDL	0.019	LOD	ug/L	UJ	Surr
ENDRIN	0.019	U	0.010	MDL	0.019	LOD	ug/L	UJ	Surr
ENDRIN ALDEHYDE	0.019	U	0.010	MDL	0.019	LOD	ug/L	UJ	Surr
ENDRIN KETONE	0.019	U	0.0074	MDL	0.019	LOD	ug/L	UJ	Surr
gamma-BHC (Lindane)	0.019	U	0.0061	MDL	0.019	LOD	ug/L	UJ	Surr
GAMMA-CHLORDANE	0.019	U	0.011	MDL	0.019	LOD	ug/L	UJ	Surr
HEPTACHLOR	0.019	U	0.0076	MDL	0.019	LOD	ug/L	UJ	Surr
HEPTACHLOR EPOXIDE	0.019	U	0.0068	MDL	0.019	LOD	ug/L	UJ	Surr
METHOXYCHLOR	0.048	U	0.030	MDL	0.048	LOD	ug/L	UJ	Surr
TOXAPHENE	0.76	U	0.30	MDL	0.76	LOD	ug/L	UJ	Surr

Sample ID: FWGLL2MW-271-0438-GW

Collected: 5/7/2014 12:59:00

Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
ALPHA-CHLORDANE	0.020	U J	0.014	MDL	0.020	LOD	ug/L	UJ	Ms
ENDOSULFAN I	0.020	U J	0.013	MDL	0.020	LOD	ug/L	UJ	Ms
ENDRIN KETONE	0.020	U J	0.0077	MDL	0.020	LOD	ug/L	UJ	Ms

* denotes a non-reportable result

Project Name and Number: 30174.0016.01.11.1 - USACE Project: USACE Project: RVAAP (OH)

6/16/2014 12:56:03 PM

ADR version 1.8.0.248 (Licensed For Use On USACE Projects Only)

Page 3 of 9



Data Qualifier Summary

Lab Reporting Batch ID: 240-37114-1

Laboratory: TA CAN

EDD Filename: Prep240-37114-1revA3

eQAPP Name: RVAAP 66-rev June 2014

Method Category: SVOA

Method: 8082

Matrix: AQ

Sample ID: FWGEQUIPRINSE1-0443-GW

Collected: 5/7/2014 1:42:00 PM

Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
AROCLOR 1016	0.20	U H	0.17	MDL	0.20	LOD	ug/L	UJ	StoE
AROCLOR 1221	0.20	U H	0.13	MDL	0.20	LOD	ug/L	UJ	StoE
AROCLOR 1232	0.20	U H	0.16	MDL	0.20	LOD	ug/L	UJ	StoE
AROCLOR 1242	0.40	U H	0.22	MDL	0.40	LOD	ug/L	UJ	StoE
AROCLOR 1248	0.20	U H	0.099	MDL	0.20	LOD	ug/L	UJ	StoE
AROCLOR 1254	0.20	U H	0.16	MDL	0.20	LOD	ug/L	UJ	StoE
AROCLOR 1260	0.20	U H	0.17	MDL	0.20	LOD	ug/L	UJ	StoE

Sample ID: FWGLL1MW-088-0437-GW

Collected: 5/8/2014 10:29:00

Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
AROCLOR 1016	0.19	U	0.16	MDL	0.19	LOD	ug/L	UJ	Surr
AROCLOR 1221	0.19	U	0.12	MDL	0.19	LOD	ug/L	UJ	Surr
AROCLOR 1232	0.19	U	0.15	MDL	0.19	LOD	ug/L	UJ	Surr
AROCLOR 1242	0.38	U	0.21	MDL	0.38	LOD	ug/L	UJ	Surr
AROCLOR 1248	0.19	U	0.095	MDL	0.19	LOD	ug/L	UJ	Surr
AROCLOR 1254	0.19	U	0.15	MDL	0.19	LOD	ug/L	UJ	Surr
AROCLOR 1260	0.19	U	0.16	MDL	0.19	LOD	ug/L	UJ	Surr

Method Category: SVOA

Method: 8270C-SVOC4

Matrix: AQ

Sample ID: FWGEQUIPRINSE2-0444-GW

Collected: 5/8/2014 1:00:00 PM

Analysis Type: RES-ACID

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
PHENOL	0.73	J	0.57	MDL	0.95	LOD	ug/L	J	RI

Sample ID: FWGEQUIPRINSE2-0444-GW

Collected: 5/8/2014 1:00:00 PM

Analysis Type: RES-BASE/NEUTRAL Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
HEXACHLOROCYCLOPENTADIENE	0.48	U Q	0.23	MDL	0.48	LOD	ug/L	UJ	Lcs

* denotes a non-reportable result

Project Name and Number: 30174.0016.01.11.1 - USACE Project: USACE Project: RVAAP (OH)

6/16/2014 12:56:03 PM

ADR version 1.8.0.248 (Licensed For Use On USACE Projects Only)

Page 4 of 9



Data Qualifier Summary

Lab Reporting Batch ID: 240-37114-1

Laboratory: TA CAN

EDD Filename: Prep240-37114-1revA3

eQAPP Name: RVAAP 66-rev June 2014

Method Category: SVOA

Method: 8270C-SVOC4

Matrix: AQ

Sample ID: FWGLL1MW-088-0437-GW

Collected: 5/8/2014 10:29:00

Analysis Type: RES-BASE/NEUTRAL Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
HEXACHLOROCYCLOPENTADIENE	0.51	U Q	0.24	MDL	0.51	LOD	ug/L	UJ	Lcs
NAPHTHALENE	0.15	J	0.063	MDL	0.10	LOD	ug/L	U	Eb

Sample ID: FWGLL2MW-271-0438-GW

Collected: 5/7/2014 12:59:00

Analysis Type: RES-BASE/NEUTRAL Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
Diethylphthalate	0.64	J	0.57	MDL	0.95	LOD	ug/L	U	Eb

Sample ID: FWGLL3MW-246-0439-GW

Collected: 5/7/2014 9:43:00 AM

Analysis Type: RES-BASE/NEUTRAL Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
HEXACHLOROCYCLOPENTADIENE	0.48	U Q	0.23	MDL	0.48	LOD	ug/L	UJ	Lcs
NAPHTHALENE	0.10	J	0.060	MDL	0.095	LOD	ug/L	J	Fd

Sample ID: FWGLL3MW-DUP1-0442-GW

Collected: 5/7/2014 10:43:00

Analysis Type: RES-BASE/NEUTRAL Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
HEXACHLOROCYCLOPENTADIENE	0.48	U Q	0.23	MDL	0.48	LOD	ug/L	UJ	Lcs

Method Category: SVOA

Method: 8330

Matrix: AQ

Sample ID: FWGLL3MW-246-0439-GW

Collected: 5/7/2014 9:43:00 AM

Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	0.039	J M	0.037	MDL	0.051	LOD	ug/L	J	RI

Sample ID: FWGLL3MW-DUP1-0442-GW

Collected: 5/7/2014 10:43:00

Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	0.036	J M	0.036	MDL	0.050	LOD	ug/L	J	RI

* denotes a non-reportable result

Project Name and Number: 30174.0016.01.11.1 - USACE Project: USACE Project: RVAAP (OH)

6/16/2014 12:56:03 PM

ADR version 1.8.0.248 (Licensed For Use On USACE Projects Only)

Page 5 of 9



Data Qualifier Summary

Lab Reporting Batch ID: 240-37114-1

Laboratory: TA CAN

EDD Filename: Prep240-37114-1revA3

eQAPP Name: RVAAP 66-rev June 2014

Method Category: VOA

Method: 8260B

Matrix: AQ

Sample ID: FWGEQUIPRINSE1-0443-GW

Collected: 5/7/2014 1:42:00 PM

Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
2-BUTANONE	1.5	J	0.57	MDL	0.57	LOD	ug/L	J	ProfJudg
2-HEXANONE	0.50	U	0.41	MDL	0.50	LOD	ug/L	UJ	ProfJudg
4-METHYL-2-PENTANONE	0.50	U	0.32	MDL	0.50	LOD	ug/L	UJ	ProfJudg
BROMODICHLOROMETHANE	0.25	U	0.15	MDL	0.25	LOD	ug/L	UJ	ProfJudg
BROMOFORM	0.64	U	0.64	MDL	0.64	LOD	ug/L	UJ	ProfJudg
CARBON DISULFIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg
CARBON TETRACHLORIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg
TOLUENE	0.20	J	0.13	MDL	0.25	LOD	ug/L	J	RI

Sample ID: FWGEQUIPRINSE2-0444-GW

Collected: 5/8/2014 1:00:00 PM

Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
2-BUTANONE	3.6	J	0.57	MDL	0.57	LOD	ug/L	J	ProfJudg
2-HEXANONE	0.50	U	0.41	MDL	0.50	LOD	ug/L	UJ	ProfJudg
4-METHYL-2-PENTANONE	0.50	U	0.32	MDL	0.50	LOD	ug/L	UJ	ProfJudg
BROMODICHLOROMETHANE	0.25	U	0.15	MDL	0.25	LOD	ug/L	UJ	ProfJudg
BROMOFORM	0.64	U	0.64	MDL	0.64	LOD	ug/L	UJ	ProfJudg
CARBON DISULFIDE	0.69	J M	0.13	MDL	0.25	LOD	ug/L	J	ProfJudg
CARBON TETRACHLORIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg
TOLUENE	0.22	J	0.13	MDL	0.25	LOD	ug/L	J	RI

Sample ID: FWGLL1MW-088-0437-GW

Collected: 5/8/2014 10:29:00

Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
2-BUTANONE	0.57	U	0.57	MDL	0.57	LOD	ug/L	UJ	ProfJudg
2-HEXANONE	0.50	U	0.41	MDL	0.50	LOD	ug/L	UJ	ProfJudg
4-METHYL-2-PENTANONE	0.50	U	0.32	MDL	0.50	LOD	ug/L	UJ	ProfJudg
BROMODICHLOROMETHANE	0.25	U	0.15	MDL	0.25	LOD	ug/L	UJ	ProfJudg
BROMOFORM	0.64	U	0.64	MDL	0.64	LOD	ug/L	UJ	ProfJudg
CARBON DISULFIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg
CARBON TETRACHLORIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg

* denotes a non-reportable result

Project Name and Number: 30174.0016.01.11.1 - USACE Project: USACE Project: RVAAP (OH)

6/16/2014 12:56:04 PM

ADR version 1.8.0.248 (Licensed For Use On USACE Projects Only)

Page 6 of 9



Data Qualifier Summary

Lab Reporting Batch ID: 240-37114-1

Laboratory: TA CAN

EDD Filename: Prep240-37114-1revA3

eQAPP Name: RVAAP 66-rev June 2014

Method Category: VOA

Method: 8260B

Matrix: AQ

Sample ID: FWGLL2MW-271-0438-GW

Collected: 5/7/2014 12:59:00

Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
2-BUTANONE	0.57	U	0.57	MDL	0.57	LOD	ug/L	UJ	ProfJudg
2-HEXANONE	0.50	U	0.41	MDL	0.50	LOD	ug/L	UJ	ProfJudg
4-METHYL-2-PENTANONE	0.50	U	0.32	MDL	0.50	LOD	ug/L	UJ	ProfJudg
BROMODICHLOROMETHANE	0.25	U	0.15	MDL	0.25	LOD	ug/L	UJ	ProfJudg
BROMOFORM	0.64	U	0.64	MDL	0.64	LOD	ug/L	UJ	ProfJudg
CARBON DISULFIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg
CARBON TETRACHLORIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg

Sample ID: FWGLL3MW-246-0439-GW

Collected: 5/7/2014 9:43:00 AM

Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
2-BUTANONE	0.57	U	0.57	MDL	0.57	LOD	ug/L	UJ	ProfJudg
2-HEXANONE	0.50	U	0.41	MDL	0.50	LOD	ug/L	UJ	ProfJudg
4-METHYL-2-PENTANONE	0.50	U	0.32	MDL	0.50	LOD	ug/L	UJ	ProfJudg
BROMODICHLOROMETHANE	0.25	U	0.15	MDL	0.25	LOD	ug/L	UJ	ProfJudg
BROMOFORM	0.64	U	0.64	MDL	0.64	LOD	ug/L	UJ	ProfJudg
CARBON DISULFIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg
CARBON TETRACHLORIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg

Sample ID: FWGLL3MW-DUP1-0442-GW

Collected: 5/7/2014 10:43:00

Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
2-BUTANONE	0.57	U	0.57	MDL	0.57	LOD	ug/L	UJ	ProfJudg
2-HEXANONE	0.50	U	0.41	MDL	0.50	LOD	ug/L	UJ	ProfJudg
4-METHYL-2-PENTANONE	0.50	U	0.32	MDL	0.50	LOD	ug/L	UJ	ProfJudg
BROMODICHLOROMETHANE	0.25	U	0.15	MDL	0.25	LOD	ug/L	UJ	ProfJudg
BROMOFORM	0.64	U	0.64	MDL	0.64	LOD	ug/L	UJ	ProfJudg
CARBON DISULFIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg
CARBON TETRACHLORIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg

Sample ID: FWGTEAM2-TRIP

Collected: 5/7/2014 7:30:00 AM

Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
2-BUTANONE	0.57	U	0.57	MDL	0.57	LOD	ug/L	UJ	ProfJudg
2-HEXANONE	0.50	U	0.41	MDL	0.50	LOD	ug/L	UJ	ProfJudg

* denotes a non-reportable result

Project Name and Number: 30174.0016.01.11.1 - USACE Project: USACE Project: RVAAP (OH)

6/16/2014 12:56:04 PM

ADR version 1.8.0.248 (Licensed For Use On USACE Projects Only)

Page 7 of 9



Data Qualifier Summary

Lab Reporting Batch ID: 240-37114-1

Laboratory: TA CAN

EDD Filename: Prep240-37114-1revA3

eQAPP Name: RVAAP 66-rev June 2014

Method Category: VOA

Method: 8260B

Matrix: AQ

Sample ID: FWGTEAM2-TRIP

Collected: 5/7/2014 7:30:00 AM Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
4-METHYL-2-PENTANONE	0.50	U	0.32	MDL	0.50	LOD	ug/L	UJ	ProfJudg
BROMODICHLOROMETHANE	0.25	U	0.15	MDL	0.25	LOD	ug/L	UJ	ProfJudg
BROMOFORM	0.64	U	0.64	MDL	0.64	LOD	ug/L	UJ	ProfJudg
CARBON DISULFIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg
CARBON TETRACHLORIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg

Sample ID: FWGTEAM3-TRIP

Collected: 5/7/2014 7:30:00 AM Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
2-BUTANONE	0.57	U	0.57	MDL	0.57	LOD	ug/L	UJ	ProfJudg
2-HEXANONE	0.50	U	0.41	MDL	0.50	LOD	ug/L	UJ	ProfJudg
4-METHYL-2-PENTANONE	0.50	U	0.32	MDL	0.50	LOD	ug/L	UJ	ProfJudg
BROMODICHLOROMETHANE	0.25	U	0.15	MDL	0.25	LOD	ug/L	UJ	ProfJudg
BROMOFORM	0.64	U	0.64	MDL	0.64	LOD	ug/L	UJ	ProfJudg
CARBON DISULFIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg
CARBON TETRACHLORIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg

Sample ID: FWGTEAM3-TRIP050814

Collected: 5/8/2014 8:00:00 AM Analysis Type: RES

Dilution: 1

Analyte	Lab Result	Lab Qual	DL	DL Type	RL	RL Type	Units	Data Review Qual	Reason Code
2-BUTANONE	0.57	U	0.57	MDL	0.57	LOD	ug/L	UJ	ProfJudg
2-HEXANONE	0.50	U	0.41	MDL	0.50	LOD	ug/L	UJ	ProfJudg
4-METHYL-2-PENTANONE	0.50	U	0.32	MDL	0.50	LOD	ug/L	UJ	ProfJudg
BROMODICHLOROMETHANE	0.25	U	0.15	MDL	0.25	LOD	ug/L	UJ	ProfJudg
BROMOFORM	0.64	U	0.64	MDL	0.64	LOD	ug/L	UJ	ProfJudg
CARBON DISULFIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg
CARBON TETRACHLORIDE	0.25	U	0.13	MDL	0.25	LOD	ug/L	UJ	ProfJudg

* denotes a non-reportable result

Project Name and Number: 30174.0016.01.11.1 - USACE Project: USACE Project: RVAAP (OH)

6/16/2014 12:56:04 PM

ADR version 1.8.0.248 (Licensed For Use On USACE Projects Only)

Page 8 of 9



Data Qualifier Summary

Lab Reporting Batch ID: 240-37114-1

Laboratory: TA CAN

EDD Filename: Prep240-37114-1revA3

eQAPP Name: RVAAP 66-rev June 2014

Reason Code Legend

<i>Reason Code</i>	<i>Description</i>
Eb	Equipment Blank Contamination
Fd	Field Duplicate Precision
Lcs	Laboratory Control Spike Lower Estimation
Mb	Method Blank Contamination
Ms	Matrix Spike Lower Estimation
Ms	Matrix Spike Precision
ProfJudg	Professional Judgment
RI	Reporting Limit Trace Value
StoE	Sampling to Extraction Estimation
Surr	Surrogate/Tracer Recovery Lower Estimation

* denotes a non-reportable result

Project Name and Number: 30174.0016.01.11.1 - USACE Project: USACE Project: RVAAP (OH)

6/16/2014 12:56:04 PM

ADR version 1.8.0.248 (Licensed For Use On USACE Projects Only)

Page 9 of 9

APPENDIX D

INVESTIGATION-DERIVED WASTE CHARACTERIZATION AND DISPOSAL PLAN



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Craig W. Butler, Director

July 1, 2014

Mr. Brett Merkel
Army National Guard Directorate
ARNGD-ILE Clean Up
111 South George Mason Drive
Arlington, VA 22203

**RE: RAVENNA ARMY AMMUNITION PLANT, PORTAGE/TRUMBULL COUNTIES,
RE: APPROVAL, INVESTIGATION DERIVED WASTE CHARACTERIZATION
AND DISPOSAL PLAN, MAY 2014 GROUNDWATER SAMPLING EVENT FOR
RVAAP-66 FWGMP, Ohio EPA # 267000859036**

Dear Mr. Merkel:

The Ohio Environmental Protection Agency (Ohio EPA) has received and reviewed the, "Draft Investigation Derived Waste Disposal Plan" (IDW), associated with the May 2014 Groundwater Sampling Event in support of the Facility-Wide Groundwater Monitoring Program at the Ravenna Army Ammunition Plant, Ravenna, OH. This document was received at Ohio EPA, Northeast District Office (NEDO), Division of Environmental Response and Revitalization (DERR), on June 9, 2014, and is dated June 3, 2014. The document was prepared for the U.S. Army Corps of Engineers (USACE) – Louisville District, by Environmental Quality Management, Inc. (EQM), under contract no. W912QR-11-F-0266.

The IDW consists of purge water from the ground water sampling event and decontamination wastewater. Six monitoring wells were sampled during this event. The total volume of water is estimated at 37 gallons and is stored in two drums. One drum contained approximately two gallons of decontamination/rinse water and the other contained approximately 35 gallons of purge water. Based on the analytical results, the drum containing approximately 35 gallons of purge water will be classified as nonhazardous and be sent offsite for disposal at a permitted water treatment facility. The drum containing two gallons of decontamination/rinse water was also sampled and analyzed and the water determined to be nonhazardous. Based on the minimal amount of fluid remaining in the second drum, EQM suggested that this drum be retained for use during the next sampling event, scheduled for July 2014. This drum will be resampled after it is filled during that sampling event. Ohio EPA has no problem with

MR. BRETT MERKEL
ARMY NATIONAL GUARD DIRECTORATE
JULY 1, 2014
PAGE 2


this recommendation; however, since both drums were determined to be nonhazardous, the wastewater could be consolidated into one drum and sent off for disposal. If the second drum remains, it should simply be dated and labeled nonhazardous.

The Plan is approved and Ohio EPA concurs that the wastewater be disposed of as nonhazardous waste and be sent off-site for disposal to a permitted water treatment or waste disposal facility.

Pursuant to the CERCLA process, the property owner usually can provide the expected land uses to assist in ensuring that the investigation addresses all receptors for both current and future land uses. Be advised that due to land use uncertainty, Ohio EPA may require additional work in the future, to address data gaps. It is incumbent upon the Army to finalize land use at Camp Ravenna as soon as possible, otherwise additional work and schedule slippage may result.

If you have any questions, please call me at (330) 963-1292.

Sincerely,



Kevin M. Palombo
Environmental Specialist
Division of Environmental Response and Revitalization

KP/nvr

cc: Katie Tait, OHARNG RTLS
Kevin Sedlak, ARNG
Gregory F. Moore, USACE
Mark Nichter, USACE
Rebecca Haney/Gail Harris, Vista Sciences Corp.

ec: Nancy Zikmanis, Ohio EPA, NEDO DERR
Justin Burke, Ohio EPA, CO, DERR
Rod Beals, Ohio EPA, NEDO DERR

DRAFT

**FACILITY-WIDE GROUNDWATER MONITORING PROGRAM
RVAPP-66 FACILITY-WIDE GROUNDWATER**

**INVESTIGATION-DERIVED WASTE CHARACTERIZATION
AND DISPOSAL PLAN
MAY 2014 GROUNDWATER SAMPLING EVENT REPORT**

**FORMER RAVENNA ARMY AMMUNITION PLANT,
PORTAGE AND TRUMBULL COUNTIES, OHIO**

June 3, 2014

**GSA Contract Number GS-10F-0293K
Delivery Order W912QR-11-F-0266**

Prepared for:

**U.S. Army Corps of Engineers
600 Martin Luther King Jr. Place
Louisville, Kentucky 40202**

Prepared by:

**Environmental Quality Management, Inc.
1800 Carillon Boulevard
Cincinnati, Ohio 45240**

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

TABLE OF CONTENTS

Table of Contents i

Acronyms ii

1.0 Introduction.....1

2.0 Operational History and Waste Generation2

3.0 Management of Environmental Media3

4.0 Discussion of Analytical Results4

5.0 Recommendations for Disposal5

 5.1 Purge Water5

 5.2 Decontamination Fluids5

 5.3 Summary of Disposal Recommendations5

6.0 References.....7

TABLES

2-1 IDW Inventory of Drums.....2

5-1 Detected Analytical Results When Compared to USEPA Regulatory
Characteristic Levels (40 CFR 261.20 - 24)6

5-2 Summary of Drum Containers, TCLP Criteria, and Disposal
Recommendations.....6

APPENDICES

A Investigation-Derived Waste Analytical Report

ACRONYMS

1		
2		
3	AOC	area of concern
4	CFR	Code of Federal Regulations
5	EQM	Environmental Quality Management, Inc.
6	EPA	Environmental Protection Agency
7	°F	degrees Fahrenheit
8	FWG	Facility-Wide Groundwater
9	FWGWMPP	Facility-Wide Groundwater Monitoring Program Plan
10	FWSAP	Facility-Wide Sampling and Analysis Plan
11	gal	gallon
12	IDW	investigation-derived waste
13	MEK	methyl ethyl ketone (2-butanone)
14	mg/L	milligram per liter
15	OHARNG	Ohio Army National Guard
16	RCRA	Resource Conservation and Recovery Act
17	RVAAP	Ravenna Army Ammunition Plant
18	SAIC	Science Applications International Corporation
19	SAP	Sampling and Analysis Plan
20	SCF	Sharon Conglomerate Formation
21	S.U.	standard unit
22	SVOC	semivolatile organic compound
23	TCLP	Toxicity Characteristic Leaching Procedure
24	USACE	United States Army Corps of Engineers
25	VOC	volatile organic compound

1.0 INTRODUCTION

Investigative activities were conducted during the Facility-Wide Groundwater Monitoring Program sampling events in May 2014 at the former Ravenna Army Ammunition Plant (RVAAP), Portage and Trumbull Counties, Ohio, resulting in the generation of investigation-derived wastes (IDW). The IDW consists of purge water and equipment decontamination wastewater. The IDW purge water was generated in the course of field activities at each well. The IDW decontamination waters were generated from the cleaning and decontamination of non-dedicated equipment used to sample the wells. The purpose of this report is to characterize and classify the IDW for proper disposal. The report includes:

- A summary of the IDW generated and its origin.
- A review of the analytical results used for waste characterization.
- Classification of the IDW per the *Facility Wide Sampling and Analysis Plan* (FWSAP).
- Recommendations for disposal.

This document follows guidance established by the United States Army Corps of Engineers (USACE), the Ohio Army National Guard (OHARNG), and the Ohio Environmental Protection Agency (EPA) regarding IDW disposition at RVAAP.

2.0 OPERATIONAL HISTORY AND WASTE GENERATION

Information regarding the operational history and suspected contaminants for the Facility-Wide Groundwater Monitoring Program Plan (FWGWMPP) is presented in Section 1.2 of the *Final Part 1 - Sampling and Analysis Plan Addendum for the Facility-Wide Groundwater Monitoring Program Plan at the Ravenna Army Ammunition Plant, Ravenna, Ohio* (SAP Addendum; Portage, 2004). Section 4.6 of the FWGWMP SAP Addendum describes procedures used for sampling and managing IDW at the former RVAAP.

Water (purged groundwater and decontamination water) IDW was generated during the May 2014 sampling event (six wells). The purge water collected from the sampled areas of concern (AOCs) was stored in drums labeled for purge water disposal. Purge water was generated in accordance with the FWSAP, Section 5.4.4.2 (SAIC, 2011) under the micropurging criteria. Decontamination water was generated from the washing, rinsing, and decontamination procedures used for all non-dedicated sampling equipment. The decontamination water was stored in a drum separate from the purge water. These decontamination procedures are described in Section 5.4.8 of the FWSAP.

The drum container label, type and size of the drum container used, estimated volume per drum, and the source of purge wastewater or decontamination fluid is presented in Table 2-1.

Table 2-1. IDW Inventory of Drums

Drum Label	Drum Type & Size	Contents	Estimated Volume	Location/ Source
EQM 2014-5	55-gal Steel	Decontamination/Rinse Water	~2 gallons	Equipment Rinse/ Decontamination
EQM 2014-6	55-gal Steel	Purge Water	~35 gallons	Load Lines 1, 2, 3, SCF, and FWG wells

SCF = Sharon Conglomerate Formation

FWG = New Facility-Wide Groundwater

3.0 MANAGEMENT OF ENVIRONMENTAL MEDIA

All environmental media were managed in a manner that minimized potential risk to human health and the environment. Based on past sampling and IDW reports for the similar groundwater monitoring activities investigation-derived waste was handled as nonhazardous material pending waste characterization and classification based on analytical results. The FWSAP and the FWGWMP SAP Addendum describe approved procedures used for containerizing and handling IDW.

All purged groundwater IDW generated from each micropurging event was placed into a 55-gal drum as previously agreed upon by the Army, USACE, and Ohio EPA. The purge water was transferred daily from each well location after sampling via closed-top 5-gal buckets to the appropriately labeled 55-gal drum located and staged on secondary containment inside Building 1036.

4.0 DISCUSSION OF ANALYTICAL RESULTS

As described in Section 8.4 of the FWSAP (IDW Characterization and Classification for Disposal), all IDW were characterized for disposal by taking composite samples collected from each of the segregated waste streams. There were only two segregated waste streams during this sampling event that required characterization: one for the generated purge water and one for the decontamination wastewater. A composite sample was taken of each waste stream using a disposable bailer until a total of approximately 4 liters was withdrawn in equal amounts from all drums of that particular waste stream. Each waste stream composite sample was submitted to TestAmerica Laboratories in North Canton, Ohio, for full Toxicity Characteristic Leaching Procedure (TCLP) analysis in accordance with the FWSAP using the following methods:

- TCLP mercury by EPA Method SW-846 1311/7470A.
- TCLP metals (silver, arsenic, barium, cadmium, chromium, lead, and selenium) by EPA Method SW-846 1311/6010B.
- TCLP semivolatile organic compounds (SVOCs) by EPA Method SW-846 1311/8270C.
- TCLP volatile organic compounds (VOCs) by EPA Method SW-846 1311/8260B.
- TCLP pesticides by EPA Method SW-846 1311/8081A
- TCLP herbicides by EPA Method SW-846 1311/8151A
- Total cyanide by EPA Method SW-846 9012A
- Total sulfide by EPA Method SW-846 9034
- Flashpoint by EPA Method SW-846 1010
- pH by EPA Method SW-846 9040B

A trip blank was submitted with the samples and analyzed for VOCs. The IDW analytical results are presented in Appendix A.

5.0 RECOMMENDATIONS FOR DISPOSAL

Table 8-1 in the FWSAP presents the maximum concentrations of contaminants for the toxicity characteristic for hazardous wastes as per 40 CFR 261.24. Analytical results for the IDW generated during the May 2014 groundwater sampling event were compared against these criteria to determine whether the waste streams generated were potentially hazardous or non-hazardous.

5.1 Purge Water

During micro-purging of the monitoring wells, liquid IDW was generated and sampled. The analytical results for the purged groundwater were compared to the regulatory levels from Table 8-1 in the FWSAP. The regulatory criteria (TCLP) for Resource Conservation and Recovery Act (RCRA) hazardous waste determinations were not exceeded. Table 5-1 presents the detected results compared to the regulatory characteristics for hazardous wastes as per 40 CFR 261.24.

The drum containing purged groundwater will be classified as nonhazardous and be sent offsite for disposal to a permitted water treatment facility in accordance with Section 8.0 of the FWSAP.

5.2 Decontamination Fluids

A composite sample was collected of the decontamination fluids generated during cleaning of non-dedicated sampling equipment. Following collection of decontamination fluids from the drum for waste characterization analysis, only a minimal amount of fluid was retained in the drum (estimated as less than 2 gal). The analytical results indicated that all analytes were below TCLP threshold values. Therefore, the decontamination wastewater should be classified as non-hazardous and sent offsite to a permitted water treatment facility for disposal in accordance with Section 8.0 of the FWSAP.

Alternatively, and solely due to the minimal amount of fluid remaining in this drum, EQM suggests retaining the drum for the collection of decontamination fluids that will be generated during the next sampling event, which is planned for late July 2014. The drummed decontamination fluids will again be resampled to determine waste disposal options at that time.

5.3 Summary of Disposal Recommendations

All drums will be classified as contaminated but non-hazardous. The purge water drum shall be sent offsite to a permitted water treatment facility for disposal; with permission, the drum containing residual decontamination fluid will be maintained on site for reuse during the July 2014 sampling episode. The results for both composite samples show

that no chemical was detected at hazardous waste levels. Table 5-2 presents a summary of each drum and the recommended disposal options for the waste streams.

Table 5-1. Detected Analytical Results When Compared to USEPA Regulatory Characteristic Levels (40 CFR 261.20 - 24)

Sample ID	Detected Contaminant	Detected Result (mg/L)	Regulatory Level ¹ (mg/L)	Above Regulatory Yes/No
FWG-IDW-MWPURGEMAY2014	Barium	0.037 J B	100	No
	Lead	0.0019 J B	5.0	No
	Flashpoint	>180°F	<140°F	No
	pH ²	7.51	<2 or >12.5	No
FWG-IDW-MWDECONMAY2014	2-Butanone (MEK)	0.030 J	200	No
	Arsenic	0.0045 J	5.0	No
	Barium	0.0058 J B	100	No
	Cadmium	0.00087 J	1.0	No
	Chromium	0.015 J	5.0	No
	Lead	0.0096 J B	5.0	No
	Flashpoint	>180°F	<140°F	No
	pH ²	9.33	<2 or >12.5	No
FWG-IDW-MWTBMAY2014	Chloroform	0.42 J	6.0	No

¹ = USEPA Regulatory Characteristic Levels (40 CFR 261.20 through 24).

² = pH measured in Standard Units (S.U.).

J = estimated result. Result is less than reporting limit.

B = blank contamination.

NA = not applicable.

Table 5-2. Summary of Drum Containers, TCLP/Characteristic Waste Criteria, and Disposal Recommendations

Drum Container Label	Media	TCLP Criteria	Disposal Recommendation
EQM 2014-5 Decontamination/ Rinse Water	Water	Regulatory limits not exceeded.	Retain on site for next sampling event.
EQM 2014-6 Purge Water	Water	Regulatory limits not exceeded.	Offsite disposal as non-hazardous waste.

6.0 REFERENCES

- Science Applications International Corporation (SAIC). February 24, 2011. *Final Facility-Wide Sampling and Analysis Plan for Environmental Investigations, Ravenna Army Ammunition Plant, Ravenna, Ohio.*
- Portage Environmental. 2004. *RVAAP Facility Wide Groundwater Monitoring Program Plan.*

1
2
3
4
5
6
7
8
9
10
11
12
13
14

APPENDIX A
INVESTIGATION-DERIVED WASTE
ANALYTICAL REPORT

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Canton

4101 Shuffel Street NW

North Canton, OH 44720

Tel: (330)497-9396

TestAmerica Job ID: 240-37132-1

Client Project/Site: RVAAP (OH) - IDW

For:

Environmental Quality Mgt., Inc.

1800 Carillon Blvd

Cincinnati, Ohio 45240

Attn: Mr. Erik Corbin



Authorized for release by:

5/20/2014 5:25:40 PM

Jennifer Stiller, Project Management Assistant II

jennifer.stiller@testamericainc.com

Designee for

Mark Loeb, Project Manager II

(330)966-9387

mark.loeb@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	7
Sample Summary	8
Detection Summary	9
Client Sample Results	10
Surrogate Summary	15
QC Sample Results	18
QC Association Summary	25
Lab Chronicle	29
Certification Summary	31
Chain of Custody	32



Definitions/Glossary

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
X	Surrogate is outside control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Job ID: 240-37132-1

Laboratory: TestAmerica Canton

Narrative

CASE NARRATIVE

Client: Environmental Quality Mgt., Inc.

Project: RVAAP (OH) - IDW

Report Number: 240-37132-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica Canton attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 5/8/2014 2:50 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 12 coolers at receipt time were 2.4° C, 3.2° C, 3.4° C, 3.4° C, 3.4° C, 3.8° C, 4.0° C, 4.1° C, 4.8° C, 5.2° C, 5.6° C and 5.8° C.

TCLP VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples FWG-IDW-MWPURGE MAY 2014 (240-37132-1) and FWG-IDW-MWDECON MAY 2014 (240-37132-2) were analyzed for TCLP volatile organic compounds (GCMS) in accordance with EPA SW-846 Methods 1311/8260B. The samples were leached on 05/12/2014 and analyzed on 05/14/2014.

The continuing calibration verification (CCV) associated with batch 130706 recovered above the upper control limit for vinyl chloride. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

No other difficulties were encountered during the VOCs analysis. All quality control parameters were within the acceptance limits.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Sample FWG-IDW-MWTB MAY 2014 (240-37132-3) was analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 05/14/2014.

Case Narrative

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Job ID: 240-37132-1 (Continued)

Laboratory: TestAmerica Canton (Continued)

No difficulties were encountered during the VOCs analysis. All quality control parameters were within the acceptance limits.

TCLP SEMIVOLATILE ORGANIC COMPOUNDS (GCMS)

Samples FWG-IDW-MWPURGE MAY 2014 (240-37132-1) and FWG-IDW-MWDECON MAY 2014 (240-37132-2) were analyzed for TCLP semivolatile organic compounds (GCMS) in accordance with EPA SW-846 Methods 1311/8270C. The samples were leached on 05/12/2014, prepared on 05/13/2014 and analyzed on 05/14/2014.

Surrogates are added during the extraction process prior to dilution. When the sample is diluted, surrogate recoveries are diluted out and no corrective action is required.

No difficulties were encountered during the SVOCs analysis. All quality control parameters were within the acceptance limits.

TCLP CHLORINATED PESTICIDES

Samples FWG-IDW-MWPURGE MAY 2014 (240-37132-1) and FWG-IDW-MWDECON MAY 2014 (240-37132-2) were analyzed for TCLP chlorinated pesticides in accordance with EPA SW-846 Methods 1311/8081A. The samples were leached on 05/12/2014, prepared on 05/13/2014 and analyzed on 05/17/2014.

Surrogates are added during the extraction process prior to dilution. When the sample dilution is 5X or greater, surrogate recoveries are diluted out and no corrective action is required.

DCB Decachlorobiphenyl failed the surrogate recovery criteria low for FWG-IDW-MWDECON MAY 2014 (240-37132-2). Refer to the QC report for details.

The continuing calibration verification (CCV) associated with batch 131000 recovered above the upper control limit for Multiple Analytes. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The following samples are impacted: FWG-IDW-MWDECON MAY 2014, FWG-IDW-MWPURGE MAY 2014.

2 surrogates are used for this analysis. The laboratory's SOP allows 1 of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. The following sample(s) contained an allowable number of surrogate compounds outside limits: FWG-IDW-MWDECON MAY 2014. These results have been reported and qualified.

No other difficulties were encountered during the pesticides analysis. All other quality control parameters were within the acceptance limits.

TCLP CHLORINATED HERBICIDES

Samples FWG-IDW-MWPURGE MAY 2014 (240-37132-1) and FWG-IDW-MWDECON MAY 2014 (240-37132-2) were analyzed for TCLP chlorinated herbicides in accordance with EPA SW-846 Methods 1311/8151A. The samples were leached on 05/12/2014, prepared on 05/13/2014 and analyzed on 05/15/2014.

Surrogates are added during the extraction process prior to dilution. When the sample dilution is 5X or greater, surrogate recoveries are diluted out and no corrective action is required.

No difficulties were encountered during the herbicides analysis. All quality control parameters were within the acceptance limits.

TCLP METALS (ICP)

Samples FWG-IDW-MWPURGE MAY 2014 (240-37132-1) and FWG-IDW-MWDECON MAY 2014 (240-37132-2) were analyzed for TCLP metals (ICP) in accordance with EPA SW-846 Methods 1311/6010B. The samples were leached on 05/12/2014, prepared on 05/13/2014 and analyzed on 05/14/2014.

Barium, Lead and Selenium were detected in method blank LB 240-130323/1-C at levels that were above the method detection limit but below the reporting limit. Barium was detected in method blank MB 240-130439/2-A at a level that was above the method detection limit but below the reporting limit. The values should be considered estimates, and have been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged. Refer to the QC report for details.

Case Narrative

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Job ID: 240-37132-1 (Continued)

Laboratory: TestAmerica Canton (Continued)

No other difficulties were encountered during the metals analysis. All other quality control parameters were within the acceptance limits.

TCLP MERCURY

Samples FWG-IDW-MWPURGE MAY 2014 (240-37132-1) and FWG-IDW-MWDECON MAY 2014 (240-37132-2) were analyzed for TCLP mercury in accordance with EPA SW-846 Methods 1311/7470A. The samples were leached on 05/12/2014, prepared on 05/13/2014 and analyzed on 05/14/2014.

No difficulties were encountered during the mercury analysis. All quality control parameters were within the acceptance limits.

FLASHPOINT

Samples FWG-IDW-MWPURGE MAY 2014 (240-37132-1) and FWG-IDW-MWDECON MAY 2014 (240-37132-2) were analyzed for flashpoint in accordance with EPA SW-846 Method 1010. The samples were analyzed on 05/13/2014.

No difficulties were encountered during the flashpoint analysis. All quality control parameters were within the acceptance limits.

TOTAL CYANIDE

Samples FWG-IDW-MWPURGE MAY 2014 (240-37132-1) and FWG-IDW-MWDECON MAY 2014 (240-37132-2) were analyzed for total cyanide in accordance with EPA SW-846 Method 9012A. The samples were prepared and analyzed on 05/14/2014.

No difficulties were encountered during the cyanide analysis. All quality control parameters were within the acceptance limits.

SULFIDE

Samples FWG-IDW-MWPURGE MAY 2014 (240-37132-1) and FWG-IDW-MWDECON MAY 2014 (240-37132-2) were analyzed for sulfide in accordance with EPA SW-846 Method 9034. The samples were prepared and analyzed on 05/13/2014.

No difficulties were encountered during the sulfide analysis. All quality control parameters were within the acceptance limits.

PH

Samples FWG-IDW-MWPURGE MAY 2014 (240-37132-1) and FWG-IDW-MWDECON MAY 2014 (240-37132-2) were analyzed for pH in accordance with EPA SW-846 Method 9040B. The samples were analyzed on 05/10/2014.

FWG-IDW-MWDECON MAY 2014, FWG-IDW-MWPURGE MAY 2014 The following sample(s) was received with less than 2 days remaining on the holding time or less than one shift (8 hours) remaining on a test with a holding time of 48 hours or less. As such, the laboratory had insufficient time remaining to perform the analysis within holding time: FWG-IDW-MWDECON MAY 2014, FWG-IDW-MWPURGE MAY 2014.

No other difficulties were encountered during the pH analysis. All quality control parameters were within the acceptance limits.

Method Summary

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8270C	Semivolatile Organic Compounds (GC/MS)	SW846	TAL CAN
8081A	Organochlorine Pesticides (GC)	SW846	TAL CAN
8151A	Herbicides (GC)	SW846	TAL CAN
6010B	Metals (ICP)	SW846	TAL CAN
7470A	Mercury (CVAA)	SW846	TAL CAN
1010	Ignitability, Pensky-Martens Closed-Cup Method	SW846	TAL CAN
9012A	Cyanide, Total and/or Amenable	SW846	TAL CAN
9034	Sulfide, Acid soluble and Insoluble (Titrimetric)	SW846	TAL CAN
9040B	pH	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Sample Summary

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-37132-1	FWG-IDW-MWPURGE MAY 2014	Water	05/08/14 12:55	05/08/14 14:50
240-37132-2	FWG-IDW-MWDECON MAY 2014	Water	05/08/14 13:00	05/08/14 14:50
240-37132-3	FWG-IDW-MWTB MAY 2014	Water	05/08/14 12:50	05/08/14 14:50

Detection Summary

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Client Sample ID: FWG-IDW-MWPURGE MAY 2014

Lab Sample ID: 240-37132-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	0.037	J B	10	0.00067	mg/L	1		6010B	TCLP
Lead	0.0019	J B	0.50	0.0019	mg/L	1		6010B	TCLP
Flashpoint	>180		1.00	1.00	Degrees F	1		1010	Total/NA
pH	7.51	H	0.100	0.100	SU	1		9040B	Total/NA

Client Sample ID: FWG-IDW-MWDECON MAY 2014

Lab Sample ID: 240-37132-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Butanone (MEK)	0.030	J	0.25	0.029	mg/L	1		8260B	TCLP
Arsenic	0.0045	J	0.50	0.0032	mg/L	1		6010B	TCLP
Barium	0.0058	J B	10	0.00067	mg/L	1		6010B	TCLP
Cadmium	0.00087	J	0.10	0.00066	mg/L	1		6010B	TCLP
Chromium	0.015	J	0.50	0.0022	mg/L	1		6010B	TCLP
Lead	0.0096	J B	0.50	0.0019	mg/L	1		6010B	TCLP
Flashpoint	>180		1.00	1.00	Degrees F	1		1010	Total/NA
pH	9.33	H	0.100	0.100	SU	1		9040B	Total/NA

Client Sample ID: FWG-IDW-MWTB MAY 2014

Lab Sample ID: 240-37132-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	0.42	J	1.0	0.16	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Client Sample ID: FWG-IDW-MWPURGE MAY 2014

Lab Sample ID: 240-37132-1

Date Collected: 05/08/14 12:55

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8260B - Volatile Organic Compounds (GC/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	0.025	U	0.025	0.0095	mg/L			05/14/14 20:37	1
1,2-Dichloroethane	0.025	U	0.025	0.011	mg/L			05/14/14 20:37	1
2-Butanone (MEK)	0.25	U	0.25	0.029	mg/L			05/14/14 20:37	1
Benzene	0.025	U	0.025	0.0065	mg/L			05/14/14 20:37	1
Carbon tetrachloride	0.025	U	0.025	0.0065	mg/L			05/14/14 20:37	1
Chlorobenzene	0.025	U	0.025	0.0075	mg/L			05/14/14 20:37	1
Chloroform	0.025	U	0.025	0.0080	mg/L			05/14/14 20:37	1
Tetrachloroethene	0.025	U	0.025	0.015	mg/L			05/14/14 20:37	1
Trichloroethene	0.025	U	0.025	0.0085	mg/L			05/14/14 20:37	1
Vinyl chloride	0.025	U	0.025	0.011	mg/L			05/14/14 20:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		80 - 121		05/14/14 20:37	1
4-Bromofluorobenzene (Surr)	96		70 - 124		05/14/14 20:37	1
Toluene-d8 (Surr)	103		80 - 120		05/14/14 20:37	1
Dibromofluoromethane (Surr)	94		80 - 128		05/14/14 20:37	1

Method: 8270C - Semivolatile Organic Compounds (GC/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	0.0040	U	0.0040	0.00034	mg/L		05/13/14 11:46	05/14/14 14:57	1
2,4,5-Trichlorophenol	0.020	U	0.020	0.00030	mg/L		05/13/14 11:46	05/14/14 14:57	1
2,4,6-Trichlorophenol	0.020	U	0.020	0.00024	mg/L		05/13/14 11:46	05/14/14 14:57	1
2,4-Dinitrotoluene	0.020	U	0.020	0.00025	mg/L		05/13/14 11:46	05/14/14 14:57	1
Hexachlorobenzene	0.020	U	0.020	0.000085	mg/L		05/13/14 11:46	05/14/14 14:57	1
Hexachlorobutadiene	0.020	U	0.020	0.00027	mg/L		05/13/14 11:46	05/14/14 14:57	1
Hexachloroethane	0.020	U	0.020	0.00019	mg/L		05/13/14 11:46	05/14/14 14:57	1
3 & 4 Methylphenol	0.040	U	0.040	0.00080	mg/L		05/13/14 11:46	05/14/14 14:57	1
2-Methylphenol	0.0040	U	0.0040	0.00017	mg/L		05/13/14 11:46	05/14/14 14:57	1
Nitrobenzene	0.0040	U	0.0040	0.000040	mg/L		05/13/14 11:46	05/14/14 14:57	1
Pentachlorophenol	0.040	U	0.040	0.00027	mg/L		05/13/14 11:46	05/14/14 14:57	1
Pyridine	0.020	U	0.020	0.00035	mg/L		05/13/14 11:46	05/14/14 14:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	80		30 - 110	05/13/14 11:46	05/14/14 14:57	1
2-Fluorophenol (Surr)	39		20 - 110	05/13/14 11:46	05/14/14 14:57	1
2,4,6-Tribromophenol (Surr)	71		23 - 110	05/13/14 11:46	05/14/14 14:57	1
Nitrobenzene-d5 (Surr)	82		28 - 110	05/13/14 11:46	05/14/14 14:57	1
Phenol-d5 (Surr)	39		21 - 110	05/13/14 11:46	05/14/14 14:57	1
Terphenyl-d14 (Surr)	103		48 - 110	05/13/14 11:46	05/14/14 14:57	1

Method: 8081A - Organochlorine Pesticides (GC) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlordane (technical)	0.0050	U	0.0050	0.000033	mg/L		05/13/14 11:58	05/17/14 07:07	1
Endrin	0.00050	U	0.00050	0.000011	mg/L		05/13/14 11:58	05/17/14 07:07	1
Heptachlor	0.00050	U	0.00050	0.0000080	mg/L		05/13/14 11:58	05/17/14 07:07	1
Heptachlor epoxide	0.00050	U	0.00050	0.0000071	mg/L		05/13/14 11:58	05/17/14 07:07	1
gamma-BHC (Lindane)	0.00050	U	0.00050	0.0000064	mg/L		05/13/14 11:58	05/17/14 07:07	1
Methoxychlor	0.0010	U	0.0010	0.000032	mg/L		05/13/14 11:58	05/17/14 07:07	1
Toxaphene	0.020	U	0.020	0.00032	mg/L		05/13/14 11:58	05/17/14 07:07	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Client Sample ID: FWG-IDW-MWPURGE MAY 2014

Lab Sample ID: 240-37132-1

Date Collected: 05/08/14 12:55

Matrix: Water

Date Received: 05/08/14 14:50

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	96		40 - 129	05/13/14 11:58	05/17/14 07:07	1
Tetrachloro-m-xylene	96		40 - 129	05/13/14 11:58	05/17/14 07:07	1
DCB Decachlorobiphenyl	82		40 - 152	05/13/14 11:58	05/17/14 07:07	1
DCB Decachlorobiphenyl	75		40 - 152	05/13/14 11:58	05/17/14 07:07	1

Method: 8151A - Herbicides (GC) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-D	0.0040	U	0.0040	0.00041	mg/L		05/13/14 12:01	05/15/14 18:53	1
Silvex (2,4,5-TP)	0.0010	U	0.0010	0.00020	mg/L		05/13/14 12:01	05/15/14 18:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4-Dichlorophenylacetic acid	79		56 - 120	05/13/14 12:01	05/15/14 18:53	1
2,4-Dichlorophenylacetic acid	81		56 - 120	05/13/14 12:01	05/15/14 18:53	1

Method: 6010B - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.50	U	0.50	0.0032	mg/L		05/13/14 10:24	05/14/14 17:38	1
Barium	0.037	J B	10	0.00067	mg/L		05/13/14 10:24	05/14/14 17:38	1
Cadmium	0.10	U	0.10	0.00066	mg/L		05/13/14 10:24	05/14/14 17:38	1
Chromium	0.50	U	0.50	0.0022	mg/L		05/13/14 10:24	05/14/14 17:38	1
Lead	0.0019	J B	0.50	0.0019	mg/L		05/13/14 10:24	05/14/14 17:38	1
Selenium	0.25	U	0.25	0.0041	mg/L		05/13/14 10:24	05/14/14 17:38	1
Silver	0.50	U	0.50	0.0022	mg/L		05/13/14 10:24	05/14/14 17:38	1

Method: 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.0020	U	0.0020	0.00012	mg/L		05/13/14 14:15	05/14/14 12:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Flashpoint	>180		1.00	1.00	Degrees F			05/13/14 08:06	1
Cyanide, Total	0.010	U	0.010	0.0032	mg/L		05/14/14 12:34	05/14/14 15:47	1
Sulfide	3.0	U	3.0	0.94	mg/L		05/13/14 08:09	05/13/14 08:09	1
pH	7.51	H	0.100	0.100	SU			05/10/14 15:17	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Client Sample ID: FWG-IDW-MWDECON MAY 2014

Lab Sample ID: 240-37132-2

Date Collected: 05/08/14 13:00

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8260B - Volatile Organic Compounds (GC/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	0.025	U	0.025	0.0095	mg/L			05/14/14 20:58	1
1,2-Dichloroethane	0.025	U	0.025	0.011	mg/L			05/14/14 20:58	1
2-Butanone (MEK)	0.030	J	0.25	0.029	mg/L			05/14/14 20:58	1
Benzene	0.025	U	0.025	0.0065	mg/L			05/14/14 20:58	1
Carbon tetrachloride	0.025	U	0.025	0.0065	mg/L			05/14/14 20:58	1
Chlorobenzene	0.025	U	0.025	0.0075	mg/L			05/14/14 20:58	1
Chloroform	0.025	U	0.025	0.0080	mg/L			05/14/14 20:58	1
Tetrachloroethene	0.025	U	0.025	0.015	mg/L			05/14/14 20:58	1
Trichloroethene	0.025	U	0.025	0.0085	mg/L			05/14/14 20:58	1
Vinyl chloride	0.025	U	0.025	0.011	mg/L			05/14/14 20:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		80 - 121		05/14/14 20:58	1
4-Bromofluorobenzene (Surr)	96		70 - 124		05/14/14 20:58	1
Toluene-d8 (Surr)	106		80 - 120		05/14/14 20:58	1
Dibromofluoromethane (Surr)	95		80 - 128		05/14/14 20:58	1

Method: 8270C - Semivolatile Organic Compounds (GC/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	0.0040	U	0.0040	0.00034	mg/L		05/13/14 11:46	05/14/14 15:21	1
2,4,5-Trichlorophenol	0.020	U	0.020	0.00030	mg/L		05/13/14 11:46	05/14/14 15:21	1
2,4,6-Trichlorophenol	0.020	U	0.020	0.00024	mg/L		05/13/14 11:46	05/14/14 15:21	1
2,4-Dinitrotoluene	0.020	U	0.020	0.00025	mg/L		05/13/14 11:46	05/14/14 15:21	1
Hexachlorobenzene	0.020	U	0.020	0.000085	mg/L		05/13/14 11:46	05/14/14 15:21	1
Hexachlorobutadiene	0.020	U	0.020	0.00027	mg/L		05/13/14 11:46	05/14/14 15:21	1
Hexachloroethane	0.020	U	0.020	0.00019	mg/L		05/13/14 11:46	05/14/14 15:21	1
3 & 4 Methylphenol	0.040	U	0.040	0.00080	mg/L		05/13/14 11:46	05/14/14 15:21	1
2-Methylphenol	0.0040	U	0.0040	0.00017	mg/L		05/13/14 11:46	05/14/14 15:21	1
Nitrobenzene	0.0040	U	0.0040	0.000040	mg/L		05/13/14 11:46	05/14/14 15:21	1
Pentachlorophenol	0.040	U	0.040	0.00027	mg/L		05/13/14 11:46	05/14/14 15:21	1
Pyridine	0.020	U	0.020	0.00035	mg/L		05/13/14 11:46	05/14/14 15:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	72		30 - 110	05/13/14 11:46	05/14/14 15:21	1
2-Fluorophenol (Surr)	55		20 - 110	05/13/14 11:46	05/14/14 15:21	1
2,4,6-Tribromophenol (Surr)	82		23 - 110	05/13/14 11:46	05/14/14 15:21	1
Nitrobenzene-d5 (Surr)	81		28 - 110	05/13/14 11:46	05/14/14 15:21	1
Phenol-d5 (Surr)	49		21 - 110	05/13/14 11:46	05/14/14 15:21	1
Terphenyl-d14 (Surr)	96		48 - 110	05/13/14 11:46	05/14/14 15:21	1

Method: 8081A - Organochlorine Pesticides (GC) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlordane (technical)	0.0050	U	0.0050	0.000033	mg/L		05/13/14 11:58	05/17/14 07:29	1
Endrin	0.00050	U	0.00050	0.000011	mg/L		05/13/14 11:58	05/17/14 07:29	1
Heptachlor	0.00050	U	0.00050	0.0000080	mg/L		05/13/14 11:58	05/17/14 07:29	1
Heptachlor epoxide	0.00050	U	0.00050	0.0000071	mg/L		05/13/14 11:58	05/17/14 07:29	1
gamma-BHC (Lindane)	0.00050	U	0.00050	0.0000064	mg/L		05/13/14 11:58	05/17/14 07:29	1
Methoxychlor	0.0010	U	0.0010	0.000032	mg/L		05/13/14 11:58	05/17/14 07:29	1
Toxaphene	0.020	U	0.020	0.00032	mg/L		05/13/14 11:58	05/17/14 07:29	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Client Sample ID: FWG-IDW-MWDECON MAY 2014

Lab Sample ID: 240-37132-2

Date Collected: 05/08/14 13:00

Matrix: Water

Date Received: 05/08/14 14:50

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	60		40 - 129	05/13/14 11:58	05/17/14 07:29	1
Tetrachloro-m-xylene	56		40 - 129	05/13/14 11:58	05/17/14 07:29	1
DCB Decachlorobiphenyl	10	X	40 - 152	05/13/14 11:58	05/17/14 07:29	1
DCB Decachlorobiphenyl	11	X	40 - 152	05/13/14 11:58	05/17/14 07:29	1

Method: 8151A - Herbicides (GC) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-D	0.0040	U	0.0040	0.00041	mg/L		05/13/14 12:01	05/15/14 19:16	1
Silvex (2,4,5-TP)	0.0010	U	0.0010	0.00020	mg/L		05/13/14 12:01	05/15/14 19:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4-Dichlorophenylacetic acid	85		56 - 120	05/13/14 12:01	05/15/14 19:16	1
2,4-Dichlorophenylacetic acid	92		56 - 120	05/13/14 12:01	05/15/14 19:16	1

Method: 6010B - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0045	J	0.50	0.0032	mg/L		05/13/14 10:24	05/14/14 17:42	1
Barium	0.0058	J B	10	0.00067	mg/L		05/13/14 10:24	05/14/14 17:42	1
Cadmium	0.00087	J	0.10	0.00066	mg/L		05/13/14 10:24	05/14/14 17:42	1
Chromium	0.015	J	0.50	0.0022	mg/L		05/13/14 10:24	05/14/14 17:42	1
Lead	0.0096	J B	0.50	0.0019	mg/L		05/13/14 10:24	05/14/14 17:42	1
Selenium	0.25	U	0.25	0.0041	mg/L		05/13/14 10:24	05/14/14 17:42	1
Silver	0.50	U	0.50	0.0022	mg/L		05/13/14 10:24	05/14/14 17:42	1

Method: 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.0020	U	0.0020	0.00012	mg/L		05/13/14 14:15	05/14/14 12:44	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Flashpoint	>180		1.00	1.00	Degrees F			05/13/14 09:58	1
Cyanide, Total	0.010	U	0.010	0.0032	mg/L		05/14/14 12:34	05/14/14 15:47	1
Sulfide	3.0	U	3.0	0.94	mg/L		05/13/14 08:09	05/13/14 08:09	1
pH	9.33	H	0.100	0.100	SU			05/10/14 15:17	1

TestAmerica Canton

Client Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Client Sample ID: FWG-IDW-MWTB MAY 2014

Lab Sample ID: 240-37132-3

Date Collected: 05/08/14 12:50

Matrix: Water

Date Received: 05/08/14 14:50

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/14/14 15:53	1
1,2-Dichloroethane	1.0	U	1.0	0.22	ug/L			05/14/14 15:53	1
Benzene	1.0	U	1.0	0.13	ug/L			05/14/14 15:53	1
Carbon tetrachloride	1.0	U	1.0	0.13	ug/L			05/14/14 15:53	1
Chlorobenzene	1.0	U	1.0	0.15	ug/L			05/14/14 15:53	1
Chloroform	0.42	J	1.0	0.16	ug/L			05/14/14 15:53	1
2-Butanone (MEK)	10	U	10	0.57	ug/L			05/14/14 15:53	1
Tetrachloroethene	1.0	U	1.0	0.29	ug/L			05/14/14 15:53	1
Trichloroethene	1.0	U	1.0	0.17	ug/L			05/14/14 15:53	1
Vinyl chloride	1.0	U	1.0	0.22	ug/L			05/14/14 15:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		63 - 129					05/14/14 15:53	1
4-Bromofluorobenzene (Surr)	87		66 - 120					05/14/14 15:53	1
Toluene-d8 (Surr)	85		74 - 120					05/14/14 15:53	1
Dibromofluoromethane (Surr)	98		75 - 121					05/14/14 15:53	1

TestAmerica Canton

Surrogate Summary

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		12DCE (63-129)	BFB (66-120)	TOL (74-120)	DBFM (75-121)
240-37132-3	FWG-IDW-MWTB MAY 2014	102	87	85	98
LCS 240-130598/4	Lab Control Sample	96	96	87	99
MB 240-130598/5	Method Blank	99	91	83	97

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		12DCE (80-121)	BFB (70-124)	TOL (80-120)	DBFM (80-128)
LCS 240-130522/9	Lab Control Sample	95	99	106	93

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		12DCE (80-121)	BFB (70-124)	TOL (80-120)	DBFM (80-128)
240-37132-1	FWG-IDW-MWPURGE MAY 2014	99	96	103	94
240-37132-2	FWG-IDW-MWDECON MAY 2014	100	96	106	95
LB 240-130318/1-A MB	Method Blank	98	95	103	92

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		FBP (30-110)	2FP (20-110)	TBP (23-110)	NBZ (28-110)	PHL (21-110)	TPH (48-110)
LCS 240-130471/17-A	Lab Control Sample	85	72	100	90	64	108
MB 240-130471/16-A	Method Blank	83	70	97	90	59	106

Surrogate Legend

TestAmerica Canton

Surrogate Summary

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
TBP = 2,4,6-Tribromophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL = Phenol-d5 (Surr)
TPH = Terphenyl-d14 (Surr)

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		FBP (30-110)	2FP (20-110)	TBP (23-110)	NBZ (28-110)	PHL (21-110)	TPH (48-110)
240-37132-1	FWG-IDW-MWPURGE MAY 2014	80	39	71	82	39	103
240-37132-2	FWG-IDW-MWDECON MAY 2014	72	55	82	81	49	96

Surrogate Legend

FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
TBP = 2,4,6-Tribromophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL = Phenol-d5 (Surr)
TPH = Terphenyl-d14 (Surr)

Method: 8081A - Organochlorine Pesticides (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		TCX1 (40-129)	TCX2 (40-129)	DCB1 (40-152)	DCB2 (40-152)
LCS 240-130474/7-A	Lab Control Sample	89	88	94	93
MB 240-130474/6-A	Method Blank	95	96	84	84

Surrogate Legend

TCX = Tetrachloro-m-xylene
DCB = DCB Decachlorobiphenyl

Method: 8081A - Organochlorine Pesticides (GC)

Matrix: Water

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		TCX1 (40-129)	TCX2 (40-129)	DCB1 (40-152)	DCB2 (40-152)
240-37132-1	FWG-IDW-MWPURGE MAY 2014	96	96	82	75
240-37132-2	FWG-IDW-MWDECON MAY 2014	60	56	10 X	11 X

Surrogate Legend

TCX = Tetrachloro-m-xylene
DCB = DCB Decachlorobiphenyl

TestAmerica Canton

Surrogate Summary

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Method: 8151A - Herbicides (GC)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)					
Lab Sample ID	Client Sample ID	DCPA1 (56-120)	DCPA2 (56-120)				
LCS 240-130477/7-A	Lab Control Sample	77	94				
MB 240-130477/6-A	Method Blank	84	96				
Surrogate Legend							
DCPA = 2,4-Dichlorophenylacetic acid							

Method: 8151A - Herbicides (GC)

Matrix: Water

Prep Type: TCLP

		Percent Surrogate Recovery (Acceptance Limits)					
Lab Sample ID	Client Sample ID	DCPA1 (56-120)	DCPA2 (56-120)				
240-37132-1	FWG-IDW-MWPURGE MAY 2014	79	81				
240-37132-2	FWG-IDW-MWDECON MAY 2014	85	92				
Surrogate Legend							
DCPA = 2,4-Dichlorophenylacetic acid							

QC Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: LCS 240-130522/9

Matrix: Water

Analysis Batch: 130522

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.00	1.04		mg/L		104	71 - 133
1,2-Dichloroethane	1.00	0.990		mg/L		99	80 - 120
Benzene	1.00	1.05		mg/L		105	80 - 120
2-Butanone (MEK)	2.00	1.99		mg/L		99	49 - 120
Carbon tetrachloride	1.00	0.927		mg/L		93	54 - 122
Chlorobenzene	1.00	1.01		mg/L		101	80 - 120
Chloroform	1.00	0.940		mg/L		94	80 - 123
Tetrachloroethene	1.00	1.08		mg/L		108	79 - 134
Trichloroethene	1.00	0.965		mg/L		97	78 - 130
Vinyl chloride	1.00	1.10		mg/L		110	56 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		80 - 121
4-Bromofluorobenzene (Surr)	99		70 - 124
Toluene-d8 (Surr)	106		80 - 120
Dibromofluoromethane (Surr)	93		80 - 128

Lab Sample ID: MB 240-130598/5

Matrix: Water

Analysis Batch: 130598

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/14/14 12:00	1
1,2-Dichloroethane	1.0	U	1.0	0.22	ug/L			05/14/14 12:00	1
Benzene	1.0	U	1.0	0.13	ug/L			05/14/14 12:00	1
2-Butanone (MEK)	10	U	10	0.57	ug/L			05/14/14 12:00	1
Carbon tetrachloride	1.0	U	1.0	0.13	ug/L			05/14/14 12:00	1
Chlorobenzene	1.0	U	1.0	0.15	ug/L			05/14/14 12:00	1
Chloroform	1.0	U	1.0	0.16	ug/L			05/14/14 12:00	1
Tetrachloroethene	1.0	U	1.0	0.29	ug/L			05/14/14 12:00	1
Trichloroethene	1.0	U	1.0	0.17	ug/L			05/14/14 12:00	1
Vinyl chloride	1.0	U	1.0	0.22	ug/L			05/14/14 12:00	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		63 - 129		05/14/14 12:00	1
4-Bromofluorobenzene (Surr)	91		66 - 120		05/14/14 12:00	1
Toluene-d8 (Surr)	83		74 - 120		05/14/14 12:00	1
Dibromofluoromethane (Surr)	97		75 - 121		05/14/14 12:00	1

Lab Sample ID: LCS 240-130598/4

Matrix: Water

Analysis Batch: 130598

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	8.78		ug/L		88	78 - 131
1,2-Dichloroethane	10.0	11.0		ug/L		110	71 - 127
Benzene	10.0	9.77		ug/L		98	80 - 120

TestAmerica Canton

QC Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-130598/4

Matrix: Water

Analysis Batch: 130598

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
2-Butanone (MEK)	20.0	17.0		ug/L		85	60 - 126
Carbon tetrachloride	10.0	10.1		ug/L		101	66 - 128
Chlorobenzene	10.0	10.0		ug/L		100	80 - 120
Chloroform	10.0	10.6		ug/L		106	79 - 120
Tetrachloroethene	10.0	9.81		ug/L		98	79 - 120
Trichloroethene	10.0	11.1		ug/L		111	76 - 120
Vinyl chloride	10.0	9.21		ug/L		92	53 - 127

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	96		63 - 129
4-Bromofluorobenzene (Surr)	96		66 - 120
Toluene-d8 (Surr)	87		74 - 120
Dibromofluoromethane (Surr)	99		75 - 121

Lab Sample ID: LB 240-130318/1-A MB

Matrix: Water

Analysis Batch: 130522

Client Sample ID: Method Blank

Prep Type: TCLP

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	0.025	U	0.025	0.0095	mg/L			05/13/14 19:56	1
1,2-Dichloroethane	0.025	U	0.025	0.011	mg/L			05/13/14 19:56	1
Benzene	0.025	U	0.025	0.0065	mg/L			05/13/14 19:56	1
2-Butanone (MEK)	0.25	U	0.25	0.029	mg/L			05/13/14 19:56	1
Carbon tetrachloride	0.025	U	0.025	0.0065	mg/L			05/13/14 19:56	1
Chlorobenzene	0.025	U	0.025	0.0075	mg/L			05/13/14 19:56	1
Chloroform	0.025	U	0.025	0.0080	mg/L			05/13/14 19:56	1
Tetrachloroethene	0.025	U	0.025	0.015	mg/L			05/13/14 19:56	1
Trichloroethene	0.025	U	0.025	0.0085	mg/L			05/13/14 19:56	1
Vinyl chloride	0.025	U	0.025	0.011	mg/L			05/13/14 19:56	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		80 - 121		05/13/14 19:56	1
4-Bromofluorobenzene (Surr)	95		70 - 124		05/13/14 19:56	1
Toluene-d8 (Surr)	103		80 - 120		05/13/14 19:56	1
Dibromofluoromethane (Surr)	92		80 - 128		05/13/14 19:56	1

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-130471/16-A

Matrix: Water

Analysis Batch: 130607

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 130471

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	0.0040	U	0.0040	0.00034	mg/L		05/13/14 11:46	05/14/14 11:50	1
2,4,5-Trichlorophenol	0.020	U	0.020	0.00030	mg/L		05/13/14 11:46	05/14/14 11:50	1
2,4,6-Trichlorophenol	0.020	U	0.020	0.00024	mg/L		05/13/14 11:46	05/14/14 11:50	1
2,4-Dinitrotoluene	0.020	U	0.020	0.00025	mg/L		05/13/14 11:46	05/14/14 11:50	1

TestAmerica Canton

QC Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-130471/16-A

Matrix: Water

Analysis Batch: 130607

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 130471

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexachlorobenzene	0.020	U	0.020	0.000085	mg/L		05/13/14 11:46	05/14/14 11:50	1
Hexachlorobutadiene	0.020	U	0.020	0.00027	mg/L		05/13/14 11:46	05/14/14 11:50	1
Hexachloroethane	0.020	U	0.020	0.00019	mg/L		05/13/14 11:46	05/14/14 11:50	1
3 & 4 Methylphenol	0.040	U	0.040	0.00080	mg/L		05/13/14 11:46	05/14/14 11:50	1
2-Methylphenol	0.0040	U	0.0040	0.00017	mg/L		05/13/14 11:46	05/14/14 11:50	1
Nitrobenzene	0.0040	U	0.0040	0.000040	mg/L		05/13/14 11:46	05/14/14 11:50	1
Pentachlorophenol	0.040	U	0.040	0.00027	mg/L		05/13/14 11:46	05/14/14 11:50	1
Pyridine	0.020	U	0.020	0.00035	mg/L		05/13/14 11:46	05/14/14 11:50	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	83		30 - 110	05/13/14 11:46	05/14/14 11:50	1
2-Fluorophenol (Surr)	70		20 - 110	05/13/14 11:46	05/14/14 11:50	1
2,4,6-Tribromophenol (Surr)	97		23 - 110	05/13/14 11:46	05/14/14 11:50	1
Nitrobenzene-d5 (Surr)	90		28 - 110	05/13/14 11:46	05/14/14 11:50	1
Phenol-d5 (Surr)	59		21 - 110	05/13/14 11:46	05/14/14 11:50	1
Terphenyl-d14 (Surr)	106		48 - 110	05/13/14 11:46	05/14/14 11:50	1

Lab Sample ID: LCS 240-130471/17-A

Matrix: Water

Analysis Batch: 130607

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 130471

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dichlorobenzene	0.0800	0.0624		mg/L		78	52 - 110
2,4,5-Trichlorophenol	0.0800	0.0681		mg/L		85	51 - 110
2,4,6-Trichlorophenol	0.0800	0.0683		mg/L		85	46 - 110
2,4-Dinitrotoluene	0.0800	0.0741		mg/L		93	54 - 110
Hexachlorobenzene	0.0800	0.0735		mg/L		92	50 - 110
Hexachlorobutadiene	0.0800	0.0625		mg/L		78	34 - 110
Hexachloroethane	0.0800	0.0621		mg/L		78	41 - 110
3 & 4 Methylphenol	0.0800	0.0635		mg/L		79	48 - 110
2-Methylphenol	0.0800	0.0635		mg/L		79	44 - 111
Nitrobenzene	0.0800	0.0684		mg/L		86	40 - 110
Pentachlorophenol	0.160	0.133		mg/L		83	12 - 110
Pyridine	0.0800	0.0632		mg/L		79	30 - 110

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Fluorobiphenyl (Surr)	85		30 - 110
2-Fluorophenol (Surr)	72		20 - 110
2,4,6-Tribromophenol (Surr)	100		23 - 110
Nitrobenzene-d5 (Surr)	90		28 - 110
Phenol-d5 (Surr)	64		21 - 110
Terphenyl-d14 (Surr)	108		48 - 110

TestAmerica Canton

QC Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Method: 8081A - Organochlorine Pesticides (GC)

Lab Sample ID: MB 240-130474/6-A

Matrix: Water

Analysis Batch: 131000

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 130474

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlordane (technical)	0.0050	U	0.0050	0.000033	mg/L		05/13/14 11:58	05/17/14 08:58	1
Endrin	0.00050	U	0.00050	0.000011	mg/L		05/13/14 11:58	05/17/14 08:58	1
Heptachlor	0.00050	U	0.00050	0.0000080	mg/L		05/13/14 11:58	05/17/14 08:58	1
Heptachlor epoxide	0.00050	U	0.00050	0.0000071	mg/L		05/13/14 11:58	05/17/14 08:58	1
gamma-BHC (Lindane)	0.00050	U	0.00050	0.0000064	mg/L		05/13/14 11:58	05/17/14 08:58	1
Methoxychlor	0.0010	U	0.0010	0.000032	mg/L		05/13/14 11:58	05/17/14 08:58	1
Toxaphene	0.020	U	0.020	0.00032	mg/L		05/13/14 11:58	05/17/14 08:58	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	95		40 - 129	05/13/14 11:58	05/17/14 08:58	1
Tetrachloro-m-xylene	96		40 - 129	05/13/14 11:58	05/17/14 08:58	1
DCB Decachlorobiphenyl	84		40 - 152	05/13/14 11:58	05/17/14 08:58	1
DCB Decachlorobiphenyl	84		40 - 152	05/13/14 11:58	05/17/14 08:58	1

Lab Sample ID: LCS 240-130474/7-A

Matrix: Water

Analysis Batch: 131000

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 130474

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Endrin	0.00200	0.00195	J	mg/L		98	73 - 146
Heptachlor	0.00200	0.00183	J	mg/L		91	60 - 140
Heptachlor epoxide	0.00200	0.00217	J	mg/L		108	73 - 158
gamma-BHC (Lindane)	0.00200	0.00188	J	mg/L		94	63 - 157
Methoxychlor	0.00400	0.00351	J	mg/L		88	49 - 160

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Tetrachloro-m-xylene	89		40 - 129
Tetrachloro-m-xylene	88		40 - 129
DCB Decachlorobiphenyl	94		40 - 152
DCB Decachlorobiphenyl	93		40 - 152

Method: 8151A - Herbicides (GC)

Lab Sample ID: MB 240-130477/6-A

Matrix: Water

Analysis Batch: 130851

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 130477

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-D	0.0040	U	0.0040	0.00041	mg/L		05/13/14 12:01	05/15/14 20:51	1
Silvex (2,4,5-TP)	0.0010	U	0.0010	0.00020	mg/L		05/13/14 12:01	05/15/14 20:51	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4-Dichlorophenylacetic acid	84		56 - 120	05/13/14 12:01	05/15/14 20:51	1
2,4-Dichlorophenylacetic acid	96		56 - 120	05/13/14 12:01	05/15/14 20:51	1

TestAmerica Canton

QC Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Method: 8151A - Herbicides (GC) (Continued)

Lab Sample ID: LCS 240-130477/7-A

Matrix: Water

Analysis Batch: 130851

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 130477

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
2,4-D	0.0200	0.0154		mg/L		77	50 - 120
Silvex (2,4,5-TP)	0.00500	0.00379		mg/L		76	45 - 129

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2,4-Dichlorophenylacetic acid	77		56 - 120
2,4-Dichlorophenylacetic acid	94		56 - 120

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 240-130439/2-A

Matrix: Water

Analysis Batch: 130613

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 130439

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.50	U	0.50	0.0032	mg/L		05/13/14 10:24	05/14/14 09:51	1
Barium	0.00102	J	10	0.00067	mg/L		05/13/14 10:24	05/14/14 09:51	1
Cadmium	0.10	U	0.10	0.00066	mg/L		05/13/14 10:24	05/14/14 09:51	1
Chromium	0.50	U	0.50	0.0022	mg/L		05/13/14 10:24	05/14/14 09:51	1
Lead	0.50	U	0.50	0.0019	mg/L		05/13/14 10:24	05/14/14 09:51	1
Selenium	0.25	U	0.25	0.0041	mg/L		05/13/14 10:24	05/14/14 09:51	1
Silver	0.50	U	0.50	0.0022	mg/L		05/13/14 10:24	05/14/14 09:51	1

Lab Sample ID: LCS 240-130439/3-A

Matrix: Water

Analysis Batch: 130613

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 130439

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	2.00	1.97		mg/L		98	50 - 150
Barium	2.00	1.83	J	mg/L		91	50 - 150
Cadmium	0.0500	0.0493	J	mg/L		99	50 - 150
Chromium	0.200	0.194	J	mg/L		97	50 - 150
Lead	0.500	0.439	J	mg/L		88	50 - 150
Selenium	2.00	2.03		mg/L		101	50 - 150
Silver	0.0500	0.0510	J	mg/L		102	50 - 150

Lab Sample ID: LB 240-130323/1-C

Matrix: Water

Analysis Batch: 130613

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 130439

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.50	U	0.50	0.0032	mg/L		05/13/14 10:24	05/14/14 09:47	1
Barium	0.00173	J	10	0.00067	mg/L		05/13/14 10:24	05/14/14 09:47	1
Cadmium	0.10	U	0.10	0.00066	mg/L		05/13/14 10:24	05/14/14 09:47	1
Chromium	0.50	U	0.50	0.0022	mg/L		05/13/14 10:24	05/14/14 09:47	1
Lead	0.00379	J	0.50	0.0019	mg/L		05/13/14 10:24	05/14/14 09:47	1
Selenium	0.00527	J	0.25	0.0041	mg/L		05/13/14 10:24	05/14/14 09:47	1
Silver	0.50	U	0.50	0.0022	mg/L		05/13/14 10:24	05/14/14 09:47	1

TestAmerica Canton

QC Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 240-130443/2-A
Matrix: Water
Analysis Batch: 130680

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 130443

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.0020	U	0.0020	0.00012	mg/L		05/13/14 14:15	05/14/14 12:16	1

Lab Sample ID: LCS 240-130443/3-A
Matrix: Water
Analysis Batch: 130680

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 130443

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.00500	0.00500		mg/L		100	50 - 150

Lab Sample ID: LB 240-130323/1-D
Matrix: Water
Analysis Batch: 130680

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 130443

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.0020	U	0.0020	0.00012	mg/L		05/13/14 14:15	05/14/14 12:14	1

Method: 1010 - Ignitability, Pensky-Martens Closed-Cup Method

Lab Sample ID: LCS 240-130504/1
Matrix: Water
Analysis Batch: 130504

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Flashpoint	81.0	83.00		Degrees F		102	97 - 103

Lab Sample ID: 240-37132-1 DU
Matrix: Water
Analysis Batch: 130504

Client Sample ID: FWG-IDW-MWPURGE MAY 2014
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Flashpoint	>180		>180		Degrees F		NC	20

Method: 9012A - Cyanide, Total and/or Amenable

Lab Sample ID: MB 240-130669/1-A
Matrix: Water
Analysis Batch: 130712

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 130669

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Total	0.010	U	0.010	0.0032	mg/L		05/14/14 12:34	05/14/14 15:42	1

Lab Sample ID: LCS 240-130669/2-A
Matrix: Water
Analysis Batch: 130712

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 130669

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cyanide, Total	0.0168	0.0186		mg/L		111	69 - 118

TestAmerica Canton

QC Sample Results

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Method: 9034 - Sulfide, Acid soluble and Insoluble (Titrimetric)

Lab Sample ID: MB 240-130378/1-A
Matrix: Water
Analysis Batch: 130482

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 130378

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	3.0	U	3.0	0.94	mg/L		05/13/14 08:09	05/13/14 08:09	1

Lab Sample ID: LCS 240-130378/2-A
Matrix: Water
Analysis Batch: 130482

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 130378

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	7.87	6.53		mg/L		83	70 - 130

Lab Sample ID: 240-37132-1 MS
Matrix: Water
Analysis Batch: 130482

Client Sample ID: FWG-IDW-MWPURGE MAY 2014
Prep Type: Total/NA
Prep Batch: 130378

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	3.0	U	7.87	6.93		mg/L		88	27 - 124

Lab Sample ID: 240-37132-1 MSD
Matrix: Water
Analysis Batch: 130482

Client Sample ID: FWG-IDW-MWPURGE MAY 2014
Prep Type: Total/NA
Prep Batch: 130378

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sulfide	3.0	U	7.87	6.13		mg/L		78	27 - 124	12	20

Method: 9040B - pH

Lab Sample ID: LCS 240-130116/19
Matrix: Water
Analysis Batch: 130116

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
pH	6.47	6.510		SU		101	97 - 103

Lab Sample ID: LCS 240-130116/2
Matrix: Water
Analysis Batch: 130116

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
pH	6.47	6.490		SU		100	97 - 103

TestAmerica Canton

QC Association Summary

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

GC/MS VOA

Leach Batch: 130318

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	TCLP	Water	1311	
240-37132-2	FWG-IDW-MWDECON MAY 2014	TCLP	Water	1311	
LB 240-130318/1-A MB	Method Blank	TCLP	Water	1311	

Analysis Batch: 130522

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LB 240-130318/1-A MB	Method Blank	TCLP	Water	8260B	130318
LCS 240-130522/9	Lab Control Sample	Total/NA	Water	8260B	

Analysis Batch: 130598

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-3	FWG-IDW-MWTB MAY 2014	Total/NA	Water	8260B	
LCS 240-130598/4	Lab Control Sample	Total/NA	Water	8260B	
MB 240-130598/5	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 130706

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	TCLP	Water	8260B	130318
240-37132-2	FWG-IDW-MWDECON MAY 2014	TCLP	Water	8260B	130318

GC/MS Semi VOA

Leach Batch: 130323

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	TCLP	Water	1311	
240-37132-2	FWG-IDW-MWDECON MAY 2014	TCLP	Water	1311	

Prep Batch: 130471

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	TCLP	Water	3510C	130323
240-37132-2	FWG-IDW-MWDECON MAY 2014	TCLP	Water	3510C	130323
LCS 240-130471/17-A	Lab Control Sample	Total/NA	Water	3510C	
MB 240-130471/16-A	Method Blank	Total/NA	Water	3510C	

Analysis Batch: 130607

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	TCLP	Water	8270C	130471
240-37132-2	FWG-IDW-MWDECON MAY 2014	TCLP	Water	8270C	130471
LCS 240-130471/17-A	Lab Control Sample	Total/NA	Water	8270C	130471
MB 240-130471/16-A	Method Blank	Total/NA	Water	8270C	130471

GC Semi VOA

Leach Batch: 130323

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	TCLP	Water	1311	
240-37132-2	FWG-IDW-MWDECON MAY 2014	TCLP	Water	1311	

TestAmerica Canton

QC Association Summary

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

GC Semi VOA (Continued)

Prep Batch: 130474

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	TCLP	Water	3510C	130323
240-37132-2	FWG-IDW-MWDECON MAY 2014	TCLP	Water	3510C	130323
LCS 240-130474/7-A	Lab Control Sample	Total/NA	Water	3510C	
MB 240-130474/6-A	Method Blank	Total/NA	Water	3510C	

Prep Batch: 130477

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	TCLP	Water	8151A	130323
240-37132-2	FWG-IDW-MWDECON MAY 2014	TCLP	Water	8151A	130323
LCS 240-130477/7-A	Lab Control Sample	Total/NA	Water	8151A	
MB 240-130477/6-A	Method Blank	Total/NA	Water	8151A	

Analysis Batch: 130851

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	TCLP	Water	8151A	130477
240-37132-2	FWG-IDW-MWDECON MAY 2014	TCLP	Water	8151A	130477
LCS 240-130477/7-A	Lab Control Sample	Total/NA	Water	8151A	130477
MB 240-130477/6-A	Method Blank	Total/NA	Water	8151A	130477

Analysis Batch: 131000

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	TCLP	Water	8081A	130474
240-37132-2	FWG-IDW-MWDECON MAY 2014	TCLP	Water	8081A	130474
LCS 240-130474/7-A	Lab Control Sample	Total/NA	Water	8081A	130474
MB 240-130474/6-A	Method Blank	Total/NA	Water	8081A	130474

Metals

Leach Batch: 130323

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	TCLP	Water	1311	
240-37132-2	FWG-IDW-MWDECON MAY 2014	TCLP	Water	1311	
LB 240-130323/1-C	Method Blank	TCLP	Water	1311	
LB 240-130323/1-D	Method Blank	TCLP	Water	1311	

Prep Batch: 130439

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	TCLP	Water	3010A	130323
240-37132-2	FWG-IDW-MWDECON MAY 2014	TCLP	Water	3010A	130323
LB 240-130323/1-C	Method Blank	TCLP	Water	3010A	130323
LCS 240-130439/3-A	Lab Control Sample	Total/NA	Water	3010A	
MB 240-130439/2-A	Method Blank	Total/NA	Water	3010A	

Prep Batch: 130443

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	TCLP	Water	7470A	130323
240-37132-2	FWG-IDW-MWDECON MAY 2014	TCLP	Water	7470A	130323
LB 240-130323/1-D	Method Blank	TCLP	Water	7470A	130323
LCS 240-130443/3-A	Lab Control Sample	Total/NA	Water	7470A	
MB 240-130443/2-A	Method Blank	Total/NA	Water	7470A	

TestAmerica Canton

QC Association Summary

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Metals (Continued)

Analysis Batch: 130613

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	TCLP	Water	6010B	130439
240-37132-2	FWG-IDW-MWDECON MAY 2014	TCLP	Water	6010B	130439
LB 240-130323/1-C	Method Blank	TCLP	Water	6010B	130439
LCS 240-130439/3-A	Lab Control Sample	Total/NA	Water	6010B	130439
MB 240-130439/2-A	Method Blank	Total/NA	Water	6010B	130439

Analysis Batch: 130680

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	TCLP	Water	7470A	130443
240-37132-2	FWG-IDW-MWDECON MAY 2014	TCLP	Water	7470A	130443
LB 240-130323/1-D	Method Blank	TCLP	Water	7470A	130443
LCS 240-130443/3-A	Lab Control Sample	Total/NA	Water	7470A	130443
MB 240-130443/2-A	Method Blank	Total/NA	Water	7470A	130443

General Chemistry

Analysis Batch: 130116

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	Total/NA	Water	9040B	
240-37132-2	FWG-IDW-MWDECON MAY 2014	Total/NA	Water	9040B	
LCS 240-130116/19	Lab Control Sample	Total/NA	Water	9040B	
LCS 240-130116/2	Lab Control Sample	Total/NA	Water	9040B	

Prep Batch: 130378

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	Total/NA	Water	9030B	
240-37132-1 MS	FWG-IDW-MWPURGE MAY 2014	Total/NA	Water	9030B	
240-37132-1 MSD	FWG-IDW-MWPURGE MAY 2014	Total/NA	Water	9030B	
240-37132-2	FWG-IDW-MWDECON MAY 2014	Total/NA	Water	9030B	
LCS 240-130378/2-A	Lab Control Sample	Total/NA	Water	9030B	
MB 240-130378/1-A	Method Blank	Total/NA	Water	9030B	

Analysis Batch: 130482

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	Total/NA	Water	9034	130378
240-37132-1 MS	FWG-IDW-MWPURGE MAY 2014	Total/NA	Water	9034	130378
240-37132-1 MSD	FWG-IDW-MWPURGE MAY 2014	Total/NA	Water	9034	130378
240-37132-2	FWG-IDW-MWDECON MAY 2014	Total/NA	Water	9034	130378
LCS 240-130378/2-A	Lab Control Sample	Total/NA	Water	9034	130378
MB 240-130378/1-A	Method Blank	Total/NA	Water	9034	130378

Analysis Batch: 130504

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	Total/NA	Water	1010	
240-37132-1 DU	FWG-IDW-MWPURGE MAY 2014	Total/NA	Water	1010	
240-37132-2	FWG-IDW-MWDECON MAY 2014	Total/NA	Water	1010	
LCS 240-130504/1	Lab Control Sample	Total/NA	Water	1010	

TestAmerica Canton

QC Association Summary

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

General Chemistry (Continued)

Prep Batch: 130669

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	Total/NA	Water	9012A	
240-37132-2	FWG-IDW-MWDECON MAY 2014	Total/NA	Water	9012A	
LCS 240-130669/2-A	Lab Control Sample	Total/NA	Water	9012A	
MB 240-130669/1-A	Method Blank	Total/NA	Water	9012A	

Analysis Batch: 130712

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-37132-1	FWG-IDW-MWPURGE MAY 2014	Total/NA	Water	9012A	130669
240-37132-2	FWG-IDW-MWDECON MAY 2014	Total/NA	Water	9012A	130669
LCS 240-130669/2-A	Lab Control Sample	Total/NA	Water	9012A	130669
MB 240-130669/1-A	Method Blank	Total/NA	Water	9012A	130669

Lab Chronicle

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Client Sample ID: FWG-IDW-MWPURGE MAY 2014

Lab Sample ID: 240-37132-1

Date Collected: 05/08/14 12:55

Matrix: Water

Date Received: 05/08/14 14:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
TCLP	Leach	1311			130318	05/12/14 16:29	SMH	TAL CAN
TCLP	Analysis	8260B		1	130706	05/14/14 20:37	TJL1	TAL CAN
TCLP	Leach	1311			130323	05/12/14 16:20	SMH	TAL CAN
TCLP	Prep	3510C			130471	05/13/14 11:46	SDE	TAL CAN
TCLP	Analysis	8270C		1	130607	05/14/14 14:57	JMG	TAL CAN
TCLP	Leach	1311			130323	05/12/14 16:20	SMH	TAL CAN
TCLP	Prep	3510C			130474	05/13/14 11:58	SDE	TAL CAN
TCLP	Analysis	8081A		1	131000	05/17/14 07:07	BPM	TAL CAN
TCLP	Leach	1311			130323	05/12/14 16:20	SMH	TAL CAN
TCLP	Prep	8151A			130477	05/13/14 12:01	SDE	TAL CAN
TCLP	Analysis	8151A		1	130851	05/15/14 18:53	DEB	TAL CAN
TCLP	Leach	1311			130323	05/12/14 16:20	SMH	TAL CAN
TCLP	Prep	3010A			130439	05/13/14 10:24	DEE	TAL CAN
TCLP	Analysis	6010B		1	130613	05/14/14 17:38	KLC	TAL CAN
TCLP	Leach	1311			130323	05/12/14 16:20	SMH	TAL CAN
TCLP	Prep	7470A			130443	05/13/14 14:15	DEE	TAL CAN
TCLP	Analysis	7470A		1	130680	05/14/14 12:43	ADS	TAL CAN
Total/NA	Analysis	1010		1	130504	05/13/14 08:06	TPH	TAL CAN
Total/NA	Prep	9012A			130669	05/14/14 12:34	NJE	TAL CAN
Total/NA	Analysis	9012A		1	130712	05/14/14 15:47	NJE	TAL CAN
Total/NA	Analysis	9034		1	130482	05/13/14 08:09	WAL	TAL CAN
Total/NA	Prep	9030B			130378	05/13/14 08:09	WAL	TAL CAN
Total/NA	Analysis	9040B		1	130116	05/10/14 15:17	WAL	TAL CAN

Client Sample ID: FWG-IDW-MWDECON MAY 2014

Lab Sample ID: 240-37132-2

Date Collected: 05/08/14 13:00

Matrix: Water

Date Received: 05/08/14 14:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
TCLP	Leach	1311			130318	05/12/14 16:29	SMH	TAL CAN
TCLP	Analysis	8260B		1	130706	05/14/14 20:58	TJL1	TAL CAN
TCLP	Leach	1311			130323	05/12/14 16:20	SMH	TAL CAN
TCLP	Prep	3510C			130471	05/13/14 11:46	SDE	TAL CAN
TCLP	Analysis	8270C		1	130607	05/14/14 15:21	JMG	TAL CAN
TCLP	Leach	1311			130323	05/12/14 16:20	SMH	TAL CAN
TCLP	Prep	3510C			130474	05/13/14 11:58	SDE	TAL CAN
TCLP	Analysis	8081A		1	131000	05/17/14 07:29	BPM	TAL CAN
TCLP	Leach	1311			130323	05/12/14 16:20	SMH	TAL CAN
TCLP	Prep	8151A			130477	05/13/14 12:01	SDE	TAL CAN
TCLP	Analysis	8151A		1	130851	05/15/14 19:16	DEB	TAL CAN
TCLP	Leach	1311			130323	05/12/14 16:20	SMH	TAL CAN
TCLP	Prep	3010A			130439	05/13/14 10:24	DEE	TAL CAN
TCLP	Analysis	6010B		1	130613	05/14/14 17:42	KLC	TAL CAN
TCLP	Leach	1311			130323	05/12/14 16:20	SMH	TAL CAN

TestAmerica Canton

Lab Chronicle

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Client Sample ID: FWG-IDW-MWDECON MAY 2014

Lab Sample ID: 240-37132-2

Date Collected: 05/08/14 13:00

Matrix: Water

Date Received: 05/08/14 14:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
TCLP	Prep	7470A			130443	05/13/14 14:15	DEE	TAL CAN
TCLP	Analysis	7470A		1	130680	05/14/14 12:44	ADS	TAL CAN
Total/NA	Analysis	1010		1	130504	05/13/14 09:58	TPH	TAL CAN
Total/NA	Prep	9012A			130669	05/14/14 12:34	NJE	TAL CAN
Total/NA	Analysis	9012A		1	130712	05/14/14 15:47	NJE	TAL CAN
Total/NA	Analysis	9034		1	130482	05/13/14 08:09	WAL	TAL CAN
Total/NA	Prep	9030B			130378	05/13/14 08:09	WAL	TAL CAN
Total/NA	Analysis	9040B		1	130116	05/10/14 15:17	WAL	TAL CAN

Client Sample ID: FWG-IDW-MWTB MAY 2014

Lab Sample ID: 240-37132-3

Date Collected: 05/08/14 12:50

Matrix: Water

Date Received: 05/08/14 14:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	130598	05/14/14 15:53	LEE	TAL CAN

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Certification Summary

Client: Environmental Quality Mgt., Inc.
Project/Site: RVAAP (OH) - IDW

TestAmerica Job ID: 240-37132-1

Laboratory: TestAmerica Canton

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
California	NELAP	9	01144CA	06-30-14 *
Connecticut	State Program	1	PH-0590	12-31-14
Florida	NELAP	4	E87225	06-30-14 *
Georgia	State Program	4	N/A	06-30-14 *
Illinois	NELAP	5	200004	07-31-14 *
Kansas	NELAP	7	E-10336	01-31-15
Kentucky (UST)	State Program	4	58	06-30-14 *
L-A-B	DoD ELAP		L2315	07-18-16
Minnesota	NELAP	5	039-999-348	12-31-14
Nevada	State Program	9	OH-000482008A	07-31-14 *
New Jersey	NELAP	2	OH001	06-30-14 *
New York	NELAP	2	10975	03-31-15
Ohio VAP	State Program	5	CL0024	10-31-15
Pennsylvania	NELAP	3	68-00340	08-31-14
Texas	NELAP	6		08-31-14
USDA	Federal		P330-13-00319	11-26-16
Virginia	NELAP	3	460175	09-14-14
Washington	State Program	10	C971	01-12-15
West Virginia DEP	State Program	3	210	12-31-14
Wisconsin	State Program	5	999518190	08-31-14

* Expired certification is currently pending renewal and is considered valid.

TestAmerica Canton

CHAIN OF CUSTODY AND RECEIVING DOCUMENTS

14



240-37132 Chain of Custody

North Canton

Regulatory program:

☐ DW

☐ NPDES☐ RCRA☒ Other

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Client Contact		Client Project Manager:		Site Contact:		Lab Contact:		TestAmerica Laboratories, Inc.	
Company Name:		Telephone:		Telephone:		Telephone:		COC No:	
Address:		Email:		Analysis Turnaround Time (in BUS days)		Analyses		For lab use only	
City/State/Zip:		Method of Shipment/Carrier:		TAT if different from below		Walk-in client		Lab pickup	
Phone:		Shipping/Tracking No:		<input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		Lab sampling		Job/SDG No:	
Project Name:		Matrix		Containers & Preservatives		Sample Specific Notes / Special Instructions:			
Project Number:		Air		H2SO4					
PO #		Aqueous		HNO3					
		Sediment		HCl					
		Solid		NaOH					
		Other:		ZnAc/NaOH					
				Unpres					
				Other:					
EQM		John Miller		A. Dragotta		Mark Leeb		56030	
1800 Carillon Blvd		513-825-7500		513-825-7500		330-491-9396		2 of 1 COCs	
Cincinnati, Ohio 45240		adragotta@eqm.com		Analysis Turnaround Time (in BUS days)		Analyses		For lab use only	
513-825-7500		Method of Shipment/Carrier:		TAT if different from below		Walk-in client		Lab pickup	
RVAPP (OH)		Shipping/Tracking No:		<input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		Lab sampling		Job/SDG No:	
030174 0016.001, 11.1		N/A		Matrix		Containers & Preservatives		Sample Specific Notes / Special Instructions:	
				Air		H2SO4			
				Aqueous		HNO3			
				Sediment		HCl			
				Solid		NaOH			
				Other:		ZnAc/NaOH			
						Unpres			
						Other:			
Sample Identification		Sample Date		Sample Time		Filtered Sample (Y/N)		Composites (C / Grab) (G)	
FUG IDW - TRIP		05/08/14		1250		X		VOC - 8260	
FUG PURGE - May 2014		1		1255		X		TEL - VOC	
FUG DECON - May 2014		1		1300		X		TEL - Herb Pests Metals	
FUG IDW MWD PURGE MAY 2014		1		1255		X		TEL - SVOC	
FUG IDW MWD DECON MAY 2014		1		1300		X		Total Chromium	
FUG IDW MWTB MAY 2014		1		1250		X		Total Sulfide	
								freshprint	
								pH	
Possible Hazard Identification		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)							
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input checked="" type="checkbox"/> Unknown		<input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months							
Special Instructions/QC Requirements & Comments:									
Samples collected near pickup may not meet temp requirements									
All VOCs in STL									
Relinquished by:		Company:		Date/Time:		Received by:		Company:	
PC		EQM		5/8/14 1400		T. D.		TestAmerica	
Relinquished by:		Company:		Date/Time:		Received by:		Company:	
PC		TestAmerica		5-8-14-1450		T. D.		VAC	
Relinquished by:		Company:		Date/Time:		Received in Laboratory by:		Company:	
PC		TestAmerica		5/8/14 1450		T. D.		VAC	

Canton Facility

Client EQM

Site Name

Cooler unpacked by: [Signature]Cooler Received on 5/8/14Opened on 5/8/14FedEx: 1st Grd Exp UPS FAS Stetson Client Drop Off TestAmerica Courier Other

TestAmerica Cooler # _____ Foam Box Client Cooler Box Other _____

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt

IR GUN# A (CF +0 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

IR GUN# 4 (CF -1 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

IR GUN# 5 (CF +1 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

IR GUN# 8 (CF +1 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

☒ See Multiple
Cooler Form2. Were custody seals on the outside of the cooler(s)? If Yes Quantity 1 EA Yes ☒ No ☐-Were custody seals on the outside of the cooler(s) signed & dated? Yes ☒ No ☐ NA ☐-Were custody seals on the bottle(s)? Yes ☒ No ☐

3. Shippers' packing slip attached to the cooler(s)?

Yes ☒ No ☐

4. Did custody papers accompany the sample(s)?

Yes ☒ No ☐

5. Were the custody papers relinquished & signed in the appropriate place?

Yes ☒ No ☐

6. Did all bottles arrive in good condition (Unbroken)?

Yes ☒ No ☐

7. Could all bottle labels be reconciled with the COC?

Yes ☒ No ☐

8. Were correct bottle(s) used for the test(s) indicated?

Yes ☒ No ☐

9. Sufficient quantity received to perform indicated analyses?

Yes ☒ No ☐

10. Were sample(s) at the correct pH upon receipt?

Yes ☒ No ☐ NA ☐pH Strip Lot# HC391902

11. Were VOAs on the COC?

Yes ☒ No ☐

12. Were air bubbles >6 mm in any VOA vials?

Yes ☒ No ☐ NA ☐

13. Was a trip blank present in the cooler(s)?

Yes ☒ No ☐

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

14. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: [Signature]

15. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

16. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

Temperature readings: _____

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u> <u>pH</u>	<u>Preservative</u> <u>Added (mls)</u>	<u>Lot #</u>
FWG-IDW-MWPURGE MAY 2014 240-37132-A-1		Plastic 250ml - with Sodium Hydrox	>12	_____	_____
FWG-IDW-MWPURGE MAY 2014 240-37132-B-1		Plastic 500ml - with Zn Acetate and	>9	_____	_____
FWG-IDW-MWDECON MAY 2014 240-37132-A-2		Plastic 250ml - with Sodium Hydrox	>12	_____	_____
FWG-IDW-MWDECON MAY 2014 240-37132-B-2		Plastic 500ml - with Zn Acetate and	>9	_____	_____

APPENDIX E

REPORTING LIMITS THAT CURRENTLY DO NOT MEET THE RVAAP QAPP PROJECT ACTION REQUIREMENTS, MCLS, AND/OR RSL

VOCs

CAS No.	Analyte Name	Units	MDL	LOD ¹	RL	PAR ²	MCL	RSL
79-34-5	1,1,2,2-Tetrachloroethane	µg/L	0.18	0.25	1	1	NS	0.076
106-93-4	1,2-Dibromoethane	µg/L	0.24	0.25	1	1	NS	0.0075
107-06-2	1,2-Dichloroethane	µg/L	0.22	0.25	1	1	5	0.17
75-27-4	Bromodichloromethane	µg/L	0.15	0.25	1	1	80	0.13
124-48-1	Dibromochloromethane	µg/L	0.18	0.25	1	1	NS	0.17
75-01-4	Vinyl chloride	µg/L	0.22	0.25	1	1	2	0.019

SVOCs

CAS No.	Analyte Name	Units	MDL	LOD ¹	RL	PAR ²	MCL	RSL
91-94-1	3,3'-Dichlorobenzidine	µg/L	0.37	1	5	5	NS	0.12
534-52-1	4,6-Dinitro-2-methylphenol	µg/L	2.4	4	5	25	NS	1.5
50-32-8	Benzo(a)pyrene	µg/L	0.051	0.1	0.2	0.2	0.2	0.0034
205-99-2	Benzo(b)fluoranthene	µg/L	0.045	0.1	0.2	0.2	NS	0.034
111-44-4	bis(2-Chloroethyl)ether	µg/L	0.1	0.1	1	1	NS	0.014
53-70-3	Dibenzo(a,h)anthracene	µg/L	0.45	0.1	0.2	50	NS	0.0065
118-74-1	Hexachlorobenzene	µg/L	0.085	0.1	0.2	10	1	0.049
87-68-3	Hexachlorobutadiene	µg/L	0.27	0.5	1	10	NS	0.3
193-39-5	Indeno(1,2,3-cd)pyrene	µg/L	0.043	0.1	0.2	0.2	NS	0.034
180-60-1	2,2'-Oxybis (1-Chloropropane)	µg/L	0.4	0.5	1	10	NS	0.36
621-64-7	N-Nitroso-di-n-propylamine	µg/L	0.24	0.5	1	10	NS	0.011
87-86-5	Pentachlorophenol	µg/L	0.27	1	5	5	1	0.04

Pesticides

CAS No.	Analyte Name	Units	MDL	LOD ¹	RL	PAR ²	MCL	RSL
309-00-2	Aldrin	µg/L	0.0082	0.02	0.03	0.03	NS	0.00046
319-84-6	alpha-BHC	µg/L	0.007	0.02	0.03	0.03	NS	0.0071
60-57-1	Dieldrin	µg/L	0.0075	0.02	0.03	0.03	NS	0.0017
76-44-8	Heptachlor	µg/L	0.008	0.02	0.03	0.03	0.4	0.002
1024-57-3	Heptachlor epoxide	µg/L	0.0071	0.02	0.03	0.03	0.2	0.0038
8001-35-2	Toxaphene	µg/L	0.32	0.79	2	2	3	0.015

PCB

CAS No.	Analyte Name	Units	MDL	LOD ¹	RL	PAR ²	MCL	RSL
11104-28-2	PCB- 1221	µg/L	0.13	0.2	0.5	0.2	0.5	0.0046
11141-16-5	PCB- 1232	µg/L	0.16	0.2	0.5	0.2	0.5	0.0046
53469-21-9	PCB- 1242	µg/L	0.22	0.4	0.5	0.4	0.5	0.039
12672-29-6	PCB- 1248	µg/L	0.1	0.2	0.5	0.2	0.5	0.039
11097-69-1	PCB- 1254	µg/L	0.16	0.2	0.5	0.2	0.5	0.039
11096-82-5	PCB- 1260	µg/L	0.17	0.2	0.5	0.2	0.5	0.039

Explosives

CAS No.	Analyte Name	Units	MDL	LOD ¹	RL	PAR ²	MCL	RSL
606-20-2	2,6-Dinitrotoluene	µg/L	0.05	0.1	0.13	0.1	NS	0.048

Inorganics

CAS No.	Analyte Name	Units	MDL	LOD ¹	RL	PAR ²	MCL	RSL
7440-38-2	Arsenic	µg/L	3.3	10	10	5	10	0.052
7440-70-2	Calcium	µg/L	630	1000	5000	100	NS	NS
7440-09-7	Potassium	µg/L	300	900	5000	200	NS	NS
7439-95-4	Magnesium	µg/L	120	300	5000	100	NS	NS
7440-66-6	Zinc	µg/L	27	50	50	10	NS	6000
7440-28-0	Thallium	µg/L	0.79	1.5	2	1	2	0.2
57-12-5	Cyanide	mg/L	0.01	0.01	0.0032	0.01	0.2	0.0015

Notes:

1- LOD= The smallest amount or concentration of a substance that must be present in a sample in order to be detected at a high level of confidence (99%). At the LOD, the false negative rate is 1%.

2- Project Action Requirements from table 4 of the Facility Wide QAPP

NS= No Standard