

Change-In-Title Statement

The Preliminary version of this report titled, “Preliminary Draft Work Plan Addendum for 2010 Preliminary Assessment Compliance Restoration Sites CC RVAAP-78 Quarry Pond Surface Dump and CC RVAAP-80 Group 2 Propellant Can Tops” is replaced by the revised title, “Draft Work Plan Addendum for 2010 Preliminary Assessment Compliance Restoration Site CC RVAAP-78 Quarry Pond Surface Dump.”

1
2 **Draft Work Plan Addendum for 2010 Preliminary Assessment**
3 **Compliance Restoration Site**
4 **CC RVAAP-78 Quarry Pond Surface Dump**
5

6
7
8 **Ravenna Army Ammunition Plant**
9 **Ravenna, Ohio**

10
11 **Contract No. W912QR-10-P-0052**
12

13
14
15 **Prepared for:**



16 **US Army Corps**
17 **of Engineers®**

18 **U.S. Army Corps of Engineers**
19 **600 Martin Luther King, Jr. Place**
20 **Louisville, Kentucky 40202**
21

22
23 **Prepared by:**



24 **Prudent Technologies, Inc.**
25 **dba Prudent Environmental Services, Inc.**
26 **4242 Medical Drive, Suite 5250**
27 **San Antonio, Texas 78229**
28

29
30 **August 10, 2011**

TABLE OF CONTENTS

LIST OF FIGURES	iv
LIST OF TABLES	iv
LIST OF APPENDICES	iv
ACRONYMS AND ABBREVIATIONS	v
1.0 BACKGROUND	1-1
1.1 PROJECT BACKGROUND AND SUMMARY	1-1
1.2 GENERAL FACILITY DESCRIPTION	1-1
2.0 PROJECT DESCRIPTION	2-1
2.1 PROJECT BACKGROUND AND SUMMARY OF CC RVAAP-78	2-1
2.2 WORK TO BE PERFORMED	2-4
2.3 PROJECT TASKS	2-4
3.0 PROJECT ACTIVITIES	3-1
3.1 PREMOBILIZATION	3-1
3.1.1 Utility Clearance	3-1
3.1.2 Pre-Field Work Meetings.....	3-1
3.2 MOBILIZATION AND SITE PREPARATION	3-1
3.2.1 Temporary Facilities	3-2
3.2.2 Site Security	3-2
3.2.3 Decontamination	3-2
3.3 FIELD WORK	3-2
3.4 SCHEDULE.....	3-4
3.5 ANALYTICAL WORK.....	3-7
3.6 DATA MANAGEMENT / DATA VALIDATION.....	3-7
3.7 SURVEYING AND MAPPING	3-7
3.8 PA REPORT	3-8
3.9 SITE LOGISTICS AND COORDINATION.....	3-8
3.10 PROJECT RESOURCES.....	3-9
4.0 ENVIRONMENTAL PROTECTION PLAN.....	4-1
4.1 PROTECTION OF NATURAL RESOURCES.....	4-1
4.2 PROTECTION OF LANDSCAPE	4-1
4.3 DISPOSAL OF WASTE.....	4-1

1	4.4	DISPOSAL OF HAZARDOUS WASTE	4-1
2	4.5	PROTECTION OF WATER RESOURCES	4-2
3	4.6	SPILL CONTROL	4-2
4	5.0	PROJECT DOCUMENTATION AND SAMPLE QA/QC.....	5-1
5	5.1	MONTHLY ACTIVITY REPORTS	5-1
6	5.2	SAMPLE HANDLING AND TRACKING.....	5-1
7	5.3	FIELD ACTIVITIES COORDINATION.....	5-1
8	5.4	FIELD AND LABORATORY QA/QC	5-1
9	6.0	DISPOSITION OF INVESTIGATION-DERIVED WASTE	6-1
10	7.0	CLEAN UP LEVELS: BACKGROUND CONCENTRATIONS.....	7-1
11	8.0	DELIVERABLES	8-1
12	9.0	REFERENCES.....	9-1
13			

LIST OF FIGURES

Figure 1-1: RVAAP Location & General Vicinity Map.....	1-2
Figure 2-1: CC RVAAP-78 Quarry Pond Surface Dump Location Map	2-2
Figure 2-2: CC RVAAP-78 Quarry Pond Surface Dump Topographic Map	2-3
Figure 3-1: Temporary Decontamination Pad	3-3

LIST OF TABLES

Table 2-1: Latitude/Longitude from RVAAP CC-78 Site Reconnaissance.....	2-1
Table 3-1: Project Schedule	3-5
Table 7-1: Facility-Wide Surface Soil Clean-Up Goals	7-2

LIST OF APPENDICES

Appendix A – Field Sampling Plan Addendum to the Facility-Wide Sampling and Analysis Plan	
Appendix B – Quality Assurance Project Plan Addendum to the Facility-Wide Quality Assurance Project Plan	
Appendix C – Site Safety and Health Plan Addendum to the Facility-Wide Safety and Health Plan	
Appendix D – UXO/MEC Anomaly Avoidance Plan	

1 **ACRONYMS AND ABBREVIATIONS**

2	ACM	Asbestos Containing Material
3	ACSIM	Assistant Chief of Staff for Installation Management
4	ADR	Automatic Data Review
5	AEC	Army Environmental Command
6	AOC	Area of Concern
7	APA	Abbreviated Preliminary Assessment
8	bgs	Below ground surface
9	BRACD	Base Realignment and Closure Division
10	Camp Ravenna	Camp Ravenna Joint Military Training Center
11	CERCLA	Comprehensive Environmental Response, Compensation, and
12		Liability Act
13	COPC	Chemicals of Potential Concern
14	COR	Contracting Officer Representative
15	CR	Compliance Restoration
16	CUG	Clean-up Goal
17	CUGIROD	Cleanup Goal from IROD
18	CPR	Cardio Pulmonary Resuscitation
19	DFFOs	Director's Final Findings and Orders
20	DNT	Dinitrotoluene, also 2,4-Dinitrotoluene
21	DOD	Department of Department
22	DOT	Department of Transportation
23	DMM	Discarded Military Munitions
24	EDD	Electronic Data Deliverable
25	EDMS	Environmental Data Management System
26	ELAP	Environmental Laboratory Accreditation Program
27	EPA	Environmental Protection Agency
28	ESS	Explosives Safety Submission
29	FBQ	Fuze and Booster Quarry
30	FS	Feasibility Study
31	FSP	Field Sampling Plan
32	FWSAP	Facility-Wide Sampling and Analysis Plan
33	GPS	Global Positioning System
34	HRRR	Historical Records Review Report
35	HASP	Health and Safety Plan (or Safety and Health Plan)
36	HAZWOPER	Hazardous Waste Operations and Emergency Response
37	HTRW	Hazardous, Toxic, and Radioactive Waste
38	IDW	Investigation-Derived Waste
39	IROD	Interim Record of Decision
40	IRP	Installation Restoration Program
41	ISM	Incremental Sampling Methodology
42	JSA	Job Safety Analysis
43	MEC	Munitions and Explosives of Concern
44	MC	Munitions Constituents
45	MI	Multi-increment
46	MMRP	Military Munitions Response Program
47	NGB	National Guard Bureau

1	OHARNG	Ohio Army National Guard
2	OHEPA	Ohio Environmental Protection Agency
3	OSHA	Occupational Safety and Health Administration
4	PA	Preliminary Assessment
5	PAH	Polycyclic aromatic hydrocarbon
6	PCB	Polychlorinated biphenyl
7	PCP	Project Coordination Plan
8	PMP	Project Management Plan
9	Prudent	Prudent Technologies
10	QA	Quality Assurance
11	QAPP	Quality Assurance Project Plan
12	QC	Quality Control
13	QSM	Quality System Manual
14	PLM	Polarized Light Microscopy
15	RAB	Restoration Advisory Board
16	RCRA	Resource Conservation and Recovery Act
17	RDX	Royal Demolition Explosive (1,3,5-Trinitroperhydro-1,3,5-triazine; Cyclotrimethylenetrinitramine)
18		
19	REIMS	Ravenna Environmental Information Management System
20	RI	Remedial Investigation
21	RVAAP	Ravenna Army Ammunition Plant
22	SAP	Sampling and Analysis Plan
23	SRC	Site-Related Contaminant
24	SSHP	Site Safety and Health Plan
25	SWPPP	Storm Water Pollution Prevention Plan
26	TCLP	Toxicity Characteristic Leaching Procedure
27	TNT	Trinitrotoluene (2,4,6-Trinitrotoluene)
28	SOW	Scope of Work
29	USACE	United States Army Corps of Engineers
30	USATCES	United States Army Technical Center for Explosives Safety
31	USP&FO	United States Property and Fiscal Officer
32	UXO	Unexploded Ordnance
33	VOC	Volatile Organic Compound
34	WBS	Work Breakdown Structure
35		

CC RVAAP-78 EXECUTIVE SUMMARY

Prudent Technologies Inc., (Prudent) was contracted by the United States Army Corps of Engineers (USACE) Louisville District to complete a Preliminary Assessment (PA) of the following Compliance Restoration (CR) sites at the Ravenna Army Ammunition Plant, Ravenna, Ohio, under Contract No. W912QR-10-P-0052:

- CC RVAAP-78, Quarry Pond Surface Dump
- CC RVAAP-80, Group 2 Propellant Can Tops

The objective of this project is to conduct a PA of the two areas of concern (AOCs), which includes a comprehensive background historical review of each site and an initial intrusive investigation to confirm the presence or absence of contamination at CR site CC RVAAP-78. The comprehensive background historical review has been completed and is provided in the Historical Records Review Report for 2010 Preliminary Assessment Compliance Restoration Sites CC RVAAP-78 Quarry Pond Surface Dump & CC RVAAP-80 Group 2 Propellant Can Tops, (Prudent, 2011).

The initial intrusive investigation for CC RVAAP-78 includes environmental sampling and support tasks. These tasks include collecting grab samples of transite from Debris Piles A and B for Asbestos Containing Material (ACM) determinations, collecting surface soil samples immediately adjacent to Debris Piles A and B, from within Debris Pile C, from the apparent burn area, sampling the contents of two rusted 55-gallon drums, and properly disposing of the two rusted 55-gallon drums. The purpose of the limited sampling is to confirm the presence or absence of contaminants at CC RVAAP-78.

1.0 BACKGROUND

1.1 PROJECT BACKGROUND AND SUMMARY

Prudent Technologies Inc., (Prudent) was contracted by the United States Army Corps of Engineers (USACE) Louisville District to complete a PA of the following Compliance Restoration (CR) sites at the Ravenna Army Ammunition Plant, Ravenna, Ohio, under Contract No. W912QR-10-P-0052:

- CC RVAAP-78, Quarry Pond Surface Dump
- CC RVAAP-80, Group 2 Propellant Can Tops

The objective of this project is to conduct a PA of the two AOCs, which includes a comprehensive background historical review of the each site and an initial intrusive investigation to confirm the presence or absence of contamination at CC RVAAP-78. The comprehensive background historical review has been completed and is provided in the Historical Records Review Report for 2010 Preliminary Assessment Compliance Restoration Sites CC RVAAP-78 Quarry Pond Surface Dump & CC RVAAP-80 Group 2 Propellant Can Tops, (Prudent, 2011).

The initial intrusive investigation for CC RVAAP-78 includes environmental sampling and support tasks. These tasks include collecting grab samples of transite from Debris Piles A and B for Asbestos Containing Material (ACM) determinations, collecting surface soil samples immediately adjacent to Debris Piles A and B, from within Debris Pile C, from the apparent burn area, sampling the contents of two rusted 55-gallon drums, and properly disposing of the two rusted 55-gallon drums.

Due to former activities at this site, munitions and explosives of concern (MEC) may potentially be present at the AOC. The probability of encountering MEC is low. MEC avoidance surveys will be conducted during the investigation activities.

1.2 GENERAL FACILITY DESCRIPTION


When the RVAAP Installation Restoration Program (IRP) began in 1989, RVAAP was identified as a 21,419-acre installation. The property boundary was resurveyed by OHARNG over a 2-year period (2002 and 2003) and the total acreage of the property was found to be 21,683.289 acres. As of February 2006, a total of 20,403 acres of the former 21,683-acre RVAAP has been transferred to the National Guard Bureau (NGB) and subsequently licensed to OHARNG for use as a military training site.

The current RVAAP consists of 1,260 acres scattered throughout the OHARNG Camp Ravenna Joint Military Training Center (Camp Ravenna). Camp Ravenna is in northeastern Ohio within Portage and Trumbull Counties, approximately 3 miles (4.8 km) east-northeast of the City of Ravenna and approximately 1 mile (1.6 km) northwest of the City of Newton Falls. The RVAAP portions of the property are solely located within Portage County. RVAAP/Camp Ravenna is a parcel of property approximately 11 miles (17.7 km) long and 3.5 miles (5.6 km) wide bounded by State Route 5, the Michael J. Kirwan Reservoir, and the CSX System Railroad on the south; Garret, McCormick, and Berry roads on the west; the Norfolk Southern Railroad on the north; and State Route 534 on the east. Camp Ravenna is surrounded by several communities: Windham on the north; Garrettsville 6 miles (9.6 km) to the northwest; Newton Falls 1 mile (1.6 km) to the southeast; Charlestown to the southwest; and Wayland 3 miles (4.8 km) to the south.

When RVAAP was operational, Camp Ravenna did not exist and the entire 21,683-acre parcel was a government-owned, contractor-operated industrial facility. The RVAAP Installation Restoration Program (IRP) encompasses investigation and cleanup of past activities over the entire 21,683- acres of the former

RVAAP and therefore references to the RVAAP in this document are considered to be inclusive of the historical extent of the RVAAP, which is inclusive of the combined acreages of the current Camp Ravenna and RVAAP, unless otherwise specifically stated. The property location is depicted in Figure 1-1.

Figure 1-1: RVAAP Location & General Vicinity Map



2.0 PROJECT DESCRIPTION

2.1 PROJECT BACKGROUND AND SUMMARY OF CC RVAAP-78

The Quarry Pond Surface Dump AOC is located in the southwestern portion of the facility, just north of the Fuze and Booster Quarry Landfill/Ponds AOC, north of Fuze and Booster Road. The site consists of areas of former dumping at the bases of steeply inclined rock slopes. The surface dumps, referenced as Debris Piles A, B, and C on Figures 2-1 and 2-2, are located north, northwest and northeast of the northern-most quarry pond within the Fuze and Booster Quarry Landfill/Ponds (RVAAP-16) AOC. Debris Pile A is approximately 425 feet in length and 18 to 68 feet wide and is suspected of containing ACM, construction debris, scrap metal, and unidentified materials. A second, smaller debris pile at the base of a steeply inclined rock slope, defined as Debris Pile B, is approximately 296 feet in length and 24 feet wide. An apparent burn area is located near a rusted, 55-gallon drum, both of which are within Debris Pile B. The apparent burn area is characterized by ground charring and lack of vegetation. The topographic map of this area, (see Figure 2-2), shows that the south end of Debris Pile A becomes one continuous slope from Reference Point 9b of Debris Pile A to Reference Point 3 of Debris Pile B (see Figure 2-1). Debris Pile C is located along the northwestern corner of the northern-most quarry pond area with the debris area being approximately 120 feet by 45 feet. A second rusted 55-gallon drum is present within this area. Table 2-1 list Global Positioning System (GPS) Ohio State Plane coordinates of locations where observations were made during the site reconnaissance, monitoring wells and 55-gallon drums.

Table 2-1: Latitude/Longitude from RVAAP CC-78 Site Reconnaissance


Reference #	Latitude	Longitude
CC-78 GPS Points		
1	41.1796	-81.1128
2	41.1794	-80.1128
3	41.1792	-81.1128
4	41.1797	-81.1129
6	41.1799	-81.1131
8	41.1801	-81.1124
10	41.1797	-81.1121
5a	41.1797	-81.1137
5b	41.1798	-81.1134
7a	41.1801	-81.1129
7b	41.1801	-81.1123
9a	41.1800	-81.1124
9b	41.1795	-81.1126
Ground Water Monitoring Wells FBQ		
171	41.1796	-81.1138
173	41.1803	-81.1124
174	41.1793	-81.1130
175	41.1789	-81.1130
55-Gallon Drum		
55-Gallon Drum 1	41.1796	-81.1136
55-Gallon Drum 2	41.1796	-81.1128

1
2
3

Figure 2-1: CC RVAAP-78 Quarry Pond Surface Dump Location Map



Figure 2-2: CC RVAAP-78 Quarry Pond Surface Dump Topographic Map



2.2 WORK TO BE PERFORMED

The PA for CC RVAAP-78 will include an initial intrusive investigation of possible impacts to the applicable media to confirm the presence or absence of contaminants.

Limited surface soil sampling will be conducted and the results compared with cleanup goals, as prescribed in the Position Paper for the Application and Use of Facility-Wide Human Health Cleanup Goals (USACE 2009), to determine chemicals of potential concern (COPCs). As per the limited scope of a Phase I Remedial Investigation (Preliminary Assessment), no sampling of groundwater is provided within this project. However, brief summaries of existing related surface and groundwater data will be presented. MEC avoidance procedures will be needed during intrusive investigations.

2.3 PROJECT TASKS

The following tasks are prescribed in the contract to accomplish the overall project objectives.

- | | |
|---------|--|
| Task 1 | Project Management |
| 1.1 | Project Management Plan (PMP) |
| 1.2 | Site Safety and Health Plan (SSHP) Addendum |
| 1.3 | Project Execution/Client Correspondence |
| Task 2 | Historical Review and Research of Available Data |
| 2.1 | Research |
| 2.2 | Historical Records Review Report |
| Task 3 | PA Initial Intrusive Investigation |
| 3.1 - 2 | Preparation of Work Plan Support Documents |
| | Work Plan |
| | Sampling and Analysis (SAP) Addendum |
| | Quality Assurance Project Plan (QAPP) Addendum |
| 3.3 | Implementation of PA Work Plan |
| 3.4 | Disposal of Investigation Derived Wastes (IDW) |
| 3.5 | Data Management/Data Validation |
| 3.6 | PA Report |
| 3.7 | Surveying and Mapping |
| Task 4 | Optional Tasks |
| 4.1 | Vegetation Removal |
| 4.2 | Snow Removal |
| 4.3 | Road Improvements/Temporary Road Installations |

3.0 PROJECT ACTIVITIES

The project activities associated with the planned intrusive activities will be completed in two segments: RI and report writing. This Work Plan (WP) includes all project activities. It contains amendments to the Facility-Wide (FW) Sampling and Analysis Plan (SAP) (SAIC, 2011b). These amendments are included as Appendix A (the FSP Addendum) and Appendix B (the FW QAPP Addendum). In addition, a Site Safety and Health Plan (SSHP) Addendum is provided as Appendix C and an MEC/Anomaly Avoidance Plan is included as Appendix D.

3.1 PREMOBILIZATION

Prior to the field investigation, a series of pre-mobilization activities will be undertaken to ensure that all applicable requirements are met. These will include obtaining any necessary notifications to the RVAAP Facility Manager, Ohio EPA, the operating contractor, Vista Technologies, Inc. (Vista) and other stakeholders. In addition, all necessary approvals (e.g., Work Plan) as well as subcontracts and purchase orders for transport, analytical, and other necessary services will be in place.

3.1.1 Utility Clearance

Prior to intrusive sampling, subsurface utilities identified as part of the pre-mobilization will be reviewed during a site walk.

Work around all marked utilities will be conducted with utmost precaution to ensure that no utility lines will be damaged. In case an unmarked utility line is exposed during remediation activities, Prudent will stop work and notify the RVAAP Facility Manager. Work will resume only after Prudent gets a clearance from the RVAAP Facility Manager.

3.1.2 Pre-Field Work Meetings

Pre-field work meetings will be held prior to commencing investigational efforts. These meetings will communicate project expectations and requirements to ensure that all stakeholders understand their roles, responsibilities, and interactions with others. These meetings will be conducted by the Prudent Technical Project Manager.

3.2 MOBILIZATION AND SITE PREPARATION

Sampling personnel will be mobilized once during the implementation of this project. All applicable requirements will be met prior to commencing work activities.

Mobilization and site preparation will include, but not limited to, the following:

- Verify utility layout,
- Coordinate site security with Post 1,
- Set up controlled access to the job site,
- Review the job safety analysis (JSA) with field crews for those activities to be conducted,
- Establish any environmental monitoring operations in accordance with the SSHP Addendum to the Facility-Wide and Health Plan Sections 5.5, 7.0, and 8.0,
- Ensure that all necessary equipment is on site and ready for use,

- Set up an equipment staging area,
- Set up equipment fueling area, and

3.2.1 Temporary Facilities

Temporary facilities, including office space, sanitary facilities, and hand wash stations will be placed at locations designated by the RVAAP Facilities Manager. If any of these temporary facilities use land previously transferred to National Guard Bureau (NGB), approval from Camp Ravenna is required and will be obtained. Communications will include both cell phones and handheld radios. Signs and barricades will be used to identify sampling areas.

3.2.2 Site Security

Site security for the protection of the general public, site workers and site equipment, and materials will be established in accordance with the Prudent SSHP Addendum. Personnel and any subcontractors who will be working at RVAAP will be submitted to the RVAAP Security Staff at least one week in advance. The roster will be updated/maintained on a weekly basis. All personnel approved for entry to the RVAAP will be required to provide government issued identification (i.e., driver's license, passport, etc.) in order to enter. Any personnel working within any of the focus area will also be required to provide documentation of their 40-hour Occupational Safety and Health Administration (OSHA) Hazardous Waste Operations and Emergency Response (HAZWOPER) Training and their current 8-hour OSHA HAZWOPER Refresher Training.


3.2.3 Decontamination

A temporary decontamination area will be constructed to facilitate decontamination of drum removal equipment and other associated equipment and personnel. The location and layout of the field decontamination area will be determined by the Prudent Project Manager and the Site Safety and Health Officer (SSHO). The tentative location of the temporary decontamination pad is shown on Figures 2-1 and 2-2. A schematic of the temporary decontamination pad is provided as Figure 3-1. An additional decontamination area will be located in Building 1036 (or another location determined by the RVAAP Facility Manager) and will be used to decontaminate soil sampling equipment. All sampling equipment will be decontaminated in accordance with the procedures outlined in Sections 5.6.2.9 of the FWSAP. Any exceptions to these procedures are detailed in the FSP Addendum within Appendix A. If the toxicity characteristic leaching procedure (TCLP) results of the drum contents indicate that drum removal and overpacking need to be done by heavy equipment, decontamination of equipment will be conducted per US EPA Region 4 Field Equipment Cleaning and Decontamination. If the TCLP results indicate that drum removal by hand is acceptable, then an area immediately adjacent to the drums will be covered with 1-inch plywood and 0.6 milplastic and the rusted drums and their contents placed into a new or reconditioned 55-gallon drum. The new or reconditioned drum containing the rusted drum, its contents and soil immediately adjacent to the rusted drum will be rolled over to a pickup truck and rolled into the truck. The new or reconditioned 55-gallon drum(s) containing the rusted drum, its contents, and soil immediately adjacent to it will be disposed of per the results of the TCLP analysis.

3.3 FIELD WORK

Fieldwork will consist of incremental sampling methodology (ISM) surface soil (0 - 1foot) sampling of areas immediately adjacent to Debris Piles A and B, within Debris Pile C, and within the apparent

1

Figure 3-1: Temporary Decontamination Pad

2

burn area. Additionally two discrete samples of transite will be collected to determine the ACM content. Finally, samples of the material within the two rusted 55-gallon drums and subsequent transport/disposal of those drums will be conducted based on the results of the TCLP analyses of the materials within the rusted drums.

Three field days with the Project Manager, Senior and Mid-Level Geologists will be utilized for the field effort. Initially, one day is planned for vegetation removal (via Subcontractor) to allow access to the site, if needed. Vegetation removal will not be performed on the debris pile due the suspected presence of transite. Discrete asbestos sampling will be performed by a Certified Asbestos Inspector. Triplicate ISM sampling of surface soils immediately adjacent to the debris pile will be performed once the asbestos sampling is completed. Both of these operations will require unexploded ordnance (UXO) avoidance support. Because there is much metallic debris anticipated, much of the UXO Technician's work will be visual. Additionally, one volatile organic compounds (VOC) field blank sample will also be collected for quality control purposes.

Sampling of the contents of the two 55-gallon drums will be conducted first to allow determination of TCLP results prior to the field team leaving the facility. Drum sampling and overpacking, if required, will be performed per US EPA SOP #2009 and US EPA-600/2-86-013. Over-packed drums will be temporarily stored adjacent to Building 1036. Subsequently ISM surface soil sampling adjacent to Debris Piles A and B, within Debris Pile C, and the apparent burn area will be conducted. Finally, samples of the transite will be collected to determine ACM content.

All sampling will be performed as per the approved FSP. Within 90 days of the generation of IDW, Prudent will characterize and properly dispose of IDW at approved off-site waste disposal facilities in compliance with applicable Federal, state, and local rules, laws and regulations. Prudent will maintain applicable waste characterization and disposal records, and produce a waste disposal report for submittal to and approval by the Ohio EPA. IDW disposal will be coordinated with the RVAAP Facility Manager and OHARNG.

3.4 SCHEDULE

The current schedule for the subject project is provided as Table 3-1.

1

Table 3-1: Project Schedule

Task No - Name	Orig Scheduled Completion Date	Actual/Projected Completion Date	Status/ % Complete
0 - Project Management	O n G o i n g		
1.0 Contr Identify PM	11 Jun 2010	4 Jun 2010	100
1.1 – Project Management			
Pre Draft PMP	26 Jun 2010	25 Jun 2010	100
Draft PMP	5 Aug 2010	5 Aug 2010	100
Final PMP	9 Oct 2010	9 Oct 2010	100
1.2 – SSHP			
Pre Draft PMP	26 Jun 2010	25 Jun 2010	100
Draft PMP	5 Aug 2010	5 Aug 2010	100
Final PMP	9 Oct 2010	30 Sep 2010	100
1.3-Proj. Mtgs., Monthly Reports, etc	50		
2.1 Conduct Historical Records Review	23 Dec 2010	24 Apr 2011	100
2.2 Historical Records Review Report (HRRR)			
Pre Draft HRRR	21 Dec 2010	15 Dec 2010	100
Draft HRRR	30 Jan2011	11 Feb 2011	100
Final HRRR	5 Apr 2011	14 Apr 2011	100
3.1.a SAP			
Pre Draft SAP	15 May 2011	20 May 2011	100
Draft SAP	24 Jun 2011	10 Aug 2011	80

Final SAP	28 Aug 2011	8 Oct 2011	0
3.1.b QAPP			
Pre Draft QAPP	15 May 2011	20 May 2011	100
Draft QAPP	24 Jun 2011	10 Aug 2011	80
Final QAPP	28 Aug 2011	8 Oct 2011	0
3.2 Work Plan (WP)			
Pre Draft WP	15 May 2011	20 May 2011	100
Draft WP	24 Jun 2011	10 Aug 2011	80
Final WP	28 Aug 2011	8 Oct2011	0
3.3 Implement Field Work	9 Oct 2011	24 Oct 2011	0
3.4 Dispose of IDW	6 Jan 2012	28 Dec 2012	0
3.5 Data Verification	7 Dec 2011	22 Dec 2011	0
3.6 PA			
Prelim PA	6 Jan 2012	10 Jan 2012	0
Draft PA	15 Feb 2012	16 Feb 2012	0
Final PA	20 Apr 2012	20 Apr 2012	0

- 1 PM = Project Manager PMP = Project Management Plan
- 2 HRRR = Historical Records Review Report SAP = Sampling and Analysis Plan
- 3 WP = Work Plan QAPP = Quality Assurance Project Plan
- 4 PA – Preliminary Assessment
- 5

3.5 ANALYTICAL WORK

The sub-contract laboratory will analyze the surface soil ISM samples for one or more of the following parameters: VOCs, semi-volatile organic compounds (SVOCs), target analyte (TAL) metals (including mercury), polychlorinated biphenyls (PCBs), explosives, propellants, and pesticides per the FW QAPP (SAIC 2011b). Additionally the work will be conducted with the following enumerations:

- Asbestos content determined as per EPA Method 600/R-93/116 to meet the requirements of 40 CFR Part 763, Subpart E, Appendix E, Section 1 Polarized Light Microscopy.
- Blind triplicate ISM surface soil samples will be used for QC/QA.
- Air-drying and sieving of the surface soil ISM samples will be done. No grinding of the ISM surface soil samples will be conducted.
- Small discrete plugs of soils will be collected near the approximate middle of any ISM sampling areas at a depth of approximately 0.5 feet for VOC analyses.
- Low-level Method 8270 will be utilized for analyses of the SVOCs to achieve lower reporting limits as per the low cleanup goals.
- VOC samples will be prepared from the 40 ml vials by Paragraph 9.3.1.4 of the FW QAPP (SAIC 2011b).

Representative samples of the materials within the 55-gallon drums will be analyzed for full toxicity characteristic leaching procedure (TCLP) parameters, ignitability (Flashpoint), reactivity, and corrosivity (pH) with the intent to assist proper disposal of the drums.

Prudent has secured a USACE approved laboratory that can provide analytical data in the USACE Automatic Data Review (ADR) electronic format. The laboratory selected has been Environmental Laboratory Accreditation Program (ELAP) certified by an accrediting body to perform Department of Defense (DoD) work under the DoD Quality Systems Manual for Environmental Laboratories. Sample data will be provided in electronic data deliverable (EDD) format. The project will utilize the RVAAP library file created by personnel from Prudent and TestAmerica, and will be maintained to accurately reflect the analytical quality and will be provided to both the USACE and the sub-contract laboratory for use in screening EDD submittals. Data review will comply with the procedures outlined in the Louisville Quality System Manual (QSM) Supplement and provide compatibility with data management software, at a minimum, the Environmental Data Management System (EDMS) software. Provisions for analytical data quality (QC/QA) management are provided in section 4.9 of Appendix A and Appendix B.

3.6 DATA MANAGEMENT / DATA VALIDATION

Electronic data submitted by the sub-contract laboratory will be error-free, and in complete agreement with the hardcopy data. Data files will be delivered by e-mail and/or high density CD accompanying the hardcopy data reports.

Working with the sub-contract lab, analytical data will be verified according to the DoD QSM Version 4.1 requirements via ADR. The completed data validation report (prepared by a separate USACE contractor) will be included as an appendix to the final report.

3.7 SURVEYING AND MAPPING

Significant points, not already located in the HRRR, related to the project will be located according to the requirements of the project specific scope of work (SOW), and the facility-wide (FW) SAP, as follows:

- Horizontal Control - accuracy will be within one meter
- Vertical Control - estimated from the facility 2-foot contour interval topographic.

3.8 PA REPORT

Prudent will prepare a PA report that includes findings and investigation results for CC-RVAAP-78 Quarry Pond Surface Dump. At a minimum, the report will include:

- Description of the history and nature of waste handling practices,
- Description of known Hazardous, Toxic, and Radioactive Waste (HTRW) and suspected Military Munitions Response Program (MMRP) issues,
- Description of potential pathways and receptors for HTRW,
- Description of human population and environmental targets,
- Analytical data and results,
- Comparison of analytical results to the most recent facility Clean Up Goals (CUGs),
- Determination of chemicals of potential concern will be ascertained,
- Data Verification Report, and
- Recommendations for further action.

3.9 SITE LOGISTICS AND COORDINATION

During any week in which Prudent personnel (including Prudent subcontractors) are performing site work at RVAAP/Camp Ravenna, a representative will attend the weekly contractor meeting. These meetings are designed to facilitate coordination of various contractor activities occurring at RVAAP/Camp Ravenna and with those of Army or OHARNG activities. All on-site personnel of both Prudent and its subcontractors will have completed 40-hour HAZWOPER training and be current with associated 8-hour refresher training. Prudent and its subcontractors will coordinate its field activities with other subcontractors, the Army, and the OHARNG. All on-site Prudent personnel and associated subcontractors will submit their current copy of HAZWOPER certification to the RVAAP Base Realignment and Closure Division (BRACD) Facility Manager's Office.

Prudent will not perform any site work during weekends when deer or turkey hunts are occurring at Camp Ravenna.

In order to ensure the security and orderly operation of RVAAP/Camp Ravenna, Prudent will follow procedures established by RVAAP/Camp Ravenna, and the facility caretaker contractor regarding access to the facility of contractors, consultants, or visitors. Prudent will notify the facility caretaker contractor at least 24 hours ahead of any deliveries to RVAAP/Camp Ravenna.

Personnel associated with this project will adhere to posted speed limits or default to 35 mph during daylight hours and 25 mph during nighttime hours.

Smoking will be permitted in designated areas of RVAAP/Camp Ravenna and food will be consumed only in designated areas.

Communication among Prudent personnel will be primarily by cell phones, with radios as backup.

Prudent will remove non-hazardous trash brought to or generated at RVAAP/Camp Ravenna during its work. Any manifests for removal of non-RCRA (Resource Conservation and Recovery Act) hazardous

waste will be signed by Jim McGee, manager for the facility-operating contractor; and any manifests for removal of RCRA hazardous waste will be signed by Mark Patterson, the BRACD Facility Manager.

3.10 PROJECT RESOURCES

Army Furnished Resources - The Army is providing specified resources to Prudent for investigation and remediation purposes, including:

- Access to Army-maintained records, reports, data, analyses, and information in their current format, i.e., paper copy, electronic, tape, disc, compact disks.
- Access to DoD and Army policy and guidance documents.
- Access and use of the facility sampling building, Bldg 1036, as available, in coordination with other contractors or Army personnel, and as per policies of the facility-operating contractor.

Contractor Furnished Resources - Prudent will provide required expertise, knowledge, equipment and tools needed to meet or exceed the government's objectives delineated in the SOW for this project in accordance with established industry standards.

4.0 ENVIRONMENTAL PROTECTION PLAN

The environmental resources within the project boundaries and those affected outside the limits of permanent work under this contract will be protected during the entire period of this contract. Prudent will confine its activities to areas defined by this WP.

4.1 PROTECTION OF NATURAL RESOURCES

Prior to the beginning of field operations, Prudent will identify, in consultation with the RVAAP Stakeholders, all land resources to be preserved within the work area. Prudent will not remove, cut, deface, injure, or destroy land resources including trees, shrubs, vines, grasses, topsoil, and landforms without permission from RVAAP Stakeholders.

4.2 PROTECTION OF LANDSCAPE

Trees, shrubs, vines, grasses, landforms, and other landscape features to be preserved will be clearly identified. Except in work areas, trees or shrubs will not be removed, cut, defaced, injured, or destroyed without the permission from RVAAP Stakeholders. A poly liner will protect any areas accessed for the purpose of transporting or transferring wastewater or solid waste materials.

4.3 DISPOSAL OF WASTE

Disposal of waste, trash, and other materials off the project site will be in accordance with all applicable federal, state, and local rules, regulations, and laws and Section 8.0 of the FWSAP.

4.4 DISPOSAL OF HAZARDOUS WASTE

RCRA hazardous wastes that may be generated during performance of the SOW include explosive soil and waste acetone/mixtures from the onsite laboratory. Section 6.1 describes the management procedures for IDW, including wastes generated at the on-site laboratory.

Explosive soil is considered to fall into the MEC category. MEC are defined as follows:

- a. UXO, as defined in 10 United States Code (U.S.C.) 2710(e)(9);
- b. Discarded military munitions (DMM), as defined in 10 U.S.C. 2710 (e)(2); or
- c. Munitions constituents (e.g., TNT, RDX) present in high concentrations to pose an explosive hazard. (28 October 2003 Assistant Chief of Staff for Installation Management (ACSIM) Memorandum) (USACE, 2004). "Pink water" is a listed RCRA hazardous waste, which may be encountered during this project.

With respect to condition c above, soil containing a concentration of secondary explosives, e.g., TNT or RDX, of 10 percent or greater by weight is considered an explosive hazard (USACE, 2007a). Explosive soil is therefore MEC, and it carries the RCRA D003 hazardous waste code for reactivity.

The project is being performed within the CERCLA framework; therefore, compliance with the substantive, not administrative, e.g., permitting, requirements of applicable or relevant and appropriate requirements is necessary. The Director's Final Findings and Orders (DFFOs), Section VI, 9, (a), also states that a hazardous waste facility and installation operation permit is not required for the in-place

1 treatment (destruction) of MEC discovered at the RVAAP that cannot be safely transported to the
2 RVAAP open detonation area, provided that the Army complies with other applicable hazardous waste
3 requirements.

4 **4.5 PROTECTION OF WATER RESOURCES**

5 Prudent will keep field operations under surveillance, management, and control to avoid pollution of
6 surface and ground waters. Prudent intends to protect streams and wetlands by not disturbing these areas.

7 **4.6 SPILL CONTROL**

8 Special measures will be taken to prevent any chemicals, fuels, oils, greases, waste washings, herbicides,
9 insecticides, rubbish or sewage, and other pollutants from entering RVAAP surface waters. In addition,
10 Prudent will have spill supplies on hand and will respond to any on-site spills in accordance with the
11 facility spill plans.

5.0 PROJECT DOCUMENTATION AND SAMPLE QA/QC

5.1 MONTHLY ACTIVITY REPORTS

Monthly activity reports will be submitted by the fifth of each month in accordance with the SOW.

5.2 SAMPLE HANDLING AND TRACKING

Samples will be prepared, packaged, and shipped in accordance with the FWSAP, Section 7.0. Exceptions to the FWSAP procedures will include:

- All VOC sample containers will be placed in either foam bubble wrap or paper towels to reduce the potential for breakage during shipping.

Sample handling will be in accordance with the FWSAP Section 6.4. The laboratory's chain of custody will be used to document the integrity of all samples collected. A copy of each chain will be forwarded to Prudent's San Antonio office for sample tracking purposes.

5.3 FIELD ACTIVITIES COORDINATION

During the performance of the SOW, field activities will be coordinated on a daily basis with any other onsite contractors. Additionally, weekly updates will be discussed at the RVAAP weekly contractors' meeting with the Facility, OHARNG, and other on-site contractors.

5.4 FIELD AND LABORATORY QA/QC

Triplicate surface ISM samples will be taken to provide an overall evaluation of the total (field sampling + laboratory sample preparation + laboratory analysis) sampling and measurement process (see Hawaii Technical Guidance Manual for the Implementation of the Hawaii State Contingency Plan). One triplicate sample will be taken from each debris pile. The results of the triplicate sample analyses will be used to measure the investigation error. The main criterion for this purpose will be the Relative Standard Deviation (RSD) calculated from the triplicate data as follows:

$$\text{RSD (\%)} = 100 \times (\text{Standard Deviation}) / \text{Average}$$

Acceptable RSDs for triplicate surface soil ISM samples are generally within 35 percent.

Geotechnical logging of surface soil materials will be conducted as prescribed in the FWSAP.

6.0 DISPOSITION OF INVESTIGATION-DERIVED WASTE

All IDW, including personal protective equipment, disposable sampling equipment, and decontamination fluids, will be segregated, handled, labeled, characterized, managed, and disposed in accordance with federal, state, and local rules, regulations, and laws, and Section 8.0 of the FWSAP. The waste will be temporarily stored on the east side of Bldg. 1036 pending disposal.

The IDW will be segregated by type of medium and will be containerized as follows:

- Personal protective equipment and disposable sampling equipment will be containerized in Department of Transportation (DOT) approved, 55-gallon steel drums and staged at the temporary waste accumulation area (Building 1036) pending sample analysis.
- Water used to decontaminate large and small equipment will be containerized in poly tanks or DOT-approved drums and staged at the temporary waste accumulation area pending sample and waste characterization analysis.
- Decontamination and extraction fluids including acid, methanol, and acetone will be containerized in poly tanks or DOT-approved drums and staged at the temporary waste accumulation area pending sample and waste characterization analysis.

IDW will be characterized as it is generated. The waste will be sampled for characterization after generation has filled a container with a particular waste stream. The characterization results, classification, and disposition of the IDW will be documented. Characterization, transportation, and disposal of the IDW will comply with federal, state and local rules laws and regulations, as well as the permit requirements for the receiving facility as applicable. In the event environmental sample data indicate that an IDW stream is potentially hazardous, a TCLP sample will be collected for additional characterization purposes. All shipments of IDW off site will be coordinated through the RVAAP Environmental Coordinator. Disposition will be based on the results of the laboratory analyses for the bulk quantity in accordance with all federal, state and local rules, laws and regulations. Labeling of all IDW containers will be in accordance with Section 8.2 of the FWSAP.

7.0 CLEAN UP LEVELS: BACKGROUND CONCENTRATIONS

All results will be compared with the minimum of the appropriate sets of clean-up goals (CUGs) for the National Guard Trainee and Resident Adult Farmer or the Regional Screening Level (RSL), where no CUGs are in place. A listing of these levels is provided in Table 7-1 below.

Table 7-1: Facility-Wide Surface Soil Clean-Up Goals

Chemical	Units	Criterion To Be a Chemical of Potential Concern	National Guard Trainee Surface Soil CUG		Background	Resident Farmer Adult Surface Soil CUG		Resident Farmer Child Surface Soil CUG		RSL for Chemicals w/No CUG 10 ⁻⁵ or HI =1
			Non-Cancer HI = 1	Cancer Risk = 10 ⁻⁵		Non-Cancer HI = 1	Cancer Risk = 10 ⁻⁵	Non-Cancer HI = 1	Cancer Risk = 10 ⁻⁵	
Inorganics										
Aluminum	mg/kg	34,960	34,960	*	19,500	529,229	*	73,798	*	
Antimony	mg/kg	136	1,753	*	0.96	136	*	28.2	*	
Arsenic	mg/kg	19.8	1,140	27.8	19.8	82.1	4.25	20.2	5.24	
Barium	mg/kg	3,506	3,506	*	124.0	89,656	*	14,129	*	
Beryllium	mg/kg	160			0.88					160
Cadmium	mg/kg	109	3,292	109	0	223	12,491	64.1	26,767	
Chromium (as Cr-3)	mg/kg	196,942	1,000,000	*	27.2	196,942	*	81,473	*	
Chromium, hexavalent	mg/kg	16.4	56.1	16.4	*	904	1,874	199	4,015	
Cobalt	mg/kg	70.3	140	70.3	23.2	8,198	8,030	1,313	17,207	
Copper	mg/kg	27,138	253,680	*	32.2	27,138	*	3,106	*	
Lead	mg/kg	4,000			19.1					4,000
Manganese	mg/kg	1,450	351	*	1,450	14,817	*	2,927	*	
Mercury	mg/kg	165	1,722	*	0.044	165	*	22.7	*	
Nickel	mg/kg	13,463	126,391	*	60.7	13,463	*	1,552	*	
Nitrate	mg/kg	1,000,000	1,000,000	*	*	1,000,000	*	124,868	*	
Selenium	mg/kg	390			1.5					390
Silver	mg/kg	3,240	31,049	*	0	3,240	*	386	*	
Thallium	mg/kg	47.6	477	*	0.91	47.6	*	6.12	*	
Vanadium	mg/kg	1,558	23,045	*	37.6	1,558	*	449	*	
Zinc	mg/kg	196,589	1,000,000	*	93.3	196,589	*	23,209	*	

Table 7-1 Continued

Explosives - Propellants										
1,3,5 Trinitrobenzene	mg/kg	15,280	165,422	*	*	15,280	*	2252	*	
1,3 Dinitrobenzene	mg/kg	59.4	596.0	*	*	59.4	*	7.65	*	
2,4,6 Trinitrotoluene	mg/kg	211	2,488	4,643	*	211	328	36.5	284	
2,4 Dinitrotoluene	mg/kg	7.53	6,519	134	*	439	7.53	128	11	
2,6 Dinitrotoluene	mg/kg	7.69	3,309	136	*	224	7.69	64.2	11	
2-Amino-4,6 Dinitrotoluene	mg/kg	128	1,237	*	*	128	*	15.4	*	
4-Amino-2,6-dinitrotoluene	mg/kg	128	1,237	*	*	128	*	15.4	*	
Nitrobenzene	mg/kg	48					48			
2 Nitrotoluene	mg/kg	60.3	59,611	726	*	5,945	60.3	765	38.8	
3 Nitrotoluene	mg/kg	6.1								6.1
4 Nitrotoluene	mg/kg	816	59,611	9,818	*	5,945	816	765	525	
HMX	mg/kg	19,090	234,645	*	*	19,090	*	3594	*	
RDX	mg/kg	1,452	17,113	1,452	*	1,632	*	227	80.3	
Tetryl	mg/kg	240								240
Nitroguanadine	mg/kg	6,100								6,100
Nitroglycerin	mg/kg	816	*	9,818	*	*	816	*	525	
Asbestos Containing Material										
Asbestos		The threshold for asbestos in soil to be considered ACM in previous RVAAP projects is >1% Polarized Light Microscopy.								

RSL = Regional Screening Levels
CUG = Cleanup Goal

HI = Hazard Index
PCBs = Polychlorinated Biphenyls

* = Does not exist

1

Table 7-1 Continued

Chemical	Units	Criterion To Be a Chemical of Potential Concern	National Guard Trainee Surface Soil CUG		Resident Farmer Adult Surface Soil CUG		Resident Farmer Child Surface Soil CUG		Region 9 2008 for COCs w/No CUG 10 ⁻⁵ or HI =1	RSL for COCs w/No CUG 10 ⁻⁵ or HI =1
			Non-Cancer HI = 1	Cancer Risk = 10 ⁻⁵	Non-Cancer HI = 1	Cancer Risk = 10 ⁻⁵	Non-Cancer HI = 1	Cancer Risk = 10 ⁻⁵		
Semi-Volatiles										
2 Methylnaphtalene	mg/kg	2,378	23,845	*	2,378	*	306	*		
4 Chloro-3-methylphenol	mg/kg	*	*	*	*	*	*	*		
4 Nitrophenol	mg/kg	4,756	47,689	*	4,756	*	612	*		
Benzo(a) anthracene	mg/kg	2.21	*	47.7	*	2.21	*	6.5		
Benzo(a) pyrene	mg/kg	0.221	*	4.77	*	0.221	*	0.650		
Benzo(b) fluoranthene	mg/kg	2.21	*	4.77	*	2.21	*	6.50		
Benzo(k) fluoranthene	mg/kg	22.1	*	477	*	22.1	*	65.0		
Bis(2-chloroethoxy)methane	mg/kg	1,783	17,883	*	1,783	*	230.0	*		
Carbazole	mg/kg	694	*	8,346	*	694	*	446		
Chrysene	mg/kg	221	*	4,774	*	221	*	650		
Dibenz(a,h) anthracene	mg/kg	0.221	*	4.77	*	0.221	*	0.650		
Dibenzofuran	mg/kg	1,189	11,922	*	1,189	*	153.0	*		
Fluoranthene	mg/kg	2,765	50,868	*	2,765	*	1,627.0	*		
Fluorene	mg/kg	7,366	114,583	*	7,366	*	2,433.0	*		
Indeno(1,2,3-cd) pyrene	mg/kg	2.21	*	47.7	*	2.21	*	6.50		
N-Nitroso-di-n-propylamine	mg/kg	1.27	*	19	*	1.27	*	1.20		
Naphthalene	mg/kg	3,678	15,407	*	3,678	*	1,215.0	*		
Pentachlorophenol	mg/kg	21.2	56,558	440	3,269	21.2	1,514.0	49.1		
Pyrene	mg/kg	2,074	38,151	*	2,074	*	1,220.0	*		
1,2,4 Trichlorobenzene	mg/kg	220								220
1,2 Dichlorobenzene	mg/kg	1,900								1,900
1,3 Dichlorobenzene	mg/kg	530							530	
1,4 Dichlorobenzene	mg/kg	24								24
2,4,5 Trichlorophenol	mg/kg	6,100								6,100
2,4,6 Trichlorophenol	mg/kg	440								440
2,4 Dichlorophenol	mg/kg	180								180
2,4 Dimethylphenol	mg/kg	1,200								1,200
2,4 Dinitrophenol	mg/kg	120								120
2,4 Dinitrotoluene	mg/kg	16								16
2,6 Dinitrotoluene	mg/kg	61								61
2 Chloronaphthalene	mg/kg	6,300								6,300
2 Chlorophenol	mg/kg	390								390
2 Methylphenol	mg/kg	3,100							3100	
2 Nitroaniline	mg/kg	6,100								6,100
3,3 Dichlorobenzidine	mg/kg	11								11
4 Nitroaniline	mg/kg	240								240
Acenaphthene	mg/kg	3,400								3,400
Anthracene	mg/kg	22,000								22,000
Benzo(g,h) perylene	mg/kg	62							62	
Benzoic acid	mg/kg	240,000								240,000
Benzyl alcohol	mg/kg	6,100								6,100
Bis(2-chloroisopropyl) ether	mg/kg	29							29	
Bis(2-chloroethyl) ether	mg/kg	2								2.1
Bis(2-ethylhexyl)phthalate	mg/kg	35								35
Butylbenzylphthalate	mg/kg	2,600								2,600
Di-n-butylphtalate	mg/kg	6,100								6,100
Di-n-octylphthlalate	mg/kg	2,400							2400	
Diethylphtalate	mg/kg	49,000								49,000
Dimethylphthalate	mg/kg	610,000							610000	
Hexachlorobenzene	mg/kg	3								3
Hexachlorobutadiene	mg/kg	62								62
Hexachlorocyclopentadiene	mg/kg	370							370	
Hexachoroethane	mg/kg	350								350
Isophorone	mg/kg	5,100								5,100
n-Nitroso-diphenylamine	mg/kg	990							990	
Nitrobenzene	mg/kg	48								48
Phenanthrene	mg/kg	2,300							2300	
Phenol	mg/kg	18,000								18,000

2

1

Table 7-1 Continued

Chemical	Units	Criterion To Be a Chemical of Potential Concern	National Guard Trainee Surface Soil CUG		Resident Farmer Adult Surface Soil CUG		Resident Farmer Child Surface Soil CUG		Region 9 2008 for COCs w/No CUG 10 ⁻⁵ or HI =1	RSL for COCs w/No CUG 10 ⁻⁵ or HI =1
			Non-Cancer	Cancer	Non-Cancer	Cancer	Non-Cancer	Cancer		
			HI = 1	Risk = 10 ⁻⁵	HI = 1	Risk = 10 ⁻⁵	HI = 1	Risk = 10 ⁻⁵		
PESTICIDES & PCBs										
4,4-DDE	mg/kg	40.8	*	491	*	40.8	*	26.3		
Aldrin	mg/kg	0.8	179	7.88	17.8	0.816	2.3	0.525		
Dieldrin	mg/kg	0.9	298	8.39	29.7	0.867	3.83	0.558		
Endrin	mg/kg	17.7	330	*	17.7	*	11.2	*		
Endrin aldehyde	mg/kg	0.0	*	*	*	*	*	*		
Heptachlor	mg/kg	3.1	2,981	29.8	297	3.08	38.3	0.558		
Heptachlor epoxide	mg/kg	1.5	77.5	14.8	7.73	1.52	0.995	0.981		
PCB-1016	mg/kg	2.0	192	34.6	12.2	2.03	4.19	3.49		
PCB-1248	mg/kg	2.0	*	34.6	*	2.03	*	3.49		
PCB-1254	mg/kg	2.0	54.9	34.6	3.48	2.03	1.20	3.49		
PCB-1260	mg/kg	2.0	*	34.6	*	2.03	*	3.49		
alpha-Chlordane	mg/kg	0.0	*	*	*	*	*	*		
beta-BHC	mg/kg	7.7	*	74.2	*	7.7	*	4.96		
gamma-Chlordane	mg/kg	0.0	*	*	*	*	*	*		
Alpha-BHC	mg/kg	0.9							0.9	
Endosulfan I	mg/kg	370							370	
Endosulfan II	mg/kg	370							370	
4,4-DDD	mg/kg	20								20
Endosulfan sulfate	mg/kg	370							370	
4,4-DDT	mg/kg	17								17
Methoxychlor	mg/kg	310								310
Endrin ketone	mg/kg	18							18	
Gamma-chlordane	mg/kg	16							16	
Toxaphene	mg/kg	4.4							4.4	
PCB-1221	mg/kg	1.4								1.4
PCB-1232	mg/kg	1.4								1.4
PCB-1242	mg/kg	2.2								2.2

RSL = Regional Screening Levels
CUG = Cleanup Goal

HI = Hazard Index
PCBs = Polychlorinated Biphenyls

* = Does not exist

2
3
4
5
6

1

Table 7-1 Continued

Chemical	Units	Criterion To Be a Chemical of Potential Concern	Region 9 2008 for COCs w/No CUG 10^{-5} or HI =1	RSL for COCs w/No CUG 10^{-5} or HI =1
Volatiles				
1,1,1 Trichloroethane	mg/kg	8700		8700
1,1,2,2 Tetrachloroethane	mg/kg	5.6		5.6
1,1,2 Trichloroethane	mg/kg	11		11
1,1 Dichloroethane	mg/kg	33		33
1,1 Dichloroethene	mg/kg	120	120	
1,2 Dibromoethane	mg/kg	0.34		0.34
1,2 Dichloroethane	mg/kg	4.3		4.3
1,2 Dichloroethene (total)	mg/kg	700		700
1,2 Dichloropropane	mg/kg	8.8		8.8
2 Butanone	mg/kg	22000	22000	
2 Hexanone	mg/kg	210		210
4 Methyl-2-pentanone	mg/kg	5300	5300	
Acetone	mg/kg	61000		61000
Benzene	mg/kg	11		11
Bromochloromethane	mg/kg	8.2	8.2	
Bromodichloromethane	mg/kg	2.7		2.7
Bromoform	mg/kg	610		610
Bromomethane	mg/kg	7.3		7.3
Carbon disulfide	mg/kg	820		820
Carbon tetrachloride	mg/kg	6.1		6.1
Chlorobenzene	mg/kg	290		290
Chloroethane	mg/kg	30	30	
Chloroform	mg/kg	2.9		2.9
Chloromethane	mg/kg	120		120
Cis-1,3-dichloropropene	mg/kg	17		17
Dibromochloromethane	mg/kg	6.8		6.8
Ethyl benzene	mg/kg	54		54
Methylene chloride	mg/kg	110		110
Styrene	mg/kg	6300		6300
Tetrachloroethene	mg/kg	4.8	4.8	
Toluene	mg/kg	5000		5000
Trans-1,3-dichloropropene	mg/kg	17		17
Trichloroethene	mg/kg	0.53	0.53	
Vinyl chloride	mg/kg	0.6		0.6
Xylenes (total)	mg/kg	630		630

RSL = Regional Screening Levels
CUG = Cleanup Goal

HI = Hazard Index
PCBs = Polychlorinated Biphenyls

* = Does not exist

2
3
4

1 **8.0 DELIVERABLES**

2 Discussion of the number of deliverables and their distribution and approval requirements is provided in
3 Paragraph 5 of Prudent's Project Management Plan.

4

9.0 REFERENCES

- Hawaii Dept of Health, Technical Guidance Manual for the Implementation of the Hawai'i State Contingency Plan. November 2008.
- Prudent. 2011. Historical Records Review Report for 2010 Preliminary Assessment Compliance Restoration Sites CC RVAAP-78 Quarry Pond Surface Dump & CC RVAAP-80 Group 2 Propellant Can Tops, April 2011.
- SAIC. 2010. Facility-Wide Human Health Cleanup Goals for the Ravenna Army Ammunition Plant. Ravenna, Ohio. March 23, 2010.
- SAIC. 2011a. Facility-Wide Safety and Health Plan for Environmental Investigations at the Ravenna Army Ammunition Plant. Ravenna, Ohio. Prepared for the US Army Corps of Engineers, Louisville District. February 24, 2011.
- SAIC. 2011b. Facility-Wide Sampling and Analysis Plan for Environmental Investigations at the Ravenna Army Ammunition Plant. Ravenna, Ohio. Prepared for the US Army Corps of Engineers, Louisville District. February 24, 2011.
- Army Corps of Engineers. Final. February 7, 2008. USACE. 2004. U.S. Army Corps of Engineers. Munitions and Explosives of Concern (MEC) Support During Hazardous, Toxic, and Radioactive Waste (HTRW) and Construction Activities. Engineer Pamphlet (EP) 75-1-2, 01 August 2004.
- USACE. 2007a. U.S. Army Corps of Engineers. Safety and Health Requirements for Munitions and Explosives of Concern (MEC) Operations. Engineer Regulation (ER) 385-1-95. 30 March 2007.

1 **Appendix A – Field Sampling Plan Addendum to the Facility-Wide**
2 **Sampling and Analysis Plan**

1 Draft Field Sampling Plan Addendum for 2010 Preliminary
2 Assessment Compliance Restoration Site
3 CC RVAAP-78 Quarry Pond Surface Dump
4

5
6 Ravenna Army Ammunition Plant
7 Ravenna, Ohio
8

9
10 Contract No. W912QR-10-P-0052
11
12
13



14 **US Army Corps**
of Engineers®

15 Prepared for:
16 U.S. Army Corps of Engineers
17 600 Martin Luther King, Jr. Place
18 Louisville, Kentucky 40202
19
20



21
22 Prepared by:
23 Prudent Technologies, Inc.
24 4242 Medical Drive, Suite 5250
25 San Antonio, Texas 78229
26
27
28

29 August 10, 2011

TABLE OF CONTENTS

LIST OF FIGURES	IV
LIST OF TABLES	IV
ACRONYMS AND ABBREVIATIONS	V
1.0 –PROJECT DESCRIPTION.....	1-1
1.1 Purpose And Scope	1-1
1.2 Work To Be Performed.....	1-2
1.3 Site Description And Background	1-2
1.4 Specific Sampling And Analysis Problems	1-5
1.5 Scope And Objectives.....	1-5
1.6 Sampling	1-5
1.6.1 Surface Sampling	1-5
1.6.2 Drum Sampling	1-5
2.0 – PROJECT ORGANIZATION & RESPONSIBILITIES	2-1
2.1 Project Organization, Roles, and Responsibilities	2-1
2.2 Subcontractor Management	2-3
3.0 –SCOPE & OBJECTIVES	3-1
3.1 Scope And Objectives.....	3-1
3.2 Data Quality Objectives	3-1
3.2.1 Conceptual Site Model.....	3-1
3.2.2 Define the Problem	3-1
3.2.3 Remedial Action Objectives	3-1
3.2.4 Identify Decisions	3-1
3.2.5 Define the Study Boundaries	3-1
3.2.6 Identify Decision Rules.....	3-1
3.2.7 Identify Inputs to the Decisions	3-1
3.2.8 Specify Limits on the Decision Error.....	3-1
3.2.9 Sample Design	3-2
4.0 – FIELD ACTIVITIES	4-1
4.1 Geophysics	4-1
4.2 Soil Gas Survey.....	4-1
4.3 Groundwater	4-1

1	4.4	Subsurface Soil	4-1
2	4.5	Surface Soil.....	4-1
3	4.5.1	Rationales.....	4-1
4	4.5.2	Soil Sampling Requirements.....	4-1
5	4.5.3	Sample Collection for Field and Laboratory Analysis.....	4-2
6	4.5.4	ISM Quality Control Procedures.....	4-2
7	4.5.5	Decontamination Procedures	4-2
8	4.5.6	Sample Container/Preservation Technique	4-2
9	4.5.7	Site Survey	4-2
10	4.6	Drum Sampling.....	4-2
11	4.6.1	Rationales.....	4-2
12	4.6.2	Drum Sampling Requirements.....	4-2
13	4.6.3	Drum Sample Quality Control Procedures	4-4
14	4.6.4	Decontamination Procedures	4-4
15	4.6.5	Sample Container/Preservation Technique	4-4
16	4.6.6	Site Survey	4-4
17	4.6.7	Sampling Method & Waste Characterization	4-4
18	4.6.7.1	Sampling Equipment.....	4-4
19	4.6.8	Sample Collection.....	4-5
20	4.6.8.1	Sampling Protocols	4-5
21		Obtaining Samples of Unknown Wastes.....	4-6
22	4.7	Asbestos Sampling.....	4-7
23	4.8	Ordinance Explosive Anomaly Avoidance	4-7
24	4.9	Triplicate Sampling.....	4-7
25	4.9.1	Collection of Triplicate ISM Samples.....	4-7
26	4.9.2	Statistical Evaluation of Replicate ISM Samples.....	4-7
27	4.9.3	Evaluation of Replicates and Data Representativeness.....	4-8
28	5.0	SAMPLE CHAIN-OF-CUSTODY/DOCUMENTATION	5-1
29	5.1	Field Book.....	5-1
30	5.2	Photographs.....	5-1
31	5.3	Sample Numbering System.....	5-1
32	5.4	Sample Documentation.....	5-1

5.5	Documentation Procedure.....	5-1
5.6	Corrections To Documentation.....	5-1
6.0	– SAMPLE PACKAGING & SHIPPING REQUIREMENTS	6-1
7.0	– INVESTIGATION-DERIVED WASTE	7-1
7.1	IDW Collection & Containerization.....	7-1
7.2	Container Waste Labeling.....	7-1
7.3	IDW Field Staging	7-1
7.4	IDW Characterization and Classification for Disposal.....	7-2
7.5	IDW Disposal.....	7-2
8.0	– REFERENCES	8-1

LIST OF FIGURES

Figure 1-1:	CC RVAAP-78 Quarry Pond Surface Dump Location Map	1-3
Figure 1-2:	CC RVAAP-78 Quarry Pond Surface Dump Topographic Map	1-4
Figure 2-1	Project Organizational Chart.....	2-2
Figure 4-1	Temporary Decontamination Pad.....	4-3

LIST OF TABLES

Table 1-1:	Latitude/Longitude from RVAAP CC-78 Site Reconnaissance.....	1-2
Table 3-1:	Sampling Table for CC-RVAAP 78.....	3-3
Table 3-2:	Sampling IDs at CC RVAAP-78 Quarry Pond Surface Dump	3-4
Table 4-1	Sampling Protocols.....	4-5
Table 4-2	Applicability of Sampling Equipment to Waste Streams	4-6

ACRONYMS AND ABBREVIATIONS

ACM	Asbestos Containing Material
ADR	Automated Data Review
AOC	Area of Concern
APA	Abbreviated Preliminary Assessment
Camp Ravenna	Camp Ravenna Joint Military Training Center
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CFR	Code of Federal Regulations
CO	Contracting Officer
COR	Contracting Officer Representative
CQAP	Contractor Quality Assurance Plan
CR	Compliance Restoration
CSM	Conceptual Site Model
DQO	Data Quality Objective
EPA	Environmental Protection Agency
FSP	Field Sampling Plan
FWSAP	Facility-Wide Sampling and Analysis Plan
GPS	Global Positioning System
IDW	Investigation-Derived Waste
IRP	Installation Restoration Program
ISM	Incremental Sampling Methodology
MC	Munitions of Concern
MEC	Munitions of Explosive Concern
NVLAP	National Voluntary Laboratory Accreditation Program
OHARNG	Ohio Army National Guard
OSHA	Occupational Safety & Health Administration
OVA	Organic Vapor Analyzer
PCB	Polychlorinated Biphenyl
PLM	Polarized Light Microscopy
PMP	Project Management Plan
PPE	Personal Protective Equipment
Prudent	Prudent Technologies, Inc.
QA	Quality Assurance
QC	Quality Control
QAPP	Quality Assurance Project Plan
RI	Remedial Investigation
RVAAP	Ravenna Army Ammunition Plant
SAIC	Science Applications International Corporation
SSHO	Site Safety and Health Officer
SSHP	Site Safety and Health Plan
SOW	Scope of Work
SVOC	Semi-volatile Organic Compound
TAL	Target Analyte List
TCLP	Toxicity Characteristic Leaching Procedure
USACE	United States Army Corps of Engineers
USACHPPM	U.S. Army Center for Health Promotion & Preventive Medicine
UXO	Unexploded Ordnance
VOC	Volatile Organic Compound

1.0 –PROJECT DESCRIPTION

This Field Sampling Plan (FSP) addendum addresses supplemental project-specific information in relation to the revised Facility-Wide Sampling and Analysis Plan (FWSAP) for the Ravenna Army Ammunition Plant (RVAAP) (SAIC, 2011b). This FSP is an Appendix to the Work Plan (WP) that describes the project for the surface soil sampling immediately adjacent to debris piles, surface soil sampling of an apparent former burn area, drum sampling, and drum removal.

This investigation will be performed in the appropriate level of personal protective equipment (PPE), when handling potentially contaminated materials. If one of several action levels is exceeded or the potential for increased risk becomes apparent during the investigation, protective procedures, including protective clothing, will be upgraded as necessary by the Site Safety & Health Officer (SSHO).

1.1 Purpose And Scope

Environmental work at the RVAAP under the Installation Restoration Program (IRP) began in earnest in 1995, with 32 environmental Areas of Concern (AOCs) identified and prioritized according to U.S. Army Center for Health Promotion & Preventive Medicine (USACHPPM) relative risk protocols into high, medium, and low priority AOCs. Environmental restoration work has proceeded primarily by addressing the highest priority sites first, with sites of medium and low priority receiving attention later. In 2000, the number of environmental AOCs was increased from 32 to 51. Relative risk ranking was again performed to prioritize those additional environmental AOCs. The area identified for investigation for this project is Compliance Restoration (CR) Site CC RVAAP-78 Quarry Pond Surface Dump.

The above site is considered to potentially have munitions and explosives of concern (MEC). The following section provides a brief description of the site.

CC RVAAP-78, Quarry Pond Surface Dump – The Quarry Pond Surface Dump is located in the western part of the Installation, east of the intersection between South Patrol Road and Greenleaf Road. The site consists of areas of former dumping at the bases of steeply inclined rock slopes. The surface dumps, referenced as Debris Piles A, B, and C on Figures 1-1 and 1-2, are located north, northwest and northeast of the northern-most quarry pond within the Fuze and Booster Quarry Landfill/Ponds (RVAAP-16) AOC. Debris Pile A is approximately 425 feet in length and 18 to 68 feet wide and is suspected of containing asbestos containing material (ACM), construction debris, scrap metal, and unidentified materials. A second, smaller debris pile at the base of a steeply inclined rock slope, defined as Debris Pile B, is approximately 296 feet in length and 24 feet wide. An apparent burn area is located near a rusted, 55-gallon drum, both of which are within Debris Pile B. The apparent burn area is characterized by ground charring and lack of vegetation. The topographic map of this area, (see Figure 2-2), shows that the south end of Debris Pile A becomes one continuous slope from Reference Point 9b of Debris Pile A to Reference Point 3 of Debris Pile B (see Figure 1-1). Debris Pile C is located along the northwestern corner of the northern-most quarry pond area with the debris area being approximately 120 feet by 45 feet. A second rusted 55-gallon drum is present within this area. Table 1-1 lists Global Positioning System (GPS) Ohio State Plane coordinates of locations where observations were made during the site reconnaissance, monitoring wells, and the two 55-gallon drums.

Table 1-1: Latitude/Longitude from RVAAP CC-78 Site Reconnaissance

Reference #	Latitude	Longitude
CC-78 GPS Points		
1	41.1796	-81.1128
2	41.1794	-80.1128
3	41.1792	-81.1128
4	41.1797	-81.1129
6	41.1799	-81.1131
8	41.1801	-81.1124
10	41.1797	-81.1121
5a	41.1797	-81.1137
5b	41.1798	-81.1134
7a	41.1801	-81.1129
7b	41.1801	-81.1123
9a	41.1800	-81.1124
9b	41.1795	-81.1126
Ground Water Monitoring Wells FBQ		
171	41.1796	-81.1138
173	41.1803	-81.1124
174	41.1793	-81.1130
175	41.1789	-81.1130
55-Gallon Drum		
55-Gallon Drum 1	41.1796	-81.1136
55-Gallon Drum 2	41.1796	-81.1128

1.2 Work To Be Performed

The Phase I RI for AOC CC RVAAP-78 will include an initial intrusive investigation of possible impacts to the applicable media to confirm the presence or absence of contaminants.

Limited surface soil sampling will be conducted and the results compared with cleanup goals, as prescribed in the Position Paper for the Application and Use of Facility-Wide Human Health Cleanup Goals (USACE 2009), to determine chemicals of potential concern (COPCs). As per the limited scope of a Phase I Remedial Investigation (Preliminary Assessment), no sampling of groundwater is provided within this project. However, brief summaries of existing related surface and groundwater data will be presented. MEC avoidance procedures will be needed during intrusive investigations.

This FSP Addendum is a supplement to the 2011 FWSAP for RVAAP (SAIC, 2011b). The FWSAP provides the base documentation (i.e., technical and investigative protocols) for conducting a remedial investigation under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) at RVAAP.

1.3 Site Description And Background


The site description and background information are contained in Section 1.1. Additional information regarding the climatic conditions, geologic setting, hydrologic setting, and ecological setting are contained in Section 1.0 of the FWSAP. An aerial view and a topographic map of the sampling area are shown below (Figures 1-1 and 1-2).

1

Figure 1-1: CC RVAAP-78 Quarry Pond Surface Dump Location Map



1 Figure 1-2: CC RVAAP-78 Quarry Pond Surface Dump Topographic Map



1.4 Specific Sampling And Analysis Problems

The area identified for investigation for this project is CR Site CC-RVAAP-78 Quarry Pond Surface Dump.

Sampling at the nearby Fuse and Booster Quarry AOC and the presence of transite (cement board with various amounts of asbestos fiber, 12 to 50 percent) in the debris piles indicate the possibility of encountering explosives, metals, and ACM at the Quarry Pond Surface Dumps.

1.5 Scope And Objectives

The scope of this investigation is to determine if there is surface soil contamination immediately adjacent to the three Quarry Pond Surface Dump sites (CC-RVAAP-78), determine if there is surface soil contamination within the apparent burn area, and characterize the contents within the two rusted 55-gallon drums and remove them according to appropriate provisions. Additionally, two samples of exposed transite, one from Debris Piles A and one from Debris Pile B will be assessed.

1.6 Sampling

1.6.1 Surface Sampling

Incremental Sampling Methodology (ISM) surface soil sampling for all analytes except volatile organic compounds (VOCs); analyses and discrete surface soil sampling for VOCs will be collected as the areas described above. All such sampling will be conducted in accordance with the FWSAP (SAIC, 2011b)

1.6.2 Drum Sampling

Discrete samples of the contents of the two drums will be collected, as described in Section 4.6, and analyzed to determine the RCRA characteristics for proper disposal. The two 55-gallon drums are extremely rusted with openings in their ends and sides. They are partially buried and their contents are solid. Leather gloves will be worn when accessing the rusted drums.

2.0 – PROJECT ORGANIZATION & RESPONSIBILITIES

Section 2.0 of the FWSAP describes the project organization and responsibilities. This information is also contained in Section 4.0 of Prudent Technologies, Inc. (Prudent) Project Management Plan (PMP).

2.1 Project Organization, Roles, and Responsibilities

Prudent is responsible for the execution of this project. The project team is shown in Figure 2-1. The project team organizational chart displays the management and technical roles for this project, as well as the personnel assigned to those roles. Prudent will utilize a two-tiered project management structure for execution of this project. The Program Manager will service all contractual elements and the Project Manager will be responsible for all technical work.

Program Manager - The Prudent Program Manager (Prakash Raja, CHMM) will be the principal point of contact for all matters relating to the USACE Contracting Officer (CO) or the CO Representative (COR). The Program Manager will ensure that the necessary resources will be made available to the Project Manager for execution of the work. The Program Manager reports directly to the President of the firm on the competent execution and the satisfaction of customer and project stakeholders with Prudent's performance. Any changes in the Statement of Work (SOW), schedule, and/or costs, which require action by Prudent with the CO or COR, will be handled exclusively by the Program Manager supported by the Project Manager and other key personnel as needed.

Project Manager - The Prudent Project Manager (John P. Jent, PE) will serve as the single point of contact and liaison for all technical work, executing the SOW in compliance with the required schedule. Day-to-day technical activities will be managed by the Project Manager with support from field and other key personnel.

Deputy Project Manager - The Prudent Deputy Project Manager (Tomas Hernandez, Jr., PG) will assist the Project Manager in ensuring project execution in accordance with the contract and regulatory requirements. The Deputy Project Manager will serve as the project scheduler and site supervisor during investigative fieldwork.


Project Quality Assurance Officer - The Prudent Project Quality Assurance Officer (Mark Snyder, PE) will be the principal officer ensuring that the quality of all products adhere to the requirements of the Contractor Quality Assurance Plan (CQAP).

Project Chemist - The Prudent Project Chemist (Dr. Samir Mansy) will be responsible for preparing the project QAPP, coordination with the analytical lab, and data verification per the automated data review (ADR) software.

SSHO - The Prudent Project Site Safety and Health Officer (Aditya Moralwar, P.E.) will prepare the project SSHP/Addendum for the necessary site work. The SSHO, or his representative, is responsible for implementation of the Site Safety and Health Plan (SSHP) and conducts site inspections to ensure compliance with Federal, State, and Occupational Safety & Health Administration (OSHA) regulations and all aspect of the SSHP/Addendum including activity hazard analyses, air monitoring, use of PPE, decontamination, site control, standard operating procedures used to minimize hazards, safe use of engineering controls, the emergency response plan, and spill containment program. The SSHO ensures all personnel are properly trained for their assigned tasks. The SSHO has full authorization to stop work and to demand corrective action for non-compliance with the SSHP/Addendum.

1

Figure 2-1 Project Organizational Chart



2

Unexploded ordnance (UXO) technician Level 3 will be on-site during all field activity. The UXO technician will be subcontracted for each field activity.

2.2 Subcontractor Management

Prudent will implement this project using contractors for asbestos sampling, surveying, chemical laboratory services, drum removal, and waste removal services. Subcontracts will be carefully developed by the Project Manager to reflect detailed scope and realistic performance objectives and specifications. Performance of all subcontractors will be monitored by the Project Manager, the Investigation Site Supervisor, the Remediation Site Supervisor, and the SSHO who will record observations of progress. Deviations will be addressed in accordance with the protocols specified in the relevant Work Plan(s). Negative performance trends will instigate a negative performance evaluation and a correction action plan will be developed as required to bring schedule/cost performance back in line.

3.0–SCOPE & OBJECTIVES

3.1 Scope And Objectives

The scope of this investigation is to determine if there is surface soil contamination immediately adjacent to the three Quarry Pond Surface Dump sites (CC-RVAAP-78), determine if there is surface soil contamination within the apparent burn area, and characterize the contents within the two rusted 55-gallon drums. Additionally, two samples of exposed transite at Debris Piles A and B will be assessed.

3.2 Data Quality Objectives

The overall project data quality objective (DQO) is to provide representative, repeatable, high quality data to estimate the average values of contamination within the surface soils adjacent to the debris piles, within the apparent burn area, and within the two 55-gallon drums.

3.2.1 Conceptual Site Model

The facility-wide conceptual site model (CSM) for RVAAP, presented in the FWSAP, is applicable to Site CC-78 based on current knowledge.

3.2.2 Define the Problem

Currently it is unknown if contamination within the debris piles (if any) has migrated to surface soils adjacent to the piles. Also it is not known if there is environmental contamination within the apparent burn area and two 55-gallon drums. Additionally, it is not known what percentage of ACM (if any) is contained within the transite materials.

3.2.3 Remedial Action Objectives

Remedial action objectives are provided in the Facility-Wide Human Health Cleanup Goals for the RVAAP, Ravenna, Ohio (SAIC 2010).

3.2.4 Identify Decisions

If chemicals of potential concern are indicated based on the results of the chemical analyses, then additional phases of the CERCLA process will be conducted.

3.2.5 Define the Study Boundaries

The study boundaries constitute the surface soils adjacent to the three debris piles, the surface soil within the apparent burn area, and the contents within the two rusted 55-gallon drums.

3.2.6 Identify Decision Rules

Results of the chemical analyses will be compared to the Facility-Wide Human Health Cleanup Goals for the RVAAP, Ravenna, Ohio (SAIC 2010).

3.2.7 Identify Inputs to the Decisions

Inputs to the decision process are the analytical results of the samples collected in this investigation.

3.2.8 Specify Limits on the Decision Error

Limits on decision errors are addressed in Section 4.2.8 of the FWSAP.

3.2.9 *Sample Design*

Surface soil samples will be collected as described in the FWSAP and drum samples will be collected as described in Section 4.6.

The surface soil (ISM) samples will be collected adjacent to Debris Piles A and B, from within Debris Pile C, and from within the apparent burn area adjacent to Debris Pile B. Additionally two samples of exposed apparent transite will be collected. Composite samples of the contents from within the two 55-gallon drums will also be taken and subjected to the toxicity characteristic leaching procedure (TCLP).

A summary table of the planned surface ISM and drum sampling is provided as Table 3-1.

A sampling ID table for the planned surface soil, transite, and drum sampling is provided as Table 3-2.

Table 3-1: Sampling Table for CC-RVAAP 78

Area of Sample	Media	Type of Sample	Sample Depth (ft)	Explosives	Propellants	TAL Metals	Mercury	PCBs	SVOCs	VOCs	Pesticides	ACM	TCLP	Corrosivity	Ignitability	Reactivity
Debris Pile A	Surface Soil	ISM	0 - 1.0	1	1	1	1	1	1	1	1	1				
Debris Pile A	Surface Soil	ISM - QC	0 - 1.0	1	1	1	1	1	1	1	1	1				
Debris Pile A	Surface Soil	ISM - QA	0 - 1.0	1	1	1	1	1	1	1	1	1				
Debris Pile A	Surface Soil	ISM - MS/MSD	0 - 1.0	1	1	1	1	1	1		1					
Debris Pile A	Transite	Discrete	Snip									1				
Debris Pile B	Surface Soil	ISM	0 - 1.0	1	1	1	1	1	1	1		1				
Debris Pile B	Transite	Discrete	Snip									1				
Debris Pile C	Surface Soil	ISM	0 - 1.0	1	1	1	1	1	1	1		1				
Burn Area	Surface Soil	ISM	0 - 1.0	1	1	1	1	1	1	1		1				
Drum #1	Solid Contents	Composite	Surface			1	1		1	1	1		1	1	1	1
Drum #2	Solid Contents	Composite	Surface			1	1		1	1	1		1	1	1	1
		Equip Rinsate		1	1	1	1	1	1		1					

Totals	8	8	10	10	8	10	9	7	8	2	2	2	2
---------------	----------	----------	-----------	-----------	----------	-----------	----------	----------	----------	----------	----------	----------	----------

TAL = Target Analyte List

SVOCs = Semi-volatile Organic Compounds

VOCs = Volatile Organic Compounds

ACM = Asbestos Containing Material

ISM = Incremental Sampling Methodology

QC = Quality Control

QA = Quality Assurance

MS/MSD = Matrix Spike/Matrix Spike Duplicate

1 **Table 3-2: Sampling IDs at CC RVAAP-78 Quarry Pond Surface Dump**

Area of Sample	Media	Type of Sample	Sample ID	Sample Depth (ft)	Explosives	Propellants	TAL Metals	Mercury	PCBs	SVOCs	VOCs	Pesticides	ACM	TCLP	Corrosivity	Ignitability	Reactivity
Debris Pile A	Surface Soil	ISM	C78SS-001M-0001-SO	0 - 1.0	1	1	1	1	1	1		1	1				
	Surface Soil	Discrete	C78SS-002-0001-SO	0.5							1						
	Surface Soil	ISM - QC	C78SS-003M-0001-SO	0 - 1.0	1	1	1	1	1	1		1	1				
	Surface Soil	Discrete	C78SS-004-0001-SO	0.5							1						
	Surface Soil	ISM - QA	C78SS-005M-0001-SO	0 - 1.0	1	1	1	1	1	1		1	1				
	Surface Soil	Discrete	C78SS-006-0001-SO	0.5							1						
	Surface Soil (P)	ISM - MS/MSD	C78SS-007M-0001-SO	0 - 1.0	1	1	1	1	1	1		1					
	Surface Soil(QA)	ISM - MS/MSD	C78SS-008M-0001-SO	0.5	1	1	1	1	1	1		1					
	Transite	Discrete	C78SS-009-0001-BD	Small Piece									1				
Debris Pile B	Surface Soil	ISM	C78SS-010M-0001-SO	0 - 1.0	1	1	1	1	1	1			1				
	Surface Soil	Discrete	C78SS-011-0001-SO	0.5							1						
	Transite	Discrete	C78SS-012-0001-BD	Small Piece									1				
Debris Pile C	Surface Soil	ISM	C78SS-013M-0001-SO	0 - 1.0	1	1	1	1	1	1			1				
	Surface Soil	Discrete	C78SS-014-0001-SO	0.5							1						
Burn Area	Surface Soil	ISM	C78SS-015M-0001-SO	0 - 1.0	1	1	1	1	1	1			1				
	Surface Soil	Discrete	C78SS-016-0001SO	0.5							1						
55-Gallon A	Solid Contents	Composite	C78DM-017-0001-WS	Surface			1	1		1		1		1	1	1	1
		Discrete	C78DM-018-0001-WS	Surface							1						
55-Gallon B	Solid Contents	Composite	C78DM-019-0001-WS	Surface			1	1		1		1		1	1	1	1
		Discrete	C78DM-020-0001-WS	Surface							1						
		Equip Rinseate	C78-Rinseate-1		1	1	1	1	1	1		1					
Totals					9	9	11	11	9	11	8	8	8	2	2	2	2

TAL = Target Analyte List
ISM = Incremental Sampling Methodology

SVOCs = Semi-Volatile Organic Compounds
QC = Quality Control

VOCs = Volatile Organic Compounds
QA = Quality Assurance

ACM = Asbestos Containing Material
MS/MSD = Matrix Spike/Matrix Spike Duplicate

4.0 – FIELD ACTIVITIES

All field activities will be conducted in accordance with the FWSAP except as noted in the following subsections.

4.1 Geophysics

Not applicable.

4.2 Soil Gas Survey

Not applicable.

4.3 Groundwater

Not applicable.

4.4 Subsurface Soil

Not applicable.

4.5 Surface Soil

The surface soil (ISM) samples will be collected adjacent to Debris Piles A and B, from within Debris Pile C, and from within the apparent burn area adjacent to Debris Pile B. Additionally two samples of exposed apparent transite will be collected. All such sampling will be conducted in accordance with the FWSAP (SAIC, 2011b).

4.5.1 Rationales

ISM will be used because it provides representative, repeatable estimates of the average levels of contamination within a given sample area.

4.5.2 Soil Sampling Requirements

Multi-increment surface soil field samples from zero to one foot will be collected from a minimum of 30 discrete sample locations within each sampling area during the investigation to assess contaminant occurrence in surface soils adjacent to the debris piles and within the apparent burn area. All samples will be analyzed for explosives, target analyte list (TAL) metals, SVOCs, ACM, VOCs, and hexavalent chromium. Additionally, the ISM sample collected at the apparent burn area will be analyzed for SVOCs, polychlorinated biphenyl compounds (PCBs), pesticides, and propellants (i.e., full suite analyses). Discrete surface soil samples will be taken in the approximate middle of the apparent burn area at a depth of approximately ½ ft. and analyzed for VOCs.

Surface soil ISM samples will be aggregated samples collected from stratified random locations within each of the designated sample areas. The sample aliquots will be collected using a small-diameter (7/8 inch inside diameter) step probe. As per the surface soil criterion at RVAAP, the individual aliquots will be obtained by pushing the step probe sampler to 12 inches in depth. The entire volume of all aliquots will be aggregated into a single (plastic bag) field sample. The plastic bag will be closed, labeled, double bagged, and delivered to Building 1036 or 1038 for storage in a refrigerator. The entire sample will then be forwarded to a fixed base laboratory where laboratory sample preparation, consisting of air-drying and sieving will be done to provide a small representative sample suitable for chemical analysis. Discrete

(Terra core) samples will be collected in sample areas where the subsequent analysis is for VOCs, as per the seventh paragraph of Section 5.6.2.1.3 of the FWSAP.

4.5.3 Sample Collection for Field and Laboratory Analysis

See Table 5-1 of the Quality Assurance Project Plan (QAPP) Addendum (Appendix B)

4.5.4 ISM Quality Control Procedures

Triplicate surface ISM samples will be taken to provide an overall evaluation of the total (field sampling + laboratory sample preparation + laboratory analysis) sampling and measurement process. Both field and laboratory quality control (QC) procedures are required for ISM sampling. These procedures are described in the QAPP located in Appendix B of the WP.

4.5.5 Decontamination Procedures

The decontamination procedures for soil sampling activities are presented in Section 5.6.2.9 of the FWSAP. A final decontamination inspection of any equipment leaving RVAAP at the end of field activities will be conducted to ensure proper decontamination. A temporary decontamination pad will be placed on-site at the sampling location for immediate use (see Figure 4-1).

4.5.6 Sample Container/Preservation Technique

Sample container and preservation technique requirements will follow those prescribed in Table 5-1 of the QAPP Addendum (Appendix B).

4.5.7 Site Survey

Not applicable.

4.6 Drum Sampling

Drum sampling of unknown wastes will be accomplished as appropriate. Initial observations indicate that the contents of the two rusted 55-gallon drums are solidified. However, the state of material, liquid or solid, below the observed surface is not known. Therefore, provisions for sampling both solid and liquid states of material within the drum are provided hereafter.


4.6.1 Rationales

Preliminary screening using direct reading instrumentation will be accomplished to assess the degree of hazard. Assuming weathering and container venting have successfully mitigated the hazard a representative sample of the drum contents will be obtained using the most appropriate sampling device. All drum samples will be analyzed for toxicity characteristic leaching procedure (TCLP) metals, volatiles, semi-volatiles, pesticides, reactivity, ignitability, and corrosivity (assuming a liquid phase is present) in accordance with 40 CFR 261.21-24.

4.6.2 Drum Sampling Requirements

Drum samples will be collected from each drum using appropriate sampling equipment. Solid samples will be collected using the most appropriate sampling device and a minimum of three glass jars capable of containing a minimum of 100 grams of sample. All samples will be labeled as appropriate, cooled $\leq 4^{\circ}\text{C}$, and analyzed within the Environmental Protection Agency (EPA) SW-846 established holding times.

1

Figure 4-1 Temporary Decontamination Pad

2

1 Sample Collection for Field and Laboratory Analysis

2 See Table 5-1 of the QAPP Addendum (Appendix B)

3 **4.6.3 Drum Sample Quality Control Procedures**

4 These procedures are described in the QAPP located in Appendix B of the WP.

5 **4.6.4 Decontamination Procedures**

6 The decontamination procedures for soil sampling activities are presented in Section 4.4.2.8 of the
7 FWSAP. A final decontamination inspection of any equipment leaving RVAAP at the end of field
8 activities will be conducted to ensure proper decontamination.

9 **4.6.5 Sample Container/Preservation Technique**

10 Sample container and preservation technique requirements will follow those prescribed in Table 5-2 of
11 the QAPP Addendum (Appendix B).

12 **4.6.6 Site Survey**

13 Not applicable.

14 **4.6.7 Sampling Method & Waste Characterization**

15 Waste characterization is most commonly accomplished by performing analysis on a representative
16 sample of the waste. The type of sampling/analysis performed is mostly dependent on the type of waste.

17 **4.6.7.1 Sampling Equipment**

18 Determination of the appropriate sampling equipment and sampling procedure depends upon the chemical
19 constituents and physical state (solid, liquid, or gas) of the waste. Although there are multiple physical
20 states and different waste sampling procedures for each physical state, only those procedures most
21 appropriate for typical wastes generated are discussed. Selection of the sampling method and equipment
22 is based on the following criteria:

- 23 • Disposability or ease of decontamination;
- 24 • Ease of operation;
- 25 • Compatibility with waste;
- 26 • Safety; and
- 27 • Prevention of dilution, escape, or cross-contamination.

28 Both sampling equipment and sample bottles must be clean in order to prevent contamination of the
29 sample. Personnel collecting hazardous waste samples must wear PPE appropriate for the type of
30 sampling being done. According to 29 CFR §1910.120, "Hazardous Waste Operations and Emergency
31 Response" appropriate PPE includes impervious gloves, chemical safety goggles, disposable splash-proof
32 Tyvek® coveralls, and suitable boots when sampling known hazardous waste. A minimum of Level B
33 protection (e.g., chemical splash suit, impervious gloves, impervious outer boots, and a positive pressure
34 self-contained breathing apparatus) must be worn when sampling unknown wastes streams.

4.6.8 Sample Collection

4.6.8.1 Sampling Protocols

All samples will be collected using standard collection methods as specified in Table 4-1. Table 4-2 suggests appropriate sampling equipment for different waste stream types. Disposable equipment should be used whenever practical to minimize requirements for decontamination. Sample types include grab and composite. Grab samples are samples obtained from a particular location at a distinct point in time. These samples are useful in determining waste stream variability when multiple or frequent samples are taken, but a large number of samples may be required. Composite samples are a set of individually collected samples combined into a single sample for analysis. This is the most common type of sample for obtaining average concentration estimates of a waste stream and will be utilized for this project.

Table 4-1 Sampling Protocols

Physical State of Waste	Protocols
Extremely viscous liquids and solids	ASTM Standard D140-70
Crushed or powdered material	ASTM Standard D346-75
Soil or rock-like material	ASTM D1452-65
Fly ash-like material	ASTM Standard D2234-76
Containerized Liquid Waste	USEPA SW-846-COLIWASA Procedure
Liquid wastes in pits, ponds, lagoons, and similar reservoirs	USEPA SW-846-Pond Sampler

Notes:

- Contact the American Society for Testing and Materials (ASTM), (215) 299-5400, to obtain publications containing the standardized method Protocol.
- Contact the National Technical Information Service (NTIS), (800) 553-6847 or (703) 487- 4650, to obtain a copy of USEPA SW-846. It may also be accessed online at: <http://www.epa.gov/epaoswer/hazwaste/test/sw846.htm>

Initial Screening. Prior to any sampling event, the sampling location should be surveyed prior to deployment of the sampling team. The site should be evaluated to ensure all required equipment and access is available. Additionally, the site should be inspected for adequate ventilation, protection from extreme weather and temperatures, access to stable power (if required), and provisions for water and gases of required purity. When dealing with unknown wastes the use of direct reading instruments should be maximized to assess the degree of hazard before any sampling activity commences.

Record conditions, markings and observations of containers and include background information obtained from record searches or personnel interviews. The following information describing the physical characteristics of the waste should be recorded:

- Color - Describe the color of the waste (e.g., blue, clear, varies).
- Physical State (e.g., solid, liquid, powder, gas, semi-solid, or sludge).
- Layers - note whether the waste is multi-layered (e.g., oil/water/sludge), bi-layered (e.g., oil/water), or homogeneous.
- Percent Liquid - estimate the percent of liquid volume.

Table 4-2 Applicability of Sampling Equipment to Waste Streams

Waste Location or Container									
Waste Type	Drum	Sacks and Bags	Open-Bed Truck	Closed-Bed Truck	Storage tanks or bins	Waste Piles	Ponds, Lagoons, & Pits	Conveyor Belt	Pipe
Free flowing liquids and slurries	Coliwasas	N/A	N/A	Coliwasas	Weighted Bottle ^a	N/A	Dipper	N/A	Dipper
Sludges	Trier	N/A	Trier	Trier	Trier	b	b	b	b
Moist powders or granules	Trier	Trier	Trier	Trier	Trier	Trier	Trier	Shovel	Dipper
Dry powder or granules	Thief	Thief	Thief	Thief	b	Trier	Thief	Shovel	Dipper
Sand or packed powders and granules	Auger	Auger	Auger	Auger	Thief	Thief	b	Dipper	Dipper
Large grained solids	Large Trier	Large Trier	Large Trier	Large Trier	Large Trier	Large Trier	Large Trier	Trier	Dipper

^aWhen the tank is adequately agitated or a recirculation line is accessible, samples can be collected through a side tap.

^bThis type of sampling situation can present significant logistical sampling problems, and sampling equipment must be specifically selected or designed based on site and waste conditions. No general statement about appropriate sampling equipment can be made.

Composite Liquid Waste Sampler (Coliwasas): The Coliwasas consists of a glass, plastic, or metal tube equipped with an end closure that can be opened and closed while the tube is submerged in the material to be sampled.

Weighted Bottle: This sampler consists of a glass or plastic bottle, sinker, stopper, and a line that is used to lower, raise, and open the bottle.

Dipper: The dipper consists of a glass or plastic beaker clamped to the end of a two- or three-piece telescoping aluminum or fiberglass pole that serves as the handle.

Thief: A thief consists of two slotted concentric tubes, usually made of stainless steel or brass. The outer tube has a conical pointed tip that permits the sampler to penetrate the material being sampled. The inner tube is rotated to open and close the sampler.

Trier: A trier consists of a tube cut in half lengthwise with a sharpened tip that allows the sampler to cut into sticky solids and to loosen soil.

Auger: An auger consists of sharpened spiral blades attached to a hard metal central shaft.

Scoops and Shovels: Scoops and shovels are used to sample granular or powdered material in bins, shallow containers, and conveyor belts.

Obtaining Samples of Unknown Wastes

Safety Precautions. The first phase of obtaining samples of unknown waste is to eliminate any immediate hazard. This includes isolating the area, restricting personnel access, and containing any leaks or spills. Required protective clothing should be identified as well as any equipment specifications such as the use of non-sparking tools. A bulging drum indicates that it is under pressure and should not be sampled until pressure is relieved. (NOTE: These situations should be coordinated with appropriate emergency response organizations).

4.7 Asbestos Sampling

Suspect transite will be procured utilizing grab method sampling with a clean plastic or metal scoop. Each sample will be placed in an airtight, preferably large Ziploc® bag. Samples will be double bagged prior to shipment to a National Voluntary Laboratory Accreditation Program (NVLAP0 accredited laboratory). Asbestos content will be determined by EPA Method 600/R-93/116 to meet the requirements of 40 CFR Part 763, Subpart E, Appendix E, Section 1 Polarized Light microscopy. All asbestos sampling will be performed by an Ohio certified Asbestos Hazard Evaluation Specialist. Sampling area will be wet down before samples are collected or any transite is cut. Sampler will wear Tyvek® suit and face respirator when collecting any asbestos samples, including surface soil ISM samples.

4.8 Ordnance Explosive Anomaly Avoidance

A UXO technician will verify that there are no metallic anomalies where step probes are to be pushed.

A detailed UXO Anomaly Avoidance Plan is attached as Appendix D.

4.9 Triplicate Sampling

4.9.1 Collection of Triplicate ISM Samples

To statistically evaluate sampling accuracy for each sample/decision unit (DU), additional, completely separate replicate ISM samples (collected from a set of systematic random or stratified random locations within the DU that are different from those used for the initial ISM samples) are collected from selected DUs (see Hawaii Dept of Health, Technical Guidance Manual for the Implementation of the Hawaii State Contingency Plan). For surface soil samples, the replicates are made up of a minimum of 30 different systematic or stratified random increments from within the same DU. The replicate samples are prepared and analyzed in the same manner as carried out for the initial sample. Triplicate samples (i.e., primary ISM sample, a duplicate, and a triplicate) are preferred and more useful than just duplicates for statistical evaluation of the accuracy and comparability.

A different random starting location is determined for each replicate collected in the selected DUs. Replicate sample increments are generally collected along the same approximate directional lines established through the DU for the initial ISM samples, though at different systematic random locations than initially used. This is accomplished by pacing off the replicate increments from a different random starting location on the first line/row of the DU, and continuing to sample at this random interval throughout the DU. The replicate increments should not be collected from the same points or co-located with those used for the initial ISM samples. Replicate samples are sent to the laboratory as “blind” samples, meaning the laboratory does not know they represent replicate samples of the initial ISM samples.

4.9.2 Statistical Evaluation of Replicate ISM Samples

MI samples are considered “representative” and repeat measurements within the same DU would be expected to provide the average contaminant concentration. Data from replicate sampling are used to determine:

1. The amount of variation from the mean that will be considered when comparing average contaminant concentrations in the DU to applicable CUGs and
2. Whether the average contaminant concentration(s) is adequately representative for the DU(s) under investigation.

There are a number of options available for determining what measure of data variation from the mean will be used when evaluating the ISM sample replicate measurements and comparing ISM sample data to the CUGs. The measure of data variation from the mean that is chosen is a function of the data quality objective (DQO) for the site investigation. Two common approaches are: 1) use of the standard deviation of the replicate values, or 2) use of the 95% Upper Confidence Level (UCL) of the replicate (triplicate) values.

4.9.3 Evaluation of Replicates and Data Representativeness

The field replicate data collected for DUs are also used to demonstrate that the investigation error for each contaminant is within a reasonable range that supports a conclusion that average contaminant concentrations (e.g., mean plus standard deviation or 95% UCL of the mean) are below or above the relevant CUG. In other words, this evaluation addresses the question of whether the data are good enough to make a decision that the average contaminant concentration is below or above the CUG.

Typically, the Relative Standard Deviation (RSD) of the field replicates (triplicates) is used for this evaluation. The RSD is expressed as a percentage and is calculated using the following formula:

$$\text{RSD\%} = \frac{100 \times \text{Standard Deviation}}{\text{Average}}$$

The lower the RSD% of the replicate data the better. Generally, an RSD% of approximately 35% or less indicates the amount of estimated total error is within a reasonable range for decision making. However, this evaluation will also depend on the DQO established for the site investigation, as well as how close the contaminant concentrations are to the relevant CUGs. For example, if the RSD% of replicates for a contaminant concentration in a DU was determined to be 40% to 50%, but the contaminant concentration was a factor of 3 or 4 below the relevant CUG, then a decision that the contaminant is below levels of concern would still be valid. In general, the closer the contaminant level is to the CUG, the more impact this statistical measure will have on site decisions.

The ISM approach provides averages that approximate a statistically “normal distribution” if the RSD% of replicates is reasonably low (this is assumed, for example, when determining the 95% UCL of replicate data). The higher the RSD%, the less confidence there is that the averages approximate a normal distribution, and that the average contaminant concentrations are adequately representative of the DU(s). As the RSD exceeds 50%, and if the average DU concentrations are near the relevant CUGs, there is increasing uncertainty that the data are adequately representative. In this case additional ISM may be necessary, utilizing a larger number of sample increments and/or larger sample increment masses to obtain a more representative measure of the (very heterogeneous) contaminant concentrations in the DU. Careful evaluation of the sample processing and analysis procedures would also be indicated. In some cases, grinding samples may serve to reduce the RSD% and provide more representative sampling data.

As the RSD% approaches 100% there is no confidence that the sampling data are useful for decision making.

5.0 – SAMPLE CHAIN-OF-CUSTODY/DOCUMENTATION

5.1 Field Book

All field data will be entered into a dedicated field logbook. A typed, formatted blank boring log will be prepared before sampling begins.

5.2 Photographs

Information regarding the documentation of photographs for the investigation is presented in Section 6.2 of the FWSAP. Representative photographs will be taken of the investigative activities and any significant observations made during the field effort.

5.3 Sample Numbering System

The sampling numbering, provided in Table 3-2, was prepared in accordance with section 6.3 of the FWSAP.

5.4 Sample Documentation

All sample labels, logbook, field records, and field form information will follow structures identified in Section 6.4 of the FWSAP.

5.5 Documentation Procedure

Documentation and tracking of samples and field information will follow the series of steps identified in Section 6.5 of the FWSAP.

5.6 Corrections To Documentation

Any corrections to documentation will follow guidance established in Section 6.6 of the FWSAP.

6.0 – SAMPLE PACKAGING & SHIPPING REQUIREMENTS

Packaging and shipping of primary samples will follow procedures specified in Section 6.0 of the FWSAP. Coolers containing quality assurance (QA) samples that are shipped to the contract laboratory for independent analysis will also be prepared and shipped in accordance with the FWSAP. Information for the primary and QA laboratories is provided below.

TestAmerica North Canton

4101 Shuffle Street NW

North Canton, Ohio 44720

Phone: 330-497-9396

Fax: 330-497-0772

www.testamericainc.com

Contact: Mark Loeb

EMLab P & K will be performing the asbestos analyses

1936 Olney Ave.

Cherry Hill, NJ 08003

Phone: 866-871-1984

POC: to be determined

USACE has selected the following QA laboratory.

CT Laboratories

1230 Lange Court

Baraboo, WI 53913

Phone: 608-356-2760

POC: Pat Letterer

7.0 – INVESTIGATION-DERIVED WASTE

This section describes the Investigation-Derived Waste (IDW) handling for this project. All IDW, including auger cuttings, PPE, disposable sampling equipment, and decontamination fluids, will be properly handled, labeled, characterized, and managed in accordance with Section 8.0 of the FWSAP, federal and state of Ohio large-quantity generator requirements, and RVAAP's Installation Hazardous Waste Management Plan.

Four types of IDW are anticipated; each type will be contained separately. The types and estimated quantities for each include:

- Soil from various including residual surface soil, resulting from sample collection using hand sampling equipment. One, 55-gallon drum of soil IDW is anticipated.
- Decontamination fluids, including those derived from decontamination of sampling equipment. One, 55-gallon drum of decontamination fluid is anticipated from sampling equipment decontamination.
- Expendables/solid wastes, including PPE and disposable sampling equipment. One, 55-gallon drum of expendable IDW is anticipated.

7.1 IDW Collection & Containerization

All solid non-indigenous (expendable sampling equipment and trash) IDW will be segregated as non-contaminated and potentially contaminated material. Potentially contaminated and non-contaminated, solid, non-indigenous IDW will be identified in the field on the basis of visual inspection (e.g., soiled versus not soiled) and usage of the waste material (e.g., outer sampling gloves versus glove liners). All non-contaminated, non-indigenous IDW will be contained in trash bags. Potentially contaminated, non-indigenous IDW will be contained in labeled DOT approved, open-top, 55-gallon drums equipped with plastic drum liners and sealed with bung-top lids.

All liquid non-indigenous IDW (e.g., decontamination rinse water) will be segregated by waste stream (e.g., soap and water/water rinses will be separated from methanol and hydrochloric acid rinses and acetone extraction fluids) and the waste stream contained in labeled DOT-approved, 55-gallon closed-top drums. All known or potentially hazardous liquid, non-indigenous IDW streams, such as methanol, hydrochloric acid rinses, and acetone will be contained separately in labeled DOT-approved, closed-top, 55-gallon drums.

7.2 Container Waste Labeling

All IDW containers will be labeled prior to placing IDW in them. All IDW containers (drums and roll-off boxes) will be labeled in accordance with Section 8.2 of the FWSAP.

7.3 IDW Field Staging

A field staging area will be designated at each location at the beginning of field activities and approved by the RVAAP Acting Facility Manager. The IDW drums or other specified containers will be located at the designated field staging area for each load line. Centralized field staging areas will be managed according to the requirements of Section 8.3 of the FWSAP.

1 A final inventory will be conducted prior to demobilization from the site and all IDW staged at Building
2 1036. All liquid waste that has not been transported off the facility within 90 days following project
3 completion will require secondary containment.

4 **7.4 IDW Characterization and Classification for Disposal**

5 All indigenous IDW (soil) will be characterized for disposal based on analytical results from
6 environmental samples collected from each sampling station. Non-indigenous IDW (decontamination
7 fluids), except for PPE and expendable sampling equipment, will be characterized for disposal on the
8 basis of composite samples collected from segregated waste stream storage containers. Composite waste
9 samples will be submitted for laboratory analysis of full Toxicity Characteristic Leaching Procedure
10 (TCLP) to characterize each waste stream for disposal. Procedures for composite waste sampling are
11 presented in Sections 8.4.1 and 8.4.2 of the FWSAP. The PPE and expendable sampling equipment will
12 be managed in accordance with Section 8.4 of the FWSAP.

13 **7.5 IDW Disposal**

14 Upon approval of IDW classification reports, all solid and liquid IDW will be removed from the site and
15 disposed of by a licensed waste disposal contractor in accordance with Section 8.5 of the FWSAP and all
16 applicable State and Federal rules, laws, and regulations. All shipments of IDW off site will be
17 coordinated through the RVAAP Environmental Coordinator and Caretaker Site Manager.

8.0 – REFERENCES

- Hawaii Dept of Health, Technical Guidance Manual for the Implementation of the Hawai'i State Contingency Plan. November 2008.
- SAIC, 2011a. Facility-Wide Safety and Health Plan for Environmental Investigations at the Ravenna Army Ammunition Plant. Ravenna, Ohio. Prepared for the US Army Corps of Engineers, Louisville District. February 24, 2011.
- SAIC, 2011b. Facility-Wide Sampling and Analysis Plan for Environmental Investigations at the Ravenna Army Ammunition Plant. Ravenna, Ohio. Prepared for the US Army Corps of Engineers, Louisville District. February 24, 2011.
- USACE, Interim Guidance 09-02, Implementation of Incremental Sampling (IS) of Soil for the Military Munitions Response Program. July 2009.
- USACE, 2010. Facility-Wide Human Health Cleanup Goals for the Ravenna Army Ammunition Plant (RVAAP) Ravenna, Ohio. March 23, 2010.
- USACE, 2011. Guidance Document for the Evaluation of Land Use Controls at Ravenna Army Ammunition Plant, Ravenna, Ohio. February 3, 2011.

1 **Appendix B – Quality Assurance Project Plan Addendum to the**
2 **Facility-Wide Quality Assurance Project Plan**

1 Draft Quality Assurance Project Plan Addendum for 2010
2 Preliminary Assessment Compliance Restoration Site
3 CC RVAAP-78 Quarry Pond Surface Dump
4
5

6 Ravenna Army Ammunition Plant
7 Ravenna, Ohio
8
9

10 Contract No. W912QR-10-P-0052
11
12

Prepared for:



13 **US Army Corps**
14 **of Engineers®**

15 U.S. Army Corps of Engineers
16 600 Martin Luther King, Jr. Place
17 Louisville, Kentucky 40202
18
19

20 Prepared by:



21 Prudent Technologies, Inc.
22 4242 Medical Drive, Suite 5250
23 San Antonio, Texas 78229
24
25

26
27 August 10, 2011

TABLE OF CONTENTS

1	TABLE OF CONTENTS	
2	1.0 – INTRODUCTION.....	1-1
3	2.0 – PROJECT DESCRIPTION	2-1
4	3.0 – PROJECT ORGANIZATION & RESPONSIBILITIES	3-1
5	4.0 – QUALITY ASSURANCE OBJECTIVES FOR MEASUREMENT DATA.....	4-1
6	4.1 DATA QUALITY OBJECTIVES	4-1
7	4.2 LEVEL OF QUALITY CONTROL EFFORT	4-1
8	4.3 ACCURACY, PRECISION, AND SENSITIVITY OF ANALYSIS.....	4-1
9	4.4 COMPLETENESS, REPRESENTATIVENESS, AND COMPARABILITY	4-1
10	5.0 – SAMPLING PROCEDURES	5-1
11	6.0 – SAMPLE CUSTODY	6-1
12	6.1 FIELD CHAIN-OF-CUSTODY PROCEDURES.....	6-1
13	6.2 LABORATORY COC PROCEDURES.....	6-1
14	6.3 FINAL EVIDENCE FILES CUSTODY PROCEDURES	6-1
15	7.0 – CALIBRATION PROCEDURES AND FREQUENCY	7-1
16	7.1 FIELD INSTRUMENTS/EQUIPMENT	7-1
17	7.2 LABORATORY INSTRUMENTS	7-1
18	8.0 – ANALYTICAL PROCEDURES	8-1
19	8.1 LABORATORY ANALYSIS	8-1
20	8.2 SAMPLE DRYING AND DISAGGREGATION.....	8-3
21	9.0 – INTERNAL QUALITY CONTROL CHECKS.....	9-1
22	9.1 FIELD SAMPLE COLLECTION	9-1
23	9.2 FIELD MEASUREMENT.....	9-1
24	9.3 LABORATORY ANALYSIS	9-1
25	10.0– DATA REDUCTION, VALIDATION, AND REPORTING	10-1
26	10.1 DATA REDUCTION	10-1
27	10.2 DATA VERIFICATION/VALIDATION	10-1
28	10.3 DATA REPORTING.....	10-1
29	11.0– PERFORMANCE AND SYSTEM AUDITS.....	11-1
30	11.1 FIELD AUDITS	11-1
31	11.2 LABORATORY AUDITS	11-1

1	12.0– PREVENTIVE MAINTENANCE PROCEDURES	12-1
2	12.1 FIELD INSTRUMENTS AND EQUIPMENT	12-1
3	12.2 LABORATORY INSTRUMENTS	12-1
4	13.0– SPECIFIC ROUTINE PROCEDURES TO ASSESS DATA PRECISION, ACCURACY,	
5	AND COMPLETENESS.....	13-1
6	13.1 FIELD MEASUREMENTS DATA	13-1
7	13.2 LABORATORY DATA.....	13-1
8	14.0– CORRECTIVE ACTIONS	14-1
9	14.1 SAMPLE COLLECTION/FIELD MEASUREMENTS	14-1
10	14.2 LABORATORY ANALYSES	14-1
11	15.0– QA REPORTS TO MANAGEMENT.....	15-1
12	16.0– REFERENCES.....	16-1
13		

1 **LIST OF TABLES**

2	Table 2-1 Surface ISM Sampling Table for CC-RVAAP 78.....	2-2
3	Table 2-2: Sampling IDs at CC RVAAP-78 Quarry Pond Surface Dump	2-3
4	Table 5-1 Container Requirements for Soil Sampling.....	5-1
5	Table 5-2 Container Requirements for Drum Sampling.....	5-2
6	Table 8-1 Preparation and Analytical Methods for RVAAP Soil and Sediment Samples.....	8-1
7	Table 8-2: Preparation and Analytical Methods for RVAAP Aqueous Samples	8-2

8

ACRONYMS AND ABBREVIATIONS

2	ACM	Asbestos Containing Material
3	Camp Ravenna	Camp Ravenna Joint Military Training Center
4	COR	Contracting Officer's Representative
5	CR	Compliance Restoration
6	CUGs	Clean up goals
7	DOD	Department of Defense
8	DU	Decision Unit
9	ELAP	Environmental Laboratory Accreditation Program
10	FBQ	Fuze and Booster Quarry
11	FSP	Field Sampling Plan
12	LCG	Louisville Chemistry Guideline Version 5 2002
13	LCS	Laboratory Control Sample
14	MDL	Method Detection Limit
15	ISM	Incremental Sampling Methodology
16	MS/MSD	Matrix Spike/Matrix Spike Duplicate
17	Ohio EPA	Ohio Environmental Protection Agency
18	Prudent	Prudent Technologies, Inc.
19	QA	Quality Assurance
20	QAPP	Quality Assurance Project Plan
21	QC	Quality Control
22	QC/MRL	QC/Method Reporting Level Standard
23	QSM	Quality System Manual
24	RDX	Hexahydro-1,3,5-trinitro-1,3,5-triazine
25	RL	Reporting Limit
26	RVAAP	Ravenna Army Ammunition Plant
27	SAP	Sampling and Analysis Plan
28	SOP	Standard Operating Procedure
29	TCLP	Toxicity Characteristic Leaching Procedure
30	TNT	Trinitrotoluene
31	USACE	United States Army Corps of Engineers
32	USEPA	U.S. Environmental Protection Agency

1.0 – INTRODUCTION

This Quality Assurance Project Plan (QAPP) Addendum addresses supplemental project-specific information in relation to the Facility-Wide (FW) QAPP for Environmental Investigations for the Ravenna Army Ammunition Plant (RVAAP) (SAIC, 2011). This QAPP Addendum and the Field Sampling Plan (FSP) Addendum, Appendix A, constitute the Sampling and Analysis Plan (SAP). The FSP describes the project for the sampling of soils at the Quarry Pond Surface Dump site. Table 2-1 of this QAPP Addendum lists the Increment Sampling Methodology (ISM) surface samples, discrete asbestos samples, and 55-gallon drum samples and the analytical methods required for this investigation. A summary of the sampling scheme and details of the surface ISM for each area are listed in Tables 3-2 of the FSP Addendum.

Each QAPP section is presented documenting adherence to the FW QAPP or stipulating project-specific addendum requirements.

Primary analytical and quality directions for this project will be obtained from the identified U.S. Environmental Protection Agency (USEPA) SW-846 Methods, the DoD Quality Systems Manual (QSM) for Environmental Laboratories, Version 4.1 and the USACE Louisville District QSM supplement.

2.0 – PROJECT DESCRIPTION

The site history, project objectives and scope, sampling design, parameters to be tested and the project schedule are described in the Work Plan and FSP Addendum.

A full analytical suite is defined as samples that will be analyzed for TAL metals, mercury, explosives, VOCs, SVOCs, propellants, pesticides, and PCBs. For this project, surface Incremental Sampling Methodology (ISM) samples are expected to be collected and analyzed from areas surrounding Debris Piles A and B and from within Debris Pile C and the apparent burn area to determine the presence of absence of contamination. The samples collected from the apparent burn area will be analyzed for the Ravenna full suite. Additionally discrete samples of apparent transite will be collected within Debris Piles A, B and C to determine if Asbestos Containing Materials (ACM) are present. Two 55-gallon drums, with contents unknown, will also be sampled and subjected to a toxicity characteristic leaching procedure (TCLP) analyses. Triplicate field quality control (QC)/quality assurance (QA) samples will be collected. The primary and blind duplicate QC samples will be sent to the primary laboratory and the QA samples will be sent to the QA laboratory chosen by USACE. Table 2-1 of the QAPP Addendum lists the total and QA samples along with all the analytical procedures required for this effort.

Table 2-1 Surface ISM Sampling Table for CC-RVAAP 78

Sample Area	Media	Type of Sample	Sample ID	Sample Depth (ft)	Explosives	Propellants	TAL Metals	Mercury	PCBs	SVOCs	VOCs	Pesticides	ACM	TCLP
Debris Pile A	Surface Soil	ISM	C78SS-001M-0001-SO	0 - 1.0	1	1	1	1	1	1	1	1	1	
Debris Pile A	Surface Soil	ISM-QC	C78SS-002M-0001-SO	0 - 1.0	1	1	1	1	1	1	1	1	1	
Debris Pile A	Surface Soil	ISM-QA	C78SS-003M-0001-SO	0 - 1.0	1	1	1	1	1	1	1	1	1	
Debris Pile A	Surface Soil	ISM - MS/MSD P	C78SS-004M-0001-SO	0 - 1.0	1	1	1	1	1	1	1	1		
Debris Pile A	Surface Soil	MS/MSD QA	C78SS-005M-0001-SO	0 - 1.0	1	1	1	1	1	1	1	1		
Debris Pile A	Transite	Discrete	C78SS-006-0001-BD										1	
Debris Pile B	Surface Soil	ISM	C78SS-007M-0001-SO	0 - 1.0	1	1	1	1	1	1			1	
Debris Pile B	Transite	Discrete	C78SS-008-0001-BD										1	
Debris Pile C	Surface Soil	ISM	C78SS-009M-0001-SO	0 - 1.0	1	1	1	1	1	1	1		1	
Apparent Burn Area	Surface Soil	ISM	C78SS-010M-0001-SO	0 - 1.0	1	1	1	1	1	1	1		1	
Drum 1	Solid Contents	Composite	C78DM-011-0001-WS	Surface										1
Drum 2	Solid Contents	Composite	C78DM-012-0001-WS	Surface										1
		Equip Rinsate	ER-1		1	1	1	1	1	1		1		
Totals					9	9	9	9	9	9	7	6	8	2

TAL = Target Analyte List

ACM = Asbestos Containing Material

QC = Quality Control

Transite = Asbestos containing product

SVOCs = Semi-volatile Organic Compounds

VOCs = Volatile Organic Compounds

QA = Quality Assurance

TCLP = Toxicity Characteristic Leaching Procedure

PAH = Polycyclic Aromatic Hydrocarbons

ISM = Incremental Sampling Methodology

MS/MSD = Matrix Spike/Matrix Spike Duplicate

1 **Table 2-2: Sampling IDs at CC RVAAP-78 Quarry Pond Surface Dump**

Area of Sample	Media	Type of Sample	Sample ID	Sample Depth (ft)	Explosives	Propellants	TAL Metals	Mercury	PCBs	SVOCs	VOCs	Pesticides	ACM	TCLP	Corrosivity	Ignitability	Reactivity
Debris Pile A	Surface Soil	ISM	C78SS-001M-0001-SO	0 - 1.0	1	1	1	1	1	1		1	1				
	Surface Soil	Discrete	C78SS-002-0001-SO	0.5							1						
	Surface Soil	ISM - QC	C78SS-003M-0001-SO	0 - 1.0	1	1	1	1	1	1		1	1				
	Surface Soil	Discrete	C78SS-004-0001-SO	0.5							1						
	Surface Soil	ISM - QA	C78SS-005M-0001-SO	0 - 1.0	1	1	1	1	1	1		1	1				
	Surface Soil	Discrete	C78SS-006-0001-SO	0.5							1						
	Surface Soil (P)	ISM - MS/MSD	C78SS-007M-0001-SO	0 - 1.0	1	1	1	1	1	1		1					
	Surface Soil(QA)	ISM - MS/MSD	C78SS-008M-0001-SO	0.5	1	1	1	1	1	1		1					
	Transite	Discrete	C78SS-009-0001-BD	Small Piece									1				
Debris Pile B	Surface Soil	ISM	C78SS-010M-0001-SO	0 - 1.0	1	1	1	1	1	1			1				
	Surface Soil	Discrete	C78SS-011-0001-SO	0.5							1						
	Transite	Discrete	C78SS-012-0001-BD	Small Piece									1				
Debris Pile C	Surface Soil	ISM	C78SS-013M-0001-SO	0 - 1.0	1	1	1	1	1	1			1				
	Surface Soil	Discrete	C78SS-014-0001-SO	0.5							1						
Burn Area	Surface Soil	ISM	C78SS-015M-0001-SO	0 - 1.0	1	1	1	1	1	1			1				
	Surface Soil	Discrete	C78SS-016-0001SO	0.5							1						
55-Gallon A	Solid Contents	Composite	C78DM-017-0001-WS	Surface			1	1		1		1		1	1	1	1
		Discrete	C78DM-018-0001-WS	Surface							1						
55-Gallon B	Solid Contents	Composite	C78DM-019-0001-WS	Surface			1	1		1		1		1	1	1	1
		Discrete	C78DM-020-0001-WS	Surface							1						
		Equip Rinseate	C78-Rinseate-1		1	1	1	1	1	1		1					
Totals					9	9	11	11	9	11	8	8	8	2	2	2	2

2

TAL = Target Analyte List
ISM = Incremental Sampling Methodology

SVOCs = Semi-Volatile Organic Compounds
QC = Quality Control

VOCs = Volatile Organic Compounds
QA = Quality Assurance

ACM = Asbestos Containing Material
MS/MSD = Matrix Spike/Matrix Spike Duplicate

3.0 – PROJECT ORGANIZATION & RESPONSIBILITIES

The functional project organization and responsibilities are described in Section 3 of the FW Sampling and Analysis Plan (SAIC, 2011b) and in the Project Work Plan.

Analytical support for this work has been assigned to TestAmerica, North Canton, Ohio. TestAmerica will perform all required analyses at that location except for the explosives and propellant analyses, which will be performed in the TestAmerica West Sacramento facility. TestAmerica's organizational structure, roles, and responsibilities are identified in Section 4.0 of their Quality Assurance Manual (QA Manual), which is available for review upon request. The address and telephone number for TestAmerica laboratories are as follows:

TestAmerica North Canton

4101 Shuffle Street NW
North Canton, Ohio 44720
Phone: 330-497-9396
Fax: 330-497-0772
www.testamericainc.com
Contact: Mark Loeb

TestAmerica West Sacramento (samples to be analyzed for explosives/propellants will be forwarded to West Sacramento)

880 Riverside Parkway
West Sacramento, CA 95605
Phone: 916-373-5600
Fax: 916-372-1059
Contact: Karen Dahl

EMLab P & K will be performing the asbestos analyses

1150 Bayhill Drive
Suite 100
San Bruno, CA 94066
Phone: 866 888-6653
POC: to be determined

USACE has selected the following QA laboratory

CT Laboratories

1230 Lange Court
Baraboo, WI 53913
Phone: 608-356-2760
POC: Pat Letterer

Data Validation will be performed by a 3rd Independent Party via USACE Louisville District:

1 MECx, LP
2 12269 East Vessar Drive
3 Aurora, Colorado 80014
4 Phone: 720 535-5502
5 Fax: 720 535-7555
6 POC : Elizabeth Wessing
7 Mobile: 303-881-6816
8 Email: Elizabeth.wessing@mecx.net
9

4.0 – QUALITY ASSURANCE OBJECTIVES FOR MEASUREMENT DATA

4.1 Data Quality Objectives

Analytical data quality objectives for soils/sediments and aqueous samples (rinsate and TCLP extracts) for this investigation are summarized in Table 4-1 and Table 4-2, respectively, in the Facility-Wide QAPP. However, the laboratory will use accuracy and precision limits prescribed in the DoD Quality Systems Manual for Environmental Laboratories, version 4.1 (QSM). The laboratory is required to comply with all methods as written; recommendations are considered requirements.

4.2 Level of Quality Control Effort

The QC efforts will follow Section 4.2 of the Facility-Wide QAPP. Field QC analyses will include field triplicates and equipment rinsate blanks. Trip blanks will be included when aqueous samples for volatile organic analyses are shipped to the laboratory. Laboratory QC will include method blanks; laboratory control samples (LCSs), laboratory duplicates, and matrix spike/matrix spike duplicate (MS/MSD) samples. MS/MSD must not be conducted on the rinsate blanks. One MS/MSD sample will be designated in the field and collected for at least every 20 investigative samples per matrix. Tables 2-1 and 2-2 of this QAPP Addendum list the needed number of rinsate blanks, and MS/MSDs. Additional laboratory QC will be explained in subsequent sections of this QAPP Addendum.

4.3 Accuracy, Precision, and Sensitivity of Analysis

Project accuracy and precision goals are identified in Section 4.3 and Table 4-1 for soil and sediment of the Facility-Wide QAPP. However, the laboratory will adhere to Section 9.3 of this QAPP Addendum. Accuracy is determined through percent recoveries of spiked or surrogate samples. Laboratory precision is assessed through relative percent differences from duplicate analyses and/or MS/MSDs.

4.4 Completeness, Representativeness, and Comparability

The completeness goals are identified in Table 3-1 and 3-2 of the Facility-Wide QAPP and will be utilized for this investigation. The surface soil ISM design allows Prudent Technologies, Inc. (Prudent) to evaluate the representativeness of the samples in relation to the field conditions. Comparability will be determined by evaluating sample and its duplicate results from the primary laboratory to its triplicate results from the USACE QA laboratory analysis.

5.0 – SAMPLING PROCEDURES

Sampling procedures are discussed in Field Activities, Section 4.0 of the Field Sampling Plan Addendum. The ISM protocol to be used as part of this investigation is also included in the FSP Addendum. Table 5-1 lists soil and sediment container, preservation and holding time requirements for this investigation. Table 5-2 lists container, preservative and holding time requirements for drum sampling.

Table 5-1 Container Requirements for Soil Sampling

Analyte Group	Container	Minimum Sample size	Preservative	Holding Time
Asbestos	1 Gallon Ziploc Bag	1/2 inch ²	None	180 d
VOCs	40 mL VOA vial	5g Terra Core Plug	Methanol, Cool, 4°C	28 d
SVOCs	ISM Sample: Plastic Garbage Disposal Liner Bag (1 Kg of soil material)	60g	Cool, 4°C	14 d (extraction) 40 d (analysis)
Pesticides		60g	Cool 4°C	14 d (extraction) 40 d (analysis)
PCBs		60g	Cool 4°C	14 d (extraction) 40 d (analysis)
Explosives		60g	Cool 4°C	14 d (extraction) 40 d (analysis)
Propellants		60g	Cool 4°C	14 d (extraction) 40 d (analysis)
Metals and Mercury		50g	Cool 4°C	180 d, Mercury 28 d
g = grams, d = days, Kg = kilogram, VOA = Volatile organic analyses, ml = milliliter, VOCs = Volatile organic compounds, SVOCs = Semi-volatile organic compounds, PCBs = Polychlorinated biphenyls				

1 **Table 5-2 Container Requirements for Drum Sampling**

2

Analyte Group	Container	Minimum Sample size	Preservative	Holding Time
VOCs	2 X VOA vials	2 X 40 ml	HCl, pH<2 Cool 4 ⁰ C	14 d
SVOCs	Amber glass with Teflon lined lid	2X1000 ml	Cool 4 ⁰ C	7 d extraction 40 d analysis
Explosives	Amber glass with Teflon lined lid	2X1000 ml	Cool 4 ⁰ C	7 d extraction 40 d analysis
Pesticides	Amber glass with Teflon lined lid	2X1000 ml	Cool 4 ⁰ C	7 d extraction 40 d analysis
PCBs	Amber glass with Teflon lined lid	2X1000 ml	Cool 4 ⁰ C	7 d extraction 40 d analysis
Propellants	Amber glass with Teflon lined lid	2X1000 ml	Cool 4 ⁰ C	7.d extraction 40 d analysis
Metals and Mercury	Plastic	1000 ml	HNO ₃ ,pH<2 Cool 4	180 d for metals 28 days for mercury
g = grams, d = days, Kg = kilogram, VOA = Volatile organic analyses, ml = milliliter, VOCs = Volatile organic compounds, SVOCs = Semi-volatile organic compounds, PCBs = Polychlorinated biphenyls				

6.0 – SAMPLE CUSTODY

6.1 Field Chain-Of-Custody Procedures

Sample handling, packaging, and shipment procedures will follow those identified in Section 6.1 of the FW QAPP and Section 5.0 of the FSP. Prudent's Chain of Custody Form will follow the format of Figure 6-5 of the FW SAP.

6.2 Laboratory COC Procedures

Laboratory chain of custody will follow handling and custody procedures identified in Section 7.0 of the TestAmerica QA Plan.

6.3 Final Evidence Files Custody Procedures

Custody of evidence files will follow those criteria defined in Section 6.3 of the FW QAPP.

7.0 – CALIBRATION PROCEDURES AND FREQUENCY

7.1 Field Instruments/Equipment

Field instruments and equipment calibrations will follow those identified in Section 7.1 of the Facility-Wide QAPP.

7.2 Laboratory Instruments

Calibration of laboratory instruments will be conducted according to USEPA analytical procedures. Additional method specific calibration information is provided in various Tables in Appendix F of the QSM, 4.1, and Louisville Chemistry Guideline Version 5, 2002.

8.0 – ANALYTICAL PROCEDURES

8.1 Laboratory Analysis

Analytical methods, parameters and quantitation limits are listed in Tables 4-3 through 4-8 of the FW QAPP. Reporting limits for VOCs in Methanol and for low level SVOCs will aim for the levels prescribed in Tables 4-3 and 4-4 in the FW QAPP, however actual reporting limits will vary depending on sample weight, moisture content, and matrix interferences.

All preparation and analytical methods required for this investigation are listed in Table 8-1 and 8-2 of this QAPP Addendum.

Table 8-1 Preparation and Analytical Methods for RVAAP Soil and Sediment Samples

Analysis Name	Preparation Method	Analysis Method
Volatile Organic	EPA5035	EPA 8260B
Semi-Volatile Organic	EPA 3540C or 3541	EPA 8270C/D
PCB	EPA3540C or 3541	EPA 8082
Pesticides	EPA3540C or 3541	EPA8081A
Explosive Residues/Propellants	EPA 8330B	EPA 8330B
Nitroguanidine Nitroglycerin	EPA 8330B	EPA 8330M
Nitrocellulose	EPA 8330B	EPA Modified 353.2
TAL-Metals	3050B	EPA 6010B 6020
Mercury	EPA 7471B	EPA 7471B
TCLP	1311	
Ignitability	EPA 9045	EPA 9045
Reactivity	EPA9030B	EPA9034
pH	EPA9045C	EPA9045C

1

Table 8-2: Preparation and Analytical Methods for RVAAP Aqueous Samples

Analysis Name	Preparation Method	Analysis Method
Volatile Organic	EPA5030B	EPA 8260B
Semi-Volatile Organic	EPA 3510C	EPA 8270C/D
PCB	EPA3510C	EPA 8082
Pesticides	EPA3510C	EPA8081A
Explosive Residues	EPA8330B	EPA 8330B
Nitroguanidine Nitroglycerin	EPA 8330B	EPA 8330M
Nitrocellulose	EPA 8330B	EPA Modified 353.2
TAL-Metals	EPA3010A	EPA 6010B 6020
Mercury	EPA7470A	EPA 7470A
Corrosivity	EPA 9040B	EPA 9040B
Reactivity	EPA9030B	EPA9034
pH	EPA9040B	EPA9040B
PCBs = Polychlorinated biphenyls		

2

3 Reporting limits for PAH analysis, EPA 8310, can be set at 3 x MDL, levels in order to meet the required
4 risk assessment levels; and conduct a QCMRL sample analysis at the 3x MDL concentrations.
5 Laboratory-specific Standard Operating Procedures (SOPs) will be followed during the analysis of project
6 samples and are available upon request.

7 The laboratory will maintain a safe and contaminant-free environment for the analysis of samples. The
8 laboratory will demonstrate, through instrument tuning, calibration, LCS, blanks and analytical method
9 blanks, that the laboratory environment and procedures do not and will not impact analytical results.

10 The laboratory will implement all reasonable procedures to achieve project quantitation levels for all
11 sample analyses. Where contaminant levels or sample matrix analytical interferences impact the
12 laboratory's ability to obtain RLs consistent with these requirements, the laboratory will institute sample
13 clean-up processes, adjust instrument operational parameters, or propose alternative analytical methods or
14 procedures.

15 All surface soil ISM samples will be air dried upon receipt and extracted within the holding times.

1 **8.2 Sample Drying and Disaggregation**

- 2 Drying and disaggregation of surface soil ISM samples will be performed per Section 9.3.1.1 of the FW
- 3 QAPP, except that grinding of samples will not be performed.

9.0 – INTERNAL QUALITY CONTROL CHECKS

9.1 Field Sample Collection

Field QC and triplicate sample types, numbers, and frequencies are identified in Section 2 of this QAPP addendum and are summarized in Tables 2-1 and 2-2. One of the triplicate samples will be sent to the primary laboratory, the second to the QA laboratory chosen by USACE and the third sent as a blind sample to the primary laboratory. Table 2-1 of the QAPP Addendum lists the total and QA samples along with all the analytical procedures required for this effort.

Field equipment rinsates for soil samples will be collected at a frequency of one per day of soil sampling. Volatile organic trip blanks will accompany all shipments containing aqueous volatile organic samples.

9.2 Field Measurement

Not Applicable.

9.3 Laboratory Analysis

The QC checks and frequencies are prescribed in Section 9.3 of the FW QAPP, and in the DoD QSM and the Louisville DoD Quality Systems Manual Supplement, March 2007. In addition, the Tables F-2, F-3, F-4, and F-7 in Appendix F of the QSM 4.1 detail DoD-specific QC requirements for the various methods needed for this investigation. The control limits for various methods are listed in Appendix G of the QSM 4.1. In the absence of prescribed QC information in the FW QAPP or the QSM 4.1, the laboratory-specific limits will be used.

10.0 – DATA REDUCTION, VALIDATION, AND REPORTING

10.1 Data Reduction

Sample collection and field measurements will follow the established protocols defined in the Facility-Wide FSP, FW QAPP, and the FSP Addendum. Laboratory data reduction will follow the laboratory's QA Plan guidance and conform to general direction provided by the FW QAPP, the QSM 4.1, and the Louisville Chemistry Guideline (LCG).

10.2 Data Verification/Validation

Project data verification and validation will follow direction provided in the FW QAPP, Section 10 and diagrammed in Figure 10-1.

All data will be reviewed and verified in the ADR format by Prudent according to the FW QAPP and a data verification report will be issued

Validation of a minimum of 10 percent of the data will be performed in accordance with the FW QAPP. An independent data validation subcontractor qualified by the USACE Louisville District, will perform this data validation.

10.3 Data Reporting

Analytical data reports will follow the direction provided in Section 10 of the FW QAPP. The laboratory data package will be organized and reported on a per batch basis. TestAmerica laboratory will also provide an ADR electronic data deliverable using the control limits in QSM 4.1 and a hard copy report. Case narratives and calibration information for the electronic files will be provided in hard copies.

11.0 – PERFORMANCE AND SYSTEM AUDITS

11.1 Field Audits

Internal audits of field activities will be conducted by the Prudent QA Officer (or designee) and/or Field Team Leader, according to the FW QAPP.

USACE or Ohio EPA audits may be conducted at the discretion of each respective agency.

11.2 Laboratory Audits

Laboratory audit may be conducted by Prudent QA officer/Chemist. Internal performance and system audits of laboratories will be conducted by the laboratory QA Officer as directed in the laboratory QA plan. On-site laboratory audits may be conducted in conjunction with or at the direction of USACE or Ohio EPA at the discretion of each respective agency.

TestAmerica North Canton Laboratory has been successfully audited by ANSI-ASQ National Accreditation Board/ACLASS and the laboratory certification is valid until March 3, 2012. The West Sacramento laboratory has been successfully audited by A2LA and the certification is valid until January 31, 2012. Both TestAmerica laboratories have been accredited under the ELAP (Environmental Laboratory Accreditation Program) by an authorized body to perform work for DoD under the DoD QSM.

12.0 – PREVENTIVE MAINTENANCE PROCEDURES

12.1 Field Instruments and Equipment

Maintenance of field sampling equipment will follow direction provided in Section 10 of the FW QAPP.

12.2 Laboratory Instruments

Routine and preventive maintenance for all laboratory instruments and equipment will follow the direction of the TestAmerica laboratory QA Manual.

13.0 – SPECIFIC ROUTINE PROCEDURES TO ASSESS DATA PRECISION, ACCURACY, AND COMPLETENESS

13.1 Field Measurements Data

Field data will be assessed as outlined in Section 13.1 of the FW QAPP.

13.2 Laboratory Data

Laboratory data will be assessed as outlined in Section 13.2 of the FW QAPP.

13.3 Project Completeness

Project completeness will be calculated by evaluating the planned versus the actual data. All data that are not flagged with “R” (rejected) will be considered valid. The project completeness will be assessed relative to media, analyte and area of investigation. Project completeness will be determined according to Section 13.3 of the FW QAPP. The scope of this investigation is to determine if there is surface soil contamination immediately adjacent to the three debris piles within the Quarry Pond Surface Dump site (CC-RVAAP-78), determine if there is surface soil contamination within the apparent burn area, and characterize the contents within the two rusted 55-gallon drums. Additionally, two samples of exposed transite at Debris Piles A and B will be assessed.

14.0 – CORRECTIVE ACTIONS

14.1 Sample Collection/Field Measurements

Field activity corrective action protocol will follow directions provided in Section 14.1 of the FW QAPP.

14.2 Laboratory Analyses

Laboratory corrective action protocols will follow directions provided in Section 14.2 of the FW QAPP and the laboratory QA Plan, and the Louisville DoD Quality Systems Manual Supplement (March 2007).

1 **15.0 – QA REPORTS TO MANAGEMENT**

2 Procedures and reports will follow the protocol identified in the FW QAPP and the laboratory QA Plan.

3

16.0 – REFERENCES

- EDQW 2009 DoD Quality Systems Manual for Environmental Laboratories, Version 4.1 April 2009.
- Hawaii Dept of Health, Technical Guidance Manual for the Implementation of the Hawaii State Contingency Plan. November 2008.
- SAIC. 2011. Science Applications International Corporation. Final Facility-Wide Sampling and Analysis Plan for Environmental Investigations at the Ravenna Army Ammunition Plant, Ravenna, Ohio, Part I: Field Sampling Plan and Part II: Quality Assurance Project Plan. W912QR-08-D-0008, Delivery Order No. 0016, February 24, 2011.
- TestAmerica 2008 Quality Systems Manual, TestAmerica North Canton Laboratories, January 2008.
- TestAmerica, SOP No. NC-IP-001, Rev. 7, 2009, subsampling.
- Louisville QSM Supplement. 2007. U.S. Army Corps of Engineers- Louisville District, March 2007.

1 **Appendix C – Site Safety and Health Plan Addendum to the**
2 **Facility-Wide Safety and Health Plan**

1 Draft Site Safety and Health Plan Addendum for
2 2010 Preliminary Assessment Compliance Restoration Site
3 CC RVAAP-78 Quarry Pond Surface Dump
4

5
6 Ravenna Army Ammunition Plant
7 Ravenna, Ohio
8

9
10 Contract No. W912QR-10-P-0052
11

12
13 Prepared for:
14



15 **US Army Corps**
16 **of Engineers®**

17 U.S. Army Corps of Engineers
18 600 Martin Luther King, Jr. Place
19 Louisville, Kentucky 40202
20

21
22 Prepared by:



23 Prudent Technologies, Inc.
24 4242 Medical Drive, Suite 5250
25 San Antonio, Texas 78229
26
27

28 August 10, 2011
29

30 Health and Safety Plan Addendum

2010 Phase I Remedial Investigation (RI) Services Compliance Restoration Site
CC-RVAAP-78

Ravenna Army Ammunition Plant, Ravenna, Ohio

Position	Name	Phone Number
Program Manager	Prakash Raja, CHMM	210-860-8623
Project Manager	John P. Jent, P.E.	502-439-8005
Deputy Project Manager	Tomas Hernandez, Jr., P.G.	210-385-2011
Site Health and Safety Manager	Aditya Moralwar	402-617-4654
Certified Industrial Hygienist	Tony Ogunsanya, CIH	210-485-6029

Plan Approval Signatures

Certified Industrial Hygienist

Date

Health and Safety Manager

Date

Project Manager

Date

Program Manager

Date

This Health and Safety Plan is valid for the duration of this specific project. A copy of this plan is to be maintained along with the Facility-Wide Health and Safety Plan at all times.

1
2
3
4
5
6
7
8
9
10
11

Health and Safety Plan Addendum
2010 Phase I Remedial Investigation (RI) Services Compliance Restoration Site
CC-RVAAP-78
Ravenna Army Ammunition Plant, Ravenna, Ohio

Plan Acknowledgement Signatures

I, by my signature, acknowledge that I have read and understand the contents of this Health and Safety Plan Addendum.

Printed Name	Signature	Date
--------------	-----------	------

_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

TABLE OF CONTENTS

TABLE OF CONTENTS	i
LIST OF FIGURES	iv
LIST OF TABLES	iv
LIST OF APPENDICES	iv
ACRONYMS AND ABBREVIATIONS	v
1.0 INTRODUCTION.....	1-1
2.0 SITE DESCRIPTION AND CONTAMINATION CHARACTERIZATION	2-1
2.1 Site Description.....	2-1
2.2 Work to be Performed.....	2-4
2.3 Contaminant Characterization.....	2-4
2.3.1 Site Constituents	2-5
2.3.2 Materials Inventory	2-5
2.3.3 Hazard Communication Materials	2-6
3.0 STAFF ORGANIZATION, QUALIFICATIONS AND RESPONSIBILITIES	3-1
4.0 TRAINING	4-1
5.0 PERSONAL PROTECTIVE EQUIPMENT	5-1
5.1 Levels of Protection	5-1
5.2 Classification of Protective Clothing	5-3
5.3 Protective Clothing Selection Factors.....	5-3
5.4 Clothing Donning, Doffing, and Use	5-3
5.5 User Monitoring and Training	5-5
5.6 Inspection, Storage, And Maintenance	5-6
5.7 Inspection.....	5-6
5.8 Storage	5-8
5.9 Maintenance	5-8
6.0 MEDICAL SURVEILLANCE.....	6-1
7.0 EXPOSURE MONITORING / AIR SAMPLING PROGRAM	7-1
8.0 HEAT/COLD STRESS MONITORING	8-1
8.1 Inclement Weather	8-1

1	8.2	Heat/Cold Stress Monitoring and Controls	8-1
2	9.0	STANDARD OPERATION SAFETY PROCEDURES	9-1
3	9.1	Site Rules	9-1
4	9.2	Driving	9-1
5	9.3	Permit Requirements	9-2
6	9.4	Investigation-Derived Waste Drum/Container Handling	9-2
7	9.5	Hot Work, Sources of Ignition, and Fire Protection	9-2
8	9.6	Electrical Safety	9-2
9	9.7	Excavation and Trench Safety	9-3
10	9.8	Machine Guarding	9-3
11	9.9	Lockout/Tagout	9-3
12	9.10	Fall Protection	9-3
13	9.11	Hazard Communication	9-3
14	9.12	Sanitation	9-3
15	9.13	Munitions and Explosives of Concern	9-4
16	9.14	Insect-Borne Diseases	9-4
17	9.15	Ionizing Radiation	9-5
18	9.16	Fuels	9-5
19	10.0	SITE CONTROL MEASURES	10-1
20	10.1	Exclusion Zone	10-1
21	10.2	Contamination Reduction Zone	10-1
22	10.3	Support Zone	10-2
23	10.4	Site Visitors	10-2
24	10.5	Site Communication	10-2
25	11.0	PERSONNEL HYGIENE AND DECONTAMINATION	11-1
26	11.1	Decontamination Procedures	11-1
27	11.1.1	Site Selection	11-1
28	11.1.2	Decontamination Equipment and Supplies	11-1
29	11.2	Decontamination Solutions	11-3
30	11.2.1	Unknown materials	11-3
31	11.2.2	Known Materials	11-3
32	11.2.3	Decontamination Solution Preparation	11-3

1	11.3	Contaminated Protective Clothing	11-4
2	11.4	Personnel Decontamination- 9 Step Process.....	11-4
3	11.4.1	Hot Zone:	11-5
4	11.4.2	Warm Zone:	11-5
5	11.4.3	Cold Zone:	11-5
6	12.0	EQUIPMENT DECONTAMINATION	12-1
7	13.0	EMERGENCY PROCEDURES AND EQUIPMENT	13-1
8	13.1	Emergency Phone Numbers.....	13-1
9	13.2	Procedures and Equipment.....	13-1
10	14.0	LOGS, REPORTS, AND RECORD KEEPING	14-1
11	15.0	REFERENCES.....	15-1
12			
13			

1 **LIST OF FIGURES**

2	Figure 2-1: CC RVAAP-78 Quarry Pond Surface Dump Location Map	2-2
3	Figure 2-2: CC RVAAP-78 Quarry Pond Surface Dump Topographic Map	2-3
4	Figure 11-1: Temporary Decontamination Pad	11-2
5	Figure 13-1 – Route Map to Pre-Notified Medical Facility	13-2
6	Figure 14-1 – Daily Tailgate Meeting Form	14-1

8 **LIST OF TABLES**

9	Table 2-1: Latitude/Longitude from RVAAP CC-78 Site Reconnaissance	2-4
10	Table 2-2 - Potential Contaminants in Soil at CC-RVAAP-78	2-5
11	Table 2-3– Chemicals Used to Conduct Site Work	2-6
12	Table 3-1 – Staff Organization	3-1
13	Table 4-1 – Staff Training	4-1
14	Table 5-1 EPA Levels of Protection	5-1
15	Table 5-2 Sample Donning Procedure	5-4
16	Table 5-3 Doffing Procedure	5-5
17	Table 5-4 Sample PPE Inspection Checklist	5-7
18	Table 5-5 Baseline Personnel Protective Equipment	5-9
19	Table 6-1 – Medical Surveillance Requirements	6-1
20	Table 7-1 – Monitoring Requirements and Action Limits	7-3
21	Table 8-1 Recommended Work/Rest Cycle	8-2

23 **LIST OF APPENDICES**

24	Appendix A – Hazard/Risk Analysis
25	Appendix B – ENG Form 3394 Accident Investigation Form

1 **ACRONYMS AND ABBREVIATIONS**

2	ACGIH	American Conference of Governmental Hygienist
3	ACM	Asbestos-containing material
4	APA	Abbreviated Preliminary Assessment
5	AOC	Area of Concern
6	CERCLA	Comprehensive Environmental Response, Compensation &
7		Liability Act
8	CIH	Certified Industrial Hygienist
9	COPC	Chemicals of Potential Concern
10	CPR	Cardiopulmonary resuscitation
11	CR	Compliance Restoration
12	EPA	Environmental Protection Agency
13	ESS	Explosive Safety Submission
14	FID	Flame ionization detector
15	FP	Flash point
16	FWSAP	Facility-Wide Sampling and Analysis Plan
17	FWSHP	Facility-Wide Safety & Health Plan
18	GFCI	Ground-fault circuit interrupter
19	HAZWOPER	Hazardous Waste Operations and Emergency Response
20	IDLH	Immediately dangerous to life and health
21	IDW	Investigation-derived waste
22	IRP	Installation Restoration Program
23	MC	Munitions constituents
24	MEC	Munitions and explosives of concern
25	MRS	Munitions Response Sites
26	MSDS	Material Safety Data Sheet
27	NFPA	National Fire Protection Association
28	NIOSH	National Institute for Occupational Safety and Health
29	NRR	Noise reducing rating
30	O&M	Operations and maintenance
31	OE	Ordnance and explosives
32	OHARNG	Ohio Army National Guard
33	OSHA	Occupational Safety & Health Administration
34	PID	photoionization detector
35	PEL	Permissible explosive limit
36	PPE	Personal protective equipment
37	Prudent	Prudent Environmental Services, Inc.
38	PVC	Polyvinyl chloride
39	RI	Remedial investigation
40	RVAAP	Ravenna Army Ammunition Plant
41	SCBA	Self contained breathing apparatus
42	SPF	Sun Protection Factor
43	STEL	Short-term exposure limit
44	SSHO	Site Safety & Health Officer
45	SSHP	Site Safety & Health Plan
46	TLV	Threshold limit value

1	TWA	Time weighted average
2	VP	Vapor pressure
3	USACE	U.S. Army Corps of Engineers
4	USACHPPM	U.S. Army Center for Health Promotion and Preventive
5		Medicine
6	UXO	Unexploded ordnance
7	WNV	West Nile Virus
8		

1.0 INTRODUCTION

The Ravenna Army Ammunition Plant (RVAAP) Facility-Wide Safety and Health Plan (FWSHP) (USACE 2011a) and this Site Safety and Health Plan (SSHP) Addendum collectively set forth the specific procedures required to protect Prudent Technologies, Inc. (Prudent) and Prudent subcontractor personnel involved in the field activities at CC-RVAAP-78 at the Ravenna Army Ammunition Plant (RVAAP). These plans are driven by requirements contained in U.S. Army Corps of Engineers (USACE) (2007) and USACE (2008 a,b). All field personnel are required to comply with the requirements of these programs and plans. In addition, subcontractors are responsible for providing their employees with a safe work place. These plans do not relieve subcontractors of this responsibility. If the requirements of these plans are not sufficient to protect the employees of a subcontractor, that subcontractor is required to supplement this information with work practices and procedures that will ensure the safety of its personnel.

The FWSHP addresses program issues, hazards, and hazard controls common to the entire installation. This SSHP Addendum to the FWSHP serves as the lower tier document addressing the hazards and controls specific to performing additional sampling and remedial activities at CC-RVAAP-78 at the Ravenna Army Ammunition Plant (RVAAP). Copies of the FWSHP and this SSHP Addendum will be present at the work site during all fieldwork. As per Paragraph 28.B.01.f of USACE 2008a, the combination of the FWSAP and Site Safety and Health Plan Addendum collectively satisfy the requirements of an Accident Prevention Plan required in Paragraph 01.A.07.

Planned site activities consist of environmental sampling and support tasks. These tasks include soil sampling via trenching across the debris field, surface soil sampling immediately adjacent to the debris field, drum sampling, and drum removal.

Potential hazards posed by the planned tasks include: injury from ordnance and explosives; striking, rotation, and noise hazards from excavating; lifting, noise, and physical strain associated with operating soil sampling equipment; fuel or decontamination solvent fires; chemical exposure; temperature extremes; stinging/biting insects; poisonous plants; and snakes.

The potential for chemical overexposure during the performance of the planned tasks is high based upon the toxicity of the potential contaminants and the potential for creating airborne particulates, as well as the uncertainty associated with unknown contaminants in the 55-gallon drums. There is also the potential for adverse health effects resulting from dermal contact with contaminated soil or debris. This potential hazard will be mitigated through the use of appropriate PPE during the handling of potentially contaminated materials.

This investigation will be performed in the appropriate level of personal protective equipment (PPE) as discussed in further in this report. If one of action levels (B, C, or D) is exceeded or the potential for increased risk becomes apparent during the investigation, protective procedures, including protective clothing, will be upgraded as necessary by the Site Safety & Health Officer (SSHO).

2.0 SITE DESCRIPTION AND CONTAMINATION CHARACTERIZATION

2.1 Site Description

Environmental work at the RVAAP under the Installation Restoration Program (IRP) began in earnest in 1995, with 32 environmental Areas of Concern (AOCs) identified and prioritized according to U.S. Army Center for Health Promotion & Preventive Medicine (USACHPPM) relative risk protocols into high, medium, and low priority AOCs. Environmental restoration work has proceeded primarily by addressing the highest priority sites first, with sites of medium and low priority receiving attention later. In 2000, the number of environmental AOCs was increased from 32 to 51. Relative risk ranking was again performed to prioritize those additional environmental AOCs. The area identified for investigation for this project is Compliance Restoration (CR) Site CC-RVAAP-78 Quarry Pond Surface Dump


The above site is considered to potentially have munitions and explosives of concern (MEC). The following section provides a brief description of the site.

CC-RVAAP-78, Quarry Pond Surface Dump – The Quarry Pond Surface Dump is located in the western part of the Installation, east of the intersection between South Patrol Road and Greenleaf Road. The site consists of areas of former dumping at the bases of steeply inclined rock slopes. The surface dumps, referenced as Debris Piles A, B, and C on Figures 2-1 and 2-2, are located north, northwest and northeast of the northern-most quarry pond within the Fuze and Booster Quarry Landfill/Ponds (RVAAP-16) AOC. Debris Pile A is approximately 425 feet in length and 18 to 68 feet wide and is suspected of containing asbestos containing material (ACM), construction debris, scrap metal, and unidentified materials. A second, smaller debris pile at the base of a steeply inclined rock slope, defined as Debris Pile B, is approximately 296 feet in length and 24 feet wide. The apparent burn area is located near the 55-gallon drum, both of which are within Debris Pile B. The apparent burn area is characterized by ground charring and lack of vegetation. The topographic map of this area, (see Figure 2-2), shows that the south end of Debris Pile A becomes one continuous slope from Reference Point 9b of Debris Pile A to Reference Point 3 of Debris Pile B (see Figure 1-1). Debris Pile C is located along the northwestern corner of the northern-most quarry pond area with the debris area being approximately 120 feet by 45 feet. A second rusted 55-gallon drum is present within this area. Table 2-1 list Global Positioning System (GPS) Ohio State Plane coordinates of locations where observations were made during the site reconnaissance, monitoring wells and the two 55-gallon drums.

1 **Figure 2-1: CC RVAAP-78 Quarry Pond Surface Dump Location Map**

1

Figure 2-2: CC RVAAP-78 Quarry Pond Surface Dump Topographic Map



2

Table 2-1: Latitude/Longitude from RVAAP CC-78 Site Reconnaissance

Reference #	Latitude	Longitude
CC-78 GPS Points		
1	41.1796	-81.1128
2	41.1794	-80.1128
3	41.1792	-81.1128
4	41.1797	-81.1129
6	41.1799	-81.1131
8	41.1801	-81.1124
10	41.1797	-81.1121
5a	41.1797	-81.1137
5b	41.1798	-81.1134
7a	41.1801	-81.1129
7b	41.1801	-81.1123
9a	41.1800	-81.1124
9b	41.1795	-81.1126
Ground Water Monitoring Wells FBQ		
171	41.1796	-81.1138
173	41.1803	-81.1124
174	41.1793	-81.1130
175	41.1789	-81.1130
55-Gallon Drum		
55-Gallon Drum 1	41.1796	-81.1136
55-Gallon Drum 2	41.1796	-81.1128

FBQ = Fuze and Booster Quarry

2.2 Work to be Performed

An initial intrusive investigation of possible environmental impacts to the applicable media at CC RVAAP-78, the Quarry Pond Surface Dump will be performed to confirm the presence or absence of contaminants.

Limited surface soil sampling will be conducted, if possible, and the results compared with cleanup goals, as prescribed in the Position Paper for the Application and Use of Facility-Wide Human Health Cleanup Goals (USACE 2009), to determine chemicals of potential concern (COPCs). As per the limited scope of a Phase I Remedial Investigation (Preliminary Assessment), no sampling of groundwater is provided within this project. However, brief summaries of existing related surface and groundwater data will be presented. Due to former activities at this site, munitions and explosives of concern (MEC) may potentially be present at this AOC. Therefore, MEC avoidance surveys will be conducted during the investigation activities.

2.3 Contaminant Characterization

Two categories of chemical hazards are associated with site activities:

- Site constituents; and
- Chemicals used to conduct the site work.

Sampling at the nearby Fuse and Booster Quarry AOC and the presence of Transite (cement board with various amounts of asbestos fiber, 12 to 50 percent) in the debris piles indicate the possibility of encountering explosives, metals, and ACM at the Quarry Pond Surface Dump. Information on the potential contaminants and the reagents/chemicals that will be used for the project is contained in Table 2-

2. It is important to note that the contaminants listed in Table 2-2 have been detected in a number of locations at RVAAP and may be present at former operations areas. Exposure to these potential contaminants and reagents/chemicals such as decontaminating solutions, solvents, sample preservatives, field laboratory reagents, or fuels, is likely and will be controlled through compliance with this addendum.

2.3.1 Site Constituents

Table 2-2 lists contaminants that have been encountered at other AOCs. Inclusion in this table indicates the potential to encounter a contaminant during field activities, but it does not necessarily indicate that the contaminant is present in sufficient quantity to pose a health risk to workers.

Hazard/Risk Analysis is provided in Appendix A. The purpose of the task hazard/risk analysis is to identify and assess potential hazards that may be encountered by personnel and to prescribe required controls.

Table 2-2 - Potential Contaminants in Soil at CC-RVAAP-78

Contaminants	
1,3,5-TNB	Alpha Chlordane
2,4,6-TNT	Gamma Chlordane
HMX	Aroclor-1254
RDX	Aroclor-1260
Antimony	Dieldrin
Arsenic	Endrin
Beryllium	Anthracene
Cadmium	Benzo(a)anthracene
Chromium	Benzo(b)pyrene
Lead	Benzo(b)fluoranthene
Manganese	Benzo(k)fluoranthene
Thallium	Chrysene
4,4'-DDT	Dibenzo(a,h)anthracene
Aldrin	Indeno(1,2,3-cd)pyrene
Heptachlor Epoxide	Asbestos
TNB = trinitrobenzene, TNT = trinitrotoluene, HMX = Hydrogen-Deuterium Exchange, RDX = Hexahydro-Trinitro-Triazine, DDT = dichlorodiphenyltrichloroethane	

2.3.2 Materials Inventory

Table 2-3 lists chemicals to be used at the site. Inclusion in this table does not necessarily indicate the chemical is present in sufficient quantity to pose a health risk to workers. See Section 5.0 for information regarding PPE.

1

Table 2-3– Chemicals Used to Conduct Site Work

Materials Inventory
Acetone
Liquinox (decontamination)
Methanol (potentially used for equipment decontamination and sample preparation)
Isopropyl alcohol (potentially used for equipment decontamination)
Gasoline (equipment fuel)

2 **2.3.3 Hazard Communication Materials**

3 Materials that are considered hazardous materials under the Occupation Safety & Health Administration
4 (OSHA) Hazard Communication Standard (29 CFR 1910.1200) may be used during this project.
5 Material Safety Data Sheets (MSDSs) for the hazardous materials listed in table 2-2 are included in
6 Attachment B. Copies of these MSDSs will be made available to all personnel on this project.

3.0 STAFF ORGANIZATION, QUALIFICATIONS AND RESPONSIBILITIES

Table 3-1 presents Prudent staff and their key positions, names and telephone numbers responsible for site safety and health and emergency response.

Table 3-1 – Staff Organization

Position	Name	Phone Number
Program Manager	Prakash Raja, CHMM	210-860-8623
Project Manager	John P. Jent, P.E.	502-439-8005
Deputy Project Manager	Tomas Hernandez, Jr., P.G.	210-385-2011
Health and Safety Manager	Aditya Moralwar	402-617-4654
Certified Industrial Hygienist	Tony Ogunsanya, CIH	210-485-6029
UXO Technician Level 3	ECC to provide via subcontract	774-244-7103

The SSHO for this project is Aditya Moralwar, PE. He has over 5 years experience in hazardous, toxic, radiologic waste (HTRW) work, a Master's of Science in Chemical Engineering and a Professional Engineering license. Mr. Moralwar is familiar with the company's standards of procedures. He is OSHA 40 Hour Hazwoper certified and OSHA 30 Hour General Industry Safety & Health certified. Mr. Moralwar was the Project Manager for an Environmental Protection Agency (EPA) lead remediation project in Omaha, Nebraska. An unexploded Ordnance (UXO) Technician Level 3 will provide anomaly avoidance for all field activities related to this project.

4.0 TRAINING

Training requirements are summarized in Table 4-1. At least two persons trained in the Cardiopulmonary Resuscitation (CPR)/first aid will be present during sampling activities. A UXO Technician Level 3 will provide anomaly avoidance for all field activities related to this project.

Table 4-1 – Staff Training

Training	Worker	Supervisor	Site Visitor (exclusion zone)
HAZWOPER 29 CFR 1910.120 (40-hr classroom and 3-day supervised field experience)	√	√	√
HAZWOPER Annual Refresher (8 hr)	√	√	√
Additional HAZWOPER Supervisors Training (8 hr)		√	
CPR/Standard First Aid Training (5.5 hr)	√	√	
HAZCOM 29 CFR 1910.1200	√	√	√
Respiratory Protection Training 29 CFR 1910.134 (if respirators are required)	√	√	√
Hearing Conservation Training 29 CFR 1910.95 (for workers exposed to hazardous noise)	√	√	√
Pre-entry Briefing with Site-Specific HAZCOM	√	√	√
Safety Briefing (daily and whenever conditions or tasks change)	√	√	√
UXO Safety Briefing (daily and whenever conditions or tasks change)	√	√	√

√ = required.

CPR = cardiopulmonary resuscitation.

HAZWOPER = Hazardous Waste Operations and Emergency Response.

HAZCOM = Hazardous Communication

5.0 PERSONAL PROTECTIVE EQUIPMENT

General guidelines for selection and use of PPE are presented in the FWSHP. Specific PPE requirements for this work are presented in the hazard/risk analysis section (Appendix A).

These guidelines describe the various types of clothing that are appropriate for use in various chemical operations, and provide recommendations in their selection and use. It is important that protective clothing users realize that no single combination of protective equipment and clothing is capable of protecting you against all hazards. Thus, protective clothing should be used in conjunction with other protective methods. For example, engineering or administrative controls to limit chemical contact with personnel should always be considered as an alternative measure for preventing chemical exposure. The use of protective clothing can itself create significant wearer hazards, such as heat stress, physical and psychological stress, in addition to impaired vision, mobility, and communication. In general, the greater the level of chemical protective clothing, the greater the associated risks. For any given situation, equipment and clothing should be selected that provide an adequate level of protection. Over protection as well as under protection can be hazardous and should be avoided.

5.1 Levels of Protection

Table 5-1 lists ensemble components based on the widely used *EPA Levels of Protection: Levels A, B, C, and D*. These lists can be used as the starting point for ensemble creation; however, each ensemble must be tailored to the specific situation in order to provide the most appropriate level of protection. For example, if an emergency response activity involves a highly contaminated area or if the potential of contamination is high, it may be advisable to wear a disposable covering such as Tyvek® coveralls or PVC splash suits, over the protective ensemble.

Table 5-1 EPA Levels of Protection

Characteristics of Levels	Level A	Level B	Level C	Level D
Not Optional	1. Vapor protective suit (meets NFPA 1991). 2. Pressure-demand, full-face SCBA. 3. Inner chemical-resistant gloves. 4. Chemical-resistant safety boots 5. Two-way radio communication	1. Liquid splash-protective suit (meets NFPA 1992) 2. Pressure-demand, full-facepiece SCBA 3. Inner chemical-resistant gloves 4. Chemical-resistant safety boots 5. Two-way radio communications 6. Hard hat	1. Support Function Protective Garment (meets NFPA 1993) 2. Full-facepiece, air-purifying, canister-equipped respirator 3. Chemical resistant gloves and safety boots 4. Two-way communications system, hard hat	1. Coveralls 2. Safety boots/shoes 3. Safety glasses or chemical splash goggles

1

Table 5-1 Continued

Characteristics of Levels	1. Level A	1. Level B	1. Level C	1. Level D
Optional	2. Cooling system 3. Outer gloves 4. Hard hat	2. Cooling system, 3. Outer gloves	2. Faceshield 3. Escape self-contained breathing apparatus (SCBA)	2. Gloves 3. Escape SCBA 4. Face-shield
Protection Provided	Highest available level of respiratory, skin, and eye protection from solid, liquid and gaseous chemicals	Highest available level of respiratory, skin, and eye protection from solid, liquid and gaseous chemicals.	The same level of skin protection as Level B, but a lower level of respiratory protection. Liquid splash protection but no protection to chemical vapors or gases.	No respiratory protection, minimal skin protection.
Used When	The chemical(s) have been identified and have high level of hazards to respiratory system, skin and eyes. Substances are present with known or suspected skin toxicity or carcinogenicity. Operations must be conducted in confined or poorly ventilated areas.	The chemical(s) have been identified but do not require a high level of skin protection. Initial site surveys are required until higher levels of hazards are identified. The primary hazards associated with site entry are from liquid and not vapor contact.	Contact with site chemical(s) will not affect the skin. Air contaminants have been identified and concentrations measured. A canister is available which can remove the contaminant. The site and its hazards have been completely characterized.	The atmosphere contains no known hazard. Work functions preclude splashes, immersion, potential for inhalation, or direct contact with hazard chemicals.
Limitations	Protective clothing must resist permeation by the chemical or mixtures present. Ensemble items must allow integration without loss of performance.	Protective clothing items must resist penetration by the chemicals or mixtures present. Ensemble items must allow integration without loss of performance.	Protective clothing items must resist penetration by the chemical or mixtures present. Chemical airborne concentration must be less than IDLH levels. The atmosphere must contain at least 19.5% oxygen.	This level should not be worn in the Hot Zone. The atmosphere must contain at least 19.5% oxygen.
When Not Applicable			Not Acceptable for Chemical Emergency Response	Not Acceptable for Chemical Emergency Response

The type of equipment used and the overall level of protection should be reevaluated periodically as the amount of information about the chemical situation or process increases, and when workers are required to perform different tasks. Personnel should upgrade or downgrade their level of protection only with concurrence with the site supervisor, safety officer, or plant industrial hygienist.

5.2 Classification of Protective Clothing

- Personal protective clothing includes the following:

- Fully encapsulating suits;
- Non-encapsulating suits;
- Gloves, boots, and hoods;
- Firefighter's protective clothing;
- Proximity, or approach clothing;
- Blast or fragmentation suits; and
- Radiation-protective suits.

Firefighter turnout clothing, proximity gear, blast suits, and radiation suits by themselves are not acceptable for providing adequate protection from hazardous chemicals.

5.3 Protective Clothing Selection Factors

- Material Chemical Resistance- Ideally, the chosen material(s) must resist permeation, degradation, and penetration by the respective chemicals.
- Permeation basis- there will be no visible evidence of chemicals permeating a material.
- Degradation involves physical changes in a material as the result of a chemical exposure, use, or ambient conditions (e.g. sunlight). The most common observations of material degradation are discoloration, swelling, loss of physical strength, or deterioration.
- Penetration is the movement of chemicals through zippers, seams, or imperfections in a protective clothing material.

It is important to note that no material protects against all chemicals and combinations of chemicals, and that no currently available material is an effective barrier to any prolonged chemical exposure.

5.4 Clothing Donning, Doffing, and Use

The procedures below are given for vapor protective or liquid-splash protective suit ensembles and should be included in the training program.

- Donning the Ensemble-** A routine should be established and practiced periodically for donning the various ensemble configurations that a facility or team may use. Assistance should be provided for donning and doffing since these operations are difficult to perform alone, and solo efforts may increase the possibility of ensemble damage.
- Table 5-2 below lists sample procedures for donning a totally encapsulating suit/SCBA ensemble. These procedures should be modified depending on the suit and accessory equipment used. The procedures assume the wearer has previous training in respirator use and decontamination procedures.
- Once the equipment has been donned, its fit should be evaluated. If the clothing is too small, it will restrict movement, increase the likelihood of tearing the suit material, and accelerate wearer

fatigue. If the clothing is too large, the possibility of snagging the material is increased, and the dexterity and coordination of the wearer may be compromised. In either case, the wearer should be recalled and better-fitting clothing provided.

Table 5-2 Sample Donning Procedure

Step	Procedure
1	Inspect clothing and respiratory equipment before donning (see Section 5.7 Inspection).
2	Adjust hardhat or headpiece if worn, to fit user's head.
3	Open back closure used to change air tank (if suit has one) before donning suit.
4	Standing or sitting, step into the legs of the suit; ensure proper placement of the feet within the suit; then gather the suit around the waist.
5	<ul style="list-style-type: none"> Put on chemical-resistant safety boots over the feet of the suit. Tape the leg cuff over the tops of the boots. If additional chemical-resistant safety boots are required, put these on now. Some one-piece suits have heavy-soled protective feet. With these suits, wear short, chemical resistant safety boots inside the suit.
6	Put on air tank and harness assembly of the self-contained breathing apparatus (SCBA). Don the facepiece and adjust it to be secure, but comfortable. Do not connect the breathing hose. Open valve on air tank.
7	<p>Perform negative and positive respirator facepiece seal test procedures.</p> <ul style="list-style-type: none"> To conduct a negative-pressure test, close the inlet part with the palm of the hand or squeeze the breathing tube so it does not pass air, and gently inhale for about 10 seconds. Any inward rushing of air indicates a poor fit. Note that a leaking facepiece may be drawn tightly to the face to form a good seal, giving a false indication of adequate fit. To conduct a positive-pressure test, gently exhale while covering the exhalation valve to ensure that a positive pressure can be built up. Failure to build a positive pressure indicates a poor fit.
8	<p>Depending on type of suit:</p> <ul style="list-style-type: none"> Put on long-sleeved inner gloves (similar to surgical gloves). Secure gloves to sleeves, for suits with detachable gloves (if not done prior to entering the suit). Additional overgloves, worn over attached suit gloves, may be donned later.
9	Put sleeves of suit over arms as assistant pulls suit up and over the SCBA. Have assistant adjust suit around SCBA and shoulders to ensure unrestricted motion.
10	Put on hardhat, if needed.
11	Raise hood over head carefully so as not to disrupt face seal of SCBA mask. Adjust hood to give satisfactory comfort.
12	Begin to secure the suit by closing all fasteners on opening until there is only adequate room to connect the breathing hose. Secure all belts and/or adjustable leg, head, and waistbands.
13	Connect the breathing hose while opening the main valve.
14	Have assistant first ensure that wearer is breathing properly and then make final closure of the suit.
15	Have assistant check all closures.
16	Have assistant observe the wearer for a period of time to ensure that the wearer is comfortable, psychologically stable, and that the equipment is functioning properly.

- **Doffing the Ensemble-** Exact procedures for removing a totally encapsulating suit/SCBA ensemble must be established and followed in order to prevent contaminant migration from the response scene and transfer of contaminants to the wearer's body, the doffing assistant, and others.
- Sample doffing procedures are provided in Table 5-3 below. These procedures should be performed only after decontamination of the suited end user. They require a suitably attired assistance. Throughout the procedures, both wearer and assistant should avoid any direct contact with the outside surface of the suit.

Table 5-3 Doffing Procedure

Stage	Procedure
1	If sufficient air supply is available to allow appropriate decontamination before removal.
2	Remove any extraneous or disposable clothing, boot covers, outer gloves, and tape.
3	Have assistant loosen and remove the wearer's safety shoes or boots.
4	Have assistant open the suit completely and lift the hood over the head of the wearer and rest it on top of the self-contained breathing apparatus (SCBA) tank.
5	Remove arms, one at a time, from suit. Once arms are free, have assistant lift the suit up and away from the SCBA backpack – avoiding any contact between the outside surface of the suit and the wearer's body – and lay the suit out flat behind the wearer. Leave internal gloves on, if any.
6	Sitting, if possible, remove both legs from the suit.
7	Follow procedure for doffing SCBA.
8	After suit is removed, remove internal gloves by rolling them off the hand, inside out.
9	Remove internal clothing and thoroughly cleanse the body.
10	If the low-pressure warning alarm has sounded, signifying that approximately 5 minutes of air remain.
11	Remove disposable clothing.
12	Quickly scrub and hose off, especially around the entrance/exit zipper.
13	Open the zipper enough to allow access to the regulator and breathing hose.
14	Immediately attach an appropriate canister to the breathing hose (the type and fittings should be predetermined). Although this provides some protection against any contamination still present, it voids the certification of the unit.
15	Follow Steps 1 through 8 of the regular doffing procedure above. Take extra care to avoid contaminating the assistant and the wearer.

5.5 User Monitoring and Training

- The wearer must understand all aspects of clothing/equipment operation and their limitations; this is especially important for fully encapsulating ensembles where misuse could potentially result in suffocation.
- During protective clothing use, end users should be encouraged to report any perceived problems or difficulties to their supervisor. These malfunctions include, but are not limited to:

- Degradation of the protection ensemble;
 - Perception of odors;
 - Skin irritation;
 - Unusual residues on clothing material;
 - Discomfort;
 - Resistance to breathing;
 - Fatigue due to respirator use;
 - Interference with vision or communication;
 - Restriction of movement; and
 - Physiological responses such as rapid pulse, nausea, or chest pain.
- Before end users undertake any activity in their chemical protective ensembles, the anticipated duration of use should be established. Several factors limit the length of a mission, including:
 - Air supply consumption as affected by wearer work rate, fitness, body size, and breathing patterns;
 - Suit ensemble permeation, degradation, and penetration by chemical contaminants, including expected leakage through suit or respirator exhaust valves (ensemble protection factor);
 - Ambient temperature as it influences material chemical resistance and flexibility, suit and respirator exhaust valve performance, and wearer heat stress; and
 - Coolant supply (if necessary).

5.6 Inspection, Storage, And Maintenance

Following a standard program for inspection, proper storage, and maintenance along with realizing protective clothing/equipment limitations is the best way to avoid chemical exposure during emergency response.

5.7 Inspection

- An effective chemical protective clothing inspection program should feature five different inspections:
 - Inspection and operational testing of equipment received as new from the factory or distributor.
 - Inspection of equipment as it is selected for a particular chemical operation.
 - Inspection of equipment after use or training and prior to maintenance.
 - Periodic inspection of stored equipment.
 - Periodic inspection when a question arises concerning the appropriateness of selected equipment, or when problems with similar equipment are discovered.
- Each inspection will cover different areas with varying degrees of depth. Those personnel responsible for clothing inspection should follow manufacturer directions; many vendors provide detailed inspection procedures. The generic inspection checklist provided in Table 5-4 may serve as an initial guide for developing more extensive procedures.

- Records must be kept of all inspection procedures. Individual identification numbers will be assigned to all reusable pieces of equipment and records will be maintained by that number. At a minimum, each inspection should record:
 - Clothing/equipment item ID number;
 - Date of the inspection;
 - Person making the inspection;
 - Results of the inspection; and
 - Any unusual conditions noted.

Table 5-4 Sample PPE Inspection Checklist

PPE Item			Check
Clothing	<i>Before Use:</i>	Determine that the clothing material is correct for the specified task at hand.	
	<i>Visually inspect for:</i>	Imperfect seams	
		Non-uniform coatings	
		Tears	
		Malfunctioning closures	
		Pinholes (hold to light for inspection)	
	<i>Flex Product</i>	Observe for cracks	
		Observe for other signs of shelf deterioration	
	<i>If the product has been used previously, inspect inside and out for signs of chemical deterioration.</i>	Discoloration	
		Swelling	
		Stiffness	
	<i>During the work task, periodically inspect for:</i>	Evidence of chemical attack, such as discoloration, swelling, stiffening, and softening. (Note: Chemical permeation can occur without any visible effects.)	
		Closure failure	
		Tears	
		Punctures	
		Seam discontinuities	

5.8 Storage

- Clothing must be stored properly to prevent damage or malfunction from exposure to dust, moisture, sunlight, damaging chemicals, extreme temperatures and impact.
- Some guidelines for general storage of chemical protective clothing include:
 - Potentially contaminated clothing should be stored in an area separate from street clothing or unused protective clothing.
 - Potentially contaminated clothing should be stored in a well-ventilated area, with good airflow around each item, if possible.
 - Different types and materials of clothing and gloves should be stored separately to prevent issuing the wrong material by mistake (e.g. many glove materials are black and cannot be identified by appearance alone).
 - Protective clothing should be folded or hung in accordance with manufacturer instructions.

5.9 Maintenance

- The following procedures are adopted to ensure that the appropriate level of maintenance is performed only by those individuals who have this specialized training and equipment.
- In no case should you attempt to repair equipment without checking with the person in your facility that is responsible for chemical protective clothing maintenance.
- The following classification scheme is recommended to divide the types of permissible or non-permissible repairs:
 - Level 1: User or wearer maintenance, requiring a few common tools or no tools at all.
 - Level 2: Maintenance that can be performed by the response team's maintenance shop, if adequately equipped and trained.
 - Level 3: Specialized maintenance that can be performed only by the factory or an authorized repair person.
- All repairs made must be recorded on the records for the specific clothing along with appropriate inspection results.

This investigation will be primarily performed in Level D PPE, plus chemical-resistant gloves when handling potentially contaminated materials. Specific tasks may require higher level of PPE as illustrated in Table 5-5 below. If an action levels is exceeded, or increased risk becomes apparent during the investigation, protective procedures will be upgraded as necessary by the SSHO.

Table 5-5 Baseline Personnel Protective Equipment

Activity	PPE Required
Drum sampling and handling	<p>If the drum is intact and has unknown contents, Level A personal protective equipment (PPE): Totally encapsulating chemical protective suit, positive pressure full faced self-contained breathing apparatus or positive pressure supplied air respirator with escape self-contained breathing apparatus (SCBA).</p> <p>If the drum is vented and has unknown contents, Level B PPE: Hood chemical resistant clothing, positive pressure full faced self-contained breathing apparatus or positive pressure supplied air respirator with escape SCBA.</p> <p>Direct reading instruments photoionization detectors and flame ionization detectors (PID/FID), oxygen deficiency, combustible gas, radiological) will be used for screening purposes.</p> <p>If drum is corroded or pressurized it will not be sampled or moved. Call in specialized team.</p>
Civil Surveys and Visual Surveys	LEVEL D PPE: long pants, shirts with sleeves, safety glasses, heavy duty work gloves, safety boots, and hardhats if overhead hazards are present, plus nitrile or similar gloves for contact with potentially contaminated material. Insect repellent (Deet for dermal application/Permethrin for clothing application) as necessary. Tuck pant legs into boots to minimize tick entry.
Surface soil sampling	Level C PPE: ½ mask particulate respirator to be worn by sampler, wear nitrile gloves, where safety glasses with side shields. Insect repellent (Deet for dermal application/Permethrin for clothing application) as necessary. Tuck pant legs into boots to minimize tick entry..
Investigative Derived Waste (IDW) handling	Level D PPE plus nitrile or equivalent gloves for handling of potentially contaminated material
Equipment Decontamination	Level D PPE plus nitrile or chemical resistant rubber gloves (see Section 5.0 of FWSHP). Face shield, splash hood and impermeable clothing when operating pressure washer.
Asbestos Sampling	Level C PPE: ½ mask particulate respirator and Tyvek® suit to be worn by sampler, wear nitrile gloves, where safety glasses with side shields. Insect repellent (Deet for dermal application/Permethrin for clothing application) as necessary. Tuck pant legs into boots to minimize tick entry. Sample area to be wet down before any samples are collected.

6.0 MEDICAL SURVEILLANCE

Medical surveillance requirements, as presented in Section 7.0 of the FWSHP, are summarized in Table 6-1.

Table 6-1 – Medical Surveillance Requirements

Baseline	Routine	Suspected/Actual Overexposure	Final
Prior to work assessment	Every 12 months, unless greater frequency is deemed appropriate by attending physician.	As deemed appropriate by attending physicians.	Upon termination or re-assignment

All medical exams shall include (see Section 7.2 of the FWSHP):

- Collection of information on the employee's medical and work history;
- Hands-on examination;
- Audiometry;
- Blood screen such as Sequential Multiple Analyzer with Computer 24;
- Chest P/A X-ray at intervals specified by the attending physician;
- Complete blood count;
- Electrocardiogram for persons older than 45 or where medically indicated;
- Physical examination;
- Spirometry (forced expiratory volume/forced vital capacity); and
- Urinalysis (dipstick and microscopic).

7.0 EXPOSURE MONITORING / AIR SAMPLING PROGRAM

Airborne contaminants can present a significant threat to worker health and safety. Thus, identification and quantification of these contaminants through air monitoring is an essential component of a health and safety program at a hazardous waste site. Reliable measurements of airborne contaminants are useful for:

- Selecting personal protective equipment.
- Delineating areas where protection is needed.
- Assessing the potential health effects of exposure.
- Determining the need for specific medical monitoring.

Priorities for air monitoring will be based on the information gathered during initial site characterization. This information served as the basis for selecting the appropriate monitoring equipment and personal protective equipment (PPE) for use when conducting site monitoring. Depending on site conditions, four categories of site monitoring may be necessary: monitoring for immediate danger to life and health (IDLH) and other dangerous conditions, general onsite monitoring, perimeter monitoring, and periodic monitoring.

Monitoring for IDLH is the first step and should be conducted to identify any IDLH conditions, such as flammable or explosive atmospheres, oxygen-deficient environments, and highly toxic levels of airborne contaminants. Direct-reading monitoring instruments will normally include combustible gas indicators, oxygen meters, colorimetric indicator tubes, and organic vapor monitors.

Extreme caution will be exercised in continuing a site survey when atmospheric hazards are indicated. Monitoring personnel are aware that conditions can suddenly change from nonhazardous to hazardous. Acutely hazardous concentrations of chemicals may persist in confined and low-lying spaces for long periods of time.

Site conditions and thus atmospheric chemical conditions may change following the initial characterization. For this reason, monitoring should be repeated periodically, especially when:

- Work begins on a different portion of the site.
- Different contaminants are being handled.
- A markedly different type of operation is initiated (e.g., barrel opening as opposed to subsurface sampling).
- Workers are handling leaking drums or working in areas with obvious liquid contamination (e.g., a waste/debris pile or quarry ponds)

Selective monitoring of high-risk workers, i.e., those who are closest to the source of contaminant generation, will be implemented as necessary since the probability of significant exposure varies directly with distance from the source.

Personal monitoring samples will be collected in the breathing zone and, if workers are wearing respiratory protective equipment, outside the facepiece. These samples represent the actual inhalation exposure of workers who are not wearing respiratory protection and the potential exposure of workers who are wearing respirators.

1 Site exposure can be affected by several independent and uncontrollable variables, most notably
2 temperature and weather conditions, can affect airborne concentrations. Some demonstrated variables
3 include:

- 4 • Temperature. An increase in temperature increases the vapor pressure of most chemicals.
- 5 • Windspeed. An increase in wind speed can affect vapor concentrations near a free-standing liquid
6 surface. Dusts and particulate-bound contaminants are also affected.
- 7 • Rainfall. Water from rainfall can essentially cap or plug vapor emission routes from open or
8 closed containers, saturated soil, or lagoons, thereby reducing airborne emissions of certain
9 substances.
- 10 • Moisture. Dusts, including finely divided hazardous solids, are highly sensitive to moisture
11 content. This moisture content can vary significantly with respect to location and time and can
12 also affect the accuracy of many sampling results.
- 13 • Vapor emissions. The physical displacement of saturated vapors can produce short-term,
14 relatively high vapor concentrations. Continuing evaporation and/or diffusion may produce long
15 term low vapor concentrations and may involve large areas.
- 16 • Work activities. Work activities often require the mechanical disturbance of contaminated
17 materials, which may change the concentration and composition of airborne contaminants.

18 In addition to the above monitoring considerations, the SSHO may perform or require additional
19 monitoring. As previously stated, the deployment of monitoring equipment will depend on the activities
20 being conducted and the potential exposures. All personal exposure monitoring records will be
21 maintained in accordance with the FWSSH and NIOSH 85-115. The minimum monitoring requirements
22 and action levels are presented in Table 7-1 below.

Table 7-1 – Monitoring Requirements and Action Limits

Instrument	Hazard Monitored	Limitations	Permissible Exposure Levels	Corrective Action	Task
Combustible Gas Indicator (CIG)	Combustible gasses and vapors	Accuracy depends, in part, on the difference between the calibration and sampling temperatures. Sensitivity is a function of the differences in the chemical and physical properties between the calibration gas and the gas being sampled. The filament can be damaged by certain compounds such as silicones, halides, tetraethyl lead, and oxygen enriched atmospheres. Does not provide a valid reading under oxygen deficient conditions.			
Flame Ionization Detector (FID) with Gas Chromatography Option	Many organic gasses and vapors	Does not detect inorganic gasses and vapors, or synthetics. Sensitivity depends on the compound. Should not be used at temperature less than 40°F. Difficult to absolutely define compounds. High concentration of contaminants or oxygen deficient atmosphere requires system modification. In survey mode, readings can be only reported relative to the calibration standard used			

Table 7-1 – Monitoring Requirements and Action Limits (Continued)

Instrument	Hazard Monitored	Limitations	Permissible Exposure Levels	Corrective Action	Task
Photoionization Detector (PID)	Many organic and some inorganic gasses and vapors.	Does not detect methane. Does not detect a compound if the probe used has a lower energy level than the compound's ionization potential. Response may change when gases are mixed. Other voltage sources may interfere with measurements: Readings can only be reported relative to the calibration standard used. Response is affected by high humidity			
Oxygen Meter	Oxygen (O ₂).	Must be calibrated prior to use. To compensate for altitude and barometric pressure. Certain gases, especially oxidants such as ozone, can affect readings.			
Alpha Radiation Survey Instrument	Alpha Radiation	May not measure beta or gamma radiation.			
Beta Radiation Survey Instrument	Beta Radiation	May not measure alpha or gamma radiation.			
Gamma Radiation Survey Instrument	Gamma Radiation	May not measure alpha or beta radiation.			

8.0 HEAT/COLD STRESS MONITORING

8.1 Inclement Weather

As stated in the FWSSP (Section 9.0), when warnings or indications of impending severe weather exist (e.g., heavy rains, thunderstorms, damaging winds, tornados, hurricanes, floods, lightning), the Contractor SSHO will monitor the weather conditions using a weather notification system. Appropriate precautions will be taken to protect personnel and property from the effects of the severe weather. In accordance with Section 6 of the *USACE Safety and Health Requirements Manual* (USACE 2008), project-specific SSHP addenda should include, at a minimum:

- Severe weather triggers to alert the Contractor SSHO to monitor weather conditions
- Training on severe weather precautions and actions
- Identified area of retreat, preferably a substantial building

8.2 Heat/Cold Stress Monitoring and Controls

Acclimatization, consumption of copious quantities of water (with alternating 1-3 ratio of Gatorade™ to water), and appropriate work/rest cycles are important factors in preventing heat stress-induced illnesses (see Table 8-1). General controls will consist of making fluids readily available, using the buddy system, and taking scheduled and unscheduled breaks in a temperature-controlled environment as necessary. The following specific steps will be taken to reduce the potential for heat stress-induced illness:

- When possible, schedule work for cooler periods during the day.
- Provide site training to include controlling heat stress, recognizing heat stress-induced illness, and administering first aid for heat stress.
- Provide cool water and Gatorade™ to site workers and encourage their consumption (1-3 ratio of Gatorade™ to water).
- Where employees are exposed to solar radiation for short periods and there is the potential for sunburn or exposure for prolonged periods where long-term exposure could lead to health effects such as skin cancer, they shall be provided sun screen with a sun protection factor (SPF) appropriate for their skin type and exposure. Sunscreens shall be used only in accordance with the manufacturer's recommendations.
- Instruct workers to monitor their own and their buddy's condition relative to heat stress.
- Develop an initial work/rest cycle based on the site-specific conditions and the capabilities of the work crew. The American Conference of Governmental Industrial Hygienists (ACGIH) heat stress Threshold Limit Value (TLV) will be instituted per Table 8-1.
- Provide a cool environment for breaks, such as a vehicle with air conditioning.
- Encourage and allow workers to take unscheduled breaks, as needed.

1

Table 8-1 Recommended Work/Rest Cycle

Work-Rest Regimen	Work Load		
	Light	Moderate	Heavy
Continuous work	86	80	77
45 min work/15 min rest ^a	87	82	78
30 min work/30 min rest	89	85	82
15 min work/45 min rest	90	88	86

9.0 STANDARD OPERATION SAFETY PROCEDURES

As stated in the FWSHP (section 10.0), general safety rules applicable to the anticipated tasks. The provisions of the plan are mandatory for all on-site employees and visitors, including employees engaged in initial site reconnaissance, preliminary field investigations, mobilization, project operations, and demobilization. These standard operating procedures are offered for guidance. Prudent is responsible for ensuring that the appropriate and sufficient procedures presented in project-specific SSHP addenda are used to protect its employees.

9.1 Site Rules

The following rules will apply to all site activities:

- Personnel must maintain contact with Post 1 at all times through two-way radios or phones.
- All work will be conducted in compliance with the *USACE Safety and Health Requirements Manual* (USACE 2008).
- Daily safety briefings (“tailgate”) will be held during field activities to inform personnel of new hazards or procedures.
- The SSHO or Field Operations Manager will conduct and document daily safety inspections.
- Personnel will notify the SSHO of any medical conditions (e.g., allergic to bee stings, diabetes, pregnancy) that require special consideration.
- Personnel will maintain proper workplace housekeeping to minimize the potential for tripping and other accidents.
- Contact with potentially contaminated substances will be avoided. Site personnel in the exclusion zone will avoid walking through puddles, pools, and mud; kneeling on the ground; and placing equipment on the ground.
- Spills will be prevented to the extent possible. If a spill occurs, the material will be contained.
- All injuries and accidents requiring first aid will be reported to the SSHO, Field Operations Manager, Contractor CIH, and the Army Project Manager.
- All workers will abide by a buddy system. Members of a buddy team will maintain verbal or visual contact.

9.2 Driving

All posted speed limits and state vehicle operation laws must be obeyed at all times. Contractors driving motor vehicles/equipment may not use hand-held cellular phones but may use hands-free telephones while the vehicle is in motion. Prior to using a hand-held cellular phone, drivers shall find a safe place to bring their vehicle to a stop. This requirement does not preclude passengers from using cellular phones while the vehicle is in motion. Using headphones and earphones is prohibited while operating a motor vehicle/equipment.

9.3 Permit Requirements

Contractors will coordinate with RVAAP to obtain, as necessary, all permits necessary for the safe execution of a project.

9.4 Investigation-Derived Waste Drum/Container Handling

Any drums used for the project will meet the requirements of the Facility-Wide Sampling and Analysis Plan (FWSAP) USACE 2011b, and project-specific agenda. RVAAP Operations and Maintenance Contractor personnel will provide any required fork truck services in the investigation-derived waste (IDW) staging area (Building 1036). IDW movement from field sites to Building 1036 will be conducted by the drilling subcontractor using a backhoe equipped with forks and drum dollies. No personnel will be allowed under lifted loads. Lifts of greater than 50 pounds will be made with two or more personnel or with lifting equipment in compliance hazardous waste safety training and Sections 14 and 16 of the *USACE Safety and Health Requirements Manual*.

9.5 Hot Work, Sources of Ignition, and Fire Protection

This work will be conducted according to Sections 9 and 10 the *USACE Safety and Health Requirement Manual*.

Notify Post 1 before hot work activities begin. Such notification includes the location where the hot work will be conducted and the start and stop time of the hot work.

- Use a welder's helmet or shaded goggles, leather gloves, and long-sleeved shirt to conduct hot work (oxyfuel cutting).
- Provide a fire extinguisher, rated not less than 10-ABC, in the immediate vicinity of hot work.
- Keep sources of ignition at least 15.2 m (50 ft) from flammables storage areas.
- Post flammables storage areas with signs indicating "No Smoking or Open Flame."
- Keep at least one fire extinguisher, rated not less than 20-B, 7.6 to 22.9 m (25 to 75 ft) from all flammables storage areas.
- Use an approved flammables cabinet to store 94.6 L or more (25 gal or more) of flammable liquid.
- Keep flammable liquids (other than decontamination solvents) in safety containers with flame arresters.

9.6 Electrical Safety

This work will be conducted according to 29 CFR 1910 Subpart S and Section 11 of the *USACE Safety and Health Requirement Manual*.

- Connect all portable 110-V electrical equipment through ground fault circuit interrupters (GFCIs).
- Keep conductive materials (drill rigs) clear of energized power lines. Observe the following minimum distances: 0 to 50 kV (10 ft); 51 to 100 kV (12 ft); 101 to 200 kV (15 ft); 201 to 300 kV (20 ft); 301 to 500 kV (25 ft); 501 to 750 kV (35 ft); and 750 to 1000 kV (45 ft).

9.7 Excavation and Trench Safety

Not applicable.

9.8 Machine Guarding

All equipment will be operated with all guards provided by the manufacturer and in compliance with 29 *CFR* 1910, Subpart O and Section 16.A.11 of the *USACE Safety and Health Requirement Manual*. If any guarding must be removed for servicing, the equipment will be disabled to preclude movement or release of energy.

9.9 Lockout/Tagout

All potentially hazardous servicing or equipment repair will be governed by 29 *CFR* 1910.147 and Section 12 of the *USACE Safety and Health Requirement Manual*.

9.10 Fall Protection

Work areas with the potential for a fall of 1.2 meters (4 feet) or more will be provided with fall protection in compliance with Section 21.C of the *USACE Safety and Health Requirement Manual*. This fall protection will consist of guardrails or personal fall protection. Personal fall protection will be used if drilling personnel must climb the upright mast or derrick.

9.11 Hazard Communication

Hazard communication will be governed by 29 *CFR* 1910.1200 and Section 06.B of the *USACE Safety and Health Requirement Manual*. At a minimum, the following steps will be taken:

- Hazardous materials on-site will be labeled to comply with the hazard communication standard, and will include the following.
 - Clear labeling as to the contents; and
 - The appropriate hazard warning.
- MSDSs will be available on-site for all hazardous materials that are present.
- Site-specific training will be provided for the hazards posed by site chemicals, protective measures, and emergency procedures.
- Copies of MSDSs for all hazardous chemicals (chemicals brought on-site) will be maintained in the work area. MSDSs will be available to all employees for review during each work shift.
- For all activities where lead control and asbestos disturbance is performed, a separate compliance plan must be written to adequately communicate planned activities and implemented controls.

Compliance plans will appear as attachments or appendices to project-specific SSHP addenda and will be consistent with standards in Section 06.B.05 of the *USACE Safety and Health Requirement Manual*.

9.12 Sanitation

- Sanitation will comply with 29 *CFR* 1910.120(n) and Section 2 of the *USACE Safety and Health Requirement Manual*.
- Provide means at the work site for washing hands and faces prior to eating.

- 1 • Provide potable drinking water in closed, labeled (“Drinking Water”), sanitary dispensers and
2 protect them from contamination.
- 3 • Post any containers or dispensers of non-potable water with “Caution – Water Unsafe for
4 Drinking, Washing, or Cooking.”
- 5 • Provide toilets, except for mobile crews with transportation to adequate facilities, according to the
6 following: 1 to 15 personnel = 1 toilet, 16 to 35 personnel = 2 toilets, 36 to 55 personnel = 3
7 toilets, and 56 to 80 personnel = 4 toilets. Toilet facilities must be lit, ventilated, and have areas
8 for hand washing per Section 02.E of the *USACE Safety and Health Requirement Manual*.

9 **9.13 Munitions and Explosives of Concern**

10 Work that involves, or may involve, exposure to MEC will comply Engineer Manual 385-1-97. The
11 Contractor, at a minimum, will follow the procedures listed below for work in all areas at RVAAP. For
12 activities within the work area, MEC avoidance protocols will be included in the SSHP addendum, as
13 discussed below, and a qualified UXO Technician Level 3 will support the field investigation. UXO
14 personnel will survey the area (visually and instrument-assisted) prior to work, establish appropriate
15 controls, and accompany field teams during project execution.

- 16 • All on-site workers will be trained to recognize and avoid the types of MEC that may be present.
- 17 • Contractors and their subcontractors will not handle, move, or otherwise disturb MEC or any
18 items that cannot be identified as non-MEC without specific authorization from Army.
- 19 • If MEC or potential MEC is discovered, the area will be marked and avoided and work will
20 continue.
- 21 • The UXO Technician will use a hand-held magnetometer to clear an area prior to surface soil
22 sampling.

23 **9.14 Insect-Borne Diseases**

24 Various insects are known to carry transmittable diseases at the site vicinity. Workers are to be aware of
25 the threat of mosquitoes and ticks. Mosquitoes carry the West Nile Virus (WNV) and ticks carry Rocky
26 Mountain Spotted Fever and Lyme Disease. Precautionary methods to avoid becoming infected by insect
27 bites are as follows:

- 28 • Wear light colored clothing to spot ticks more efficiently.
- 29 • Wear insect repellant, Deet for dermal application/Permethrin for clothing application
- 30 • Tuck pants into boots to avoid transfer of ticks from grass and brush.
- 31 • Conduct personal daily checks focusing on armpit, groin and scalp.

32 Embedded ticks should be removed using fine-tipped tweezers. DO NOT use petroleum jelly, a hot
33 match, nail polish, or other products. Grasp the tick firmly and as closely to the skin as possible. With a
34 steady motion, pull the tick’s body away from the skin. The tick’s mouthparts may remain in the skin, but
35 do not be alarmed. The bacteria that cause Lyme disease are contained in the tick’s body. Cleanse the area
36 with an antiseptic.

37 Note the date of removal of any imbedded tick and seek medical attention if any signs and symptoms of
38 including malaise (a general ill feeling), fever, chest pain, dry or non-productive cough, headache, loss of

1 appetite, shortness of breath, joint and muscle pains, chills, and hoarseness develop over the ensuing days
2 or weeks.

3 **9.15 Ionizing Radiation**

4 All work involving regulated radiation sources must be conducted in accordance with the requirements of
5 the *USACE Safety and Health Requirements Manual*, Section 06.E, Ionizing Radiation (USACE 2008).
6 Requirements include, but are not limited to:

- 7 • United States Department of Defense Form 3337, Application for Army Radiation Authorization,
8 must be completed and approved by RVAAP prior to bringing a source onto RVAAP.
- 9 • All regulatory requirements, including source security, must be met during the period the source
10 is on RVAAP.
- 11 • RVAAP must be notified when the source is removed.

12 **9.16 Fuels**

13 RVAAP procedures and applicable portions of Section 9 of the *USACE Safety and Health Requirements*
14 *Manual* for use and storage of fuels, such as gasoline and diesel fuel, must be followed. These include,
15 but are not limited to:

- 16 • Secondary containment for containers with a capacity of 100 gallons or more;
- 17 • All spills must be immediately reported to RVAAP;
- 18 • Spill response must comply with the current Installation Spill Contingency Plan for RVAAP;
- 19 • Fuel storage areas will be posted with signs stating “No Smoking, Matches, or Open Flame,” and
20 no ignition sources will be allowed within 50 feet.
- 21 • Only labeled/listed (by a nationally recognized testing laboratory) containers and portable tanks
22 will be used for the storage of flammable and combustible liquids.

10.0 SITE CONTROL MEASURES

As stated in the FWSHP (section 11.0), the field Operations Manager will be responsible for establishing the site control zones, as necessary, around Contractor-controlled areas that present physical or chemical hazards. Implementation of these site control zones will help to minimize the number of employees potentially exposed and to minimize the potential for the spread of contamination. The SSHO will monitor the implementation of the required site control work rules and will report any deviations from prescribed practice to the Field Operations Manager or stop work, as appropriate.

No public site control is expected to be necessary for this work, as the work areas are remote and bystanders are not anticipated. The RVAAP installation is not open to the public, and only authorized personnel are allowed in the project site area. If the SSHO determines that a potential exists for unauthorized personnel to approach within 25 feet of a work zone or otherwise be at risk due to proximity, then exclusion zones will be established, as described in the FWSHP.

10.1 Exclusion Zone

The exclusion (contamination) zone is the area where the greatest potential exists for exposure to contamination or physical hazards. The periphery of the exclusion zone will be identified by barricade tape or rope suspended above the ground. An entry and exit checkpoint will be visually defined to regulate the flow of personnel and equipment. The entry and exit checkpoint will be delineated with barricade tape/rope and signs. Signs may state "Construction Area," or "High Noise Area," as deemed appropriate by the SSHO. The number of people and equipment in the exclusion zone will be minimized to control physical hazards and the spread of contamination. The following standard rules will apply to all entry into the exclusion zone:

- The SSHO or Field Operations Manager must approve (and log) entry into the exclusion zone.
- All personnel entering the exclusion zone will wear the prescribed level of protective clothing.
- All items and related paraphernalia intended to be placed on the face or in the mouth (e.g., cigarettes, lighters, matches, chewing tobacco, food, cosmetics) are prohibited in the exclusion zone.
- All personnel in the exclusion zone will follow the buddy system.

Exclusion zones will be established around all activities where contamination is a potential hazard. As a minimum, the exclusion zone will extend 25 feet from the hazard. Exclusion zones for other activities will be appropriate to the hazard and surroundings.

10.2 Contamination Reduction Zone

A contamination reduction (buffer) zone will be established, as necessary, outside the exclusion zone to provide a transition from and a buffer between the exclusion zone and the support zone. This contamination reduction zone is established because significant surface contamination is present or suspected. An entry and exit checkpoint will be visually defined at the periphery of the zone to regulate the flow of personnel and equipment. The entry and exit checkpoint and the perimeter of the zone will be delineated with the use of ropes/barricade tape and signs. A contamination reduction zone will be established around the central equipment decontamination pad.

All personnel entering the contamination reduction zone will wear the prescribed level of protective clothing required for that zone. All items intended to be placed on the face or in the mouth (e.g., cigarettes, chewing tobacco, food, cosmetics) are prohibited in the contamination reduction zone. Doffing of protective clothing and personnel decontamination will occur in the contamination reduction zones.

10.3 Support Zone

The support zone is the clean and relatively safe area surrounding the exclusion and contamination reduction zones. Entry requirements for the support zone consist of those required for entry into the general area of the facility. Primary functions of the support zone are

- Staging area for clean equipment and supplies; and
- Location for support services (e.g., office trailers, laboratory trailers, eating area[s], toilet facilities, parking, visitor area[s]).

10.4 Site Visitors

The Field Operations Manager will add all visitors to the on-site access roster that is maintained by the RVAAP Operations and Maintenance (O&M) Contractor. The O&M Contractor will approve and coordinate site access with Guard Post 1. All visitors are required to sign-in with Guard Post 1 to gain site access. Visitors will not be allowed inside areas controlled by the Contractor without specific approval of the SSHO and Field Operations Manager. Visitors must meet all regulatory (specifically 29 *CFR* 1910.120) and site health and safety requirements (e.g., proof of training, medical surveillance) to be considered for RVAAP entry. All visitors will receive a health and safety briefing appropriate to the nature of the visit and the potential hazards associated with the visit. All visitors must sign the daily tailgate and health and safety briefing form.

10.5 Site Communication

Field personnel will be capable of contacting other field personnel and outside agencies. Communication on-site will be assured by hand-held radio, cellular phone, portable air horns, or vehicle horns. Short blasts (less than 1/2 second) of an air horn or car horn will be used to request assistance. Prolonged blasts (more than 2 seconds) will be used to signal an evacuation. If phone service is not immediately available on the site, the crew will be equipped with a hand-held radio.

11.0 PERSONNEL HYGIENE AND DECONTAMINATION

The FWSHP and Section 2.0 of this addendum states that a system of procedures will be used to control the spread of contamination from the exclusion (contamination) zone and to ensure that workers are sufficiently free of contamination to preclude adverse health effects. PPE doffing and personnel decontamination are part of this system. The SSHO will ensure the construction of a decontamination station, as necessary; instruct personnel on its proper use; and verify that personnel follow the appropriate steps. This section presents examples of basic requirements for personnel decontamination keyed to the level of protective clothing in use. It is the SSHO's responsibility to verify that decontamination processes are adequate to protect personnel and meet the requirements of Sections 06.M and 28 of the *USACE Safety and Health Requirements Manual* (USACE 2008).

11.1 Decontamination Procedures

11.1.1 Site Selection

Proper placement of the decontamination corridor depends on several factors including: the type of decontamination required, extent of decontamination required, and physical location of incident (inside or outside). Whenever possible place the corridor no more than 100 yards from the incident.

- Inside: Depending on the physical location of the incident there have been guidelines formulated and included in the Spill Control Procedure (002) on how to clean up the environment surrounding the spill. The decontamination area needs to be located where there are NO drains and provisions can be made for accumulation of fluids. If the personnel are severely contaminated the site should be where a safety shower is accessible (fixed facility), or where a water supply can be set up.
- Outside: The utilization of a decontamination area on the exterior of buildings is a possibility. These areas should be positioned up-wind, up-grade, and up-stream from the incident. The area should be paved and located where there are no drains to watercourses, sanitary or storm sewer systems. There should be a water supply available for washing the contaminated personnel.


For this project, a temporary decontamination pad will be placed on-site at the sampling location for immediate use (see Figure 11-1).

11.1.2 Decontamination Equipment and Supplies

In order to perform the task of decontamination there is an accumulation of equipment and supplies required. This list includes any specific decontamination solutions required for the contaminating material; appropriate PPE for the decontamination team; the necessary containers for containing items removed during the decontamination process; containers to hold the decontamination solutions; the appropriate numbers of brushes, sprayers, etc. to adequately clean individuals and equipment placed in the area; and any replacement items needed in the "Hot Zone" ie. spare SCBA cylinders, replacement duct tape, other tools as required.

1

Figure 11-1: Temporary Decontamination Pad



2

11.2 Decontamination Solutions

This standard establishes a procedure for decontamination solutions that are helpful in changing the chemical contaminant into a less harmful substance. Two areas will be addressed in this section: unknown compounds and known compounds. These solutions are for application to protective clothing, tools, and equipment only. Do not apply any neutralizing agents directly on the skin without the express orders from a physician.

11.2.1 Unknown materials

Characteristically, hazardous materials decontamination solutions are solutions of water and various chemical compounds selected to react with the contaminants and ultimately neutralize them. The temperature of the solution and the time it is allowed to contact the contaminant are considerations in determining whether the reaction is complete and the contaminant has been neutralized. The following solutions are effective for a variety of contaminants and therefore may be utilized in an unknown situation:

- Decon Solution A: 5% Sodium Carbonate, 5% Trisodium Phosphate & Water
- Decon Solution B: 10% Calcium Hypochlorite & Water
- Rinse Solution: 5% Trisodium Phosphate & Water

11.2.2 Known Materials

There are five general purpose decontamination solutions acceptable for use with known chemicals of the ten hazard classes. These are:

- Decon Solution A: 5% Sodium Carbonate, 5% Trisodium Phosphate & Water
- Decon Solution B: 10% Calcium Hypochlorite & Water
- Decon Solution C: 5% Trisodium Phosphate & Water
- Decon Solution D: Hydrochloric Acid & Water
- Decon Solution E: Concentrated Detergent & Water
- Rinse Solution: 5% Trisodium Phosphate & Water

11.2.3 Decontamination Solution Preparation

- Decontamination solution A
 - Mix four pounds of commercial grade Sodium Carbonate and four (4) pounds of commercial grade Trisodium Phosphate with twenty (20) gallons of clean water.
- Decontamination solution B
 - Mix eight pounds of Calcium Hypochlorite (HTH CHLORINE) with ten (10) gallons of clean water.
- Decontamination solution C
 - Mix four pounds of commercial grade Trisodium Phosphate with ten (10) gallons of clean water

- 1 • Decontamination solution D.
 - 2 — Mix one pint of concentrated Hydrochloric Acid into ten (10) gallons of clean water. Stir
 - 3 with a wooden or plastic stirrer
- 4 • Decontamination solution E
 - 5 — Mix Tide or other powdered detergent into water until a paste is formed.
- 6 • Rinse Solution
 - 7 — Use formulation instructions for Decontamination Solution C.

8 **11.3 Contaminated Protective Clothing**

9 This standard establishes guidelines to be followed when uniforms, protective clothing or items of
10 personal protective equipment are contaminated by a hazardous material.

- 11 • Personnel who enter the warm zone or the hot zone at a hazardous materials incident run the risk
12 of becoming contaminated by the materials involved.
- 13 • Members must pass through the decontamination sector prior to being allowed to enter the cold
14 zone.
 - 15 — At the entrance to the decon sector; the members should discard any hand tools and
 - 16 equipment at the edge of the corridor so that they can be decontaminated.
 - 17 — After the member has been rinsed off and decontaminated as much as possible, he shall
 - 18 proceed to the final area where a decontamination worker will assist him in removing his
 - 19 protective clothing.
 - 20 — All articles of contaminated protective clothing shall be placed in a bag, then sealed and
 - 21 tagged. The tag should list the contaminant, the contents of the bag, the member's name,
 - 22 and the time and date.
 - 23 — If a member's personal clothing or work uniform has been contaminated, the members
 - 24 should proceed to a showering station. After showering, he should dry off his body and
 - 25 change into clean clothes. Ensure that the member is afforded all due privacy.
 - 26 — Contaminated uniforms and articles of personal clothing should be bagged, then sealed
 - 27 and tagged. Towels and other items used to dry off should also be placed in a bag for
 - 28 decontamination or disposal.
- 29 • The decontamination officer shall make a determination if contaminated items are salvageable.
30 Items that cannot be properly decontaminated shall be disposed of in accordance with state and
31 federal regulations.
- 32 • Items that may be decontaminated shall be returned to the member after being properly
33 decontaminated.

34 **11.4 Personnel Decontamination- 9 Step Process**

35 All contaminated personnel will be decontaminated prior to exiting the incident area using the following
36 9-Step process.

11.4.1 Hot Zone:

Step 1 Tool Drop

Personnel enter the decontamination area through the ENTRY POINT. Once in the decontamination corridor they drop tools and equipment on the contaminated side and proceed to step 2.

Step 2 Gross Wash

Remove as much contamination as possible using dilution principle. At the same time, contain all fluids in diked areas as appropriate. Personnel may be in SCBA. Proceed to step 3.

11.4.2 Warm Zone:

Step 3 SCBA Service

This step is where SCBA units are serviced. If the individual is in the decontamination area to undergo a cylinder change then the expired cylinder is removed and placed in a controlled area for subsequent decontamination and refilling. Place a full cylinder in the backpack and reconnect. Allow the worker to re-enter the work area.

If the worker is to be fully decontaminated then remove the SCBA with the exception of the facepiece. Place entire unit in a controlled area for subsequent decontamination. Move to step 4.

Step 4 PPE Removal

Remove PPE (SCBA face-piece last) and place in appropriate containers for decontamination and/or disposal. Move to step 5 or transport to a fixed decontamination site.

Step 5 Personal clothing removal

Remove personal clothing, as appropriate, and place in plastic bags for subsequent decontamination and return to the individual. Move to step 6.

Step 6 Personal Shower

Personnel are to shower using soap and sponges. Use cold water first and then slowly raise the temperature. Shower only in an enclosure without a curtain or closeable door. This avoids the possibility of inspiring airborne materials. Bag cleaning items for disposal. Move to step 7.

11.4.3 Cold Zone:

Step 7 Redress

Personnel are to dry off. Bag towels for decontamination. Redress using clean clothes or disposable garments. Move to step 8.

Step 8 Medical Evaluation

Personnel are to be monitored by the Trauma Team and treated as required. Move to next step.

1 **Step 9 Records and Transportation**

2 Complete all field records and transport to a medical facility as required.

3

1 **12.0 EQUIPMENT DECONTAMINATION**

2 The extent of equipment contamination will be characterized by the toxicity of the sample areas and the
3 level of PPE used during sampling. Equipment will be contained in the exclusion use when not being
4 used. Before demobilization of any equipment it will undergo appropriate decontamination; including but
5 not limited to a thorough wash with soap and water.

6

13.0 EMERGENCY PROCEDURES AND EQUIPMENT

Emergency contacts, telephone numbers, directions to the nearest medical facility, and general procedures can be found in the FWSHP Section 12.0. Emergency phone numbers and the hospital route map are also included in this Section. The Prudent Project Manager will remain in charge of all Prudent and subcontractor personnel during emergency activities. The Prudent staging building (Building 1036) will serve as the assembly point if it becomes necessary to evacuate one or more sampling locations.

13.1 Emergency Phone Numbers

Listed below are emergency groups and their telephone numbers. Cellular telephones and two-way radios will be present in the field and available for use. Mid-American Security will be contacted first for any emergency service.

Table 13-1 Emergency Phone Numbers

Emergency Group	Phone Number
RVAAP Post 1	330-358-2017
Police (Mid-American Security)	330-338-7406
Emergency Medical Service	330-872-5050
Hospital	330-297-0811/2449
Fire Department (City of Ravenna)	330-297-5738
Hazardous Materials Response	330-358-7406/7409
USACE Project Manager (Glen Beckham)	502-315-6799
USACE Technical Manager (Tom Chanda)	502-315-6868
USACE Safety Officer (Matt Burg)	502-315-7061


13.2 Procedures and Equipment

At least one person (i.e., project manager or site supervisor) must have a working two-way radio on the RVAAP frequency. The radio must be tested each morning before the start of work, by radioing Security with a communication check. Each team must have direct radio or telephone communication with the Project Manager or Site Supervisor. For the purposes of this requirement, a team is any individual not having a line of sight or within normal voice range of another individual having means of communication with the Project Manager or Site Supervisor.

In the event of medical emergency, Robinson Memorial Hospital is located approximately 10 miles from the site at 6847 North Chestnut Street in Ravenna, Ohio (Figure 13-1). It can be reached by taking PA Street 1 (Paris-Windham Road) towards Highway 5 West/Ravenna Warren Road approximately 7.2 miles west, turn right at Cleveland East Liverpool Road/Highway 14 North/Highway 44 North approximately 2.4 miles, turn left at North Chestnut Street/Ravenna Painesville Road.

In the event of an accident or incident, the SSHO will first notify RVAAP's security personnel, who will, in turn, contact the proper authorities. The field supervisor should then notify the U.S. Army Project Manager immediately according to the requirements of EM 385-1-1. The required Accident Report (ENG Form 3394) must be completed and submitted to the U.S. Army Project Manager within two days, in accordance with the FWSHP.

1

Figure 13-1 – Route Map to Pre-Notified Medical Facility

2

14.0 LOGS, REPORTS, AND RECORD KEEPING

Prudent will adhere to the documenting activities related to daily logs, reporting, and record keeping requirements as described in the FWSHP. The UXO Technician Level 3 and the Site Health and Safety Manager will lead the daily tailgate meetings.

A copy of the DAILY TAILGATE MEETING FORM to be utilized for this project is attached as Figure 14-1.

Figure 14-1 – Daily Tailgate Meeting Form

DAILY TAILGATE MEETING FORM

Site Name & Number: _____
Project Number: _____
Work Being Performed: _____
Date & Time of Meeting: _____
Name of Presenter: _____

NOTE: On the initial day of the project, the Project Manager or designee should conduct a visual inspection of the project site prior to the Tailgate Meeting. This inspection should include a review of project site equipment, hazards, and specific job tasks, activities or operations to be performed for that day. These specific items must be covered during the Tailgate Meeting. For subsequent days, any changes to the site or operations must be covered in Tailgate Meeting.

Itemize the Specific Topics Discussed (if more space is needed use the back of this page):

Participants (if needed, list additional participants on back of this page):

Print Name	Signature	Company	Date

A Tailgate Safety Meeting must be conducted and documented at the beginning of each workday when two or more Prudent employees and/or subcontractor representatives are present on site. Employees, client representatives and subcontractors who arrive at the site after the Tailgate Safety Meeting has been conducted must be briefed on the topics and acknowledge by signing this form.

15.0 REFERENCES

- ACGIH (American Conference of Governmental Industrial Hygienists) 2003. *Threshold Limit Values*.
- NIOSH (National Institute for Occupational Safety and Health). *NIOSH Pocket Guide to Chemical Hazards, the Condensed Chemical Dictionary*, online edition.
- USACE. 2007. (U.S. Army Corps of Engineers). *Safety and Occupational Health Requirements for Radioactive Waste (HTRW) and Ordnance and Explosive Waste (OEW) Activities*, ER-385-1-92, May 1, 2007.
- USACE. 2008a. (U.S. Army Corps of Engineers). *Safety and Health Manual*, EM-385-1-1, Sep 15, 2008.
- USACE. 2008b. (U.S. Army Corps of Engineers). *Explosives – Safety and Health Requirements Manual*, EM-385-1.97, September 15, 2008.
- USACE (U.S. Army Corps of Engineers) 2011a. *Facility-Wide Safety and Health Plan for Environmental Investigations at the Ravenna Army Ammunition Plant, Ravenna, Ohio*, W912QR-08-D-0008, Delivery Order No. 0016, February 24, 2011.
- USACE (U.S. Army Corps of Engineers) 2011b. *Facility-Wide Sampling and Analysis Plan for Environmental Investigations at the Ravenna Army Ammunition Plant, Ravenna, Ohio*, W912QR-08-D-0008, Delivery Order No. 0016, February 24, 2011.
- US EPA 1984, *Drum Handling Practices at Hazardous Waste Sites*, EPA/600/2-86/013. January 1986.
- US EPA 1994, *Drum Sampling, Environmental Response Team SOP #2009*. November 1994.
- US EPA 2007, *Waste Sampling*, Region 4 Science and Ecosystem Support Division. November 2007.

1
2

Appendix A – Hazard/Risk Analysis

HAZARD/RISK ANALYSIS

The purpose of the task hazard/risk analysis is to identify and assess potential hazards that may be encountered by personnel and to prescribe required controls. Table 1-1 summarizes these general hazards and indicates their presence. If additional tasks or significant hazards are identified during the course of this work, this document will be modified by addendum or field change order to include the additional information.

Table 1-1 General Checklist for Hazards

Yes	No	Hazard
	X	Confined space entry
X		Heavy equipment (drum removal)
X		Fire and explosion (fuels)
X		Electrical shock (utilities and tools)
X		Exposure to chemicals (contaminants, fuels, sampling and decontamination)
X		Temperature extremes
X		Biological hazards (indigenous flora and fauna)
	X	Radioactive material/contamination
X		Noise (drum removal equipment)
	X	Drowning
X		OE (potential to encounter unexploded ordnance)

OE = ordnance and explosives.

Specific tasks are as follows:

- clearing of brush and vegetation
- surface soil sampling using step probes or soil augers
- Asbestos sampling
- drum sampling
- drum removal
- civil surveying
- sampling equipment decontamination
- investigation-derived waste handling and disposition.

1.1 Task-Specific Hazard Analysis

Table 1-2 presents task-specific hazards, relevant hazard controls, and required monitoring, if appropriate, for all planned tasks.

1.2 Potential Exposures

Prior sampling results indicate the primary contaminants of concern at the project site are explosive residues and metals. Information on the potential contaminants, as well as the reagents/chemicals that will be used for the project is contained in Table 1-3. Material Safety Data Sheet records for reagents/chemicals to be used on the project are contained in Building 1036 at RVAAP. It is important to note that the contaminants listed in Table 1-3 have been detected in a number of locations at RVAAP and may occur at any former operation areas. Exposure to chemicals will be controlled through standard safe handling practices.

1

Table 1-2 - Hazards Analysis

Task	Potential Hazards	Controls	Monitoring Requirements
Civil Surveys and Visual Surveys in Potentially Contaminated Areas	General safety hazards (moving equipment, slips, falls)	Level D PPE: long pants, shirts with sleeves, safety glasses, safety boots, and hard hats if overhead hazards are present (see Section 5.0 of the FWSHP). Site-specific training, buddy system, proper housekeeping.	Daily site safety inspections
	Exposure to chemicals	Nitrile or similar gloves for contact with potentially contaminated material. Gloves will be disposed after single use. Wash face and hands and any other exposed areas prior to taking anything by mouth. Hazardous waste site operations training and medical clearance site training must include hazards and controls for exposure to site contaminants and chemicals used on-site. MSDSs on-site. All chemical containers labeled to indicate contents and hazard.	None
	Biological hazards (flora and/or fauna)	Level D PPE. Insect repellent (Deet for dermal application/Permethrin for clothing application) as necessary. Tuck pant legs into boots to minimize tick entry. Inspect for ticks during the day and at the end of each workday (see Section 9.0 of FWSHP). Avoidance of accumulations of bird or bat droppings (see Section 9.0 of FWSHP).	Visual survey
	Temperature extremes	Administrative controls (see Section 8.0 of FWSHP). Cooled (shaded) or warmed break area depending on the season. Routine and unscheduled breaks as necessary in established break area (see Section 8.0 of FWSHP). Chilled water if temperature exceeds 70°F. Advice on seasonal/ local weather hazards and controls.	Ambient temperature measurements at least twice daily. Monitor worker pulse rates at the start of each break if wearing impermeable clothing (>110 beats/min, reduce work period by 33% and maintain break cycle).
	MEC	On-site training and ordnance recognition for all field personnel. Avoid areas or withdraw all personnel from area as directed by UXO technician if ordnance or suspected ordnance is discovered.	Visual survey
Soil Sampling and Sample Preservation	General safety hazards (moving equipment, lifting, slips, falls)	Level D PPE: long pants, shirts with sleeves, safety glasses, safety boots, hard hats if overhead hazards are present (see Section 5.0 of FWSHP). Buddy system. Site-specific training. Proper housekeeping. Lifts of >50 lbs will be performed by two or more personnel or with mechanical assistance; extensive heavy lifting will require additional lifting training. Exclusion zone if there is a potential for unauthorized entry.	Daily site safety inspections

2

1

Table 1-2 - Hazards Analysis (continued)

Task	Potential Hazards	Controls	Monitoring Requirements
	Noise	If SSHA determines noise level exceed 85 dBA hearing protection is required to attenuate noise level to less than 85 dBA.	Daily site safety inspection
	Fire (fuels)	Fuel stored in safety containers. Bonding and grounding during fuel transfers. Fuel storage areas marked with “no smoking” and/or “no open flame” sign.” No ignition sources within 50ft. Fire extinguishers in all fuel use areas and inspected monthly. Gasoline-powered equipment must be shut down and allowed to cool prior to fueling.	Daily site safety inspections
	Exposure to chemicals	Level D PPE, including nitrile or PVC gloves, to handle potentially contaminated material. Minimal contact, wash face and hands prior to taking anything by mouth. Hazardous waste site operations training and medical clearance. Eyewash station in close proximity and placed in safe/easy access location when handling chemicals. Site training must include hazards and mitigation methodologies for all contaminants and chemicals used on-site. MSDSs for all hazardous materials must be kept on site. All containers must be labeled with its contents.	Daily site safety inspections. If soil boring indicated a potential for exposure conduct PID monitoring for those contaminants.
	Electrical shock	Electrical tools (110V) must be connected through heavy duty power cord to GFCI.	Daily site safety inspection
	Temperature extremes	Administrative controls (see Section 8.0 of FWSHP). Cooled (shaded) or warmed break area depending on the season. Routine and unscheduled breaks as necessary in established break area (see Section 8.0 of FWSHP). Chilled water if temperature exceeds 70°F. Advice on seasonal/ local weather hazards and controls.	Ambient temperature measurements at least twice daily. Monitor worker pulse rates at the start of each break if wearing impermeable clothing (>110 beats/min, reduce work period by 33% and maintain break cycle).
	Biological hazards (flora and/or fauna)	Level D PPE. Insect repellent (Deet for dermal application/Permethrin for clothing application) as necessary. Tuck pant legs into boots to minimize tick entry. Inspect for ticks during the day and at the end of each workday (see Section 9.0 of FWSHP). Avoidance of accumulations of bird or bat droppings (see Section 9.0 of FWSHP).	Visual survey

2

1

Table 1-2 - Hazards Analysis (continued)

Task	Potential Hazards	Controls	Monitoring Requirements
Surface Soil Sampling	General safety hazards (rotating machinery, suspended loads, moving equipment, slips, falls)	Level D PPE: long pants, shirts with sleeves, safety glasses, safety boots, work gloves for material handling plus hard hat (see Section 5.0 of FWSHP). Buddy system. Site-specific training. Proper housekeeping. No employees under lifted loads. At least two functional kill switches. Functional backup alarm, equipment manual on-site. Only experienced operators. Exclusion zone at least equal to mast height if there is any potential for unauthorized entry.	Daily site safety inspections.
	Noise	If SSHA determines noise level exceed 85 dBA hearing protection is required to attenuate noise level to less than 85 dBA.	Daily site safety inspection
	Fire (vehicle fuels or subsurface contaminants)	Fuel stored in safety containers. Bonding and grounding during fuel transfers. Fuel storage areas marked with “no smoking” and/or “no open flame” sign.” No ignition sources within 50ft. Fire extinguishers in all fuel use areas and inspected monthly. Gasoline-powered equipment must be shut down and allowed to cool prior to fueling.	Combustible gas indicator/PID if buried organic material or other source of flammable gas is suspected
	Exposure to chemicals	Level D PPE, including nitrile or PVC gloves, to handle potentially contaminated material. Minimal contact, wash face and hands prior to taking anything by mouth. Hazardous waste site operations training and medical clearance. Eyewash station in close proximity and placed in safe/easy access location when handling chemicals. Site training must include hazards and mitigation methodologies for all contaminants and chemicals used on-site. MSDSs for all hazardous materials must be kept on site. All containers must be labeled with its contents.	PID or other sampling, as appropriate
	Temperature extremes	Administrative controls (see Section 8.0 of FWSHP). Cooled (shaded) or warmed break area depending on the season. Routine and unscheduled breaks as necessary in established break area (see Section 8.0 of FWSHP). Chilled water if temperature exceeds 70°F. Advice on seasonal/ local weather hazards and controls.	Ambient temperature measurements at least twice daily. Monitor worker pulse rates at the start of each break if wearing impermeable clothing (>110 beats/min, reduce work period by 33% and maintain break cycle).

2

1

Task	Potential Hazards	Controls	Monitoring Requirements
	Biological hazards (flora and/or fauna)	Level D PPE. Insect repellent (Deet for dermal application/Permethrin for clothing application) as necessary. Tuck pant legs into boots to minimize tick entry. Inspect for ticks during the day and at the end of each workday (see Section 9.0 of FWSHP). Avoidance of accumulations of bird or bat droppings (see Section 9.0 of FWSHP).	Visual survey
	Electric shock	Identification and clearance of overhead and underground utilities. Electrical tools (110V) must be connected through heavy duty power cord to GFCI.	Daily site safety inspection
Drum Sampling and Removal	General safety hazards (manual lifting, slips, falls)	Level D PPE: long pants, shirts with sleeves, safety glasses, safety boots, hard hats if overhead hazards are present (see Section 5.0 of FWSHP). Buddy system. Site-specific training. Proper housekeeping. Lifts of >50 lbs will be performed by two or more personnel or with mechanical assistance; extensive heavy lifting will require additional lifting training. Exclusion zone if there is a potential for unauthorized entry.	Daily site safety inspection
	Contact with unexploded ordnance	Clearance of sites by OE personnel for intrusive work. Continuous escort by OE personnel when in areas with potential to encounter OE. Avoidance of area by OE personnel and non-OE personnel if ordnance is suspected or ordnance is discovered.	Visual and instrument surveys by OE technicians

2

1

Task	Potential Hazards	Controls	Monitoring Requirements
	Exposure to chemicals	<p>If the drum is intact and has unknown contents, Level A PPE: Totally encapsulating chemical protective suit, positive pressure full faced self-contained breathing apparatus or positive pressure supplied air respirator with escape SCBA.</p> <p>If the drum is vented and has unknown contents, Level B PPE: Hood chemical resistant clothing, positive pressure full faced self-contained breathing apparatus or positive pressure supplied air respirator with escape SCBA.</p> <p>Direct reading instruments (PID/FID, oxygen deficiency, combustible gas, radiological) will be used for screening purposes. If drum is corroded or pressurized it will not be sampled or moved. Call in specialized team.</p>	Drum inspection to determine over pressurizing or signs of bulging. Sampling as appropriate. Drum over packing as needed.
	Temperature extremes	<p>Administrative controls (see Section 8.0 of FWSHP). Cooled (shaded) or warmed break area depending on the season. Routine and unscheduled breaks as necessary in established break area (see Section 8.0 of FWSHP). Chilled water if temperature exceeds 70°F. Advice on seasonal/ local weather hazards and controls.</p> <p>If personnel are wearing Level A or B PPE, minimize time wearing suit. Use cooling vest if necessary.</p>	<p>Ambient temperature measurements at least twice daily. Monitor worker pulse rates at the start of each break if wearing impermeable clothing (>110 beats/min, reduce work period by 33% and maintain break cycle).</p> <p>Personnel wearing Level A or B PPE, maintain communication. Be aware of hydration levels and body functions while wearing suit.</p>
	Biological hazards (flora and/or fauna)	<p>Level D PPE. Insect repellent (Deet for dermal application/Permethrin for clothing application) as necessary. Tuck pant legs into boots to minimize tick entry. Inspect for ticks during the day and at the end of each workday (see Section 9.0 of FWSHP). Avoidance of accumulations of bird or bat droppings (see Section 9.0 of FWSHP).</p> <p>Not Applicable for Level A or B PPE.</p>	Visual survey

2

1

Task	Potential Hazards	Controls	Monitoring Requirements
	General hazards (lifting equipment)	Unnecessary personnel will stay well clear of operating equipment. Functional back-up alarm on fork trucks, Bobcats, trucks, etc. Ravenna O&M contractor personnel will provide any required fork truck services in the IDW staging area (Building 1036) in accordance with their procedures. IDW movement from field sites to Building 1036 will be conducted by the drilling subcontractor using a backhoe. equipped with forks and drum dollies. No personnel allowed under lifted loads. Lifts of greater than 50 lbs will be made with two or more personnel or with lifting equipment. Hazardous waste safety training. Compliance with EM 385-1-1 Sections 14 and 16.	Daily safety inspections of operations. Daily inspection of equipment to verify brakes and operating systems are in proper working condition
	Fire (vehicle fuels and flammable contaminants)	Fuel stored in safety containers. Bonding and grounding during fuel transfers. Fuel storage areas marked with “no smoking” and/or “no open flame” sign.” No ignition sources within 50ft. Fire extinguishers in all fuel use areas and inspected monthly. Gasoline-powered equipment must be shut down and allowed to cool prior to fueling.	Daily site safety inspection
	Noise	Hearing protection within 7.6 m (25 ft) of any noisy drum moving equipment unless equipment-specific monitoring indicates exposures less than 85 dBA. If SSHO determines noise level exceed 85 dBA hearing protection is required to attenuate noise level to less than 85 dBA.	Daily site safety inspection
	Electric shock	Identification and clearance of overhead and underground utilities. Electrical tools (110V) must be connected through heavy duty power cord to GFCI.	Daily site safety inspection
Equipment Decontamination (Hot tap water and phosphate free detergent wash, deionized or organic free water rinse).	General equipment decontamination hazards (hot water, slips, falls, equipment handling)	Level D PPE: long pants, shirts with sleeves, safety glasses, safety boots, hard hats if overhead hazards are present (see Section 5.0 of FWSHP). Buddy system. Site-specific training. Proper housekeeping. Lifts of >50 lbs will be performed by two or more personnel or with mechanical assistance; extensive heavy lifting will require additional lifting training. Exclusion zone if there is a potential for unauthorized entry.	Daily site safety inspection

2

1

Task	Potential Hazards	Controls	Monitoring Requirements
	Noise (spray washer)	Hearing protection within 7.6 m (25 ft) of any noisy washing equipment unless equipment-specific monitoring indicates exposures less than 85 dBA. If SSHO determines noise level exceed 85 dBA hearing protection is required to attenuate noise level to less than 85 dBA.	Daily site safety inspection
	Fire (decontamination solvents and gasoline)	Fuel stored in safety containers. Bonding and grounding during fuel transfers. Fuel storage areas marked with “no smoking” and/or “no open flame” sign.” No ignition sources within 50ft. Fire extinguishers in all fuel use areas and inspected monthly. Gasoline-powered equipment must be shut down and allowed to cool prior to fueling.	Daily site safety inspection
	Exposure to chemicals	Level D PPE plus nitrile or chemical resistant rubber gloves (see Section 5.0 of FWSHP). Face shield, splash hood and impermeable clothing when operating pressure washer. Site-specific training. Proper housekeeping. Wash face and hands prior to taking anything by mouth. Minimal contact. Hazardous waste site operations training and medical clearance. Site training must include hazards and controls for exposure to site contaminants and chemicals used on-site. MSDSs on-site. All chemical containers labeled to indicate contents and hazard.	Daily site safety inspections. If exposed follow routine washing/neutralizing procedures and if necessary seek medical assistance.
	Temperature extremes	Administrative controls (see Section 8.0 of FWSHP). Cooled (shaded) or warmed break area depending on the season. Routine and unscheduled breaks as necessary in established break area (see Section 8.0 of FWSHP). Chilled water if temperature exceeds 70°F. Advice on seasonal/ local weather hazards and controls.	Ambient temperature measurements at least twice daily. Monitor worker pulse rates at the start of each break if wearing impermeable clothing (>110 beats/min, reduce work period by 33% and maintain break cycle).

2 dBA = Decibels A Weighted Scale

3 FID = Flame Ionization Detector

4 FWSHP = Facility-Wide Safety and Health Plan

5 GFCI = Ground-Fault Circuit Interrupter

6 HAZWOPER = Hazardous Waste Operations and Emergency Response

7 IDW = Investigation-Derived Waste

8 MEC = Munitions and Explosives of Concern

9 MSDS = Material Safety Data Sheet

10 NRR= Noise Reduction Rating

O&M = Operations and Maintenance

OE = Ordinance and Explosives

PID = Photoionization Detector

PPE = Personal Protective Equipment

PVC = Polyvinyl Chloride

RVAAP = Ravenna Army Ammunition Plant

SSHO = Site Safety and Health Officer

UXO = Unexploded Ordnance

Table 1-3 – Potential Exposures

Chemical ^a	TLV/PEL/STEL/IDLH ^b	Health Effects/ Potential Hazards ^c	Chemical and Physical Properties ^c	Exposure Route(s) ^c
Hexavalent Chromium	TLV/TWA: 0.5 mg/m ³ , A4 IDLH: 25 mg/m ³	Eye irritation, sensitization	Solid; properties vary depending upon specific compound	Inhalation Ingestion Contact
DNT (dinitrotoluene)	TLV/TWA: 0.2 mg/m ³ , A2 IDLH: Ca [50 mg/m ³]	Suspected human carcinogen, anorexia, cyanosis, reproductive effects	Orange-yellow solid, VP: 1 mm; FP: 404°F	Inhalation Absorption Ingestion Contact
Gasoline (used for fuel)	TLV/TWA: 300 ppm IDLH: Ca	Potential carcinogen per NIOSH, dizziness, eye irritation, dermatitis	Liquid with aromatic odor; FP: -45°F; VP: 38-300 mm	Inhalation Ingestion Absorption Contact
Acetone (potentially used for equipment decontamination)	TLV/TWA: 250 ppm IDLH: 2500 ppm	Irritation of eyes, nose, throat; headache, dizziness, CNS depression; dermatitis	Colorless liquid with a fragrant, mint-like odor. VP: 180 mmHg	Inhalation Ingestion Contact
Hydrochloric acid (potentially used to preserve water samples or for equipment decontamination)	TLV: 5 ppm ceiling IDLH: 50 ppm	Irritation of eyes, skin, respiratory system	Liquid; VP: fuming; IP: 12.74 eV; FP: none	Inhalation Ingestion Contact
Isopropyl alcohol (potentially used for equipment decontamination)	TLV/TWA: 400 ppm STEL: 500 ppm IDLH: 2000 ppm	Irritation of eyes, skin, respiratory system; drowsiness, headache	Colorless liquid with alcohol odor; VP: 33 mm; IP: 10.10 eV; FP: 53°F	Inhalation Ingestion Contact
Lead	TLV/TWA: 0.05 mg/m ³ , A3 PEL/TWA: 0.05 mg/m ³ IDLH: 100 mg/m ³	Weakness, anorexia, abdominal pain, anemia	Solid metal; VP: 0 mm; FP: NA; IP: NA	Inhalation Ingestion Contact
Liquinox (used for decontamination)	TLV/TWA: None	Inhalation may cause local irritation to mucus membranes	Yellow odorless liquid (biodegradable cleaner); FP: NA	Inhalation Ingestion
Methanol (potentially used for equipment decontamination and sample preparation)	TLV/TWA: 200 ppm Skin notation IDLH: 6000 ppm	Irritation of eyes, skin, respiratory system; headache; optic nerve damage	Liquid; VP: 96 mm; IP: 10.84 eV; FP: 52°F	Inhalation Absorption Ingestion Contact
HMX (octogen)	TLV/TWA: None established; toxicity assumed to be similar to RDX, as compounds are very similar	Explosive, assumed irritation of eyes and skin, dizziness, weakness	Assumed similar to RDX- FP: explodes; VP: 0.0004 mm at 230°F	Assumed: Inhalation Absorption Ingestion Contact

Table 1-3 – Potential Exposures (continued)

Chemical ^a	TLV/PEL/STEL/IDLH ^b	Health Effects/ Potential Hazards ^c	Chemical and Physical Properties ^c	Exposure Route(s) ^c
RDX (cyclonite)	TLV/TWA: 0.5 mg/m ³ , A4 Skin notation IDLH: none established	Explosive, irritation of eyes and skin, dizziness, weakness	White powder; FP: explodes; VP: 0.0004 mm at 230°F	Inhalation Absorption Ingestion Contact
TNT (2,4,6-trinitrotoluene)	TLV/TWA: 0.5 mg/m ³ Skin notation IDLH: 500 mg/m ³	Cluster headache, irritation of skin and mucus membranes, liver damage, kidney damage	Pale solid; FP: explodes; VP: 0.0002 mm	Inhalation Absorption Ingestion Contact
HMX (octogen)	TLV/TWA: None established; toxicity assumed to be similar to RDX, as compounds are very similar	Explosive, assumed irritation of eyes and skin, dizziness, weakness	Assumed similar to RDX- FP: explodes; VP: 0.0004 mm at 230°F	Assumed: Inhalation Absorption Ingestion Contact
RDX (cyclonite)	TLV/TWA: 0.5 mg/m ³ , A4 Skin notation IDLH: none established	Explosive, irritation of eyes and skin, dizziness, weakness	White powder; FP: explodes; VP: 0.0004 mm at 230°F	Inhalation Absorption Ingestion Contact
TNT (2,4,6-trinitrotoluene)	TLV/TWA: 0.5 mg/m ³ Skin notation IDLH: 500 mg/m ³	Cluster headache, irritation of skin and mucus membranes, liver damage, kidney damage	Pale solid; FP: explodes; VP: 0.0002 mm	Inhalation Absorption Ingestion Contact

^a The potential chemicals were obtained from the Ravenna Army Ammunition Plant Phase I Remedial Investigation Report (USACE 1998).

^b From 1999 Threshold Limit Values, NIOSH Pocket Guide to Chemical Hazards (1997).

^c From 1997 NIOSH Pocket Guide to Chemical Hazards, the Condensed Chemical Dictionary, 10th ed.

A2 = Suspected human carcinogen NIOSH = National Institute for Occupational Safety and Health

A3 = Confirmed animal carcinogen with OE = Ordnance and explosives

unknown relevance to humans. PEL = Permissible exposure limit

A4 = Not classifiable as a human carcinogen PPE = Personal protective equipment

FP = Flash point STEL = Short-term exposure limit

IDLH = Immediately dangerous to life and health TLV = Threshold limit value

IP = Ionization potential TWA = Time-weighted average

NA = Not available VP = Vapor pressure

1 **Appendix B – ENG Form 3394 Accident Investigation Form**

1
2

Appendix D – UXO/MEC Anomaly Avoidance Plan

Change-In-Title Statement

The Final version of this report titled, “Final UXO/MEC Anomaly Avoidance Plan for 2010 Phase I Remedial Investigation Services Compliance Restoration Sites CC RVAAP-78 Quarry Pond Surface Dump and CC RVAAP-80 Group 2 Propellant Can Tops” is replaced by the revised title, “Draft UXO/MEC Anomaly Avoidance Plan for 2010 Preliminary Assessment Compliance Restoration Sites CC RVAAP-78 Quarry Pond Surface Dump.”

Draft UXO/MEC Anomaly Avoidance Plan for 2010 Phase I Preliminary Assessment Compliance Restoration Sites CC RVAAP-78 Quarry Pond Surface Dump

Ravenna Army Ammunition Plant
Ravenna, Ohio

Contract No. W912QR-10-P-0052

Prepared for:



**US Army Corps
of Engineers®**

U.S. Army Corps of Engineers
600 Martin Luther King, Jr. Place
Louisville, Kentucky 40202

Prepared by:



4242 Medical Drive, Suite 7250
San Antonio, Texas 78229

August 10, 2011

TABLE OF CONTENTS

1.0 – INTRODUCTION.....	1-1
2.0 – UXO TEAM QUALIFICATIONS & RESPONSIBILITIES.....	2-1
2.0 UXO TEAM.....	2-1
2.1.1 UXO Team Qualification.....	2-1
2.1.2 Responsibilities.....	2-1
2.1.3 Authority.....	2-1
3.0 – ON-SITE TRAINING.....	3-1
4.0 – MEC SAFETY	4-1
5.0 – PROJECT EQUIPMENT	5-1
5.1 PROJECT EQUIPMENT.....	5-1
5.1.1 Geophysical Sweep Equipment	5-1
5.1.2 Geophysical Survey Equipment.....	5-1
6.0 – MUNITIONS AND EXPLOSIVES OF CONCERN.....	6-1
7.0 – MEC AVOIDANCE ACTIVITIES	7-1
7.1 SITE ACCESS AND MEC CLEARANCE SURVEYING.....	7-1
7.2 CLEARING AND GRUBBING	7-1
7.3 LAND SURVEYING	7-1
7.4 GEOPHYSICAL SURVEYING.....	7-1
7.5 SAMPLING AND DRILLING.....	7-2
7.5.1 Surface Soil Sampling.....	7-2
7.5.2 Subsurface Soil Sampling.....	7-2
7.5.3 Soil Sampling with Hand Auger (Step Probe)	7-2
8.0 – REFERENCES.....	8-1

ACRONYMS AND ABBREVIATIONS

bgs	below ground surface
CO	Contracting Officer
COR	Contracting Officer Representative
CPR	Cardiopulmonary Resuscitation
DDESB	Department of Defense Explosives Safety Board
DoD	Department of Defense
DPT	direct push technology
HTRW	hazardous, toxic, radioactive waste
MC	munitions constituents
MEC	munitions and explosives of concern
Prudent	Prudent Technologies, Inc.
QC	quality control
RVAAP	Ravenna Army Ammunition Plant
SHSO	Site Health and Safety Officer
SSHP	Site Safety and Health Plan
SOW	scope of work
UXOSO	Unexploded Ordnance Safety Officer
USACE	United States Army Corps of Engineers
UXO	unexploded ordnance
WP	work plan

1.0 – INTRODUCTION

This project specific Munitions and Explosives of Concern (MEC) Avoidance discusses surface and MEC anomaly avoidance procedures to be used while conducting hazardous, toxic, radioactive waste (HTRW)-related activities during investigative actions to be completed at Ravenna Army Ammunition Plant (RVAAP), Ravenna, Ohio. The MEC anomaly avoidance procedures contained in this plan were developed in accordance with the United States Army Corps of Engineers (USACE) EP 75-1-2 “Munitions and Explosives of Concern (MEC) Support During HTRW and Construction Activities” (USACE, 2004a), "DoD Ammunition and Explosive Safety Standards" DoD 6055.9-STD, Chapter 15, Change 2, August 21 2009, and USACE 2008 a,b,c. These procedures will be performed and adhered to by all Prudent Technologies, Inc. (Prudent) and subcontractor personnel during HTRW field activities conducted at RVAAP. Prudent and its subcontractors will work closely with the USACE staff assigned to RVAAP to ensure a safe working environment and to ensure the equipment, supplies, and other resources needed to provide MEC avoidance are present on-site.

Anomaly avoidance procedures will be provided during HTRW-related field investigation activities. These activities include, but are not limited to, surface soil sampling. The purpose of avoidance during field activities is to identify any potential surface or near-surface MEC and anomalies during field activities. For anomaly avoidance on site with potential MEC, Prudent will provide an unexploded ordnance (UXO) escort consisting of a qualified UXO Technician Level III during the entire fieldwork period.

If a magnetic anomaly is detected indicating the possible presence of MEC, the specific location will be marked and avoided. Intrusive anomaly investigation and/or MEC removal is not an authorized activity on this scope of work (SOW).

2.0 – UXO TEAM QUALIFICATIONS & RESPONSIBILITIES

2.0 UXO Team

2.1.1 UXO Team Qualification

MEC avoidance support activity will be completed by a minimum of a UXO Technician III and at least one other individual. The UXO Technician III will escort the field team and will be on-site during all field activities. The UXO Technician III working at this site has completed a training program, prior to beginning work on site, which complies with OSHA Regulations 29 CFR 1910.120e(9).

2.1.2 Responsibilities

The UXO Technician III has the following responsibilities for MEC avoidance support procedures during the field investigation:

- Provide the ordnance expertise to identify MEC-related hazards and will also act as the UXO Safety Officer (UXOSO) for the project during field activities.
- Conduct a surface access survey
- Establish and delineate surface MEC -free ingress/egress lanes and work areas.
- Conduct MEC safety briefings for all site personnel and visitors.
- Mark and report any potential surface MEC encountered to the appropriate authority for proper response and disposition.
- Work closely with the USACE personnel on all MEC-related matters.

2.1.3 Authority

The designated site UXOSO has final on-site authority on all munitions and MEC matters concerning safety. The UXOSO will report to and communicate directly with the Prudent Project Manager.

3.0 – ON-SITE TRAINING

As part of the MEC avoidance process, Prudent will perform project-specific training for all field personnel. The purpose of this training is to ensure that all field personnel fully understand the operational procedures and methods to be used, responsibilities, safety and environmental concerns during sampling, investigation and excavation activities. Any field personnel arriving at the site after this initial training session will have to complete the training before starting work. The UXOSO will conduct the training, which will include the following topics:

- General procedures to be followed for MEC avoidance.
- Emergency procedures and contact information for RVAAP.

4.0 – MEC SAFETY

If potential or actual MEC is encountered during any phase of work, the Prudent Project Manager, Prudent Site Health and Safety Officer (SHSO), Prudent UXO Safety Officer (UXOSO), and the USACE Site Safety Representative will immediately be notified (USACE, 2004b). In general, the following MEC safety protocols will be followed:

- The cardinal principle to be observed involving ordnance, explosives, ammunition, severe fire hazards, or toxic materials is to limit the exposure to a minimum number of personnel, for the minimum amount of time, to a minimum amount of hazardous material consistent with a safe and efficient operation.
- The age or condition of a MEC item does not decrease its effectiveness. MEC that has been exposed to the elements for an extended period becomes more sensitive to shock, movement, and friction because the stabilizing agent in the explosives may be degraded.
- Consider MEC that has been exposed to fire to be extremely hazardous. Chemical and physical changes to the contents may have occurred that render it more sensitive than it was in its original state.
- DO NOT touch or move any ordnance items regardless of the markings or apparent condition.
- DO NOT visit an MEC site if an electrical storm is occurring or approaching. If a storm approaches during a site visit or during site operations, leave the site immediately and seek shelter.
- DO NOT use radio or cellular phones near suspect MEC items.
- DO NOT drive vehicles into a suspected MEC area; use clearly marked lanes.
- DO NOT carry matches, cigarettes, lighters or other flame-producing devices onto the RVAAP.
- Always assume MEC items contain a live charge until determined otherwise.
- DO NOT touch, move, or jar any MEC item, regardless of its apparent condition.
- DO NOT be misled by markings on the MEC item stating, “practice bomb,” “dummy,” or “inert.” Even practice bombs have explosive charges that are used to mark and/or spot the point of impact; or the item could be marked incorrectly.

5.0 – PROJECT EQUIPMENT

5.1 Project Equipment

Project equipment for MEC avoidance will be inspected to ensure completeness and operational readiness. Any equipment found damaged or defective will be repaired or returned for replacement. All instruments and equipment that require routine maintenance and/or calibration will be inspected initially upon arrival and then periodically as required in the Facility-Wide Work Plan or manufacturer's equipment manual. Equipment required for daily usage shall be calibrated twice daily (start and finish). If an equipment check indicates that any piece of equipment is not operating correctly and field repair cannot immediately be accomplished, the equipment will be removed from service until it can be repaired. Alternately, the equipment may be replaced with an equivalent model. Key safety equipment will have an operational backup on site.

5.1.1 Geophysical Sweep Equipment

The use of geophysical sweep equipment will depend on the local area of the sweep and the intended work to be conducted in that area. If the area is to be investigated only on foot, it may suffice to conduct only a metal detector-aided visual search of the area. A long access routes for vehicular traffic a geophysical sweep for subsurface anomalies to a depth of 4 feet or more is required.

For the purpose of MEC anomaly avoidance, the following geophysical equipment will be utilized:

- For a geophysical sweep of an area to be sampled, a Schonstedt Model GA-72-Cd magnetometer (or equivalent) will be utilized. This equipment will be used prior the performance of soil sampling, beginning at ground surface and just before penetration.

5.1.2 Geophysical Survey Equipment

(The use of Geophysical Survey Equipment is not applicable to this project)

6.0 – MUNITIONS AND EXPLOSIVES OF CONCERN

Work that involves, or may involve, exposure to MEC will comply with Section 33 of the *USACE Safety and Health Requirement Manual*, USACE 2008a. The Contractor, at a minimum, will follow the procedures listed below for work in all areas at RVAAP. UXO personnel will survey the area (visually and instrument-assisted) prior to work, establish appropriate controls, and accompany field teams during project execution. In general, MEC avoidance is conducted as follows:

- Contractors and their subcontractors will not handle, move, or otherwise disturb MEC or any items that cannot be identified as non-MEC without specific authorization from Army.
- If the UXO Technician III identifies an area as possible MEC, all personnel will avoid that area.
- Contractors will be escorted by the UXO Technician at all times within the project site until the UXO Technician has completed a visual and magnetometer survey of access routes, work areas, and sampling locations and all cleared areas are marked. Schonstedt Model MG-220/230 Magnetic Gradiometers (or equivalent) normally will be used as the unit is designed to detect the presence of buried iron or steel objects.
- Escorted personnel will follow behind the UXO Technician. If anomalies or MEC are detected, the UXO Technician will halt escorted personnel in place, mark the item(s), select a course around the item, and instruct escorted personnel to follow. The anomaly will be reported to the on-site Field Operations Manager, who will initiate the appropriate response actions.
- Cleared access routes will be at least twice as wide as the widest vehicle entering the project site. At a minimum, the cleared work area will be a square, with a side dimension equal to twice the length of the largest vehicle or piece of equipment for use on-site.
- The UXO Technician will use a hand-held magnetometer to clear an area prior to surface soil sampling.

7.0 – MEC AVOIDANCE ACTIVITIES

This section discusses MEC avoidance and clearance activities on this project.

7.1 Site Access and MEC Clearance Surveying

In areas with potential MEC, the UXO Technician III (escort) will conduct a magnetometer-assisted surface clearance access survey and/or a subsurface survey for anomalies before any activities (e.g., site visits or field investigations) commence, including foot and vehicular traffic. The subsurface surveys (to a depth of 4 feet or more below ground surface (bgs)) need be conducted only when the use of motor vehicles is anticipated and at specific investigation sites. Anomalies found will be marked with red flags. No MEC items will be handled at any time during this project.

Prudent personnel will be escorted by a UXO technician at all times in areas potentially impacted with MEC until the team has completed the access surveys and the cleared areas are marked. Escorted Prudent personnel will follow behind the UXO technician. If anomalies are detected, the UXO tech escort will halt escorted personnel in place, flag the anomaly with a red survey flag, select a course around the item, and instruct escorted personnel to follow. No personnel will be allowed outside of the surveyed and cleared areas. No MEC items will be handled at any time during this project.

The UXO tech escort will conduct an access survey of the footpath and/or vehicular lanes approaching and leaving the site areas with known or suspected MEC. The access route shall be at least twice as wide as the widest vehicle that will use the route. The route shall be clearly marked with green flags or stakes for future entry.

The UXO tech escort will also complete an access survey of an area around the proposed investigation site that is large enough to support all planned operations. The size of the surveyed area will be site-specific and will take into account maneuverability of required equipment (e.g., drill rigs (push probe), excavation equipment, etc.), parking of support vehicles, and establishment of decontamination stations. At a minimum, the surveyed area will have a dimension in all directions equal to twice the length of the longest vehicle, or piece of equipment, to be brought on-site and clearly delineated with green flagging or stakes.

7.2 Clearing and Grubbing

Trees, shrubs, vines, grasses, landforms, and other landscape features to be preserved will be clearly identified. Except in work areas, trees or shrubs will not be removed, cut, defaced, injured, or destroyed without the permission from RVAAP Stakeholders.

7.3 Land Surveying

This section is not applicable to this project.

7.4 Geophysical Surveying

This section is not applicable to this project.

7.5 Sampling and Drilling

7.5.1 Surface Soil Sampling

The following paragraphs describe anomaly avoidance procedures for surface soil sampling (between 0 and 12 inches bgs) in areas with potential MEC.

The UXO tech will visually survey the surface of each proposed surface soil-sampling site for any indication of MEC or MEC-related contamination. In addition, the UXO tech will conduct a survey of the proposed sampling locations using hand-held magnetometer.

If anomalies or evidence of explosive contamination are detected at a proposed sampling location or too many anomalies are detected in a general area of interest, the Prudent Project Manager will select an alternate location for collection of surface soil samples. Any anomalies detected will be prominently marked with red survey flags or non-metallic pin flags for avoidance during HTRW sampling activities.

7.5.2 Subsurface Soil Sampling

This section is not applicable to this project.

Underground Utilities

This section is not applicable to this project.

Pilot Hole and Incremental Geophysical Survey for Conventional MEC Clearance

This Section is not applicable to this project.

Test Pits for Non-Conventional MEC Clearance

This section is not applicable to this project.

7.5.3 Soil Sampling with Hand Auger (Step Probe)

The following paragraphs describe anomaly avoidance procedures for surface soil sampling and use of hand auguring areas with potential MEC. Soil sampling with a hand auger or step probe typically involves manual or mechanical penetration at the desired location, followed by withdrawal and collection of a soil sample.

The UXO tech will conduct surface clearance and access clearance survey of the routes to and from the proposed investigation site as well as an area around the investigation site.

8.0 – REFERENCES

- Department of the Army (DA). 1978. Decontamination of Facilities and Equipment. Technical Bulletin 700-4. October.
- Department of Defense (DoD). 1995. Defense Demilitarization Manual. DoD 4160.21-M-1. February.
- Department of Defense Explosives Safety Board (DDESB). 20 04. Minimum Qualifications for Unexploded Ordnance (UXO) Technicians and Personnel. DDESB Technical Paper 18. December.
- DDESB. 1998. Guidance of Clearance Plans. Memorandum. February.
- DoD. 1997. Defense Materiel Disposition Manual. DoD 4160.21-M August
- DoD. 2009. DoD Ammunition and Explosives Safety Standards. Directive 6055.9-STD. Change 2, August 21.
- DoD. 2008. Material Potentially Presenting an Explosive Hazard (MPPEH). DoD I 4140.62. November 28.
- Explosive Ordnance Disposal Bulletin (EODB). 2002. General Information on EOD Disposal Procedures. TM 60A-1-1-31. January
- United States Army Corps of Engineers (USACE). 1998. Use of Sandbags for Mitigation of Fragmentation and Blast Effects Due to Intentional Detonation of Munitions. Report HNC-ED-CS-S-98-7. August.
- USACE. 2000. Ordnance and Explosives Response. USACE Engineering Pamphlet EP 1110-1-18. April.
- USACE. 2004a. Munitions and Explosives of Concern (MEC) Support during HTRW and Construction Activities. USACE Engineering Pamphlet EP 75-1-2. August.
- USACE. 2007. (U.S. Army Corps of Engineers). *Safety and Occupational Health Requirements for Radioactive Waste (HTRW) and Ordnance and Explosive Waste (OEW) Activities*, ER-385-1-92, May 1, 2007.
- USACE. 2008a. (U.S. Army Corps of Engineers). *Safety and Health Manual*, EM-385-1-1, Sep 15, 2008.
- USACE. 2008b. (U.S. Army Corps of Engineers). *Explosives – Safety and Health Requirements Manual*, EM-385-1-97, September 15, 2008.
- USACE. 2008c. Explosives Safety and Health Requirements Manual ER 385-1-95. September 15.