

Brian Stockwell

From: Eileen Mohr [eileen.mohr@epa.state.oh.us]
Sent: Wednesday, June 22, 2005 4:11 PM
To: Brian Stockwell
Subject: Re: LL demo Dust control measures

Hi Brian

Looks good to me.

Eileen

Eileen T. Mohr
Project Coordinator
Division of Emergency and Remedial Response 2110 East Aurora Road Twinsburg, OH 44087
330-963-1221
330-487-0769 (FAX)
email: Eileen.Mohr@epa.state.oh.us
>>> "Brian Stockwell" <brian.stockwell@mkmengineers.com> 06/22/05 2:31 PM >>>
Hi Eileen - Sorry not sooner - attached is a draft synopsis of planned dust control measures --

Let me know -thanks

NOTICE OF CONFIDENTIALITY

This e-mail message and its attachments (if any) are intended solely for the use of the addressees hereof. In addition, this message and the attachments (if any) may contain information that is confidential, privileged and exempt from disclosure under applicable law. If you are not the intended recipient of this message, you are prohibited from reading, disclosing, reproducing, distributing, disseminating or otherwise using this transmission. Delivery of this message to any person other than the intended recipient is not intended to waive any right or privilege. If you have received this message in error, please promptly notify the sender by reply e-mail and immediately delete this message from your system.



MKM Engineers, Inc.

Safe, Quality Work Performed With Pride

June 22, 2005

Ms. Eileen Mohr
Ohio EPA Northeast District Office
2110 E. Aurora Road
Twinsburg, Ohio 44087-1969

Subject: Dust Control Measures for Demolition of Four (4) Remaining Buildings at Load Line 6 at the Ravenna Army Ammunition Plant, Ravenna, Ohio.

Dear Ms. Mohr,

Per our recent conversations regarding building demolition at LL 6, this letter has been prepared to identify the measures that will be taken to ensure emissions from site activities at the above referenced site are kept under control and in compliance with safety and health regulations.

Dust abatement consisting of a potable water spray will be used to control dust in the work areas. A water truck equipped with a high pressure fine mist attachment will be used to suppress any dust that may be liberated during demolition of the buildings. If needed, building materials will be lightly coated prior to demolition to enhance dust control effectiveness. During the dust control operations water will only be applied at rate sufficient enough to dampen materials and not in manner that will generate run off.

Air monitoring will be conducted during the implementation of the demolition activities to ensure the field personnel are working under safe conditions. The contaminants for which monitoring is required include PCBs, lead and nuisance dust. As such, personal air monitoring pumps will be used to obtain representative full shift samples for each work task. Additionally, air monitoring pumps will be positioned at a minimum of two down wind locations to document the effectiveness of the dust control operations.

Should you have any questions or require any further clarification on the above mentioned information, feel free to contact me 330-358-2920..

Respectfully,

Brian Stockwell
Project Manager
MKM Engineers, Inc.

• *Facility Management*

• *Turnkey Environmental*

• *Unexploded Ordnance*

• *Radiological Services*

Mr. Fran McDevitt
MKM Engineers
8451 State Route 5
Ravenna, OH 44266

August 04, 2005

DOH ELAP# 11626

Account# 16528

Login# L121080

Dear Mr. McDevitt:

Enclosed are the analytical results of the samples received by our laboratory July 25, 2005. All test results meet the quality control requirements of AIHA and NELAC unless otherwise stated in this report.

The samples submitted for PCB's were subcontracted to Clayton Group Services. Their report is enclosed in its entirety.


Results in this report are based on the sampling data provided by the client and refer only to items tested. Unless otherwise requested, all samples will be discarded thirty days from the date of this report.

Please contact your client service representative, Terri Sherrill at 877-482-5227, if you would like any additional information regarding this report.

Thank you for using Galson Laboratories.

Sincerely,

Galson Laboratories



F. Joseph Unangst
Laboratory Director

Enclosure(s)

CASE NARRATIVEDate: 01-Aug-05

CLIENT: GALSON LABORATORIES**Project:** L121080**Work Order No** 05071040

Unless otherwise noted below, all quality control results associated with this sample set were within acceptable limits and/or do not adversely affect the reported results.

Unless otherwise indicated below, the industrial hygiene results have not been blank corrected.

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #093
Lab ID: 001A
Matrix: Florisil Tube

Date Sampled: 7/21/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #099
Lab ID: 002A
Matrix: Florisil Tube

Date Sampled: 7/21/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #088
Lab ID: 003A
Matrix: Florisil Tube

Date Sampled: 7/21/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #095
Lab ID: 004A
Matrix: Florisil Tube

Date Sampled: 7/20/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #096
Lab ID: 005A
Matrix: Florisil Tube

Date Sampled: 7/20/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)	Limit (µg)			
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #094
Lab ID: 006A
Matrix: Florisil Tube

Date Sampled: 7/20/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)	Limit (µg)			
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #092
Lab ID: 007A
Matrix: Florisil Tube

Date Sampled: 7/19/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)	Limit (µg)			
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #090 071905
Lab ID: 008A
Matrix: Florisil Tube

Date Sampled: 7/19/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)	Limit (µg)			
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #091
Lab ID: 009A
Matrix: Florisil Tube

Date Sampled: 7/19/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #294
Lab ID: 010A
Matrix: Florisil Tube

Date Sampled: 7/14/2005
Date Received: 7/27/2005
Air Vol.(L): 1020

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #249
Lab ID: 011A
Matrix: Florisil Tube

Date Sampled: 7/14/2005
Date Received: 7/27/2005
Air Vol.(L): 1020

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #090 071405
Lab ID: 012A
Matrix: Florisil Tube

Date Sampled: 7/14/2005
Date Received: 7/27/2005
Air Vol.(L): 1020

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #299
Lab ID: 013A
Matrix: Florisil Tube

Date Sampled: 7/12/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #256
Lab ID: 014A
Matrix: Florisil Tube

Date Sampled: 7/12/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #261
Lab ID: 015A
Matrix: Florisil Tube

Date Sampled: 7/12/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #295
Lab ID: 016A
Matrix: Florisil Tube

Date Sampled: 7/11/2005
Date Received: 7/27/2005
Air Vol.(L): 900

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #295/62
Lab ID: 017A
Matrix: Florisil Tube

Date Sampled: 7/11/2005
Date Received: 7/27/2005
Air Vol.(L): 900

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #254/06
Lab ID: 018A
Matrix: Florisil Tube

Date Sampled: 7/11/2005
Date Received: 7/27/2005
Air Vol.(L): 900

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: LAB BLANK - FLORISIL
Lab ID: 019A
Matrix: Florisil Tube

Date Sampled: 7/21/2005
Date Received: 7/27/2005
Air Vol.(L): NA

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #001 072105
Lab ID: 020A
Matrix: GF Filter

Date Sampled: 7/21/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #002 072105

Date Sampled: 7/21/2005

Lab ID: 021A

Date Received: 7/27/2005

Matrix: GF Filter

Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #003 072105

Date Sampled: 7/21/2005

Lab ID: 022A

Date Received: 7/27/2005

Matrix: GF Filter

Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #001 071905
Lab ID: 023A
Matrix: GF Filter

Date Sampled: 7/19/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #002 071905
Lab ID: 024A
Matrix: GF Filter

Date Sampled: 7/19/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #003 071905
Lab ID: 025A
Matrix: GF Filter

Date Sampled: 7/19/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #001 071405
Lab ID: 026A
Matrix: GF Filter

Date Sampled: 7/14/2005
Date Received: 7/27/2005
Air Vol.(L): 1020

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m³)				
Aroclor 1016	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for
GALSON LABORATORIES**

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #002 071405
Lab ID: 027A
Matrix: GF Filter

Date Sampled: 7/14/2005
Date Received: 7/27/2005
Air Vol.(L): 1020

Analyte	Concentration (µg)	Concentration (mg/m ³)	Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
Aroclor 1016	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #003 071405
Lab ID: 028A
Matrix: GF Filter

Date Sampled: 7/14/2005
Date Received: 7/27/2005
Air Vol.(L): 1020

Analyte	Concentration (µg)	Concentration (mg/m ³)	Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
Aroclor 1016	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for
GALSON LABORATORIES**

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #001 071205

Date Sampled: 7/12/2005

Lab ID: 029A

Date Received: 7/27/2005

Matrix: GF Filter

Air Vol.(L): 960

Analyte	Concentration (µg)	Concentration (mg/m ³)	Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #002 071205

Date Sampled: 7/12/2005

Lab ID: 030A

Date Received: 7/27/2005

Matrix: GF Filter

Air Vol.(L): 960

Analyte	Concentration (µg)	Concentration (mg/m ³)	Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #003 071205
Lab ID: 031A
Matrix: GF Filter

Date Sampled: 7/12/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #001 071105
Lab ID: 032A
Matrix: GF Filter

Date Sampled: 7/11/2005
Date Received: 7/27/2005
Air Vol.(L): 900

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #002 071105
Lab ID: 033A
Matrix: GF Filter

Date Sampled: 7/11/2005
Date Received: 7/27/2005
Air Vol.(L): 900

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #003 071105
Lab ID: 034A
Matrix: GF Filter

Date Sampled: 7/11/2005
Date Received: 7/27/2005
Air Vol.(L): 900

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #001 072005

Date Sampled: 7/20/2005

Lab ID: 035A

Date Received: 7/27/2005

Matrix: GF Filter

Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #002 072005

Date Sampled: 7/20/2005

Lab ID: 036A

Date Received: 7/27/2005

Matrix: GF Filter

Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #003 072005

Date Sampled: 7/20/2005

Lab ID: 037A

Date Received: 7/27/2005

Matrix: GF Filter

Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: LAB BLANK - GF FILTER

Date Sampled: 7/21/2005

Lab ID: 038A

Date Received: 7/27/2005

Matrix: GF Filter

Air Vol.(L): NA

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP

General Notes:

<: Less than the indicated reporting limit (RL).

--: Information not available or not applicable.

CASE NARRATIVE

Date: 01-Aug-05

CLIENT: GALSON LABORATORIES

Project: L121080

Work Order No 05071040

Unless otherwise noted below, all quality control results associated with this sample set were within acceptable limits and/or do not adversely affect the reported results.

Unless otherwise indicated below, the industrial hygiene results have not been blank corrected.

**Analytical Results
for
GALSON LABORATORIES**

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #093
Lab ID: 001A
Matrix: Florisil Tube

Date Sampled: 7/21/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration (µg)	Concentration (mg/m ³)	Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #099
Lab ID: 002A
Matrix: Florisil Tube

Date Sampled: 7/21/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration (µg)	Concentration (mg/m ³)	Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #088
Lab ID: 003A
Matrix: Florisil Tube

Date Sampled: 7/21/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration (µg)	Concentration (mg/m ³)	Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #095
Lab ID: 004A
Matrix: Florisil Tube

Date Sampled: 7/20/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration (µg)	Concentration (mg/m ³)	Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #096
Lab ID: 005A
Matrix: Florisil Tube

Date Sampled: 7/20/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #094
Lab ID: 006A
Matrix: Florisil Tube

Date Sampled: 7/20/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for
GALSON LABORATORIES**

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #092
Lab ID: 007A
Matrix: Florisil Tube

Date Sampled: 7/19/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #090 071905
Lab ID: 008A
Matrix: Florisil Tube

Date Sampled: 7/19/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #091
Lab ID: 009A
Matrix: Florisil Tube

Date Sampled: 7/19/2005
Date Received: 7/27/2005
Air Vol(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #294
Lab ID: 010A
Matrix: Florisil Tube

Date Sampled: 7/14/2005
Date Received: 7/27/2005
Air Vol(L): 1020

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for
GALSON LABORATORIES**

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #249
Lab ID: 011A
Matrix: Florisil Tube

Date Sampled: 7/14/2005
Date Received: 7/27/2005
Air Vol.(L): 1020

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #090 071405
Lab ID: 012A
Matrix: Florisil Tube

Date Sampled: 7/14/2005
Date Received: 7/27/2005
Air Vol.(L): 1020

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00029	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for**

GALSON LABORATORIES

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #299
Lab ID: 013A
Matrix: Florisil Tube

Date Sampled: 7/12/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration (µg)	Concentration (mg/m ³)	Reporting Limit (µg)	Test Method	Date Analyzed/Analyst
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005 BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005 BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005 BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005 BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005 BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005 BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005 BVP

Client ID: #256
Lab ID: 014A
Matrix: Florisil Tube

Date Sampled: 7/12/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration (µg)	Concentration (mg/m ³)	Reporting Limit (µg)	Test Method	Date Analyzed/Analyst
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005 BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005 BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005 BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005 BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005 BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005 BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005 BVP

**Analytical Results
for
GALSON LABORATORIES**

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #003 072005
Lab ID: 037A
Matrix: GF Filter

Date Sampled: 7/20/2005
Date Received: 7/27/2005
Air Vol.(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(µg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: LAB BLANK - GF FILTER
Lab ID: 038A
Matrix: GF Filter

Date Sampled: 7/21/2005
Date Received: 7/27/2005
Air Vol.(L): NA

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(µg/m ³)				
Aroclor 1016	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	--	0.3	NIOSH 5503	07/29/2005	BVP

General Notes:

- <: Less than the indicated reporting limit (RL).
- : Information not available or not applicable.

**Analytical Results
for
GALSON LABORATORIES**

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #002 071105
Lab ID: 033A
Matrix: GF Filter

Date Sampled: 7/11/2005
Date Received: 7/27/2005
Air Vol.(L): 900

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #003 071105
Lab ID: 034A
Matrix: GF Filter

Date Sampled: 7/11/2005
Date Received: 7/27/2005
Air Vol.(L): 900

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00033	0.3	NIOSH 5503	07/29/2005	BVP

**Analytical Results
for
GALSON LABORATORIES**

Clayton Work Order No.: 05071040

Client Reference: L121080

Client ID: #001 072005
Lab ID: 035A
Matrix: GF Filter

Date Sampled: 7/20/2005
Date Received: 7/27/2005
Air Vol(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP

Client ID: #002 072005
Lab ID: 036A
Matrix: GF Filter

Date Sampled: 7/20/2005
Date Received: 7/27/2005
Air Vol(L): 960

Analyte	Concentration		Reporting Limit (µg)	Test Method	Date Analyzed/Analyst	
	(µg)	(mg/m ³)				
Aroclor 1016	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1221	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1232	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1242	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1248	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1254	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP
Aroclor 1260	<0.3	<0.00031	0.3	NIOSH 5503	07/29/2005	BVP



6601 Kirkville Rd
 East Syracuse, NY 13057-9672
 Tel: 315-432-5227
 888-432-LABS(5227)
 Fax: 315-437-0571
 www.galsonlabs.com

Check if change of address
 New Client? yes no

Report To: FRAN MCDEVITT
MKM ENGINEERS INC
9451 STATE Rte 5
RAVENHWA OHIO
 Phone No.: (350) 352-9718
 Fax No.: (330) 358-2924

Invoice To: MKM ENGINEERS
687 EMORY VALLEY RD
SUITE B
OAK RIDGE TN 37830
 Phone No.: (615) 777-9570
 Fax No.: (865) 482-1299

Site Name: RVAAP Project: LOAD LINE #6 Sampled By: FRAN MCDEVITT

Need Results By:	(surcharge)
<input type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%
<input type="checkbox"/> 3 Business Days	50%
<input type="checkbox"/> 2 Business Days	75%
<input type="checkbox"/> Next Day by 6pm	100%
<input type="checkbox"/> Next Day by Noon	150%
<input type="checkbox"/> Same day	200%

Client Account No.: 16528
 Purchase Order No.: _____
 Credit Card No.: _____ Card Holder Name: _____ Exp.: _____
 Email / Fax Results To: _____
 Email Address: _____ Fax No.: _____

Sample Identification	Date Sampled	Collection Medium	*Air Volume (Liters)	Passive Monitors (Min)	Analysis Requested	Method Reference	Specific DL Needed
#003 ✓	7-10-05	Summit 13mm Cass	960	480	PCB's		
#1886	7-11-05	8cu MCF	715.5	450	LEAD/TOTAL DUST		
#1901	7-11-05	8cu MCF	711.43	450	" " "		
#1890	7-11-05	8cu MCF	697.50	450	" " "		
#295 ✓	7-11-05	Florisil bags	900	450	PCB's		
#295 ✓	7-11-05	" "	900	450	"		
#254 ✓	7-11-05	" "	900	450	"		
#001 ✓	7-11-05	Summit 13mm Cass	900	450	"		
#002 ✓	7-11-05	" "	900	450	"		
#003 ✓	7-11-05	" "	900	450	"		

IF YOU DO NOT WANT A LABORATORY BLANK ADDED PLEASE CHECK BOX, otherwise, a blank will be added for each analyte and will be charged at normal rate.
 List description of industry or process / interference's present in sampling area: _____

Comments: _____ **PUMP LOAN**

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	FRAN MCDEVITT	<i>FRAN MCDEVITT</i>	7-22-05 / 1300 HRS
Received by LAB:	M. Krause	<i>M. Krause</i>	07-25-05A10:44 R.

Login #: L121080 Samples received after 3pm will be considered as next day's business * sample collection time X LPM = Air Vol.

LAB ORIGINAL



6601 Kirkville Rd
 East Syracuse, NY 13057-9672
 Tel: 315-432-5227
 888-432-LABS(5227)
 Fax: 315-437-0571
 www.galsonlabs.com

Check if change of address

New Client? yes no

Report To: FRAN McDEVITT
MKM ENGINEERS INC
8451 STATE Rte 5
RAVENNA OHIO
 Phone No.: (330) 352-9718
 Fax No.: (330) 358-2924

Invoice To: MKM ENGINEERS
67 EMORY VALLEY RD
SUITE 13
DAK RIDGE, TN 37830
 Phone No.: (888) 777-9570
 Fax No.: (864) 482-1299

Site Name: RVARD Project: LOAD LINE 6 Sampled By: FRAN McDEVITT

Need Results By:	(surcharge)
<input type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%
<input type="checkbox"/> 3 Business Days	50%
<input type="checkbox"/> 2 Business Days	75%
<input type="checkbox"/> Next Day by 6pm	100%
<input type="checkbox"/> Next Day by Noon	150%
<input type="checkbox"/> Same day	200%

Client Account No.: 16528
 Purchase Order No.: _____
 Credit Card No.: _____ Card Holder Name: _____ Exp.: _____
 Email / Fax Results To: _____
 Email Address: _____ Fax No.: _____

Sample Identification	Date Sampled	Collection Medium	*Air Volume (Liters)	Passive Monitors (Min)	Analysis Requested	Method Reference	Specific DL Needed
#001 ✓	7-14-05	13mm Cass	1820	510	PCB'S		
#002 ✓	7-14-05	13mm Cass	1620	510	"		
#003 ✓	7-14-05	13mm Cass	1020	510	"		
#1877	7-12-05	8cu MCF	732	480	LEAD/TOTAL DUST		
#1884	7-12-05	8cu MCF	761.28	480	" " "		
#1862	7-12-05	8cu MCF	925.76	480	" " "		
#299 ✓	7-12-05	FORSTL Cass	960	480	PCB'S		
#256 ✓	7-12-05	" "	960	480	"		
#261 ✓	7-12-05	" "	960	480	"		
#001 ✓	7-12-05	13mm Cass	960	480	"		
#002 ✓	7-12-05	" "	960	480	"		

IF YOU DO NOT WANT A LABORATORY BLANK ADDED PLEASE CHECK BOX, otherwise, a blank will be added for each analyte and will be charged at normal rate.

List description of industry or process / interference's present in sampling area: PUMP LOAN

Comments: _____

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:			
Received by LAB:	<u>M. Krause</u>	<u>M. Krause</u>	<u>07-25-05 10:44 RCVD</u>

Login #: L121080 Samples received after 3pm will be considered as next day's business * sample collection time X LPM = Air Vol.

LAB ORIGINAL



6601 Kirkville Rd
 East Syracuse, NY 13057-9672
 Tel: 315-432-5227
 888-432-LABS(5227)
 Fax: 315-437-0571
 www.galsonlabs.com

Check if change of address

New Client? yes no

Report To: FRAN McDEVITT
MKM ENGINEERS INC
8451 STATE RTE 5
CAVENNA OHIO
 Phone No.: (330) 352-9718
 Fax No.: (330) 358-2924

Invoice To: MKM ENGINEERS
687 EMORY VALLEY RD
SUITE B
CAK RIDGE, TN 37830
 Phone No.: (888) 777-9570
 Fax No.: (865) 482-1299

Site Name: RYAAP Project: LOAD LINE #11 Sampled By: FRAN McDEVITT

Need Results By:	(surcharge)
<input type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%
<input type="checkbox"/> 3 Business Days	50%
<input type="checkbox"/> 2 Business Days	75%
<input type="checkbox"/> Next Day by 6pm	100%
<input type="checkbox"/> Next Day by Noon	150%
<input type="checkbox"/> Same day	200%

Client Account No.: 16528
 Purchase Order No.: _____
 Credit Card No.: _____ Card Holder Name: _____ Exp.: _____
 Email / Fax Results To: _____
 Email Address: _____ Fax No.: _____

Sample Identification	Date Sampled	Collection Medium	*Air Volume (Liters)	Passive Monitors (Min)	Analysis Requested	Method Reference	Specific DL Needed
<u># 090</u>	<u>7-19-05</u>	<u>226-39 FLORISIL TUBE</u>	<u>960</u>	<u>480</u>	<u>PCB'S</u>		
<u># 091</u>	<u>7-19-05</u>	<u>" "</u>	<u>960</u>	<u>480</u>	<u>"</u>		
<u># 001</u>	<u>7-19-05</u>	<u>Swinnney Filter 13mm Cass</u>	<u>960</u>	<u>480</u>	<u>"</u>		
<u># 002</u>	<u>7-19-05</u>	<u>" "</u>	<u>960</u>	<u>480</u>	<u>"</u>		
<u># 003</u>	<u>7-19-05</u>	<u>" "</u>	<u>960</u>	<u>480</u>	<u>"</u>		
<u># 1875</u>	<u>7-14-05</u>	<u>mp wt 300 8cu MKE</u>	<u>778.70</u>	<u>510</u>	<u>LEAD / TOTAL DUST</u>		
<u># 1897</u>	<u>7-14-05</u>	<u>8cu MKE</u>	<u>789.97</u>	<u>510</u>	<u>LEAD / TOTAL DUST</u>		
<u># 1872</u>	<u>7-14-05</u>	<u>8cu MKE</u>	<u>795.80</u>	<u>510</u>	<u>LEAD / TOTAL DUST</u>		
<u># 294</u>	<u>7-14-05</u>	<u>226-39 FLORISIL TUBE</u>	<u>1020</u>	<u>510</u>	<u>PCB'S</u>		
<u># 249</u>	<u>7-14-05</u>	<u>" "</u>	<u>1020</u>	<u>510</u>	<u>"</u>		
<u># 090</u>	<u>7-14-05</u>	<u>" "</u>	<u>1020</u>	<u>510</u>	<u>"</u>		

IF YOU DO NOT WANT A LABORATORY BLANK ADDED PLEASE CHECK BOX, otherwise, a blank will be added for each analyte and will be charged at normal rate.
 List description of industry or process / interference's present in sampling area: _____

Comments: _____

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	<u>FRAN McDEVITT</u>	<u>[Signature]</u>	<u>7-22-05 / 1300 HRS</u>
Received by LAB:	<u>M. Krause</u>	<u>[Signature]</u>	<u>07-25-05 10:43 RCVD</u>

Login #: L22080 Samples received after 3pm will be considered as next day's business * sample collection time X LPM = Air Vol.

LAB ORIGINAL



6601 Kirkville Rd
 East Syracuse, NY 13057-9672
 Tel: 315-432-5227
 888-432-LABS(5227)
 Fax: 315-437-0571
 www.galsonlabs.com

Check if change of address

New Client? yes no

Report To : FRAN McDEVITT
MKM ENGINEERS INC
3451 STATE RTE 5
RAVENNA, OHIO
 Phone No. : (330) 352-9718
 Fax No. : (330) 352-2924

Invoice To : MKM ENGINEERS INC
687 EMDRY VALLEY RD
SUITE B
OAK RIDGE, TN 37830
 Phone No. : (888) 777-9570
 Fax No. : (865) 482-1899

Site Name : RVAAP

Project : LOAD LINE #11

Sampled By : FRAN McDEVITT

Need Results By:	(surcharge)
<input type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%
<input type="checkbox"/> 3 Business Days	50%
<input type="checkbox"/> 2 Business Days	75%
<input type="checkbox"/> Next Day by 6pm	100%
<input type="checkbox"/> Next Day by Noon	150%
<input type="checkbox"/> Same day	200%

Client Account No. : 16528
 Purchase Order No. : _____
 Credit Card No. : _____ Card Holder Name : _____ Exp. : _____
 Email / Fax Results To : _____
 Email Address : _____ Fax No. : _____

Sample Identification	Date Sampled	Collection Medium	*Air Volume (Liters)	Passive Monitors (Min)	Analysis Requested	Method Reference	Specific DL Needed
#1867	7-20-05	8cu MCE	750.72	480	LEAD/TOTAL DUST		
#095	7-20-05	FIBRISIL TUBE	960	480	PCB'S		
#096	7-20-05	" "	960	480	PCB'S		
#094	7-20-05	" "	960	480	PCB'S		
#001	7-20-05	SWINNEY ATT 13cu MCE	960	480	PCB'S		
#002	7-20-05	" "	960	480	PCB'S		
#003	7-20-05	" "	960	480	PCB'S		
#1869	7-19-05	8cu MCE	720.70	480	LEAD/TOTAL DUST		
#1899	7-19-05	8cu MCE	731.52	480	LEAD/TOTAL DUST		
#1898	7-19-05	8cu MCE	744.96	480	LEAD/TOTAL DUST		
#092	7-19-05	FIBRISIL TUBE	960	480	PCB'S		

IF YOU DO NOT WANT A LABORATORY BLANK ADDED PLEASE CHECK BOX, otherwise, a blank will be added for each analyte and will be charged at normal rate.

List description of industry or process / interference's present in sampling area:

Comments: PUMP LOAN

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by :	<u>FRAN McDEVITT</u>	<u>[Signature]</u>	<u>7-22-05 / 1:300 HRS</u>
Received by LAB :	<u>M. Krause</u>	<u>[Signature]</u>	<u>07-25-05A10:43 RCV</u>

Login # : L121080 Samples received after 3pm will be considered as next day's business * sample collection time X LPM = Air Vol.

LAB ORIGINAL



6601 Kirkville Rd
 East Syracuse, NY 13057-9672
 Tel: 315-432-5227
 888-432-LABS(5227)
 Fax: 315-437-0571
 www.galsonlabs.com

Check if change of address

New Client? yes no

Report To : FRAN McDEVITT
MKM ENGINEERS INC
8451 STATE Rte 5
RAVENNA, OH
 Phone No. : (330) 362-9718
 Fax No. : (330) 355-2924

Invoice To : MKM ENGINEERS INC
687 EMORY VALLEY RD
SUITE B
OAK RIDGE TN 37830
 Phone No. : (988) 777-9570
 Fax No. : (865) 482-1299

Site Name : RVAAP Project : LOAD LINE # 11 Sampled By : FRAN McDEVITT

Need Results By:	(surcharge)
<input type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%
<input type="checkbox"/> 3 Business Days	50%
<input type="checkbox"/> 2 Business Days	75%
<input type="checkbox"/> Next Day by 6pm	100%
<input type="checkbox"/> Next Day by Noon	150%
<input type="checkbox"/> Same day	200%

Client Account No. : 16528
 Purchase Order No. : _____
 Credit Card No. : _____ Card Holder Name : _____ Exp. : _____
 Email / Fax Results To : _____
 Email Address : _____ Fax No. : _____

Sample Identification	Date Sampled	Collection Medium	*Air Volume (Liters)	Passive Monitors (Min)	Analysis Requested	Method Reference	Specific DL Needed
#1892	7-21-05	8u MCE	734.88	480	LEAD/TOTAL DUST		
#1902	7-21-05	.8u MCE	746.4	480	LEAD/TOTAL DUST		
#1889	7-21-05	.8u MCE	729.36	480	LEAD/TOTAL DUST		
#093	7-21-05	FLORISOL TUBE	960.0	480	PCB'S		
#099	7-21-05	" "	960	480	PCB'S		
#088	7-21-05	" "	960	480	PCB'S		
#001	7-21-05	13mm CASS	960	480	PCB'S		
#002	7-21-05	13mm CASS	960	480	PCB'S		
#003	7-21-05	13mm CASS	960	480	PCB'S		
#1908	7-20-05	.8u MCE	725.04	480	LEAD/TOT DUST		
#1885	7-20-05	.8u MCE	745.68	480	LEAD/TOTAL DUST		

IF YOU DO NOT WANT A LABORATORY BLANK ADDED PLEASE CHECK BOX, otherwise, a blank will be added for each analyte and will be charged at normal rate.

List description of industry or process / Interference's present in sampling area:

Comments:

PUMP LOAN

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by :	FRAN McDEVITT	<i>FRAN McDEVITT</i>	7-22-05 / 1300 HRS
Received by LAB :	M. Krause	<i>M. Krause</i>	

Login # : 1121080 Samples received after 3pm will be considered as next day's business

07-25-05A10:43 RCVD
 * sample collection time X LPM = Air Vol.

LAB ORIGINAL

Galson Laboratories

6601 Kirkville Rd. E. Syracuse, NY 13057

LABORATORY ANALYSIS REPORT

Client : MKM Engineers
 Site : RVAAP
 Project No. : Load Line #11

Date Sampled : 11-JUL-05 - 21-JUL-05 Account No.: 16528
 Date Received : 25-JUL-05 Login No. : L121080
 Date Analyzed : 28-JUL-05

Inorganic Lead

Sample ID	Lab ID	Air Vol m3	Total ug	Conc ug/m3
#1892	L121080-1	0.73488	<0.38	<0.5
#1902	L121080-2	0.7464	<0.38	<0.5
#1889	L121080-3	0.72936	<0.38	<0.5
#1908	L121080-4	0.72504	<0.38	<0.5
#1885	L121080-5	0.74568	<0.38	<0.5
#1867	L121080-6	0.75072	<0.38	<0.5
#1869	L121080-7	0.72070	<0.38	<0.5
#1899	L121080-8	0.73152	<0.38	<0.5
#1898	L121080-9	0.74496	<0.38	<0.5
#1875	L121080-10	0.77870	<0.38	<0.5
#1897	L121080-11	0.78897	<0.38	<0.5
#1872	L121080-12	0.79580	<0.38	<0.5
#1877	L121080-13	0.732	<0.38	<0.5
#1884	L121080-14	0.76128	<0.38	<0.5
#1862	L121080-15	0.72576	<0.38	<0.5
#1886	L121080-16	0.7155	<0.38	<0.5
#1901	L121080-17	0.71145	<0.38	<0.5
#1890	L121080-18	0.69750	<0.38	<0.5
LAB BLANK	L121080-19	NA	<0.38	NA

Level of quantitation: 0.38 ug

Analytical Method : MOD. NIOSH 7300; ICP/ICPMS

OSHA PEL (TWA) : 50 ug/m3

Collection Media : Filter

Submitted by: PF/cd

Approved by : LS

Date : 29-JUL-05 NYS DOH # : 11626

QC by: Lyndi Mott

< -Less Than mg -Milligrams m3 -Cubic Meters kg -Kilograms
 > -Greater Than ug -Micrograms l -Liters NS -Not Specified
 NA -Not Applicable ND -Not Detected ppm -Parts per Million

Galson Laboratories

6601 Kirkville Rd. E. Syracuse, NY 13057

LABORATORY ANALYSIS REPORT

Client : MKM Engineers
 Site : RVAAP
 Project No. : Load Line #11

Date Sampled : 11-JUL-05 - 21-JUL-05 Account No.: 16528
 Date Received : 25-JUL-05 Login No. : L121080
 Date Analyzed : 27-JUL-05

Total Dust

Sample ID	Lab ID	Air Vol m3	Total mg	Conc mg/m3
#1892	L121080-1	0.73488	<0.2	<0.3
#1902	L121080-2	0.7464	<0.2	<0.3
#1889	L121080-3	0.72936	<0.2	<0.3
#1908	L121080-4	0.72504	<0.2	<0.3
#1885	L121080-5	0.74568	0.201	0.27
#1867	L121080-6	0.75072	<0.2	<0.3
#1869	L121080-7	0.72070	0.297	0.41
#1899	L121080-8	0.73152	<0.2	<0.3
#1898	L121080-9	0.74496	0.230	0.31
#1875	L121080-10	0.77870	<0.2	<0.2
#1897	L121080-11	0.78897	0.920	1.2
#1872	L121080-12	0.79580	0.307	0.38
#1877	L121080-13	0.732	0.520	0.71
#1884	L121080-14	0.76128	<0.2	<0.3
#1862	L121080-15	0.72576	0.626	0.86
#1886	L121080-16	0.7155	<0.2	<0.3
#1901	L121080-17	0.71145	0.237	0.33
#1890	L121080-18	0.69750	0.263	0.38
LAB BLANK	L121080-19	NA	<0.2	NA

COMMENTS: PNOR = Particulates Not Otherwise Regulated.

Level of quantitation: 0.2 mg
 Analytical Method : NIOSH 0500; GRAV
 OSHA PEL (TWA) : PNOR 15 mg/m3
 Collection Media : Filter

Submitted by: CT
 Approved by : KK
 Date : 27-JUL-05 NYS DOH # : 11626
 QC by: Lyndi Mott

< -Less Than mg -Milligrams m3 -Cubic Meters kg -Kilograms
 > -Greater Than ug -Micrograms l -Liters NS -Not Specified
 NA -Not Applicable ND -Not Detected ppm -Parts per Million



6601 Kirkville Rd
 East Syracuse, NY 13057-9672
 Tel: 315-432-5227
 888-432-LABS(5227)
 Fax: 315-437-0571
 www.galsonlabs.com

Check if change of address
 New Client? yes no

Report To: FRAN McDEVITT
MKM ENGINEERS INC
9451 STATE Rte 5
RAVENHWA OHIO
 Phone No.: (350) 352-9718
 Fax No.: (330) 358-2924

Invoice To: MKM ENGINEERS
687 EMORY VALLEY RD
SUITE B
OAK RIDGE TN 37830
 Phone No.: (615) 777-9570
 Fax No.: (865) 482-1299

Site Name: RVAAP Project: LOAD LINE #6 Sampled By: FRAN McDEVITT

Need Results By:	(surcharge)
<input type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%
<input type="checkbox"/> 3 Business Days	50%
<input type="checkbox"/> 2 Business Days	75%
<input type="checkbox"/> Next Day by 6pm	100%
<input type="checkbox"/> Next Day by Noon	150%
<input type="checkbox"/> Same day	200%

Client Account No.: 16528
 Purchase Order No.: _____
 Credit Card No.: _____ Card Holder Name: _____ Exp.: _____
 Email / Fax Results To: _____
 Email Address: _____ Fax No.: _____

Sample Identification	Date Sampled	Collection Medium	*Air Volume (Liters)	Passive Monitors (Min)	Analysis Requested	Method Reference	Specific DL Needed
#003 ✓	7-10-05	Summit 13mm Cass	960	480	PCB's		
#1886	7-11-05	8cu MCF	715.5	450	LEAD/TOTAL DUST		
#1901	7-11-05	8cu MCF	711.43	450	" " "		
#1890	7-11-05	8cu MCF	697.50	450	" " "		
#295 ✓	7-11-05	Florisil bags	900	450	PCB's		
#295 ✓	7-11-05	" "	900	450	"		
#254 ✓	7-11-05	" "	900	450	"		
#001 ✓	7-11-05	Summit 13mm Cass	900	450	"		
#002 ✓	7-11-05	" "	900	450	"		
#003 ✓	7-11-05	" "	900	450	"		

IF YOU DO NOT WANT A LABORATORY BLANK ADDED PLEASE CHECK BOX, otherwise, a blank will be added for each analyte and will be charged at normal rate.
 List description of industry or process / interference's present in sampling area: _____

Comments: _____ **PUMP LOAN**

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	<u>FRAN McDEVITT</u>	<u>[Signature]</u>	<u>7-22-05 / 1300 HRS</u>
Received by LAB:	<u>M. Krause</u>	<u>M. Krause</u>	<u>07-25-05A10:44 R.</u>

Login #: L121080 Samples received after 3pm will be considered as next day's business * sample collection time X LPM = Air Vol.

LAB ORIGINAL



6601 Kirkville Rd
 East Syracuse, NY 13057-9672
 Tel: 315-432-5227
 888-432-LABS(5227)
 Fax: 315-437-0571
 www.galsonlabs.com

Check if change of address

New Client? yes no

Report To: FRAN McDEVITT
MKM ENGINEERS INC
8451 STATE Rte 5
RAVENNA OHIO
 Phone No.: (330) 352-9718
 Fax No.: (330) 358-2924

Invoice To: MKM ENGINEERS
67 EMORY VALLEY RD
SUITE 13
DAK RIDGE, TN 37830
 Phone No.: (866) 777-9570
 Fax No.: (866) 482-1299

Site Name: RVARD Project: LOAD LINE 6 Sampled By: FRAN McDEVITT

Need Results By:	(surcharge)
<input type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%
<input type="checkbox"/> 3 Business Days	50%
<input type="checkbox"/> 2 Business Days	75%
<input type="checkbox"/> Next Day by 6pm	100%
<input type="checkbox"/> Next Day by Noon	150%
<input type="checkbox"/> Same day	200%

Client Account No.: 16528
 Purchase Order No.: _____
 Credit Card No.: _____ Card Holder Name: _____ Exp.: _____
 Email / Fax Results To: _____
 Email Address: _____ Fax No.: _____

Sample Identification	Date Sampled	Collection Medium	*Air Volume (Liters)	Passive Monitors (Min)	Analysis Requested	Method Reference	Specific DL Needed
#001 ✓	7-14-05	3mm Cass	1820	510	PCB'S		
#002 ✓	7-14-05	3mm Cass	1620	510	"		
#003 ✓	7-14-05	3mm Cass	1020	510	"		
#1877	7-12-05	8cm MCE	732	480	LEAD/TOTAL DUST		
#1884	7-12-05	8cm MCE	761.28	480	" " "		
#1862	7-12-05	8cm MCE	925.76	480	" " "		
#299 ✓	7-12-05	FORSTL Cass	960	480	PCB'S		
#256 ✓	7-12-05	" "	960	480	"		
#261 ✓	7-12-05	" "	960	480	"		
#001 ✓	7-12-05	3mm Cass	960	480	"		
#002 ✓	7-12-05	" "	960	480	"		

IF YOU DO NOT WANT A LABORATORY BLANK ADDED PLEASE CHECK BOX, otherwise, a blank will be added for each analyte and will be charged at normal rate.

List description of industry or process / interference's present in sampling area:
PUMP LOAN

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:			
Received by LAB:	<u>M. Krause</u>	<u>M. Krause</u>	<u>07-25-05A10:44 RCVD</u>

Login #: L121080 Samples received after 3pm will be considered as next day's business * sample collection time X LPM = Air Vol.

LAB ORIGINAL



6601 Kirkville Rd
 East Syracuse, NY 13057-9672
 Tel: 315-432-5227
 888-432-LABS(5227)
 Fax: 315-437-0571
 www.galsonlabs.com

Check if change of address

New Client? yes no

Report To: FRAN McDEVITT
MKM ENGINEERS INC
8451 STATE RTE 5
CAVENNA OHIO
 Phone No.: (330) 352-9718
 Fax No.: (330) 358-2924

Invoice To: MKM ENGINEERS
687 EMORY VALLEY RD
SUITE B
CAK RIDGE, TN 37830
 Phone No.: (888) 777-9570
 Fax No.: (865) 482-1299

Site Name: RYAAP Project: LOAD LINE #11 Sampled By: FRAN McDEVITT

Need Results By:	(surcharge)
<input type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%
<input type="checkbox"/> 3 Business Days	50%
<input type="checkbox"/> 2 Business Days	75%
<input type="checkbox"/> Next Day by 6pm	100%
<input type="checkbox"/> Next Day by Noon	150%
<input type="checkbox"/> Same day	200%

Client Account No.: 16528
 Purchase Order No.: _____
 Credit Card No.: _____ Card Holder Name: _____ Exp.: _____
 Email / Fax Results To: _____
 Email Address: _____ Fax No.: _____

Sample Identification	Date Sampled	Collection Medium	*Air Volume (Liters)	Passive Monitors (Min)	Analysis Requested	Method Reference	Specific DL Needed
<u># 090</u>	<u>7-19-05</u>	<u>226-39 FLORISIL TUBE</u>	<u>960</u>	<u>480</u>	<u>PCB'S</u>		
<u># 091</u>	<u>7-19-05</u>	<u>" "</u>	<u>960</u>	<u>480</u>	<u>"</u>		
<u># 001</u>	<u>7-19-05</u>	<u>Swinnney Filter 13mm Cass</u>	<u>960</u>	<u>480</u>	<u>"</u>		
<u># 002</u>	<u>7-19-05</u>	<u>" "</u>	<u>960</u>	<u>480</u>	<u>"</u>		
<u># 003</u>	<u>7-19-05</u>	<u>" "</u>	<u>960</u>	<u>480</u>	<u>"</u>		
<u># 1875</u>	<u>7-14-05</u>	<u>mp wt 300 8cu MKE</u>	<u>778.70</u>	<u>510</u>	<u>LEAD / TOTAL DUST</u>		
<u># 1897</u>	<u>7-14-05</u>	<u>8cu MKE</u>	<u>789.97</u>	<u>510</u>	<u>LEAD / TOTAL DUST</u>		
<u># 1872</u>	<u>7-14-05</u>	<u>8cu MKE</u>	<u>795.80</u>	<u>510</u>	<u>LEAD / TOTAL DUST</u>		
<u># 294</u>	<u>7-14-05</u>	<u>226-39 FLORISIL TUBE</u>	<u>1020</u>	<u>510</u>	<u>PCB'S</u>		
<u># 249</u>	<u>7-14-05</u>	<u>" "</u>	<u>1020</u>	<u>510</u>	<u>"</u>		
<u># 090</u>	<u>7-14-05</u>	<u>" "</u>	<u>1020</u>	<u>510</u>	<u>"</u>		

IF YOU DO NOT WANT A LABORATORY BLANK ADDED PLEASE CHECK BOX, otherwise, a blank will be added for each analyte and will be charged at normal rate.
 List description of industry or process / Interference's present in sampling area: _____

Comments: _____

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	<u>FRAN McDEVITT</u>	<u>[Signature]</u>	<u>7-22-05 / 1300 HRS</u>
Received by LAB:	<u>M. Krause</u>	<u>[Signature]</u>	<u>07-25-05 10:43 RCVD</u>

Login #: U21080 Samples received after 3pm will be considered as next day's business * sample collection time X LPM = Air Vol.

LAB ORIGINAL



6601 Kirkville Rd
 East Syracuse, NY 13057-9672
 Tel: 315-432-5227
 888-432-LABS(5227)
 Fax: 315-437-0571
 www.galsonlabs.com

Check if change of address

New Client? yes no

Report To : FRAN McDEVITT
MKM ENGINEERS INC
3451 STATE RTE 5
RAVENNA, OHIO
 Phone No. : (330) 352-9718
 Fax No. : (330) 352-2924

Invoice To : MKM ENGINEERS INC
687 EMDRY VALLEY RD
SUITE B
OAK RIDGE, TN 37830
 Phone No. : (888) 777-9570
 Fax No. : (865) 482-1899

Site Name : RVAAP Project : LOAD LINE #11 Sampled By : FRAN McDEVITT

Need Results By:	(surcharge)
<input type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%
<input type="checkbox"/> 3 Business Days	50%
<input type="checkbox"/> 2 Business Days	75%
<input type="checkbox"/> Next Day by 6pm	100%
<input type="checkbox"/> Next Day by Noon	150%
<input type="checkbox"/> Same day	200%

Client Account No. : 16528
 Purchase Order No. : _____
 Credit Card No. : _____ Card Holder Name : _____ Exp. : _____
 Email / Fax Results To : _____
 Email Address : _____ Fax No. : _____

Sample Identification	Date Sampled	Collection Medium	*Air Volume (Liters)	Passive Monitors (Min)	Analysis Requested	Method Reference	Specific DL Needed
#1867	7-20-05	8cu MCE	750.72	480	LEAD/TOTAL DUST		
#095	7-20-05	FIBRISIL TUBE	960	480	PCB'S		
#096	7-20-05	" "	960	480	PCB'S		
#094	7-20-05	" "	960	480	PCB'S		
#001	7-20-05	SWINNEY ATT 13cu MCE	960	480	PCB'S		
#002	7-20-05	" "	960	480	PCB'S		
#003	7-20-05	" "	960	480	PCB'S		
#1869	7-19-05	8cu MCE	720.70	480	LEAD/TOTAL DUST		
#1899	7-19-05	8cu MCE	731.52	480	LEAD/TOTAL DUST		
#1898	7-19-05	8cu MCE	744.96	480	LEAD/TOTAL DUST		
#092	7-19-05	FIBRISIL TUBE	960	480	PCB'S		

IF YOU DO NOT WANT A LABORATORY BLANK ADDED PLEASE CHECK BOX, otherwise, a blank will be added for each analyte and will be charged at normal rate.

List description of industry or process / interference's present in sampling area: _____

Comments: _____

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by :	FRAN McDEVITT	<i>[Signature]</i>	7-22-05 / 1:300 HRS
Received by LAB :	M. Krause	<i>[Signature]</i>	07-25-05A10:43 RCV

Login # : L121080 Samples received after 3pm will be considered as next day's business * sample collection time X LPM = Air Vol.

LAB ORIGINAL



6601 Kirkville Rd
 East Syracuse, NY 13057-9672
 Tel: 315-432-5227
 888-432-LABS(5227)
 Fax: 315-437-0571
 www.galsonlabs.com

Check if change of address

New Client? yes no

Report To : FRAN McDEVITT
MKM ENGINEERS INC
8451 STATE AVE S
RAVENNA, OH
 Phone No. : (330) 362-9718
 Fax No. : (330) 355-2924

Invoice To : MKM ENGINEERS INC
687 EMORY VALLEY RD
SUITE B
OAK RIDGE TN 37830
 Phone No. : (888) 777-9570
 Fax No. : (865) 482-1299

Site Name : RVAAP Project : LOAD LINE # 11 Sampled By : FRAN McDEVITT

Need Results By:	(surcharge)
<input type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%
<input type="checkbox"/> 3 Business Days	50%
<input type="checkbox"/> 2 Business Days	75%
<input type="checkbox"/> Next Day by 6pm	100%
<input type="checkbox"/> Next Day by Noon	150%
<input type="checkbox"/> Same day	200%

Client Account No. : 16528
 Purchase Order No. : _____
 Credit Card No. : _____ Card Holder Name : _____ Exp. : _____
 Email / Fax Results To : _____
 Email Address : _____ Fax No. : _____

Sample Identification	Date Sampled	Collection Medium	*Air Volume (Liters)	Passive Monitors (Min)	Analysis Requested	Method Reference	Specific DL Needed
# 1892	7-21-05	8u MCE	734.88	480	LEAD/TOTAL DUST		
# 1902	7-21-05	.8u MCE	746.4	480	LEAD/TOTAL DUST		
# 1889	7-21-05	.8u MCE	729.36	480	LEAD/TOTAL DUST		
# 093	7-21-05	FLORISOL TUBE	960.0	480	PCB'S		
# 099	7-21-05	" "	960	480	PCB'S		
# 088	7-21-05	" "	960	480	PCB'S		
# 001	7-21-05	13mm CASS	960	480	PCB'S		
# 002	7-21-05	13mm CASS	960	480	PCB'S		
# 003	7-21-05	13mm CASS	960	480	PCB'S		
# 1908	7-20-05	.8u MCE	725.04	480	LEAD/TOT DUST		
# 1885	7-20-05	.8u MCE	745.68	480	LEAD/TOTAL DUST		

IF YOU DO NOT WANT A LABORATORY BLANK ADDED PLEASE CHECK BOX, otherwise, a blank will be added for each analyte and will be charged at normal rate.

List description of industry or process / Interference's present in sampling area:

Comments:

PUMP LOAN

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by :	FRAN McDEVITT	<i>FRAN McDEVITT</i>	7-22-05 / 1300 HRS
Received by LAB :	M. Krause	<i>M. Krause</i>	
Login # :	1121080	Samples received after 3pm will be considered as next day's business	07-25-05A10:43 RCVD

* sample collection time X LPM = Air Vol.

LAB ORIGINAL

LL 6 Dust Monitoring Results

PCB Analysis Summary Table

ANALYTE, UNITS (mg/m3)	PEL(mg/m ³)	Sample Id					
		# 001 071105		# 002 071105		# 003 071105	
Sample Date		7/11/2005		7/11/2005		7/11/2005	
Minutes Run		450		450		450	
PCB		Result	TWA	Result	TWA	Result	TWA
Aroclor 1016	--	<0.00033	NA	<0.00033	NA	<0.00033	NA
Aroclor 1221	--	<0.00033	NA	<0.00033	NA	<0.00033	NA
Aroclor 1232	--	<0.00033	NA	<0.00033	NA	<0.00033	NA
Aroclor 1242	1	<0.00033	<0.00030	<0.00033	<0.00031	<0.00033	<0.00031
Aroclor 1248	--	<0.00033	NA	<0.00033	NA	<0.00033	NA
Aroclor 1254	0.5	<0.00033	<0.00030	<0.00033	<0.00031	<0.00033	<0.00031
Aroclor 1260	--	<0.00033	NA	<0.00033	NA	<0.00033	NA

PEL = Permissible Exposure Limit
 -- = PEL Data not available
 mg/m3 = milligrams per cubic meter
 TWA= Time weighted averages calculated by $\frac{\text{Minutes run} \times \text{result}}{480 \text{ min}}$
 NA = TWA not applicable - no PEL available for this compound

LL 6 Dust Monitoring Results

PCB Analysis Summary Table

ANALYTE, UNITS (mg/m3)	PEL(mg/m ³)	Sample Id							
		# 295		# 295/62		# 254/06		# 001 071205	
Sample Date		7/11/2005		7/11/2005		7/11/2005		7/12/2005	
Minutes Run		450		450		450		480	
PCB		Result	TWA	Result	TWA	Result	TWA	Result	TWA
Aroclor 1016	--	<0.00033	NA	<0.00033	NA	<0.00033	NA	<0.00031	NA
Aroclor 1221	--	<0.00033	NA	<0.00033	NA	<0.00033	NA	<0.00031	NA
Aroclor 1232	--	<0.00033	NA	<0.00033	NA	<0.00033	NA	<0.00031	NA
Aroclor 1242	1	<0.00033	<0.00031	<0.00033	<0.00031	<0.00033	<0.00031	<0.00031	<0.00031
Aroclor 1248	--	<0.00033	NA	<0.00033	NA	<0.00033	NA	<0.00031	NA
Aroclor 1254	0.5	<0.00033	<0.00031	<0.00033	<0.00031	<0.00033	<0.00031	<0.00031	<0.00031
Aroclor 1260	--	<0.00033	NA	<0.00033	NA	<0.00033	NA	<0.00031	NA

PEL = Permissible Exposure Limit
 -- = PEL Data not available
 mg/m3 = milligrams per cubic meter
 TWA= Time weighted averages calculated by $\frac{\text{Minutes run} \times \text{result}}{480 \text{ min}}$
 NA = TWA not applicable - no PEL available for this compound

LL 6 Dust Monitoring Results

PCB Analysis Summary Table

ANALYTE, UNITS (mg/m3)	PEL(mg/m ³)	Sample Id							
		# 002 071205		# 003 071205		# 261		# 299	
Sample Date		7/12/2005		7/12/2005		7/12/2005		7/12/2005	
Minutes Run		480		480		480		480	
PCB		Result	TWA	Result	TWA	Result	TWA	Result	TWA
Aroclor 1016	--	<0.00031	NA	<0.00031	NA	<0.00031	NA	<0.00031	NA
Aroclor 1221	--	<0.00031	NA	<0.00031	NA	<0.00031	NA	<0.00031	NA
Aroclor 1232	--	<0.00031	NA	<0.00031	NA	<0.00031	NA	<0.00031	NA
Aroclor 1242	1	<0.00031	<0.00031	<0.00031	<0.00031	<0.00031	<0.00031	<0.00031	<0.00031
Aroclor 1248	--	<0.00031	NA	<0.00031	NA	<0.00031	NA	<0.00031	NA
Aroclor 1254	0.5	<0.00031	<0.00031	<0.00031	<0.00031	<0.00031	<0.00031	<0.00031	<0.00031
Aroclor 1260	--	<0.00031	NA	<0.00031	NA	<0.00031	NA	<0.00031	NA

PEL = Permissible Exposure Limit
 -- = PEL Data not available
 mg/m3 = milligrams per cubic meter
 TWA= Time weighted averages calculated by $\frac{\text{Minutes run} \times \text{result}}{480 \text{ min}}$
 NA = TWA not applicable - no PEL available for this compound

LL 6 Dust Monitoring Results

PCB Analysis Summary Table

ANALYTE, UNITS (mg/m3)	PEL(mg/m ³)	Sample Id							
		# 256		# 001 071405		# 002 071405		# 003 071405	
Sample Date		7/12/2005		7/14/2005		7/14/2005		7/14/2005	
Minutes Run		480		510		510		510	
PCB		Result	TWA	Result	TWA	Result	TWA	Result	TWA
Aroclor 1016	--	<0.00031	NA	<0.00029	NA	<0.00029	NA	<0.00029	NA
Aroclor 1221	--	<0.00031	NA	<0.00029	NA	<0.00029	NA	<0.00029	NA
Aroclor 1232	--	<0.00031	NA	<0.00029	NA	<0.00029	NA	<0.00029	NA
Aroclor 1242	1	<0.00031	<0.00031	<0.00029	<0.00031	<0.00029	<0.00031	<0.00029	<0.00031
Aroclor 1248	--	<0.00031	NA	<0.00029	NA	<0.00029	NA	<0.00029	NA
Aroclor 1254	0.5	<0.00031	<0.00031	<0.00029	<0.00031	<0.00029	<0.00031	<0.00029	<0.00031
Aroclor 1260	--	<0.00031	NA	<0.00029	NA	<0.00029	NA	<0.00029	NA

PEL = Permissible Exposure Limit
 -- = PEL Data not available
 mg/m3 = milligrams per cubic meter
 TWA= Time weighted averages calculated by $\frac{\text{Minutes run} \times \text{result}}{480 \text{ min}}$
 NA = TWA not applicable - no PEL available for this compound

LL 6 Dust Monitoring Results
Total Dust/Lead Analysis Summary Results

Sample ID	Sample Date	Minutes Run	Total Dust Results (mg/m ³)	Total Dust TWA (mg/m ³)	Total Dust PEL (mg/m ³)	Lead Results (ug/m ³)	Lead TWA (mg/m ³)	Total Lead PEL (mg/m ³)
1886	7/11/2005	450	<0.3	<0.281	15	<0.5	0.0005	0.05
1890	7/11/2005	450	0.38	0.356	15	<0.5	0.0005	0.05
1901	7/11/2005	450	0.33	0.309	15	<0.5	0.0005	0.05
1862	7/12/2005	480	0.86	0.86	15	<0.5	0.0005	0.05
1877	7/12/2005	480	0.71	0.71	15	<0.5	0.0005	0.05
1884	7/12/2005	480	<0.3	<0.3	15	<0.5	0.0005	0.05

PEL = Permissible Exposure Limit
(mg/m³) = milligrams per cubic meter or parts per million
(ug/m³) = micrograms per cubic meter or parts per billion
TWA= = Time Weighted Averages calculated by

$\frac{\text{Minutes run} \times \text{result}}{480 \text{ min}}$