

## ANALYTICAL REPORT

Job Number: 280-104483-2

Job Description: Ravenna, OH

For:

Cardno TEC, Inc  
2496 Old Ivy Road  
Suite 300

Charlottesville, VA 22903

Attention: Mr. Peter Chapman



Approved for release.  
Patrick J McEntee  
Manager of Project Management  
12/19/2017 8:21 PM

---

Patrick J McEntee, Manager of Project Management  
4955 Yarrow Street, Arvada, CO, 80002  
(303)736-0107  
patrick.mcentee@testamericainc.com  
12/19/2017

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

**TestAmerica Laboratories, Inc.**

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002  
Tel (303) 736-0100 Fax (303) 431-7171 [www.testamericainc.com](http://www.testamericainc.com)

# Table of Contents

Cover Title Page . . . . .	1
Data Summaries . . . . .	4
Definitions . . . . .	4
Case Narrative . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	7
Default Detection Limits . . . . .	8
QC Sample Results . . . . .	9
QC Association . . . . .	10
Chronicle . . . . .	11
Certification Summary . . . . .	12
Method Summary . . . . .	13
Sample Summary . . . . .	14
Reagent Traceability . . . . .	15
COAs . . . . .	16
Inorganic Sample Data . . . . .	23
General Chemistry Data . . . . .	23
Gen Chem Cover Page . . . . .	24
Gen Chem Sample Data . . . . .	25
Gen Chem QC Data . . . . .	26
Gen Chem ICV/CCV . . . . .	26
Gen Chem Blanks . . . . .	27
Gen Chem MS/MSD/PDS . . . . .	28
Gen Chem LCS/LCSD . . . . .	30
Gen Chem MDL . . . . .	33
Gen Chem Preparation Log . . . . .	35

# Table of Contents

Gen Chem Analysis Run Log .....	36
Gen Chem Prep Data .....	40
Gen Chem Raw Data .....	43
Shipping and Receiving Documents .....	56
Client Chain of Custody .....	57
Sample Receipt Checklist .....	65

# Definitions/Glossary

Client: Cardno TEC, Inc  
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-104483-2

---

## Qualifiers

---

### General Chemistry

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

---

## Glossary

---

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

## CASE NARRATIVE

**Client: Cardno TEC, Inc**

**Project: Ravenna, OH**

**Report Number: 280-104483-2**

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

### **RECEIPT**

The samples were received on 12/8/2017 9:45 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 10 coolers at receipt time were 0.2° C, 0.9° C, 1.0° C, 1.0° C, 1.8° C, 1.9° C, 2.0° C, 2.2° C, 3.0° C and 5.0° C.

### **Receipt Exceptions**

One of nine HCl preserved VOA vials for the requested 8260B VOCs analysis for parent sample LL2mw-272-120717-GW (280-104483-4) (+MS/MSD) was received with a headspace bubble greater than 6 mm in diameter. Sufficient non-biased sample volume was received to perform the requested analysis for the parent sample (+MS/MSD). The client was notified on 12/11/2017.

The requested 8330 Nitroguanidine and 353.2 Nitrocellulose analyses were subcontracted to TestAmerica's Sacramento laboratory.

The requested 4500\_CN\_I Free Cyanide analysis is reported under a separate job series, 280-104483-2, with TestAmerica's standard formatting and reporting limits as the laboratory does not hold DOD certification for this method.

### **FREE CYANIDE**

Sample EBGmw-125-120617-GW (280-104483-14) was analyzed for Free Cyanide in accordance with SM20 4500\_CN\_I. The samples were prepared on 12/12/2017 and analyzed on 12/13/2017.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Detection Summary

Client: Cardno TEC, Inc  
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-104483-2

**Client Sample ID: EBGmw-125-120617-GW**

**Lab Sample ID: 280-104483-14**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Cyanide, Free	5.4	J	10	2.0	ug/L	1			SM 4500 CN I	Total/NA

This Detection Summary does not include radiochemical test results.

# Client Sample Results

Client: Cardno TEC, Inc  
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-104483-2

**Client Sample ID: EBGmw-125-120617-GW**

**Lab Sample ID: 280-104483-14**

**Date Collected: 12/06/17 12:35**

**Matrix: Water**

**Date Received: 12/08/17 09:45**

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Free	5.4	J	10	2.0	ug/L		12/12/17 16:51	12/13/17 16:48	1

# Default Detection Limits

Client: Cardno TEC, Inc  
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-104483-2

## General Chemistry

Prep: SM 4500 CN I

Analyte	RL	MDL	Units	Method
Cyanide, Free	10	2.0	ug/L	SM 4500 CN I



# QC Sample Results

Client: Cardno TEC, Inc  
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-104483-2

## Method: SM 4500 CN I - Cyanide, Weak Acid Dissociable

**Lab Sample ID: MB 280-398462/4-A**  
**Matrix: Water**  
**Analysis Batch: 398637**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 398462**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Free	ND		10	2.0	ug/L		12/12/17 16:51	12/13/17 16:20	1

**Lab Sample ID: HLCS 280-398462/1-A**  
**Matrix: Water**  
**Analysis Batch: 398637**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 398462**

Analyte	Spike Added	HLCS Result	HLCS Qualifier	Unit	D	%Rec	Limits
Cyanide, Free	350	362		ug/L		103	75 - 120

**Lab Sample ID: LCS 280-398462/3-A**  
**Matrix: Water**  
**Analysis Batch: 398637**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 398462**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Cyanide, Free	100	97.2		ug/L		97	75 - 120

**Lab Sample ID: LLCS 280-398462/2-A**  
**Matrix: Water**  
**Analysis Batch: 398637**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 398462**

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	Limits
Cyanide, Free	100	101		ug/L		101	75 - 120

**Lab Sample ID: 280-104483-14 MS**  
**Matrix: Water**  
**Analysis Batch: 398637**

**Client Sample ID: EBGmw-125-120617-GW**  
**Prep Type: Total/NA**  
**Prep Batch: 398462**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Cyanide, Free	5.4	J	100	106		ug/L		101	75 - 120

**Lab Sample ID: 280-104483-14 MSD**  
**Matrix: Water**  
**Analysis Batch: 398637**

**Client Sample ID: EBGmw-125-120617-GW**  
**Prep Type: Total/NA**  
**Prep Batch: 398462**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Cyanide, Free	5.4	J	100	103		ug/L		98	75 - 120	3	20

# QC Association Summary

Client: Cardno TEC, Inc  
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-104483-2

## General Chemistry

### Prep Batch: 398462

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-104483-14	EBGmw-125-120617-GW	Total/NA	Water	SM 4500 CN I	
MB 280-398462/4-A	Method Blank	Total/NA	Water	SM 4500 CN I	
HLCS 280-398462/1-A	Lab Control Sample	Total/NA	Water	SM 4500 CN I	
LCS 280-398462/3-A	Lab Control Sample	Total/NA	Water	SM 4500 CN I	
LLCS 280-398462/2-A	Lab Control Sample	Total/NA	Water	SM 4500 CN I	
280-104483-14 MS	EBGmw-125-120617-GW	Total/NA	Water	SM 4500 CN I	
280-104483-14 MSD	EBGmw-125-120617-GW	Total/NA	Water	SM 4500 CN I	

### Analysis Batch: 398637

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-104483-14	EBGmw-125-120617-GW	Total/NA	Water	SM 4500 CN I	398462
MB 280-398462/4-A	Method Blank	Total/NA	Water	SM 4500 CN I	398462
HLCS 280-398462/1-A	Lab Control Sample	Total/NA	Water	SM 4500 CN I	398462
LCS 280-398462/3-A	Lab Control Sample	Total/NA	Water	SM 4500 CN I	398462
LLCS 280-398462/2-A	Lab Control Sample	Total/NA	Water	SM 4500 CN I	398462
280-104483-14 MS	EBGmw-125-120617-GW	Total/NA	Water	SM 4500 CN I	398462
280-104483-14 MSD	EBGmw-125-120617-GW	Total/NA	Water	SM 4500 CN I	398462

# Lab Chronicle

Client: Cardno TEC, Inc  
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-104483-2

**Client Sample ID: EBGmw-125-120617-GW**

**Lab Sample ID: 280-104483-14**

**Date Collected: 12/06/17 12:35**

**Matrix: Water**

**Date Received: 12/08/17 09:45**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	SM 4500 CN I			50 mL	50 mL	398462	12/12/17 16:51	ALS	TAL DEN
Total/NA	Analysis	SM 4500 CN I		1	50 mL	50 mL	398637	12/13/17 16:48	ALS	TAL DEN

**Laboratory References:**

TAL DEN = TestAmerica Denver, 4955 Yarrow Street, Arvada, CO 80002, TEL (303)736-0100

# Accreditation/Certification Summary

Client: Cardno TEC, Inc  
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-104483-2

## Laboratory: TestAmerica Denver

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	EPA Region	Identification Number	Expiration Date
A2LA	DoD ELAP		2907.01	10-31-19 *

The following analytes are included in this report, but accreditation/certification is not offered by the governing authority:

Analysis Method	Prep Method	Matrix	Analyte
SM 4500 CN I	SM 4500 CN I	Water	Cyanide, Free

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

# Method Summary

Client: Cardno TEC, Inc  
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-104483-2

---

---

<b>Method</b>	<b>Method Description</b>	<b>Protocol</b>	<b>Laboratory</b>
SM 4500 CN I	Cyanide, Weak Acid Dissociable	SM	TAL DEN

**Protocol References:**

SM = "Standard Methods For The Examination Of Water And Wastewater",

**Laboratory References:**

TAL DEN = TestAmerica Denver, 4955 Yarrow Street, Arvada, CO 80002, TEL (303)736-0100

# Sample Summary

Client: Cardno TEC, Inc  
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-104483-2

---

---

<b>Lab Sample ID</b>	<b>Client Sample ID</b>	<b>Matrix</b>	<b>Collected</b>	<b>Received</b>
280-104483-14	EBGmw-125-120617-GW	Water	12/06/17 12:35	12/08/17 09:45

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Denver

Job No.: 280-104483-2

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
<b>CN 10ppm_00279</b>	12/17/17	12/10/17	2% NaOH, Lot 1% NaOH_00256	100 mg/L	CN CAL Std_00058	1 mL	Cyanide, Amenable	10 mg/L
							Cyanide, Free	10 mg/L
							Cyanide, Non-amenable	10 mg/L
							Cyanide, Total	10 mg/L
							Cyanide, Weak Acid Dissociable	10 mg/L
.CN CAL Std_00058	03/31/18		Ricca, Lot 1709G34		(Purchased Reagent)		Cyanide, Amenable	1000 mg/L
							Cyanide, Free	1000 mg/L
							Cyanide, Non-amenable	1000 mg/L
							Cyanide, Total	1000 mg/L
							Cyanide, Weak Acid Dissociable	1000 mg/L
<b>CN CAL 1 ppm_01330</b>	12/14/17	12/13/17	1% NaOH, Lot N/A	100 mL	CN 10ppm_00279	10 mL	Cyanide, Free	1 mg/L
.CN 10ppm_00279	12/17/17	12/10/17	2% NaOH, Lot 1% NaOH_00256	100 mg/L	CN CAL Std_00058	1 mL	Cyanide, Free	10 mg/L
..CN CAL Std_00058	03/31/18		Ricca, Lot 1709G34		(Purchased Reagent)		Cyanide, Free	1000 mg/L
<b>CN ICV Daily_01097</b>	12/14/17	12/13/17	1% HNO3, Lot N/A	100 mL	CN ICV Int_00462	1 mL	Cyanide, Free	0.1 mg/L
.CN ICV Int_00462	12/17/17	12/10/17	1% NaOH, Lot 1% NaOH_00256	100 mL	CN ICV Std_00047	1 mL	Cyanide, Free	10 mg/L
..CN ICV Std_00047	02/28/18		SPEX, Lot 13-55YPX		(Purchased Reagent)		Cyanide, Free	1000 mg/L
<b>CN ICV Int_00462</b>	12/17/17	12/10/17	1% NaOH, Lot 1% NaOH_00256	100 mL	CN ICV Std_00047	1 mL	Cyanide, Amenable	10 mg/L
							Cyanide, Free	10 mg/L
							Cyanide, Non-amenable	0 mg/L
							Cyanide, Total	10 mg/L
							Cyanide, Weak Acid Dissociable	10 mg/L
.CN ICV Std_00047	02/28/18		SPEX, Lot 13-55YPX		(Purchased Reagent)		Cyanide, Amenable	1000 mg/L
							Cyanide, Free	1000 mg/L
							Cyanide, Non-amenable	0 mg/L
							Cyanide, Total	1000 mg/L
							Cyanide, Weak Acid Dissociable	1000 mg/L

Reagent

---

**CN CAL Std\_00058**



# Certificate of Analysis

## Cyanide Standard, 1000 ppm CN<sup>-</sup>

**Lot Number:** 1709G34

**Product Number:** 2543

**Manufacture Date:** SEP 22, 2017

**Expiration Date:** MAR 2018

This standard is prepared using accurate volumetric techniques from material that has been assayed against Silver Nitrate solution certified traceable to NIST Standard Reference Material 999. The certified value reported is the prepared value based upon the method of preparation of the material. The uncertainty in the prepared value is the combined uncertainty based on the stability of the assayed Potassium Cyanide, and the uncertainty in the mass and volume measurements.

Use 0.16% (w/v) (0.04 N) Sodium Hydroxide or 0.225 % (w/v) (0.04 N) Potassium Hydroxide to make dilutions of this standard. Restandardize weekly if extreme accuracy is required.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Cyanide	151-50-8	ACS
Sodium Hydroxide	1310-73-2	Reagent

Test	Specification	Result
Appearance	Colorless liquid	Passed
Cyanide (CN <sup>-</sup> )	995-1005 ppm	1003 ppm

Specification	Reference
Stock Standard Cyanide Solution	APHA (4500-CN- F)
Stock Cyanide Solution	APHA (4500-CN- E)
Stock Cyanide Solution	APHA (4500-CN- K)
Stock Cyanide Solution	APHA (4500-CN- H)
Cyanide Reference Solution (1000 mg/L)	EPA (SW-846) (7.3.3.2)
Cyanide Calibration Stock Solution (1,000 mg/L CN <sup>-</sup> )	EPA (SW-846) (9213)
Stock Cyanide Solution	EPA (335.3)
Stock Cyanide Solution	EPA (335.2)
Cyanide Solution Stock	ASTM (D 4282)
Simple Cyanide Solution, Stock (1.0 g/L CN <sup>-</sup> )	ASTM (D 4374)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
2543-4	120 mL amber poly	6 months

**Recommended Storage:** 2°C - 8°C (36°F - 46°F)



Israel Alamudun (09/22/2017)

Quality Control Supervisor

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

Reagent

---

**CN ICV Std\_00047**

12/5/17 ALS

CN ICV STD\_00047

$\text{AgNO}_3$  - 00004  
CN Color - 00006

Blank  
0ml  $\text{AgNO}_3$

T<sub>1</sub>

10ml - 0ml  $\rightarrow$  10ml  $\text{AgNO}_3$   
10ml STD

T<sub>2</sub>

19.3ml - 9.3ml : 10ml  $\text{AgNO}_3$   
10ml STD

$$\frac{(10-0)1000}{10} = \boxed{1000 \text{ mg/L}}$$



# SPEXertificate®

## Certificate of Reference Material

**Catalog Number:** RSCN9-2X

**Lot No.** 13-55YPX

**Description:** 1000 µg/mL Simple Cyanide

**Matrix:** 2% KOH

This Cyanide Certified Reference Material, CRM, is intended primarily for use as a calibration standard or quality control standard for titrimetric method. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

**Certified Value:** 1000 µg/mL ±50 µg/mL

The CRM is prepared gravimetrically using high purity Potassium Cyanide, Lot# K43296567. See side 2 for details of certification.

**Certified By:**

Titration with AgNO<sub>3</sub> using Rhodanine as indicator. AgNO<sub>3</sub> standardized against NaCl NIST SRM #919b.

**Uncertified Properties:**

**Trace Impurities in the Solution (derived from starting material):**

Ion	µg/mL	Ion	µg/mL
Cl <sup>-</sup>	<0.5	SCN <sup>-</sup>	<0.3
PO <sub>4</sub> <sup>-3</sup>	<0.1	SO <sub>4</sub> <sup>-2</sup>	<1
S <sup>-2</sup>	<0.01		

Balances are calibrated regularly with weight sets traceable to NIST #32856, #32867 and others. This CRM is guaranteed stable and accurate to ±5% of certified concentration for a period of three months from the date of certification. This includes uncertainty components associated with measurements, homogeneity by the most precise method, and short-term and long-term stability. For these solutions, we use high purity reagents, 18 megohm double deionized water, and triple rinsed bottles. All glassware used is Class A. This guarantee is valid only when the material is unopened and stored under laboratory conditions.

Date of Certification: NOV -- 2017

Certifying Officer: Kather Cull



# Report of Certification

This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001:2008, ISO 17025:2005, and ISO Guide 34:2009 quality system consistent with the following guides:

- ISO 9001: Quality management systems – Requirements – certified by UL-DQS
- ISO 17025: General requirements for the competence of testing and calibration laboratories – accredited by A2LA
- ISO Guide 34: General requirements for the competence of reference material producers – accredited by A2LA
- ISO Guide 31: Reference Materials – Contents of certificates and labels
- ISO Guide 35: Reference Materials – General & Statistical Principals for Certification
- Guide To The Expression Of Uncertainty In Measurement 1997
- EURACHEM/CITAC Guide: Quantifying Uncertainty in Analytical Measurement – Second Edition
- ASTM Guide D6362-98
- NIST Technical Note 1297
- ILAC-G12-2000: Guidelines for the requirements for the competence of reference materials producers
- ISO/REMCO N280

## Material Source:

All analytes and matrix materials are obtained and verified by SPEX CertiPrep from pre-qualified vendors as per ISO 9001:2008, ISO 17025:2005, and ISO Guide 34:2009 guidelines. Vendor identifications are proprietary, however sources of all materials used in the preparation and testing of SPEX CertiPrep CRMs are tracked and documented. For further assistance, please contact the Sales Support Department at [crmsales@spexcsp.com](mailto:crmsales@spexcsp.com).

## Instructions for Use:

Primary usage of this CRM is in neat form or diluted serially with matrix of a purity at or greater than the purity of the original matrix solution. If dilution is required the diluent must be compatible with all certified analytes and contain stabilizers appropriate for the period of intended use. The CRM can also be used as a spike or with a spike, again with appropriate compatibility considerations. All solutions should be thoroughly mixed, by shaking, prior to use and never pipetted directly from the bottle. All surfaces that come in contact with the solution must be thoroughly cleaned and leached prior to use. Dilutions should be performed only with Class A volumetric glassware.

## Method of Preparation:

Clean laboratory procedures and techniques have been used throughout the preparation. All materials, equipment, analytical instrumentation and personnel have been qualified prior to use. The highest purity acids applicable, 18 megohm, double deionized water, acid-leached triple-rinsed bottles (where appropriate), and Class A/calibrated volumetrics have been used in all preparations.

## Homogeneity:

The homogeneity of the CRM has been confirmed by procedures consistent with ISO 17025:2005, ISO Guide 34:2009, and ASTM D6362-98 Appendix X2. Random, replicate samples of the final, packaged material have been analyzed to prove homogeneity in accordance with our internal procedure 4600-HOMOGEN-1A. Since the product is highly homogeneous, any sample size taken for analysis would be within the uncertainty budget. This is consistent with the intended use of the CRM.

## Statistical Estimator and Confidence Limits:

The certified value 'X' listed on the reverse of this document is at the 95% level of confidence and can be expressed as:

- $X = x \pm U$  where  $X$  = certified value,  $U$  = expanded uncertainty,  $x$  = property value
- $U = k u_c$  where  $k = 2$  is the coverage factor at the 95% confidence level
- $u_c$  is obtained by combining the individual element standard uncertainty components  $u_i$ , and  $u_c = \sqrt{\sum u_i^2}$

## Certification Traveler Report:

All certified values reported were derived from the Traveler Report (SPEX CertiPrep's traceability documentation) identified by the lot number of this CRM. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further assistance, please contact the Sales Support Department at [crmsales@spexcsp.com](mailto:crmsales@spexcsp.com).

## Legal Notice:

SPEX CertiPrep reference materials are not for any cosmetic, drug or household application and are to be used only by qualified individuals who are trained in appropriate procedures. No claims against SPEX CertiPrep, LLC of any kind whatsoever, whether based on breach of warranty, alleged negligence, or otherwise, with respect to this Reference Material shall be greater than the purchase price. In no event shall SPEX CertiPrep, LLC be liable for any loss of profits or any incidental, special, or consequential damages.

**SPEX CertiPrep.**<sup>®</sup>

Your Science is Our Passion.™

203 Norcross Ave, Metuchen, NJ 08840  
www.spexcertiprep.com • E-mail: [crmsales@spexcsp.com](mailto:crmsales@spexcsp.com)  
Phone: 1-800-LAB-SPEX • Fax: 732-603-9647



# **GENERAL CHEMISTRY**

COVER PAGE  
GENERAL CHEMISTRY

Lab Name: TestAmerica Denver Job Number: 280-104483-2

SDG No.: \_\_\_\_\_

Project: Ravenna, OH

Client Sample ID  
EBGmw-125-120617-GW

Lab Sample ID  
280-104483-14

Comments:

\_\_\_\_\_



1B-IN  
 INORGANIC ANALYSIS DATA SHEET  
 GENERAL CHEMISTRY

Client Sample ID: EBGmw-125-120617-GW

Lab Sample ID: 280-104483-14

Lab Name: TestAmerica Denver

Job No.: 280-104483-2

SDG ID.: \_\_\_\_\_

Matrix: Water

Date Sampled: 12/06/2017 12:35

Reporting Basis: WET

Date Received: 12/08/2017 09:45

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	Cyanide, Free	5.4	10	2.0	ug/L	J		1	SM 4500 CN I

2-IN  
CALIBRATION QUALITY CONTROL  
GENERAL CHEMISTRY

Lab Name: TestAmerica Denver Job No.: 280-104483-2

SDG No.: \_\_\_\_\_

Analyst: ALS Batch Start Date: 12/13/2017

Reporting Units: mg/L Analytical Batch No.: 398637

Sample Number	QC Type	Time	Analyte	Result	Spike Amount	(%) Recovery	Limits	Qual	Reagent
14	ICV	16:11	Cyanide, Free	0.100	0.100	100	90-110		CN ICV Daily_01097
15	ICB	16:13	Cyanide, Free	ND					
29	CCV	16:34	Cyanide, Free	0.201	0.200	101	90-110		CN CAL 1 ppm_01330
30	CCB	16:36	Cyanide, Free	ND					
44	CCV	16:57	Cyanide, Free	0.206	0.200	103	90-110		CN CAL 1 ppm_01330
45	CCB	16:58	Cyanide, Free	ND					

Note! Calculations are performed before rounding to avoid round-off errors in calculated results.

3-IN  
METHOD BLANK  
GENERAL CHEMISTRY

Lab Name: TestAmerica Denver

Job No.: 280-104483-2

SDG No.: \_\_\_\_\_

Method	Lab Sample ID	Analyte	Result	Qual	Units	RL	Dil
Batch ID: 398637		Date: 12/13/2017 16:20	Prep Batch: 398462		Date: 12/12/2017 16:51		
SM 4500 CN MB	280-398462/4-A	Cyanide, Free	ND		ug/L	10	1
I							

5-IN  
 MATRIX SPIKE SAMPLE RECOVERY  
 GENERAL CHEMISTRY

Lab Name: TestAmerica Denver Job No.: 280-104483-2

SDG No.: \_\_\_\_\_

Matrix: Water

Method	Lab Sample ID	Analyte	Result	C	Unit	Spike Amount	Pct. Rec.	Limits	RPD	RPD Limit	Q
Batch ID: 398637 Date: 12/13/2017 16:49			Prep Batch: 398462			Date: 12/12/2017 16:51					
SM 4500	280-104483-14	Cyanide, Free	5.4	J	ug/L						
CN I											
SM 4500	280-104483-14	Cyanide, Free	106		ug/L	100	101	75-120			
CN I	MS										

Calculations are performed before rounding to avoid round-off errors in calculated results.

5-IN  
 MATRIX SPIKE DUPLICATE SAMPLE RECOVERY  
 GENERAL CHEMISTRY

Lab Name: TestAmerica Denver Job No.: 280-104483-2  
 SDG No.: \_\_\_\_\_  
 Matrix: Water

Method	Lab Sample ID	Analyte	Result	C	Unit	Spike Amount	Pct. Rec.	Limits	RPD	RPD Limit	Q
Batch ID: 398637		Date: 12/13/2017 16:51		Prep Batch: 398462		Date: 12/12/2017 16:51					
SM 4500	280-104483-14	Cyanide, Free	103		ug/L	100	98	75-120	3	20	
CN I	MSD										

Calculations are performed before rounding to avoid round-off errors in calculated results.

7A-IN  
 LAB CONTROL SAMPLE  
 GENERAL CHEMISTRY

Lab Name: TestAmerica Denver Job No.: 280-104483-2  
 SDG No.: \_\_\_\_\_  
 Matrix: Water

Method	Lab Sample ID	Analyte	Result	C	Unit	Spike Amount	Pct. Rec.	Limits	RPD	RPD Limit	Q
Batch ID: 398637 Date: 12/13/2017 16:19			Prep Batch: 398462 Date: 12/12/2017 16:51			LCS Source: CN ICV Int_00462					
SM 4500	LCS	Cyanide, Free	97.2		ug/L	100	97	75-120			
CN I	280-398462/3-										
	A										

Calculations are performed before rounding to avoid round-off errors in calculated results.

7A-IN  
 LOW LEVEL CONTROL SAMPLE  
 GENERAL CHEMISTRY

Lab Name: TestAmerica Denver Job No.: 280-104483-2  
 SDG No.: \_\_\_\_\_  
 Matrix: Water

Method	Lab Sample ID	Analyte	Result	C	Unit	Spike Amount	Pct. Rec.	Limits	RPD	RPD Limit	Q
Batch ID: 398637 Date: 12/13/2017 16:17			Prep Batch: 398462 Date: 12/12/2017 16:51			LCS Source: CN 10ppm_00279					
SM 4500	LLCS	Cyanide, Free	101		ug/L	100	101	75-120			
CN I	280-398462/2-										
	A										

Calculations are performed before rounding to avoid round-off errors in calculated results.

7A-IN  
HIGH LEVEL CONTROL SAMPLE  
GENERAL CHEMISTRY

Lab Name: TestAmerica Denver Job No.: 280-104483-2  
SDG No.: \_\_\_\_\_  
Matrix: Water

Method	Lab Sample ID	Analyte	Result	C	Unit	Spike Amount	Pct. Rec.	Limits	RPD	RPD Limit	Q
Batch ID: 398637 Date: 12/13/2017 16:16			Prep Batch: 398462 Date: 12/12/2017 16:51			LCS Source: CN 10ppm_00279					
SM 4500	HLCS	Cyanide, Free	362		ug/L	350	103	75-120			
CN I	280-398462/1-										
	A										

Calculations are performed before rounding to avoid round-off errors in calculated results.



9-IN  
DETECTION LIMITS  
GENERAL CHEMISTRY

Lab Name: TestAmerica Denver

Job Number: 280-104483-2

SDG Number: \_\_\_\_\_

Matrix: Water

Instrument ID: WC\_Alp 1

Method: SM 4500 CN I

MDL Date: 10/11/2010 11:56

Prep Method: SM 4500 CN I

Analyte	Wavelength/ Mass	RL (mg/L)	MDL (mg/L)
Cyanide, Free		0.01	0.002

9-IN  
CALIBRATION BLANK DETECTION LIMITS  
GENERAL CHEMISTRY

Lab Name: TestAmerica Denver Job Number: 280-104483-2  
SDG Number: \_\_\_\_\_  
Matrix: Water Instrument ID: WC\_Alph 1  
Method: SM 4500 CN I XMDL Date: 10/11/2010 11:56

Analyte	Wavelength/ Mass	XRL (mg/L)	XMDL (mg/L)
Cyanide, Free		0.01	0.002

12-IN  
PREPARATION LOG  
GENERAL CHEMISTRY

Lab Name: TestAmerica Denver

Job No.: 280-104483-2

SDG No.: \_\_\_\_\_

Prep Method: SM 4500 CN I

Lab Sample ID	Preparation Date	Prep Batch	Initial Weight	Initial Volume (mL)	Final Volume (mL)
HLCS 280-398462/1-A	12/12/2017 16:51	398462		50	50
LLCS 280-398462/2-A	12/12/2017 16:51	398462		50	50
LCS 280-398462/3-A	12/12/2017 16:51	398462		50	50
MB 280-398462/4-A	12/12/2017 16:51	398462		50	50
280-104483-14	12/12/2017 16:51	398462		50	50
280-104483-14 MS	12/12/2017 16:51	398462		50	50
280-104483-14 MSD	12/12/2017 16:51	398462		50	50

13-IN  
ANALYSIS RUN LOG  
GENERAL CHEMISTRY

Lab Name: TestAmerica Denver

Job No.: 280-104483-2

SDG No.: \_\_\_\_\_

Instrument ID: WC\_Alp 1

Analysis Method: SM 4500 CN I

Start Date: 12/13/2017 15:52

End Date: 12/13/2017 18:49

Lab Sample Id	D/F	Type	Time	CNFre	Analytes																											
ZZZZZZ			15:52																													
ZZZZZZ			15:53																													
ZZZZZZ			15:55																													
ZZZZZZ			15:56																													
IC 280-398637/5			15:58	X																												
IC 280-398637/6			15:59	X																												
IC 280-398637/7			16:01	X																												
IC 280-398637/8			16:02	X																												
IC 280-398637/9			16:04	X																												
IC 280-398637/10			16:05	X																												
IC 280-398637/11			16:07	X																												
ZZZZZZ			16:08																													
ZZZZZZ			16:10																													
ICV 280-398637/14	1		16:11	X																												
ICB 280-398637/15	1		16:13	X																												
ZZZZZZ			16:14																													
HLCS 280-398462/1-A	1	T	16:16	X																												
LLCS 280-398462/2-A	1	T	16:17	X																												
LCS 280-398462/3-A	1	T	16:19	X																												
MB 280-398462/4-A	1	T	16:20	X																												
ZZZZZZ			16:22																													
ZZZZZZ			16:24																													
ZZZZZZ			16:25																													
ZZZZZZ			16:27																													
ZZZZZZ			16:28																													
ZZZZZZ			16:30																													
ZZZZZZ			16:31																													
ZZZZZZ			16:33																													
CCV 280-398637/29	1		16:34	X																												
CCB 280-398637/30	1		16:36	X																												
ZZZZZZ			16:37																													
ZZZZZZ			16:39																													
ZZZZZZ			16:40																													
ZZZZZZ			16:42																													
ZZZZZZ			16:43																													
ZZZZZZ			16:45																													
ZZZZZZ			16:46																													
280-104483-14	1	T	16:48	X																												

13-IN  
ANALYSIS RUN LOG  
GENERAL CHEMISTRY

Lab Name: TestAmerica Denver Job No.: 280-104483-2

SDG No.: \_\_\_\_\_

Instrument ID: WC\_Alp 1 Analysis Method: SM 4500 CN I

Start Date: 12/13/2017 15:52 End Date: 12/13/2017 18:49

Lab Sample Id	D/F	T y p e	Time	C N F r e e	Analytes																			
280-104483-14 MS	1	T	16:49	X																				
280-104483-14 MSD	1	T	16:51	X																				
ZZZZZZ			16:52																					
ZZZZZZ			16:54																					
ZZZZZZ			16:55																					
CCV 280-398637/44	1		16:57	X																				
CCB 280-398637/45	1		16:58	X																				
ZZZZZZ			17:00																					
ZZZZZZ			17:01																					
ZZZZZZ			17:03																					
ZZZZZZ			17:04																					
ZZZZZZ			17:06																					
ZZZZZZ			17:07																					
ZZZZZZ			17:09																					
ZZZZZZ			17:10																					
ZZZZZZ			17:12																					
ZZZZZZ			17:13																					
ZZZZZZ			17:15																					
ZZZZZZ			17:16																					
ZZZZZZ			17:18																					
CCV 280-398637/59			17:19																					
CCB 280-398637/60			17:21																					
ZZZZZZ			17:22																					
ZZZZZZ			17:24																					
ZZZZZZ			17:25																					
ZZZZZZ			17:27																					
ZZZZZZ			17:28																					
ZZZZZZ			17:30																					
ZZZZZZ			17:31																					
ZZZZZZ			17:33																					
ZZZZZZ			17:34																					
ZZZZZZ			17:36																					
ZZZZZZ			17:37																					
ZZZZZZ			17:39																					
ZZZZZZ			17:40																					
CCV 280-398637/74			17:42																					
CCB 280-398637/75			17:43																					
ZZZZZZ			17:45																					

13-IN  
ANALYSIS RUN LOG  
GENERAL CHEMISTRY

Lab Name: TestAmerica Denver Job No.: 280-104483-2

SDG No.: \_\_\_\_\_

Instrument ID: WC\_Alp 1 Analysis Method: SM 4500 CN I

Start Date: 12/13/2017 15:52 End Date: 12/13/2017 18:49

Lab Sample Id	D/F	Type	Time	Analytes																			
				C	N	F	r	e															
ZZZZZZ			17:46																				
ZZZZZZ			17:48																				
ZZZZZZ			17:49																				
ZZZZZZ			17:51																				
ZZZZZZ			17:52																				
ZZZZZZ			17:54																				
ZZZZZZ			17:55																				
ZZZZZZ			17:57																				
ZZZZZZ			17:58																				
ZZZZZZ			18:00																				
ZZZZZZ			18:01																				
ZZZZZZ			18:03																				
CCV 280-398637/89			18:04																				
CCB 280-398637/90			18:06																				
ZZZZZZ			18:07																				
ZZZZZZ			18:09																				
ZZZZZZ			18:10																				
ZZZZZZ			18:12																				
ZZZZZZ			18:13																				
ZZZZZZ			18:15																				
ZZZZZZ			18:16																				
ZZZZZZ			18:18																				
ZZZZZZ			18:19																				
ZZZZZZ			18:21																				
ZZZZZZ			18:22																				
ZZZZZZ			18:24																				
ZZZZZZ			18:31																				
CCV 280-398637/104			18:33																				
CCB 280-398637/105			18:34																				
ZZZZZZ			18:36																				
ZZZZZZ			18:37																				
ZZZZZZ			18:39																				
ZZZZZZ			18:40																				
ZZZZZZ			18:42																				
ZZZZZZ			18:43																				
ZZZZZZ			18:45																				
CCV 280-398637/113			18:46																				
CCB 280-398637/114			18:48																				

13-IN  
 ANALYSIS RUN LOG  
 GENERAL CHEMISTRY

Lab Name: TestAmerica Denver Job No.: 280-104483-2  
 SDG No.: \_\_\_\_\_  
 Instrument ID: WC\_Alp 1 Analysis Method: SM 4500 CN I  
 Start Date: 12/13/2017 15:52 End Date: 12/13/2017 18:49

Lab Sample Id	D/F	Type	Time	Analytes																							
				C	N	F	r	e																			
ZZZZZZ			18:49																								

Prep Types: \_\_\_\_\_  
 T = Total/NA

GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: TestAmerica Denver Job No.: 280-104483-2

SDG No.: \_\_\_\_\_

Batch Number: 398462 Batch Start Date: 12/12/17 17:55 Batch Analyst: Schroder, Aaron L

Batch Method: SM 4500 CN I Batch End Date: 12/12/17 22:05

Lab Sample ID	Client Sample ID	Method Chain	Basis	InitialAmount	FinalAmount	DistillpHCheck	SulfideCheck	ChlorineCheck	DigestBlockPos
HLCS 280-398462/1		SM 4500 CN I, SM 4500 CN I		50 mL	50 mL				1
LLCS 280-398462/2		SM 4500 CN I, SM 4500 CN I		50 mL	50 mL				2
LCS 280-398462/3		SM 4500 CN I, SM 4500 CN I		50 mL	50 mL				3
MB 280-398462/4		SM 4500 CN I, SM 4500 CN I		50 mL	50 mL				4
280-104483-B-14	EBGmw-125-120617 -GW	SM 4500 CN I, SM 4500 CN I	T	50 mL	50 mL	>12	N	N	17
280-104483-B-14 MS	EBGmw-125-120617 -GW	SM 4500 CN I, SM 4500 CN I	T	50 mL	50 mL	>12	N	N	18
280-104483-B-14 MSD	EBGmw-125-120617 -GW	SM 4500 CN I, SM 4500 CN I	T	50 mL	50 mL	>12	N	N	19

Lab Sample ID	Client Sample ID	Method Chain	Basis	CN 10ppm 00279	CN ICV Int 00462				
HLCS 280-398462/1		SM 4500 CN I, SM 4500 CN I		1.75 mL					
LLCS 280-398462/2		SM 4500 CN I, SM 4500 CN I		0.5 mL					
LCS 280-398462/3		SM 4500 CN I, SM 4500 CN I			0.5 mL				
MB 280-398462/4		SM 4500 CN I, SM 4500 CN I							
280-104483-B-14	EBGmw-125-120617 -GW	SM 4500 CN I, SM 4500 CN I	T						
280-104483-B-14 MS	EBGmw-125-120617 -GW	SM 4500 CN I, SM 4500 CN I	T		0.5 mL				

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

SM 4500 CN I



GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: TestAmerica Denver Job No.: 280-104483-2

SDG No.: \_\_\_\_\_

Batch Number: 398462 Batch Start Date: 12/12/17 17:55 Batch Analyst: Schroder, Aaron L

Batch Method: SM 4500 CN I Batch End Date: 12/12/17 22:05

Lab Sample ID	Client Sample ID	Method Chain	Basis	CN 10ppm 00279	CN ICV Int 00462				
280-104483-B-14 MSD	EBGmw-125-120617 -GW	SM 4500 CN I, SM 4500 CN I	T		0.5 mL				

Batch Notes	
Acetate Buffer ID	Acetate Buffer_00001
Methyl Red Indicator ID	METHYL RED_00014
Sodium Hydroxide ID	2% NaOH_00308
Pipette ID	T1000, 5000XX
WAD Releasing Agent ID	10% Acetic_00018
Zinc Acetate Buffer ID	ZINC BUFFER_00015

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: TestAmerica Denver Job No.: 280-104483-2

SDG No.: \_\_\_\_\_

Batch Number: 398637 Batch Start Date: 12/13/17 15:52 Batch Analyst: Schroder, Aaron L

Batch Method: SM 4500 CN I Batch End Date: \_\_\_\_\_

Lab Sample ID	Client Sample ID	Method Chain	Basis	InitialAmount	FinalAmount	CN CAL 1 ppm 01330	CN ICV Daily 01097		
ICV 280-398637/14		SM 4500 CN I		50 mL	50 mL		50 mL		
ICB 280-398637/15		SM 4500 CN I		50 mL	50 mL				
HLCS 280-398462/1-A		SM 4500 CN I		50 mL	50 mL				
LLCS 280-398462/2-A		SM 4500 CN I		50 mL	50 mL				
LCS 280-398462/3-A		SM 4500 CN I		50 mL	50 mL				
MB 280-398462/4-A		SM 4500 CN I		50 mL	50 mL				
CCV 280-398637/29		SM 4500 CN I		50 mL	50 mL	10 mL			
CCB 280-398637/30		SM 4500 CN I		50 mL	50 mL				
280-104483-B-14 -A	EBGmw-125-120617 -GW	SM 4500 CN I	T	50 mL	50 mL				
280-104483-B-14 -B MS	EBGmw-125-120617 -GW	SM 4500 CN I	T	50 mL	50 mL				
280-104483-B-14 -C MSD	EBGmw-125-120617 -GW	SM 4500 CN I	T	50 mL	50 mL				
CCV 280-398637/44		SM 4500 CN I		50 mL	50 mL	10 mL			
CCB 280-398637/45		SM 4500 CN I		50 mL	50 mL				

Batch Notes	
Buffer Reagent ID Number	CN Buffer_00104
Chloramine-T ID	CN Chlor-T_00886
NaOH Lot #	1% NaOH_00307
Pipette ID	T1000, 5000XX
Pyridine-Barbituric Acid ID	CN Pyr/Barb_00180

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

Run Results Report

Facility Name  
 Facility Location  
 Department  
 Operator Name ALS  
 Operator ID ALS  
 Platform FS III/IV/3100  
 Software Rev Code 222  
 Data system ID 57

Result path C:\FLOW\_4\C121317.RST  
 Sample table path C:\FLOW\_4\c121317.tbl  
 Method path C:\FLOW\_4\cyanide.mth  
 Date acquired 13-Dec-17  
 Time acquired 18:53

|----- Cyanide, Total -----|

Date	Time	Cup	Name	Response	Calc [ppb]	Flags
13-Dec-17	15:52	107	Sync	293698	392.022	
13-Dec-17	15:53	0	Carryover	262	-1.102	LO
13-Dec-17	15:55	0	Carryover	150	-1.252	LO
13-Dec-17	15:56	0	Baseline	0	-1.453	BL
13-Dec-17	15:58	101	CAL 0.00 ppb	381	-0.942	LO
13-Dec-17	15:59	102	CAL 10.0 ppb	7792	8.986	
13-Dec-17	16:01	103	CAL 20.0 ppb	15347	19.108	
13-Dec-17	16:02	104	CAL 50.0 ppb	39238	51.115	
13-Dec-17	16:04	105	CAL 100 ppb	76285	100.748	
13-Dec-17	16:05	106	Cal 200 ppb	152221	202.482	
13-Dec-17	16:07	107	Cal 400 ppb	298535	398.502	
13-Dec-17	16:08	0	BLK	-87	-1.569	LO
13-Dec-17	16:10	0	Baseline	0	-1.453	BL
13-Dec-17	16:11	108	ICV 100 ppb	76058	100.444	
13-Dec-17	16:13	0	ICB	-8	-1.464	LO
13-Dec-17	16:14	0	Baseline	0	-1.453	BL
13-Dec-17	16:16	113	hlcs 280-398462/1-a	271147	361.811	
13-Dec-17	16:17	114	llcs 280-398462/2-a	76300	100.769	
13-Dec-17	16:19	115	lcs 280-398462/3-a	73633	97.195	
13-Dec-17	16:20	116	mb 280-398462/4-a	647	-0.585	LO
13-Dec-17	16:22	117	280-104058-g-1-a	1087	0.004	
13-Dec-17	16:24	118	280-104058-g-1-b ms	73680	97.258	
13-Dec-17	16:25	119	280-104058-g-1-c msd	72986	96.328	
13-Dec-17	16:27	120	280-104058-g-2-a	1177	0.125	
13-Dec-17	16:28	121	280-104243-l-1-a	3107	2.709	
13-Dec-17	16:30	122	280-104244-h-1-a	1545	0.617	
13-Dec-17	16:31	0	BLK	48	-1.389	LO
13-Dec-17	16:33	0	baseline	0	-1.453	BL
13-Dec-17	16:34	109	CCV 200PPB	151480	201.489	
13-Dec-17	16:36	0	CCB	18	-1.429	LO
13-Dec-17	16:37	0	Baseline	0	-1.453	BL
13-Dec-17	16:39	123	280-104281-b-7-b	4457	4.519	
13-Dec-17	16:40	124	280-104281-b-12-b	2450	1.830	
13-Dec-17	16:42	125	280-104281-b-15-b	4075	4.007	
13-Dec-17	16:43	126	280-104384-b-5-a	4290	4.295	
13-Dec-17	16:45	127	280-104384-g-8-a	4783	4.955	
13-Dec-17	16:46	128	280-104433-a-2-a	3938	3.823	
13-Dec-17	16:48	129	280-104483-b-14-a	5134	5.425	
13-Dec-17	16:49	130	280-104483-b-14-b ms	80438	106.313	
13-Dec-17	16:51	131	280-104483-b-14-c ms	78225	103.347	
13-Dec-17	16:52	132	280-104552-b-8-a	8116	9.420	
13-Dec-17	16:54	0	BLK	53	-1.381	LO
13-Dec-17	16:55	0	baseline	0	-1.453	BL
13-Dec-17	16:57	109	CCV 200PPB	154847	206.001	
13-Dec-17	16:58	0	CCB	-102	-1.590	LO
13-Dec-17	17:00	0	Baseline	0	-1.453	BL

Result path C:\FLOW\_4\C121317.RST  
 Sample table path C:\FLOW\_4\c121317.tbl  
 Method path C:\FLOW\_4\cyanide.mth  
 Date acquired 13-Dec-17  
 Time acquired 18:53

|----- Cyanide, Total -----|

Date	Time	Cup	Name	Response	Calc [ppb]	Flags
13-Dec-17	17:01	133	400-146814-a-1-a	4655	4.783	
13-Dec-17	17:03	134	400-146814-a-2-a	9276	10.975	
13-Dec-17	17:04	135	hlcs 280-398463/1-a	265167	353.798	
13-Dec-17	17:06	136	llcs 280-398463/2-a	74346	98.151	
13-Dec-17	17:07	137	lcs 280-398463/3-a	75596	99.825	
13-Dec-17	17:09	138	mb 280-398463/4-a	1175	0.122	
13-Dec-17	17:10	139	280-104282-b-1-a	18859	23.813	
13-Dec-17	17:12	140	280-104282-b-1-b ms	53786	70.606	
13-Dec-17	17:13	141	280-104282-b-1-c msd	45307	59.246	
13-Dec-17	17:15	142	280-104295-i-1-a	1144	0.080	
13-Dec-17	17:16	0	BLK	-3	-1.456	LO
13-Dec-17	17:18	0	baseline	0	-1.453	BL
13-Dec-17	17:19	109	CCV 200PPB	159717	212.524	
13-Dec-17	17:21	0	CCB	-17	-1.475	LO
13-Dec-17	17:22	0	Baseline	0	-1.453	BL
13-Dec-17	17:24	143	280-104295-h-2-a	3428	3.140	
13-Dec-17	17:25	144	280-104297-i-1-a	4158	4.118	
13-Dec-17	17:27	145	280-104307-b-1-a	3706	3.512	
13-Dec-17	17:28	146	280-104307-b-2-a	2684	2.143	
13-Dec-17	17:30	147	280-104307-b-3-a	3404	3.107	
13-Dec-17	17:31	148	280-104316-p-1-a	2127	1.396	
13-Dec-17	17:33	149	280-104316-p-2-a	2728	2.202	
13-Dec-17	17:34	150	280-104320-o-3-a	4133	4.084	
13-Dec-17	17:36	151	280-104320-al-9-a	2580	2.003	
13-Dec-17	17:37	152	280-104320-al-9-b ms	83120	109.905	
13-Dec-17	17:39	0	BLK	107	-1.309	LO
13-Dec-17	17:40	0	baseline	0	-1.453	BL
13-Dec-17	17:42	109	CCV 200PPB	162245	215.911	
13-Dec-17	17:43	0	CCB	-35	-1.500	LO
13-Dec-17	17:45	0	Baseline	0	-1.453	BL
13-Dec-17	17:46	153	280-104320-al-9-c ms	86950	115.037	
13-Dec-17	17:48	154	280-104320-o-6-a	1848	1.024	
13-Dec-17	17:49	155	280-104320-o-7-a	2493	1.887	
13-Dec-17	17:51	156	280-104320-o-8-a	1641	0.746	
13-Dec-17	17:52	157	280-104320-a-19-a	3047	2.629	
13-Dec-17	17:54	158	280-104320-f-20-a	1314	0.308	
13-Dec-17	17:55	159	280-104320-l-21-a	5625	6.084	
13-Dec-17	17:57	160	280-104320-a-26-a	4787	4.961	
13-Dec-17	17:58	201	280-104324-m-1-a	4690	4.831	
13-Dec-17	18:00	202	280-104366-d-5-a	784	-0.402	LO
13-Dec-17	18:01	0	BLK	-15	-1.473	LO
13-Dec-17	18:03	0	baseline	0	-1.453	BL
13-Dec-17	18:04	109	CCV 200PPB	165637	220.456	
13-Dec-17	18:06	0	CCB	-34	-1.498	LO
13-Dec-17	18:07	0	Baseline	0	-1.453	BL
13-Dec-17	18:09	203	xhlcs 280-398485/1-a	291946	389.675	
13-Dec-17	18:10	204	llcs 280-398485/2-a	82264	108.758	
13-Dec-17	18:12	205	lcs 280-398485/3-a	83523	110.446	
13-Dec-17	18:13	206	mb 280-398485/4-a	2900	2.433	
13-Dec-17	18:15	207	280-104331-a-1-a	1164	0.106	
13-Dec-17	18:16	208	280-104331-a-1-b ms	24897	31.903	
13-Dec-17	18:18	209	280-104331-a-1-c msd	29581	38.177	
13-Dec-17	18:19	210	280-104338-a-1-a	1332	0.331	
13-Dec-17	18:21	211	280-104338-a-2-a	332666	444.229	HI
13-Dec-17	18:22	212	280-104425-i-1-a	6320	7.014	FL
13-Dec-17	18:24	0	BLK	18	-1.428	LO
13-Dec-17	18:31	0	baseline	0	-1.453	BL

Result path C:\FLOW\_4\C121317.RST  
 Sample table path C:\FLOW\_4\c121317.tbl  
 Method path C:\FLOW\_4\cyanide.mth  
 Date acquired 13-Dec-17  
 Time acquired 18:53

|----- Cyanide, Total -----|

Date	Time	Cup	Name	Response	Calc [ppb]	Flags
13-Dec-17	18:33	109	CCV 200PPB	165256	219.945	
13-Dec-17	18:34	0	CCB	-60	-1.533	LO
13-Dec-17	18:36	0	Baseline	0	-1.453	BL
13-Dec-17	18:37	203	hlcs 280-398485/1-a	289214	386.015	
13-Dec-17	18:39	205	lcs 280-398485/3-a	80653	106.600	
13-Dec-17	18:40	213	280-104338-a-2-a	162745	433.162	
13-Dec-17	18:42	214	280-104425-i-1-a	6216	6.875	
13-Dec-17	18:43	0	BLK	50	-1.385	LO
13-Dec-17	18:45	0	baseline	0	-1.453	BL
13-Dec-17	18:46	109	CCV 200PPB	165349	220.070	
13-Dec-17	18:48	0	CCB	-46	-1.515	LO
13-Dec-17	18:49	0	Baseline	0	-1.453	BL

Peak Table:Cyanide, Total

File name: C:\FLOW\_4\C121317.RST

Date: 13-Dec-17

Operator: ALS

Peak	Cup	Name	R	Type	Dil	Wt	Height	Calc. (ppb)	Flags
1	107	Sync	1	SYNC		1	293698	392.022003	
2	0	Carryover	1	CO		1	262	-1.101530	LO
3	0	Carryover	2	CO		1	150	-1.252310	LO
B	0	Baseline	1	RB		1	0	-1.452854	BL
5	101	CAL 0.00 ppb	1	C		1	381	-0.942087	LO
6	102	CAL 10.0 ppb	1	C		1	7792	8.986279	
7	103	CAL 20.0 ppb	1	C		1	15347	19.108154	
8	104	CAL 50.0 ppb	1	C		1	39238	51.115257	
9	105	CAL 100 ppb	1	C		1	76285	100.747734	
10	106	Cal 200 ppb	1	C		1	152221	202.482193	
11	107	Cal 400 ppb	1	C		1	298535	398.502472	
12	0	BLK	1	BLNK		1	-87	-1.569268	LO
B	0	Baseline	1	RB		1	0	-1.452854	BL
14	108	ICV 100 ppb	1	CCV		1	76058	100.443893	
15	0	ICB	1	U		1	-8	-1.463646	LO
B	0	Baseline	1	RB		1	0	-1.452854	BL
17	113	hlcs 280-398462/1-a	1	U		1	271147	361.811005	
18	114	llcs 280-398462/2-a	1	U		1	76300	100.768654	
19	115	lcs 280-398462/3-a	1	U		1	73633	97.194946	
20	116	mb 280-398462/4-a	1	U		1	647	-0.585455	LO
21	117	280-104058-g-1-a	1	U		1	1087	0.003924	
22	118	280-104058-g-1-b	ms	1	U	1	73680	97.258156	
23	119	280-104058-g-1-c	msd	1	U	1	72986	96.328362	
24	120	280-104058-g-2-a	1	U		1	1177	0.124620	
25	121	280-104243-l-1-a	1	U		1	3107	2.709233	
26	122	280-104244-h-1-a	1	U		1	1545	0.617384	
27	0	BLK	1	BLNK		1	48	-1.389042	LO
B	0	baseline	1	RB		1	0	-1.452854	BL
29	109	CCV 200PPB	1	CCV		1	151480	201.489334	
30	0	CCB	1	U		1	18	-1.429177	LO
B	0	Baseline	1	RB		1	0	-1.452854	BL
32	123	280-104281-b-7-b	1	U		1	4457	4.518932	
33	124	280-104281-b-12-b	1	U		1	2450	1.829968	
34	125	280-104281-b-15-b	1	U		1	4075	4.007151	
35	126	280-104384-b-5-a	1	U		1	4290	4.294894	
36	127	280-104384-g-8-a	1	U		1	4783	4.954997	
37	128	280-104433-a-2-a	1	U		1	3938	3.822639	
38	129	280-104483-b-14-a	1	U		1	5134	5.424736	
39	130	280-104483-b-14-b	ms	1	U	1	80438	106.312630	
40	131	280-104483-b-14-c	ms	1	U	1	78225	103.346756	
41	132	280-104552-b-8-a	1	U		1	8116	9.419929	
42	0	BLK	1	BLNK		1	53	-1.381405	LO
B	0	baseline	1	RB		1	0	-1.452854	BL
44	109	CCV 200PPB	1	CCV		1	154847	206.000641	
45	0	CCB	1	U		1	-102	-1.590131	LO
B	0	Baseline	1	RB		1	0	-1.452854	BL
47	133	400-146814-a-1-a	1	U		1	4655	4.782978	
48	134	400-146814-a-2-a	1	U		1	9276	10.974651	
49	135	hlcs 280-398463/1-a	1	U		1	265167	353.798279	
50	136	llcs 280-398463/2-a	1	U		1	74346	98.150963	
51	137	lcs 280-398463/3-a	1	U		1	75596	99.824722	
52	138	mb 280-398463/4-a	1	U		1	1175	0.121938	
53	139	280-104282-b-1-a	1	U		1	18859	23.813353	
54	140	280-104282-b-1-b	ms	1	U	1	53786	70.605629	
55	141	280-104282-b-1-c	msd	1	U	1	45307	59.245922	
56	142	280-104295-i-1-a	1	U		1	1144	0.080033	
57	0	BLK	1	BLNK		1	-3	-1.456266	LO
B	0	baseline	1	RB		1	0	-1.452854	BL
59	109	CCV 200PPB	1	CCV		1	159717	212.524200	
60	0	CCB	1	U		1	-17	-1.474994	LO
B	0	Baseline	1	RB		1	0	-1.452854	BL
62	143	280-104295-h-2-a	1	U		1	3428	3.139970	
63	144	280-104297-i-1-a	1	U		1	4158	4.117950	
64	145	280-104307-b-1-a	1	U		1	3706	3.512194	
65	146	280-104307-b-2-a	1	U		1	2684	2.142712	
66	147	280-104307-b-3-a	1	U		1	3404	3.107463	
67	148	280-104316-p-1-a	1	U		1	2127	1.396341	
68	149	280-104316-p-2-a	1	U		1	2728	2.201901	
69	150	280-104320-o-3-a	1	U		1	4133	4.084065	
70	151	280-104320-al-9-a	1	U		1	2580	2.002989	

Peak	Cup	Name	R	Type	Dil	Wt	Height	Calc. (ppb)	Flags
71	152	280-104320-al-9-b	ms	1	U	1	1	83120	109.905022
72	0	BLK	1	BLNK		1	1	107	-1.309241 LO
B	0	baseline	1	RB		1	1	0	-1.452854 BL
74	109	CCV 200PPB	1	CCV		1	1	162245	215.911423
75	0	CCB	1	U		1	1	-35	-1.500205 LO
B	0	Baseline	1	RB		1	1	0	-1.452854 BL
77	153	280-104320-al-9-c	ms	1	U	1	1	86950	115.036774
78	154	280-104320-o-6-a	1	U		1	1	1848	1.023572
79	155	280-104320-o-7-a	1	U		1	1	2493	1.886860
80	156	280-104320-o-8-a	1	U		1	1	1641	0.745671
81	157	280-104320-a-19-a	1	U		1	1	3047	2.629393
82	158	280-104320-f-20-a	1	U		1	1	1314	0.308078
83	159	280-104320-l-21-a	1	U		1	1	5625	6.083523
84	160	280-104320-a-26-a	1	U		1	1	4787	4.960611
85	201	280-104324-m-1-a	1	U		1	1	4690	4.831056
86	202	280-104366-d-5-a	1	U		1	1	784	-0.401972 LO
87	0	BLK	1	BLNK		1	1	-15	-1.473148 LO
B	0	baseline	1	RB		1	1	0	-1.452854 BL
89	109	CCV 200PPB	1	CCV		1	1	165637	220.455765
90	0	CCB	1	U		1	1	-34	-1.498357 LO
B	0	Baseline	1	RB		1	1	0	-1.452854 BL
92	203	xhlcs 280-398485/1-a	1	U		1	1	291946	389.675385
93	204	llcs 280-398485/2-a	1	U		1	1	82264	108.757889
94	205	lcs 280-398485/3-a	1	U		1	1	83523	110.445717
95	206	mb 280-398485/4-a	1	U		1	1	2900	2.433013
96	207	280-104331-a-1-a	1	U		1	1	1164	0.106242
97	208	280-104331-a-1-b	ms	1	U	1	1	24897	31.902979
98	209	280-104331-a-1-c	msd	1	U	1	1	29581	38.177288
99	210	280-104338-a-1-a	1	U		1	1	1332	0.331136
100	211	280-104338-a-2-a	1	U		1	1	332666	444.229248 HI
101	212	280-104425-i-1-a	1	U		1	1	6320	7.013941 FL
102	0	BLK	1	BLNK		1	1	18	-1.428314 LO
B	0	baseline	1	RB		1	1	0	-1.452854 BL
104	109	CCV 200PPB	1	CCV		1	1	165256	219.944977
105	0	CCB	1	U		1	1	-60	-1.532870 LO
B	0	Baseline	1	RB		1	1	0	-1.452854 BL
107	203	hlcs 280-398485/1-a	1	U		1	1	289214	386.015381
108	205	lcs 280-398485/3-a	1	U		1	1	80653	106.599815
109	213	280-104338-a-2-a	1	U		2	1	162745	433.161957
110	214	280-104425-i-1-a	1	U		1	1	6216	6.875383
111	0	BLK	1	BLNK		1	1	50	-1.385374 LO
B	0	baseline	1	RB		1	1	0	-1.452854 BL
113	109	CCV 200PPB	1	CCV		1	1	165349	220.070343
114	0	CCB	1	U		1	1	-46	-1.515111 LO
B	0	Baseline	1	RB		1	1	0	-1.452854 BL

Cyanide, Total:Calibration 1: Peak 5-115

File name: C:\FLOW\_4\C121317.RST

Date: 13-Dec-17

Operator: ALS

* Name	Conc	Height
* CAL 0.00 ppb	0.000000	381.246643
* CAL 10.0 ppb	10.000000	7791.978516
* CAL 20.0 ppb	20.000000	15347.149414
* CAL 50.0 ppb	50.000000	39237.894531
* CAL 100 ppb	100.000000	76284.570312
* Cal 200 ppb	200.000000	152221.218750
* Cal 400 ppb	400.000000	298534.687500

Calib Coef:

y=bx+a

a: (intercept) 1.0844e+03

b: 7.4642e+02


Corr Coef: 0.999949

Carryover: 0.0893%


No Drift Peaks




Cyanide, Total: Calibration 1: Peak 5-115




Channel 1: Cyanide, Total




Channel 1: Cyanide, Total



Channel 1: Cyanide, Total



Channel 1: Cyanide, Total



File name: Operator

Date: 13-Dec-17

Cup	Name	Type	R	Dil	Wt	Vial	Comment
107	Sync	SYNC	1		1	1	
0	Carryover	CO	2		1	1	
0	Baseline	RB	1		1	1	
101	CAL 0.00 ppb	C	1		1	1	
102	CAL 10.0 ppb	C	1		1	1	
103	CAL 20.0 ppb	C	1		1	1	
104	CAL 50.0 ppb	C	1		1	1	
105	CAL 100 ppb	C	1		1	1	
106	Cal 200 ppb	C	1		1	1	
107	Cal 400 ppb	C	1		1	1	
0	BLK	BLNK	1		1	1	
0	Baseline	RB	1		1	1	
108	ICV 100 ppb	CCV	1		1	1	
0	ICB	U	1		1	1	
0	Baseline	RB	1		1	1	
113	hlcs 280-398462/1-a	U		1	1	1	
114	llcs 280-398462/2-a	U		1	1	1	
115	lcs 280-398462/3-a	U	1		1	1	
116	mb 280-398462/4-a	U	1		1	1	
117	280-104058-g-1-a	U	1		1	1	
118	280-104058-g-1-b	ms U		1	1	1	
119	280-104058-g-1-c	msd U		1	1	1	
120	280-104058-g-2-a	U	1		1	1	
121	280-104243-1-1-a	U	1		1	1	
122	280-104244-h-1-a	U	1		1	1	
0	BLK	BLNK	1		1	1	
0	baseline	RB	1		1	1	
109	CCV 200PPB	CCV	1		1	1	
0	CCB	U	1		1	1	
0	Baseline	RB	1		1	1	
123	280-104281-b-7-b	U	1		1	1	
124	280-104281-b-12-b	U	1		1	1	
125	280-104281-b-15-b	U	1		1	1	
126	280-104384-b-5-a	U	1		1	1	
127	280-104384-g-8-a	U	1		1	1	
128	280-104433-a-2-a	U	1		1	1	
129	280-104483-b-14-a	U	1		1	1	
130	280-104483-b-14-b	ms U		1	1	1	
131	280-104483-b-14-c	ms U		1	1	1	
132	280-104552-b-8-a	U	1		1	1	
0	BLK	BLNK	1		1	1	
0	baseline	RB	1		1	1	
109	CCV 200PPB	CCV	1		1	1	
0	CCB	U	1		1	1	
0	Baseline	RB	1		1	1	
133	400-146814-a-1-a	U	1		1	1	
134	400-146814-a-2-a	U	1		1	1	
135	hlcs 280-398463/1-a	U		1	1	1	
136	llcs 280-398463/2-a	U		1	1	1	
137	lcs 280-398463/3-a	U	1		1	1	
138	mb 280-398463/4-a	U	1		1	1	
139	280-104282-b-1-a	U	1		1	1	
140	280-104282-b-1-b	ms U		1	1	1	
141	280-104282-b-1-c	msd U		1	1	1	
142	280-104295-i-1-a	U	1		1	1	
0	BLK	BLNK	1		1	1	
0	baseline	RB	1		1	1	
109	CCV 200PPB	CCV	1		1	1	
0	CCB	U	1		1	1	
0	Baseline	RB	1		1	1	
143	280-104295-h-2-a	U	1		1	1	

12/13/17  
ALS

Buffer\_00104  
Pyr/Barb\_00180  
Chlor-T\_00886  
1% NaOH\_00307

Cup	Name	Type	R	Dil	Wt	Vial	Comment
144	280-104297-i-1-a	U	1		1	1	
145	280-104307-b-1-a	U	1		1	1	
146	280-104307-b-2-a	U	1		1	1	
147	280-104307-b-3-a	U	1		1	1	
148	280-104316-p-1-a	U	1		1	1	
149	280-104316-p-2-a	U	1		1	1	
150	280-104320-o-3-a	U	1		1	1	
151	280-104320-al-9-a	U	1		1	1	
152	280-104320-al-9-b	ms U		1	1	1	
0	BLK	BLNK	1		1	1	
0	baseline	RB	1		1	1	
109	CCV 200PPB	CCV	1		1	1	
0	CCB	U	1		1	1	
0	Baseline	RB	1		1	1	
153	280-104320-al-9-c	ms U		1	1	1	
154	280-104320-o-6-a	U	1		1	1	
155	280-104320-o-7-a	U	1		1	1	
156	280-104320-o-8-a	U	1		1	1	
157	280-104320-a-19-a	U	1		1	1	
158	280-104320-f-20-a	U	1		1	1	
159	280-104320-l-21-a	U	1		1	1	
160	280-104320-a-26-a	U	1		1	1	
201	280-104324-m-1-a	U	1		1	1	
202	280-104366-d-5-a	U	1		1	1	
0	BLK	BLNK	1		1	1	
0	baseline	RB	1		1	1	
109	CCV 200PPB	CCV	1		1	1	
0	CCB	U	1		1	1	
0	Baseline	RB	1		1	1	
203	<del>hlcs 280-398485/1-a</del>	<del>U</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del> <i>1 - out high, re-run to confirm</i>
204	llcs 280-398485/2-a	U	1		1	1	
205	lcs 280-398485/3-a	U	1		1	1	
206	mb 280-398485/4-a	U	1		1	1	
207	280-104331-a-1-a	U	1		1	1	
208	280-104331-a-1-b	ms U		1	1	1	
209	280-104331-a-1-c	msd U		1	1	1	
210	280-104338-a-1-a	U	1		1	1	
211	<del>280-104338-a-2-a</del>	<del>U</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del> <i>over cal, re-run etc</i>
212	<del>280-104425-i-1-a</del>	<del>U</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del> <i>follow up</i>
0	BLK	BLNK	1		1	1	
0	baseline	RB	1		1	1	
109	CCV 200PPB	CCV	1		1	1	
0	CCB	U	1		1	1	
0	Baseline	RB	1		1	1	

203 HLCS 280-398485/1-a  
 205 Lcs 280-398485/3-a  
 213 280-104338-a-2-a  
 214 280-104425-i-1-a

2x

CCV  
 CCB

# Shipping and Receiving Documents



TestAmerica Denver

4955 Yarrow Street  
 Avada, CO 80002  
 Phone (303) 736-0100 Fax (303) 431-7171

Chain of Custody Record

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Client Information  
 Client Contact: Elizabeth Busby  
 Company: Cardno TEC, Inc  
 Address: 1658 Cole Boulevard Suite 190  
 City: Golden  
 State, Zip: CO 80401  
 Phone: 303-273-0231  
 Email: Elizabeth.Busby@cardno-tes.com

Sampler: JTC + DB  
 Phone: 303 394 6689  
 Lab Pk: Mckenzie, Patrick J  
 E-Mail: patrick.mckenzie@testamerica.com

Job #: \_\_\_\_\_  
 Page: \_\_\_\_\_  
 COC No: \_\_\_\_\_

Analysis Requested  
 Date Date Requested: \_\_\_\_\_  
 Tax Requested (day/s): 20 Business Days  
 Field Filtered Sample (Yes or No) \_\_\_\_\_  
 Perform MS/MSD (Yes or No) \_\_\_\_\_

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	PRESERVATION CODE	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)
LLmw-064-120717-GW	12/21/17	08:35	G	W	X	X
TB-120717-GW		1310	G	W	X	X
LLmw-099-120717-GW		1215	G	W	X	X
LLmw-232-120717-GW		1125	G	W	X	X
LLmw-081-120717-GW		1050	G	W	X	X
LLmw-080-120717-GW		1206	G	W	X	X

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	PRESERVATION CODE	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)
LLmw-064-120717-GW	12/21/17	08:35	G	W	X	X
TB-120717-GW		1310	G	W	X	X
LLmw-099-120717-GW		1215	G	W	X	X
LLmw-232-120717-GW		1125	G	W	X	X
LLmw-081-120717-GW		1050	G	W	X	X
LLmw-080-120717-GW		1206	G	W	X	X

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	PRESERVATION CODE	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)
LLmw-064-120717-GW	12/21/17	08:35	G	W	X	X
TB-120717-GW		1310	G	W	X	X
LLmw-099-120717-GW		1215	G	W	X	X
LLmw-232-120717-GW		1125	G	W	X	X
LLmw-081-120717-GW		1050	G	W	X	X
LLmw-080-120717-GW		1206	G	W	X	X

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	PRESERVATION CODE	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)
LLmw-064-120717-GW	12/21/17	08:35	G	W	X	X
TB-120717-GW		1310	G	W	X	X
LLmw-099-120717-GW		1215	G	W	X	X
LLmw-232-120717-GW		1125	G	W	X	X
LLmw-081-120717-GW		1050	G	W	X	X
LLmw-080-120717-GW		1206	G	W	X	X

Possible Hazard Identification  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  Radiological

Deliverable Requested: I, II, III, IV, Other (specify) \_\_\_\_\_

Empty Kit Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_

Relinquished by: Elizabeth Busby Date/Time: 12/21/17 1530 Company: Cardno

Relinquished by: \_\_\_\_\_ Date/Time: 12-7-17 1631 Company: TANC

Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company: \_\_\_\_\_

Custody Seals Intact: \_\_\_\_\_ Custody Seal No: \_\_\_\_\_

Sample Disposal (A fee may be assessed if samples are returned longer than 1 month)  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

Special Instructions/OC Requirements: \_\_\_\_\_

Method of Shipment: \_\_\_\_\_

Received by: \_\_\_\_\_ Date/Time: 12-7-17 1532 Company: TANC

Received by: \_\_\_\_\_ Date/Time: 12/8/17 0945 Company: TAD

49.9, 0.8, 0.09, 0.1, 0.09, 1.8, 2.9, 1.09, 2.1, 1.1, 7.0 C  
 TO.1 IR #8 Transformed by BB 12-18-17



TestAmerica Denver  
 4955 Yarrow Street  
 Arvada, CO 80002  
 Phone (303) 736-0100 Fax (303) 431-7171

Chain of Custody Record



<b>Client Information</b> Company: Elizabeth Busby Address: 1658 Cole Boulevard Suite 190 City: Golden State: ZN CO 80401 Phone: 303-273-0231 Email: Elizabeth.Busby@cardno-gs.com Project Name: Ravenna, OH - Facility Wide Site:		Lab P#M: McEnleeb, Patrick J E-Mail: patrick.mcenleeb@testamericainc.com Phone: 303-941-6689		Center Tracking No(s): Job #:		COC No: Page: Job #:			
Due Date Requested: TAT Requested (days): 20 Business Days PO #: 91979 WO #: 076003.009.007 Project #: 28014271 SSOW#:		Sample Date: 12/17/17 Sample Time: 12:15 Matrix: (Wet, Spill, On-surface, etc.) Sample Type (C=Comp, G=Grab): G Preservation Code: W		Analysis Requested 8260B - VOCs 8270D - VOCs List 1 (Nitromatics, Phthalates, Phenols) 8270D - SVOCs List 4 (Phthalates) 8270D - SIM - PAHs (LV) 8082A - PCBs 8308B - Explosives / Propellants 8081B - Pesticides (LV) 9012B - Total Cyanide 8010C/8020A/7470A - Total Metals 7196A - Hexavalent Chromium (SHORT HOLD - 24 HR) 2320B - Alkalinity 9056A - Anions (Chloride and Sulfate) 8330 - Nitroguanidine 353 Z - Nitrocellulose 6660 - Perchlorate Total Number of containers:		Preservation Codes: M - Hexane N - NaOH O - AsNaO2 P - Na2O4S Q - Nitric Acid R - NaHSO4 S - MeOH G - Amchlor H - Acetic Acid I - Ice J - DI Water K - EDTA L - EDA Other: T - TSP Dodecylhydrate U - Acetone V - MCA W - pH 4.5 Z - other (specify)		Special Instructions/Note: 7196A Hexavalent Chromium = 24 HR HOLD TIME	
Sample Identification: LL100-D89-12047-GW		Field Filtered Sample (Yes or No): Perform MS/MSD (Yes or No):		Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify)		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For <input type="checkbox"/> Months			
Relinquished by: Elizabeth Busby Date/Time: 12/17/17 1530 Company: Cardno		Relinquished by: [Signature] Date/Time: 12/17/17 1631 Company: [Signature]		Relinquished by: [Signature] Date/Time: 12/18/17 0945 Company: [Signature]		Relinquished by: [Signature] Date/Time: 12/17/17 1530 Company: [Signature]			
Relinquished by: [Signature] Date/Time: 12/17/17 1631 Company: [Signature]		Relinquished by: [Signature] Date/Time: 12/17/17 1631 Company: [Signature]		Relinquished by: [Signature] Date/Time: 12/18/17 0945 Company: [Signature]		Relinquished by: [Signature] Date/Time: 12/17/17 1530 Company: [Signature]			
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks:		Method of Shipment:			

TestAmerica Denver

4955 Yarrow Street  
 Arvada, CO 80002  
 Phone (303) 736-0100 Fax (303) 431-7171

Chain of Custody Record

TestAmerica  
 THE LEADER IN ENVIRONMENTAL TESTING

Client Information: Elizabeth Busby, Cardno TEC, Inc. 1658 Cole Boulevard Suite 190 Golden, CO 80401

Sample: DP, 303946089, Lab P/N: McEntee, Patrick J, E-Mail: patrick.mcentee@testamericainc.com, Carrier Tracking No(s):

Company: Cardno TEC, Inc. Address: 1658 Cole Boulevard Suite 190 Golden, CO 80401

City: Golden, State: Zr, CO: 80401, TAT Requested (days): 20 Business Days, Due Date Requested:

Phone: 303-273-0231, PO #: 91979, Email: Elizabeth.Busby@cardno-gs.com, Project #: 28014271, SSO#:

Project Name: Ravenna, OH - Facility Wide, Matrix: (Waste, Soil, Drilling Fluid, etc.)

Sample Identification: LL2mw-272-120717-gw, Sample Date: 2-27-17, Sample Time: 1125, Preservation Code: G, W, Field Filtered Sample (Yes or No):

Perform MS/MSD (Yes or No): 8260B - VOCs, 8270B - SVOCs List 1 (Nitroaromatics, Phthalates, Phenols), 8270D - SVOCs List 4 (Phthalates), 8270D\_SIM - PAHs (LVI), 8082A - PCBs, 8330B - Explosives / Propellants, 8081B - Pesticides (LVI), 9012B - Total Cyanide, 6010C/6020A/7470A - Total Metals, 7196A - Hexavalent Chromium (SHORT HOLD - 24 HR), 2320B - Alkalinity, 9056A - Anions (Chloride and Sulfate), 8330 - Nitroguanidine, 353.2 - Nitrocellulose, 6860 - Perchlorate

Total Number of containers: 3 coolers - 1 coc, Special Instructions/Note: 7196A Hexavalent Chromium = 24 HR HOLD TIME

Preservation Codes: A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NH4SO4, F - MeOH, G - Amidol, H - Acetic Acid, I - Ice, J - DI Water, K - EDTA, L - EDA, M - Heane, N - None, O - Ashloz, P - Na2OxS, Q - NH2SO3, R - NH2SO3, S - H2SO4, T - TSP Dodecylhydrate, U - Acetone, V - MeOH, W - pH 4.5, Z - other (specify)

Sample ID	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Preservation Code	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Analysis Requested
LL2mw-272-120717-gw	2-27-17	1125	G	W	X	X	8260B - VOCs, 8270B - SVOCs List 1 (Nitroaromatics, Phthalates, Phenols), 8270D - SVOCs List 4 (Phthalates), 8270D_SIM - PAHs (LVI), 8082A - PCBs, 8330B - Explosives / Propellants, 8081B - Pesticides (LVI), 9012B - Total Cyanide, 6010C/6020A/7470A - Total Metals, 7196A - Hexavalent Chromium (SHORT HOLD - 24 HR), 2320B - Alkalinity, 9056A - Anions (Chloride and Sulfate), 8330 - Nitroguanidine, 353.2 - Nitrocellulose, 6860 - Perchlorate

Possible Hazard Identification: Non-Hazard, Flammable, Skin Irritant, Poison B, Unknown, Radiological

Deliverable Requested: I, II, III, IV, Other (Specify): Sample Disposal (A fee may be assessed if samples are retained longer than 1 month): Return To Client, Disposal By Lab, Archive For, Months

Empty Kit Relinquished by: Date: Time: Method of Shipment:

Relinquished by: Date/Time: Company: Received by: Received by: Date/Time: Company:

Relinquished by: Date/Time: Company: Received by: Received by: Date/Time: Company:

Custody Seal Intact: A Yes, A No, Custody Seal No.: Cooler Temperature(s) °C and Other Remarks:

TestAmerica Denver  
 4955 Yarrow Street  
 Aurora, CO 80002  
 Phone (303) 736-0100 Fax (303) 431-7171

Chain of Custody Record

TestAmerica  
 THE LEADER IN ENVIRONMENTAL TESTING

Client Information  
 Client Contact: Elizabeth Busby  
 Company: Cardno TEC, Inc  
 Address: 1658 Cole Boulevard Suite 190  
 City: Golden  
 State, Zip: CO 80401  
 Phone: 303-273-0231  
 Email: Elizabeth.Busby@cardno-gs.com  
 Project Name: Ravena, OH - Load Line 2  
 SOW#:

Sampler: GP + 01  
 Phone: 303 941 6889  
 E-Mail: patrick.mcentee@testamericainc.com

Lab Pk: McEntee, Patrick J  
 E-Mail: patrick.mcentee@testamericainc.com

Carrier Tracking No(s):

Job #:

Page: 1 of 1

COC No: 1532  
 Date: 12/17/17

Due Date Requested: TAT Requested (days): 20 Business Days  
 Analysis Requested

Field Filtered Sample (Yes or No)  A  
 Perform MS/MSD (Yes or No)  A

8260B - VOCs  N  
 8270D - SVOCs List 1 (Nitroaromatics, Phthalates, Phenols)  N  
 8270D - SVOCs List 4 (Phthalates)  N  
 8270D\_SIM - PAHs (LVI)  N  
 8082A - PCBs  N  
 8330B - Explosives / Propellants  N  
 8081B - Pesticides (LVI)  N  
 9012B - Total Cyanide  B  
 6010C/6020A/7470A - Total Metals  D  
 7196A - Hexavalent Chromium (SHORT HOLD - 24 HR)  N  
 8330 - Nitroguanidine  N  
 353.2 - Nitrocellulose  N  
 6860 - Perchlorate  N

Total Number of containers: 1  
 7196A Hexavalent Chromium = 24 HR HOLD TIME

Special Instructions/Note:

Preservation Codes:  
 A - HCL  
 B - NaOH  
 C - Zn Acetate  
 D - Nitric Acid  
 E - Nitric Acid  
 F - MeOH  
 G - Acetic Acid  
 H - Acetic Acid  
 I - Ice  
 J - DI Water  
 K - EDTA  
 L - EDA  
 M - Hexane  
 N - None  
 O - Amino Acid  
 P - Na2SO4  
 Q - Na2SO4  
 R - Na2S2O3  
 S - H2SO4  
 T - TSP Dithionitehydrate  
 U - Acetone  
 V - MCAA  
 W - pH 4.5  
 Z - Other (Specify)

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	MATRIX (W=Water, S=Soil, G=Gravel, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Analysis Requested	Total Number of containers	Special Instructions/Note
LRMW-264-120717-GW	12/17/17	1035	G	W	<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A		1	
LRMW-264-D-120717-GW	12/17/17	1035	G	W	<input type="checkbox"/> N	<input type="checkbox"/> N		1	
LRMW-264-120717-GW	12/17/17	1310	G	W	<input type="checkbox"/> N	<input type="checkbox"/> N		1	

Possible Hazard Identification  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  Radiological

Deliverable Requested: I, II, III, IV, Other (Specify)

Empty Kit Relinquished by: J.R. G... Date: 12/17/17 1530  
 Relinquished by: Elizabeth Busby Date/Time: 12/17/17 1631  
 Relinquished by: Date/Time: Company: Cardno

Custody Seal Intact:  Yes  No  
 Custody Seal No.:

Reviewed by: Elizabeth Busby Date/Time: 12/17/17 0945  
 Reviewed by: Date/Time: Company: THS

Cooler Temperature(s) °C and Other Remarks:



**TestAmerica Denver**  
 4955 Yarrow Street  
 Avada, CO 80002  
 Phone (303) 736-0100 Fax (303) 431-7171

**Chain of Custody Record**

**TestAmerica**  
 THE LEADER IN ENVIRONMENTAL TESTING

<b>Client Information</b>		Client Contact: Elizabeth Busby	Company: Cardno TEC, Inc	Address: 1658 Cole Boulevard Suite 190	City: Golden	State, Zip: CO 80401	Phone: 303-273-0231	PO #: 91979	W/O #: 076003.009.007	Project Name: Ravenna OH - Background	Project #: 28014271	Site: SSCW#	Sampler: DB+ JC	Lab PM: Midence, Patrick J	Carrier Tracking No(s):	COC No:	Page:	Job #:																																										
<b>Analysis Requested</b>													Job #:		COC No:		Page:																																											
Due Date Requested:													TAT Requested (days): 20 Business Days		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		8260B - VOCs		8270D - SVOCs List 1 (Nitroaromatics, Phthalates, Phenols)		8270D - SIM - PAHs (LVI)		8082A - PCBs		8330B - Explosives / Propellants		8081B - Pesticides (LVI)		9012B - Total Cyanide		6010C/6020A/7470A - Total Metals		7196A - Hexavalent Chromium (SHORT HOLD - 24HR)		2320B - Alkalinity		9056A - Anions (Chloride and Sulfate)		8330 - Nitroguanidine		353.2 - Nitrocellulose		6860 - Perchlorate		8270D - SVOCs list 4		Total Number of containers		Special Instructions/Note: 7196A Hexavalent Chromium = 24 HR HOLD TIME									
Sample Identification													Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Preservation Code		MATRIX (Wet, Swab, Composite, Brine, A/M)		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		8260B - VOCs		8270D - SVOCs List 1 (Nitroaromatics, Phthalates, Phenols)		8270D - SIM - PAHs (LVI)		8082A - PCBs		8330B - Explosives / Propellants		8081B - Pesticides (LVI)		9012B - Total Cyanide		6010C/6020A/7470A - Total Metals		7196A - Hexavalent Chromium (SHORT HOLD - 24HR)		2320B - Alkalinity		9056A - Anions (Chloride and Sulfate)		8330 - Nitroguanidine		353.2 - Nitrocellulose		6860 - Perchlorate		8270D - SVOCs list 4		Total Number of containers		Special Instructions/Note: 7196A Hexavalent Chromium = 24 HR HOLD TIME	
Possible Hazard Identification													Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Preservation Code		MATRIX (Wet, Swab, Composite, Brine, A/M)		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		8260B - VOCs		8270D - SVOCs List 1 (Nitroaromatics, Phthalates, Phenols)		8270D - SIM - PAHs (LVI)		8082A - PCBs		8330B - Explosives / Propellants		8081B - Pesticides (LVI)		9012B - Total Cyanide		6010C/6020A/7470A - Total Metals		7196A - Hexavalent Chromium (SHORT HOLD - 24HR)		2320B - Alkalinity		9056A - Anions (Chloride and Sulfate)		8330 - Nitroguanidine		353.2 - Nitrocellulose		6860 - Perchlorate		8270D - SVOCs list 4		Total Number of containers		Special Instructions/Note: 7196A Hexavalent Chromium = 24 HR HOLD TIME	
Deliverable Requested: I, II, III, IV, Other (specify)													Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Preservation Code		MATRIX (Wet, Swab, Composite, Brine, A/M)		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		8260B - VOCs		8270D - SVOCs List 1 (Nitroaromatics, Phthalates, Phenols)		8270D - SIM - PAHs (LVI)		8082A - PCBs		8330B - Explosives / Propellants		8081B - Pesticides (LVI)		9012B - Total Cyanide		6010C/6020A/7470A - Total Metals		7196A - Hexavalent Chromium (SHORT HOLD - 24HR)		2320B - Alkalinity		9056A - Anions (Chloride and Sulfate)		8330 - Nitroguanidine		353.2 - Nitrocellulose		6860 - Perchlorate		8270D - SVOCs list 4		Total Number of containers		Special Instructions/Note: 7196A Hexavalent Chromium = 24 HR HOLD TIME	
Empty Kit Relinquished by:													Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Preservation Code		MATRIX (Wet, Swab, Composite, Brine, A/M)		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		8260B - VOCs		8270D - SVOCs List 1 (Nitroaromatics, Phthalates, Phenols)		8270D - SIM - PAHs (LVI)		8082A - PCBs		8330B - Explosives / Propellants		8081B - Pesticides (LVI)		9012B - Total Cyanide		6010C/6020A/7470A - Total Metals		7196A - Hexavalent Chromium (SHORT HOLD - 24HR)		2320B - Alkalinity		9056A - Anions (Chloride and Sulfate)		8330 - Nitroguanidine		353.2 - Nitrocellulose		6860 - Perchlorate		8270D - SVOCs list 4		Total Number of containers		Special Instructions/Note: 7196A Hexavalent Chromium = 24 HR HOLD TIME	
Relinquished by:													Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Preservation Code		MATRIX (Wet, Swab, Composite, Brine, A/M)		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		8260B - VOCs		8270D - SVOCs List 1 (Nitroaromatics, Phthalates, Phenols)		8270D - SIM - PAHs (LVI)		8082A - PCBs		8330B - Explosives / Propellants		8081B - Pesticides (LVI)		9012B - Total Cyanide		6010C/6020A/7470A - Total Metals		7196A - Hexavalent Chromium (SHORT HOLD - 24HR)		2320B - Alkalinity		9056A - Anions (Chloride and Sulfate)		8330 - Nitroguanidine		353.2 - Nitrocellulose		6860 - Perchlorate		8270D - SVOCs list 4		Total Number of containers		Special Instructions/Note: 7196A Hexavalent Chromium = 24 HR HOLD TIME	
Relinquished by:													Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Preservation Code		MATRIX (Wet, Swab, Composite, Brine, A/M)		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		8260B - VOCs		8270D - SVOCs List 1 (Nitroaromatics, Phthalates, Phenols)		8270D - SIM - PAHs (LVI)		8082A - PCBs		8330B - Explosives / Propellants		8081B - Pesticides (LVI)		9012B - Total Cyanide		6010C/6020A/7470A - Total Metals		7196A - Hexavalent Chromium (SHORT HOLD - 24HR)		2320B - Alkalinity		9056A - Anions (Chloride and Sulfate)		8330 - Nitroguanidine		353.2 - Nitrocellulose		6860 - Perchlorate		8270D - SVOCs list 4		Total Number of containers		Special Instructions/Note: 7196A Hexavalent Chromium = 24 HR HOLD TIME	
Custody Seats Intact: A Yes A No													Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Preservation Code		MATRIX (Wet, Swab, Composite, Brine, A/M)		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		8260B - VOCs		8270D - SVOCs List 1 (Nitroaromatics, Phthalates, Phenols)		8270D - SIM - PAHs (LVI)		8082A - PCBs		8330B - Explosives / Propellants		8081B - Pesticides (LVI)		9012B - Total Cyanide		6010C/6020A/7470A - Total Metals		7196A - Hexavalent Chromium (SHORT HOLD - 24HR)		2320B - Alkalinity		9056A - Anions (Chloride and Sulfate)		8330 - Nitroguanidine		353.2 - Nitrocellulose		6860 - Perchlorate		8270D - SVOCs list 4		Total Number of containers		Special Instructions/Note: 7196A Hexavalent Chromium = 24 HR HOLD TIME	

TestAmerica Denver  
 4955 Yarrow Street  
 Arvada, CO 80002  
 Phone (303) 736-0100 Fax (303) 431-7171

Chain of Custody Record



**Client Information**  
 Client Contact: Elizabeth Busby  
 Company: Cardno TEC, Inc  
 Address: 1658 Cole Boulevard Suite 190  
 City: Golden  
 State Zip: CO 80041  
 Phone: 303-273-0231  
 Email: Elizabeth.Busby@cardno-qs.com  
 Project Name: Ravenna, OH - Facility Wide  
 Site: SSO/WF

Sampler: DP 4 C  
 Phone: 303 941 6089  
 Lab P#1: McEntee, Patrick J  
 E-Mail: patrick.mcen@testamericainc.com

Carrier Tracking No(s):

GCOC No:  
 Page:  
 Job #:

Analysis Requested

Due Date Requested:	TAT Requested (days):	Sample Identification	Sample Date	Sample Type (C=Comp, G=grab)	Matrix (Special, Smelt, Composites, Bitumen, Ash)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260B - VOCs	8270D - SVOCs List 1 (Nitroaromatics, Phthalates, Phenols)	8270D - SVOCs List 4 (Phthalates)	8270D_SIM - PAHs (LVI)	8082A - PCBs	8330B - Explosives / Propellants	8081B - Pesticides (LVI)	9012B - Total Cyanide	6010C/6020A/7470A - Total Metals	7196A - Hexavalent Chromium (SHORT HOLD - 24 HR)	2320B - Alkalinity	9056A - Anions (Chloride and Sulfate)	8330 - Nitroguanidine	353.2 - Nitrocellulose	6860 - Perchlorate	3056A ANIONS (CHLORIDE & SULFATE)	SM7500-CN-1 FREE CYANIDE	Total Number of containers	Special Instructions/Note:
	20 Business Days	CBP MW-008-120617-gw	12-6-17	G	W	X	X	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N			1	7196A Hexavalent Chromium = 24 HR HOLD TIME
		BKG MW-008-120617-gw	12-6-17	G	W	X	X	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N			1	
		EBF MW-125-120617-gw	12-6-17	G	W	X	X	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N			2	
		EBF MW-131-120617-gw	12-6-17	G	W	X	X	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N			1	
		FWG MW-012-120617-gw	12-6-17	G	W	X	X	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N			1	
		FWG MW-011-120617-gw	12-6-17	G	W	X	X	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N			1	
		FWG MW-010-120617-gw	12-9-17	G	W	X	X	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N			1	

**Possible Hazard Identification**  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  Radiological

Deliverable Requested: I, II, III, IV, Other (Specify)

Empty Kit Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_

Relinquished by: Elizabeth Busby Date: 12/7/17 1530 Company: Cardno

Relinquished by: Patrick Robison Date: 12-7-17 1631 Company: TA-NC

Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_

Custody Seals Intact: \_\_\_\_\_ Custody Seal No.: \_\_\_\_\_

Special Instructions/OC Requirements: \_\_\_\_\_

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

Method of Shipment: \_\_\_\_\_

Received by: Patrick Robison Date: 12-7-17 1532 Company: TA-NC

Received by: \_\_\_\_\_ Date: \_\_\_\_\_ Company: \_\_\_\_\_

Cooler Temperature(s) °C and Other Remarks: \_\_\_\_\_

Relinquished by	Date/Time	Company	Relinquished by	Date/Time	Company
Elizabeth Busby	12/7/17 1530	Cardno	Patrick Robison	12-7-17 1631	TA-NC
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Chain of Custody Record

Client Information

Client Contact:  
Elizabeth Busby

Company:  
Cardno TEC, Inc

Address:  
1658 Cole Boulevard Suite 190

City:  
Golden

State, Zip:  
CO, 80401

Phone:  
303-273-0231

Email:  
Elizabeth.Busby@cardno-gs.com

Project Name:  
Ravenna, OH - Sharon Conglomerate

Site:  
SSON#:

Sampler: *gc + db*

Phone: *Elizabeth Busby*

E-Mail: *patrick.mcintee@testamericainc.com*

Lab PM: *Patrick J*

Mgr/Enter: *Patrick J*

E-Mail: *patrick.mcintee@testamericainc.com*

Carrier Tracking No(s):

COC No:

Page:

Page:

Job #:

Due Date Requested:

TAT Requested (days):  
20 Business days

PO #:

WO #:

TestAmerica Project #:

SSON#:

Analysis Requested

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=soil, A=air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8270D - SVOCs List 4 (Phthalates)	8330B - Explosives / Propellants	8081A - Pesticides (LVI)	6010C/6020A/7470A - Total Metals	7196A - Hexavalent Chromium (SHORT HOLD - 24 HR)	2320B - Alkalinity	9056A - Anions (Chloride and Sulfate)	Total Number of containers
<i>LL100-087D-120617-GW</i>	<i>12.06.17</i>	<i>12:00</i>	<i>G</i>	<i>W</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<i>5</i>
<i>LL100-087D-120617-GW</i>	<i>12.06.17</i>	<i>16:00</i>	<i>G</i>	<i>W</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<i>5</i>

Special Instructions/Note:  
7196A - Hexavalent Chromium = 24 HR HOLD TIME

- Preservation Codes:
- A - HCL
  - B - NaOH
  - C - Zn Acetate
  - D - Nitric Acid
  - E - NaHSO4
  - F - MeOH
  - G - Amnifer
  - H - Acetic Acid
  - I - Ice
  - J - DI Water
  - K - EDTA
  - L - EDA
  - M - Hexane
  - N - None
  - O - AcN/02
  - P - Na2OAS
  - Q - Na2SO3
  - R - Na2S2O3
  - S - H2SO4
  - T - TSP Dodecahydrate
  - U - Acetone
  - V - MCAA
  - W - pH 4-5
  - Z - other (specify)

Possible Hazard Identification

Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  Radiological

Deliverable Requested: I, II, III, IV, Other (specify)

Empty Kit Relinquished by:

Relinquished by:

Relinquished by:

Custody Seals Intact:  Yes  No

Date:

Time:

Method of Shipment:

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

Special Instructions/QC Requirements:

Received by:

Received by:

Received by:

Received by:

Received by:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Company:

Company:

Company:

Company:

Company:

TestAmerica Denver

4955 Yarrow Street  
 Arvada, CO 80002  
 Phone (303) 736-0100 Fax (303) 431-7171

Chain of Custody Record



Client Information: Elizabeth Busby, Cardno TEC, Inc, 1658 Cole Boulevard Suite 190, Golden, CO 80401, Phone: 303-273-0231, Email: Elizabeth.Busby@cardno-qis.com, Project Name: Ravenna, OH - Load Line 1, SSW#:

Sampler: dr + dm, Lab P/N: Mcentee, Patrick J, E-Mail: patrick.mcentee@testamericadn.com, Carrier Tracking No(s):

Company: Cardno TEC, Inc, Address: 1658 Cole Boulevard Suite 190, City: Golden, State, Zip: CO 80401, TAT Requested (days): 20 Business Days, Job #:

PO #: 91979, WO #: 076003.009.007, Project #: 28014271, SSW#: Elizabeth.Busby@cardno-qis.com, Field Filtered Sample (Yes or No): Perform MS/MSD (Yes or No):

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Metal, Semimetal, Inorganic, Aqueous)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Analysis Requested	Preservation Codes:	Special Instructions/Note:
LA2MMU-059-120617-GW	12/06/17	1317	G	W	A	N	8260B - VOCs		
LA3MMU-237-120617-GW	12/06/17	1321	G	W	N	N	8270D - SVOCs List 1 (Nitroaromatics, Phthalates, Phenols)		
LA3MMU-237-120617-GW	12/06/17	1609	G	W	N	N	8270D - SVOCs List 4 (Phthalates)		
					N	N	8270D_SIM - PAHs (LVI)		
					N	N	8082A - PCBs		
					N	N	8330B - Explosives / Propellants		
					N	N	8081B - Pesticides (LVI)		
					N	B	SM4500_CN_I - Free Cyanide		
					N	B	9012B - Total Cyanide		
					N	D	6010C/6020A/7470A - Total Metals		
					N	N	7196A - Hexavalent Chromium (SHORT HOLD - 24 HR)		
					N	N	2320B - Alkalinity		
					N	N	9056A - Anions (Chloride and Sulfate)		
					N	N	9034 - Sulfide		
					N	N	8330 - Nitroguanidine		
					N	N	353.2 - Nitrocellulose		
					N	N	6860 - Perchlorate		
					N	N	Total Number of containers		
					N	N	7196A - Hexavalent Chromium = 24 HR HOLD TIME		

Possible Hazard Identification: Non-hazard, Flammable, Skin Irritant, Poison B, Unknown, Radiological. Sample Disposal (A fee may be assessed if samples are retained longer than 1 month): Return To Client, Disposal By Lab, Archive For, Months.

Deliverable Requested: I, II, III, IV, Other (Specify). Empty Kit Relinquished by: Date: 12/17/17, Time: 1:31. Relinquished by: P. Roberson. Date/Time: 12/17/17, 1:31. Company: TAD.

Custody Seals Intact: A Yes A No. Custody Seal No.: Cooler Temperature(s) °C and Other Remarks:



# Login Sample Receipt Checklist

Client: Cardno TEC, Inc

Job Number: 280-104483-2

**Login Number: 104483**  
**List Number: 1**  
**Creator: Pottruff, Reed W**

**List Source: TestAmerica Denver**

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	False	Refer to Job Narrative for details.
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	