

ANALYTICAL REPORT

Job Number: 240-88785-1

Job Description: Ravenna, OH

For:

Cardno TEC, Inc
2496 Old Ivy Road
Suite 300

Charlottesville, VA 22903

Attention: Mr. Peter Chapman



Approved for release.
Patrick J McEntee
Manager of Project Management
12/4/2017 2:54 PM

Patrick J McEntee, Manager of Project Management
4955 Yarrow Street, Arvada, CO, 80002
(303)736-0107
patrick.mcentee@testamericainc.com
12/04/2017

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Canton 4101 Shuffel Street NW, North Canton, OH 44720

Tel (330) 497-9396 Fax (330) 497-0772 www.testamericainc.com

Table of Contents

Cover Title Page	1
Data Summaries	4
Definitions	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Default Detection Limits	8
QC Sample Results	9
QC Association	10
Chronicle	11
Certification Summary	12
Method Summary	13
Sample Summary	14
Reagent Traceability	15
Inorganic Sample Data	16
General Chemistry Data	16
Gen Chem Cover Page	17
Gen Chem Sample Data	18
Gen Chem QC Data	23
Gen Chem ICV/CCV	23
Gen Chem Blanks	25
Gen Chem LCS/LCSD	26
Gen Chem MDL	27
Gen Chem Analysis Run Log	29
Gen Chem Prep Data	32
Shipping and Receiving Documents	34

Table of Contents

Client Chain of Custody	35
Sample Receipt Checklist	37

Definitions/Glossary

Client: Cardno TEC, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 240-88785-1

Qualifiers

General Chemistry

Qualifier	Qualifier Description
U	Undetected at the Limit of Detection.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

CASE NARRATIVE

Client: Cardno TEC, Inc

Project: Ravenna, OH

Report Number: 240-88785-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 12/2/2017 4:45 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.3° C.

Hexavalent chromium analysis was performed by TestAmerica Canton. TestAmerica Canton is not hold DoD accreditation; therefore, method EPA SW-846 Method 7196A is reported with standard data qualifiers applied.

HEXAVALENT CHROMIUM

Samples FWGmw-024-120217-GW (240-88785-1), FWGmw-017-120217-GW (240-88785-2), FWGmw-021-120217-GW (240-88785-3), FWGmw-020-120217-GW (240-88785-4) and FWGmw-018-120217-GW (240-88785-5) were analyzed for hexavalent chromium in accordance with EPA SW-846 Method 7196A. The samples were analyzed on 12/02/2017.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Cardno TEC, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 240-88785-1

Client Sample ID: FWGmw-024-120217-GW

Lab Sample ID: 240-88785-1

No Detections.

Client Sample ID: FWGmw-017-120217-GW

Lab Sample ID: 240-88785-2

No Detections.

Client Sample ID: FWGmw-021-120217-GW

Lab Sample ID: 240-88785-3

No Detections.

Client Sample ID: FWGmw-020-120217-GW

Lab Sample ID: 240-88785-4

No Detections.

Client Sample ID: FWGmw-018-120217-GW

Lab Sample ID: 240-88785-5

No Detections.

This Detection Summary does not include radiochemical test results.

Client Sample Results

Client: Cardno TEC, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 240-88785-1

Client Sample ID: FWGmw-024-120217-GW

Date Collected: 12/02/17 10:56
Date Received: 12/02/17 16:45

Lab Sample ID: 240-88785-1

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexavalent chromium	10	U	20	3.0	ug/L			12/02/17 16:56	1

Client Sample ID: FWGmw-017-120217-GW

Date Collected: 12/02/17 10:05
Date Received: 12/02/17 16:45

Lab Sample ID: 240-88785-2

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexavalent chromium	10	U	20	3.0	ug/L			12/02/17 16:58	1

Client Sample ID: FWGmw-021-120217-GW

Date Collected: 12/02/17 12:46
Date Received: 12/02/17 16:45

Lab Sample ID: 240-88785-3

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexavalent chromium	10	U	20	3.0	ug/L			12/02/17 17:00	1

Client Sample ID: FWGmw-020-120217-GW

Date Collected: 12/02/17 14:11
Date Received: 12/02/17 16:45

Lab Sample ID: 240-88785-4

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexavalent chromium	10	U	20	3.0	ug/L			12/02/17 17:02	1

Client Sample ID: FWGmw-018-120217-GW

Date Collected: 12/02/17 14:15
Date Received: 12/02/17 16:45

Lab Sample ID: 240-88785-5

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexavalent chromium	10	U	20	3.0	ug/L			12/02/17 17:03	1

Default Detection Limits

Client: Cardno TEC, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 240-88785-1

General Chemistry

Analyte	RL	MDL	Units	Method
Hexavalent chromium	20	3.0	ug/L	7196A

QC Sample Results

Client: Cardno TEC, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 240-88785-1

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 240-305946/3
Matrix: Water
Analysis Batch: 305946

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexavalent chromium	10	U	20	3.0	ug/L			12/02/17 12:22	1

Lab Sample ID: LCS 240-305946/4
Matrix: Water
Analysis Batch: 305946

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Hexavalent chromium	250	272		ug/L		109	80 - 123

QC Association Summary

Client: Cardno TEC, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 240-88785-1

General Chemistry

Analysis Batch: 305946

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-88785-1	FWGmw-024-120217-GW	Total/NA	Water	7196A	
240-88785-2	FWGmw-017-120217-GW	Total/NA	Water	7196A	
240-88785-3	FWGmw-021-120217-GW	Total/NA	Water	7196A	
240-88785-4	FWGmw-020-120217-GW	Total/NA	Water	7196A	
240-88785-5	FWGmw-018-120217-GW	Total/NA	Water	7196A	
MB 240-305946/3	Method Blank	Total/NA	Water	7196A	
LCS 240-305946/4	Lab Control Sample	Total/NA	Water	7196A	

Lab Chronicle

Client: Cardno TEC, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 240-88785-1

Client Sample ID: FWGmw-024-120217-GW

Date Collected: 12/02/17 10:56

Date Received: 12/02/17 16:45

Lab Sample ID: 240-88785-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1	305946	12/02/17 16:56	MMM	TAL CAN

Client Sample ID: FWGmw-017-120217-GW

Date Collected: 12/02/17 10:05

Date Received: 12/02/17 16:45

Lab Sample ID: 240-88785-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1	305946	12/02/17 16:58	MMM	TAL CAN

Client Sample ID: FWGmw-021-120217-GW

Date Collected: 12/02/17 12:46

Date Received: 12/02/17 16:45

Lab Sample ID: 240-88785-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1	305946	12/02/17 17:00	MMM	TAL CAN

Client Sample ID: FWGmw-020-120217-GW

Date Collected: 12/02/17 14:11

Date Received: 12/02/17 16:45

Lab Sample ID: 240-88785-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1	305946	12/02/17 17:02	MMM	TAL CAN

Client Sample ID: FWGmw-018-120217-GW

Date Collected: 12/02/17 14:15

Date Received: 12/02/17 16:45

Lab Sample ID: 240-88785-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1	305946	12/02/17 17:03	MMM	TAL CAN

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: Cardno TEC, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 240-88785-1

Laboratory: TestAmerica Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State Program	9	2927	02-23-18
Connecticut	State Program	1	PH-0590	12-31-17 *
Florida	NELAP	4	E87225	06-30-18
Illinois	NELAP	5	200004	07-31-18
Kansas	NELAP	7	E-10336	01-31-18 *
Kentucky (UST)	State Program	4	58	02-23-18
Kentucky (WW)	State Program	4	98016	12-31-17 *
Minnesota	NELAP	5	039-999-348	12-31-17 *
Minnesota (Petrofund)	State Program	1	3506	07-31-18
Nevada	State Program	9	OH-000482008A	07-31-18
New Jersey	NELAP	2	OH001	06-30-18
New York	NELAP	2	10975	03-31-18
Ohio VAP	State Program	5	CL0024	09-06-19
Oregon	NELAP	10	4062	02-23-18
Pennsylvania	NELAP	3	68-00340	08-31-18
Texas	NELAP	6	T104704517-17-9	08-31-18
USDA	Federal		P330-16-00404	12-28-19
Virginia	NELAP	3	460175	09-14-18
Washington	State Program	10	C971	01-12-18 *
West Virginia DEP	State Program	3	210	12-31-17 *

Laboratory: TestAmerica Denver

The accreditations/certifications listed below are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
A2LA	DoD ELAP		2907.01	10-31-19 *

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: Cardno TEC, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 240-88785-1

Method	Method Description	Protocol	Laboratory
7196A	Chromium, Hexavalent	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Sample Summary

Client: Cardno TEC, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 240-88785-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-88785-1	FWGmw-024-120217-GW	Water	12/02/17 10:56	12/02/17 16:45
240-88785-2	FWGmw-017-120217-GW	Water	12/02/17 10:05	12/02/17 16:45
240-88785-3	FWGmw-021-120217-GW	Water	12/02/17 12:46	12/02/17 16:45
240-88785-4	FWGmw-020-120217-GW	Water	12/02/17 14:11	12/02/17 16:45
240-88785-5	FWGmw-018-120217-GW	Water	12/02/17 14:15	12/02/17 16:45

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Canton Job No.: 240-88785-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
WCCHROME50PM2 00021	03/08/18	09/08/17	DIWATER, Lot 052014	1000 mL	WCKDICHROME62_00003	0.1414 g	Hexavalent chromium	49.9764 mg/L
.WCKDICHROME62_00003	06/06/19		Fisher, Lot 140919		(Purchased Reagent)		Hexavalent chromium	0.35344 g/g
WCCHROME50PPM 00022	03/08/18	09/08/17	DIWATER, Lot 052014	1000 mL	WCKDICHROME62_00004	0.1414 g	Hexavalent chromium	49.9764 mg/L
.WCKDICHROME62_00004	09/07/21		Fisher, Lot 126893		(Purchased Reagent)		Hexavalent chromium	0.35344 g/g

GENERAL CHEMISTRY

COVER PAGE
GENERAL CHEMISTRY

Lab Name: TestAmerica Canton

Job Number: 240-88785-1

SDG No.: _____

Project: Ravenna, OH

Client Sample ID	Lab Sample ID
<u>FWGmw-024-120217-GW</u>	<u>240-88785-1</u>
<u>FWGmw-017-120217-GW</u>	<u>240-88785-2</u>
<u>FWGmw-021-120217-GW</u>	<u>240-88785-3</u>
<u>FWGmw-020-120217-GW</u>	<u>240-88785-4</u>
<u>FWGmw-018-120217-GW</u>	<u>240-88785-5</u>

Comments:

1B-IN
 INORGANIC ANALYSIS DATA SHEET
 GENERAL CHEMISTRY

Client Sample ID: FWGmw-024-120217-GW

Lab Sample ID: 240-88785-1

Lab Name: TestAmerica Canton

Job No.: 240-88785-1

SDG ID.: _____

Matrix: Water

Date Sampled: 12/02/2017 10:56

Reporting Basis: WET

Date Received: 12/02/2017 16:45

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18540-29-9	Hexavalent chromium	10	20	3.0	ug/L	U		1	7196A

1B-IN
 INORGANIC ANALYSIS DATA SHEET
 GENERAL CHEMISTRY

Client Sample ID: FWGmw-017-120217-GW

Lab Sample ID: 240-88785-2

Lab Name: TestAmerica Canton

Job No.: 240-88785-1

SDG ID.: _____

Matrix: Water

Date Sampled: 12/02/2017 10:05

Reporting Basis: WET

Date Received: 12/02/2017 16:45

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18540-29-9	Hexavalent chromium	10	20	3.0	ug/L	U		1	7196A

1B-IN
 INORGANIC ANALYSIS DATA SHEET
 GENERAL CHEMISTRY

Client Sample ID: FWGmw-021-120217-GW

Lab Sample ID: 240-88785-3

Lab Name: TestAmerica Canton

Job No.: 240-88785-1

SDG ID.: _____

Matrix: Water

Date Sampled: 12/02/2017 12:46

Reporting Basis: WET

Date Received: 12/02/2017 16:45

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18540-29-9	Hexavalent chromium	10	20	3.0	ug/L	U		1	7196A

1B-IN
 INORGANIC ANALYSIS DATA SHEET
 GENERAL CHEMISTRY

Client Sample ID: FWGmw-020-120217-GW

Lab Sample ID: 240-88785-4

Lab Name: TestAmerica Canton

Job No.: 240-88785-1

SDG ID.: _____

Matrix: Water

Date Sampled: 12/02/2017 14:11

Reporting Basis: WET

Date Received: 12/02/2017 16:45

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18540-29-9	Hexavalent chromium	10	20	3.0	ug/L	U		1	7196A

1B-IN
 INORGANIC ANALYSIS DATA SHEET
 GENERAL CHEMISTRY

Client Sample ID: FWGmw-018-120217-GW

Lab Sample ID: 240-88785-5

Lab Name: TestAmerica Canton

Job No.: 240-88785-1

SDG ID.: _____

Matrix: Water

Date Sampled: 12/02/2017 14:15

Reporting Basis: WET

Date Received: 12/02/2017 16:45

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18540-29-9	Hexavalent chromium	10	20	3.0	ug/L	U		1	7196A

2-IN
CALIBRATION QUALITY CONTROL
GENERAL CHEMISTRY

Lab Name: TestAmerica Canton Job No.: 240-88785-1
SDG No.: _____
Analyst: BLW Batch Start Date: 11/08/2017
Reporting Units: mg/L Analytical Batch No.: 302588

Sample Number	QC Type	Time	Analyte	Result	Spike Amount	(%) Recovery	Limits	Qual	Reagent
7	ICV	09:37	Hexavalent chromium	0.269	0.250	108	90-110		WCCHROME50PM2_0002 1

Note! Calculations are performed before rounding to avoid round-off errors in calculated results.

2-IN
 CALIBRATION QUALITY CONTROL
 GENERAL CHEMISTRY

Lab Name: TestAmerica Canton Job No.: 240-88785-1
 SDG No.: _____
 Analyst: MMM Batch Start Date: 12/02/2017
 Reporting Units: mg/L Analytical Batch No.: 305946

Sample Number	QC Type	Time	Analyte	Result	Spike Amount	(%) Recovery	Limits	Qual	Reagent
1	CCV	12:14	Hexavalent chromium	0.261	0.250	104	90-110		WCCHROME50PPM_0002 2
2	CCB	12:18	Hexavalent chromium	0.010				U	
9	CCV	12:46	Hexavalent chromium	0.257	0.250	103	90-110		WCCHROME50PPM_0002 2
10	CCB	12:49	Hexavalent chromium	0.010				U	
11	CCV	16:52	Hexavalent chromium	0.234	0.250	93	90-110		WCCHROME50PPM_0002 2
12	CCB	16:54	Hexavalent chromium	0.010				U	
18	CCV	17:05	Hexavalent chromium	0.232	0.250	93	90-110		WCCHROME50PPM_0002 2
19	CCB	17:06	Hexavalent chromium	0.010				U	

Note! Calculations are performed before rounding to avoid round-off errors in calculated results.

3-IN
METHOD BLANK
GENERAL CHEMISTRY

Lab Name: TestAmerica Canton

Job No.: 240-88785-1

SDG No.: _____

Method	Lab Sample ID	Analyte	Result	Qual	Units	RL	Dil
Batch ID: 305946 Date: 12/02/2017 12:22							
7196A	MB 240-305946/3	Hexavalent chromium	10	U	ug/L	20	1

7A-IN
 LAB CONTROL SAMPLE
 GENERAL CHEMISTRY

Lab Name: TestAmerica Canton Job No.: 240-88785-1
 SDG No.: _____
 Matrix: Water

Method	Lab Sample ID	Analyte	Result	C	Unit	Spike Amount	Pct. Rec.	Limits	RPD	RPD Limit	Q
Batch ID: 305946			Date: 12/02/2017 12:27			LCS Source: WCCHROME50PM2_00021					
7196A	LCS 240-305946/4	Hexavalent chromium	272		ug/L	250	109	80-123			

Calculations are performed before rounding to avoid round-off errors in calculated results.

9-IN
DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: TestAmerica Canton Job Number: 240-88785-1
SDG Number: _____
Matrix: Water Instrument ID: OSCAR
Method: 7196A MDL Date: 04/25/2017 11:21

Analyte	Wavelength/ Mass	RL (mg/L)	MDL (mg/L)
Hexavalent chromium		0.02	0.003

9-IN
CALIBRATION BLANK DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: TestAmerica Canton Job Number: 240-88785-1
SDG Number: _____
Matrix: Water Instrument ID: OSCAR
Method: 7196A XMDL Date: 04/25/2017 11:21

Analyte	Wavelength/ Mass	XRL (mg/L)	XMDL (mg/L)
Hexavalent chromium		0.02	0.003

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: TestAmerica Canton Job No.: 240-88785-1

SDG No.: _____

Instrument ID: OSCAR Analysis Method: 7196A

Start Date: 11/08/2017 09:37 End Date: 11/09/2017 09:42

Lab Sample Id	D/F	Type	Time	C r 6	Analytes															
IC 240-302588/1	1		09:37	X																
IC 240-302588/2	1		09:37	X																
IC 240-302588/3	1		09:37	X																
IC 240-302588/4	1		09:37	X																
IC 240-302588/5	1		09:37	X																
IC 240-302588/6	1		09:37	X																
ICV 240-302588/7	1		09:37	X																
ICB 240-302588/8			09:38																	
ZZZZZZ			09:39																	
ZZZZZZ			09:40																	
ZZZZZZ			09:41																	
ZZZZZZ			09:42																	
ZZZZZZ			09:43																	
ZZZZZZ			09:44																	
ZZZZZZ			09:45																	
ZZZZZZ			09:46																	
ZZZZZZ			09:47																	
CCV 240-302588/18			09:48																	
CCB 240-302588/19			09:37																	
ZZZZZZ			09:49																	
ZZZZZZ			09:50																	
ZZZZZZ			09:51																	
ZZZZZZ			09:52																	
ZZZZZZ			09:53																	
ZZZZZZ			09:54																	
ZZZZZZ			09:55																	
ZZZZZZ			09:56																	
ZZZZZZ			09:57																	
CCV 240-302588/29			09:58																	
CCB 240-302588/30			09:59																	
ZZZZZZ			10:00																	
ZZZZZZ			10:01																	
ZZZZZZ			10:02																	
ZZZZZZ			10:03																	
ZZZZZZ			10:04																	
CCV 240-302588/36			10:05																	
CCB 240-302588/37			10:06																	
ZZZZZZ			11:40																	
ZZZZZZ			11:41																	
ZZZZZZ			11:42																	
CCV 240-302588/41			11:43																	

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: TestAmerica Canton Job No.: 240-88785-1

SDG No.: _____

Instrument ID: OSCAR Analysis Method: 7196A

Start Date: 11/08/2017 09:37 End Date: 11/09/2017 09:42

Lab Sample Id	D/F	T y p e	Time	Analytes																																			
				C	r	6																																	
CCB 240-302588/42			11:44																																				
ZZZZZZ			11:45																																				
ZZZZZZ			11:46																																				
ZZZZZZ			11:47																																				
ZZZZZZ			11:48																																				
ZZZZZZ			11:49																																				
CCV 240-302588/48			11:50																																				
CCB 240-302588/49			11:51																																				
ZZZZZZ			11:43																																				

Prep Types: _____
=

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: TestAmerica Canton Job No.: 240-88785-1

SDG No.: _____

Instrument ID: OSCAR Analysis Method: 7196A

Start Date: 12/02/2017 12:14 End Date: 12/02/2017 17:06

Lab Sample Id	D/F	Type	Time	Analytes																											
				C	r	6																									
CCV 240-305946/1	1		12:14	X																											
CCB 240-305946/2	1		12:18	X																											
MB 240-305946/3	1	T	12:22	X																											
LCS 240-305946/4	1	T	12:27	X																											
ZZZZZZ			12:31																												
ZZZZZZ			12:36																												
ZZZZZZ			12:40																												
ZZZZZZ			12:44																												
CCV 240-305946/9	1		12:46	X																											
CCB 240-305946/10	1		12:49	X																											
CCV 240-305946/11	1		16:52	X																											
CCB 240-305946/12	1		16:54	X																											
240-88785-1	1	T	16:56	X																											
240-88785-2	1	T	16:58	X																											
240-88785-3	1	T	17:00	X																											
240-88785-4	1	T	17:02	X																											
240-88785-5	1	T	17:03	X																											
CCV 240-305946/18	1		17:05	X																											
CCB 240-305946/19	1		17:06	X																											

Prep Types: _____
T = Total/NA

GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: TestAmerica Canton Job No.: 240-88785-1

SDG No.: _____

Batch Number: 302588 Batch Start Date: 11/08/17 09:37 Batch Analyst: Woodward, Bruce

Batch Method: 7196A Batch End Date: 11/08/17 12:00

Lab Sample ID	Client Sample ID	Method Chain	Basis	InitialAmount	FinalAmount	UnCorResp	WCCHROME50PM2 00021	WCCHROME50PPM 00022	
IC 240-302588/1		7196A		50 mL	50 mL	0 Absorbance			
IC 240-302588/2		7196A		50 mL	50 mL	0.010 Absorbance		0.005 mL	
IC 240-302588/3		7196A		50 mL	50 mL	0.012 Absorbance		0.01 mL	
IC 240-302588/4		7196A		50 mL	50 mL	0.091 Absorbance		0.1 mL	
IC 240-302588/5		7196A		50 mL	50 mL	0.207 Absorbance		0.25 mL	
IC 240-302588/6		7196A		50 mL	50 mL	0.381 Absorbance		0.5 mL	
ICV 240-302588/7		7196A		50 mL	50 mL	0.212 Absorbance	0.25 mL		

Batch Notes	
Acid Used for pH Adjustment ID	3294428
Spectrophotometer Cell Path Length	1 cm
Color Reagent ID	3325146
Pipette ID	E11, F1

Basis	Basis Description

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: TestAmerica Canton Job No.: 240-88785-1

SDG No.: _____

Batch Number: 305946 Batch Start Date: 12/02/17 12:14 Batch Analyst: Moser, Morgan

Batch Method: 7196A Batch End Date: 12/02/17 17:04

Lab Sample ID	Client Sample ID	Method Chain	Basis	InitialAmount	FinalAmount	ColorBlk	UnCorResp	WCCHROME50PM2 00021	WCCHROME50PPM 00022
CCV 240-305946/1		7196A		50 mL	50 mL		0.206 Absorbance		0.25 mL
CCB 240-305946/2		7196A		50 mL	50 mL		0 Absorbance		
MB 240-305946/3		7196A		50 mL	50 mL		0 Absorbance		
LCS 240-305946/4		7196A		50 mL	50 mL		0.214 Absorbance	0.25 mL	
CCV 240-305946/9		7196A		50 mL	50 mL		0.203 Absorbance		0.25 mL
CCB 240-305946/10		7196A		50 mL	50 mL		0 Absorbance		
CCV 240-305946/11		7196A		50 mL	50 mL		0.185 Absorbance		0.25 mL
CCB 240-305946/12		7196A		50 mL	50 mL		0.001 Absorbance		
240-88785-A-1	FWGmw-024-120217 -GW	7196A	T	50 mL	50 mL	0.005 Absorbance	0.005 Absorbance		
240-88785-A-2	FWGmw-017-120217 -GW	7196A	T	50 mL	50 mL	0 Absorbance	0 Absorbance		
240-88785-A-3	FWGmw-021-120217 -GW	7196A	T	50 mL	50 mL	0.005 Absorbance	0.005 Absorbance		
240-88785-A-4	FWGmw-020-120217 -GW	7196A	T	50 mL	50 mL	0.002 Absorbance	0.002 Absorbance		
240-88785-A-5	FWGmw-018-120217 -GW	7196A	T	50 mL	50 mL	0.001 Absorbance	0.001 Absorbance		
CCV 240-305946/18		7196A		50 mL	50 mL		0.184 Absorbance		0.25 mL
CCB 240-305946/19		7196A		50 mL	50 mL		0.001 Absorbance		

Batch Notes	
Acid Used for pH Adjustment ID	3294428
Spectrophotometer Cell Path Length	1 cm
Color Reagent ID	3364517
Pipette ID	E11

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

Shipping and Receiving Documents

Chain of Custody Record

Hex Chrom

Client Information Client Contact: Ms. Heather Miner Company: Cardno TEC, Inc Address: 1650 Cole Boulevard Suite 190 City: Golden State, Zip: CO, 80401 Phone: 0091979 Email: heather.miner@cardno-gs.com Project Name: TestAmerica Project #: Ravenna, OH 28014271 Site:		Lab FMI: McEntee, Patrick J E-Mail: patrick.mcEntee@testamericainc.com Carrier Tracking No(s): Sample #: 82-busy Phone: 3039416081		COC No: Page: Job #:	
Due Date Requested: TAT Requested (days): PO #: WO #: TestAmerica Project #: SSOW#:		Analysis Requested			
Sample Identification FWGmw-024-120217-gw FWGmw-017-120217-gw FWGmw-021-120217-gw FWGmw-020-120217-gw FWGmw-018-120217-gw		Sample Date 12-2-17 ↓ ↓ ↓ ↓	Sample Time 1056 1005 1246 1411 1415	Sample Type (C=Comp, G=grab) G G G G G	Matrix (W=Water, S=Soil, O=Other, A=Air) W W W W W
Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		Total Number of containers	
X X X X X		X X X X X		X X X X X	
Special Instructions/Note: 24 hour hold.		Special Instructions/Note: 24 hour hold.			
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months					
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify)					
Empty Kit Relinquished by: Relinquished by: [Signature] Relinquished by: Relinquished by:					
Date/Time: 12-2-17 1635 Date/Time: Date/Time:		Date/Time: 12/2/17 1645 Date/Time: Date/Time:		Date/Time: Date/Time: Date/Time:	
Company: Cardno Company:		Company: Jerry Buma Company:		Company: TA Can Company:	
Custody Seal No.: Δ Yes Δ No					




TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility

Login # : 88785

Client Cardno Site Name _____ Cooler unpacked by: Denny Burns
 Cooler Received on 12/2/17 Opened on 12/2/17
 FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ **Storage Location** _____

TestAmerica Cooler # _____ Foam Box Client Cooler Box _____ Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-8 (CF -0.3 °C) Observed Cooler Temp. 3.6 °C Corrected Cooler Temp. 3.3 °C
 IR GUN #36 (CF +0.3°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
 IR GUN # 627 (CF -1.3°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
 -Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
 4. Did custody papers accompany the sample(s)? Yes No
 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 7. Did all bottles arrive in good condition (Unbroken)? Yes No
 8. Could all bottle labels be reconciled with the COC? Yes No
 9. Were correct bottle(s) used for the test(s) indicated? Yes No
 10. Sufficient quantity received to perform indicated analyses? Yes No
 11. Are these work share samples? Yes No
 If yes, Questions 12-16 have been checked at the originating laboratory.
12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC730269
 13. Were VOAs on the COC? Yes No
 14. Were air bubbles >6 mm in any VOA vials?  ← Larger than this. Yes No NA
 15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
 16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

16. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES Samples processed by: _____

17. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

18. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____

Login Sample Receipt Checklist

Client: Cardno TEC, Inc

Job Number: 240-88785-1

Login Number: 88785

List Source: TestAmerica Canton

List Number: 1

Creator: Burns, Terry

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	Preservation labels on samples match COC
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	