





APPENDIX G

2018 FWGWMP IDW Documentation

THIS PAGE INTENTIONALLY LEFT BLANK.

G.1 June 2018 IDW Documentation

**FOR LEAK, FIRE OR MEDICAL EMERGENCY, CALL
INFOTRAC AT 1-800-535-5053 AND REFERENCE
CONTRACT #104631**

BILL OF LADING MATERIAL MANIFEST		1. Generator ID Number OH5210020736	2. Page 1 of 1	3. Emergency Response Phone (800) 535-5053	Document Number 124365	
Generator's Site Address (if different than mailing address) FORMER RAVENNA ARMY AMMUNITION PLANT C/O CAMP RAVENNA 1438 SR 534 SW, NEWTON FALLS, OH 44444 FORMER RAVENNA ARMY AMMUNITION PLANT 8451 STATE RT 5, RAVENNA, OH 44265						
4. Generator's Name and Mailing Address RAVENNA 1438 SR 534 SW, NEWTON FALLS, OH 44444		Generator's Phone (614) 535-6136				
5. Transporter 1 Company Name ENVIROSERVE, DIV. OF SUNPRO		6. US EPA ID Number OH000033336		A. Transporter's Phone (216) 542-1311		
7. Transporter 2 Company Name VALICOR ENVIRONMENTAL SERVICES		8. US EPA ID Number CHR000200386		B. Transporter's Phone (513) 733-4666		
9. Designated Facility Name and Site Address VALICOR (MONROE) 1045 REED ROAD, MONROE, OH 45050		10. US EPA ID Number CHR000200386		C. Facility's Phone (513) 733-4666		
11. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)) HM a. NON HAZARDOUS, NON D.O.T. REGULATED MATERIAL (WATER) VES-LFP-11441				12. Containers No. 4 Type DM	13. Total Quantity 1550 P	14. Unit Wt/Vol
15. Special Handling Instructions and Additional Information ENVSERV POS 004731						
16. GENERATOR CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.						
Printed/Typed Name Kathryn S. Tait		Signature 		Month 07	Day 20	Year 2018
17. Transporter 1 Acknowledgement of Receipt of Materials				Month 07	Day 30	Year 2018
Printed/Typed Name DAVID MEIER		Signature 		Month 07	Day 30	Year 2018
18. Transporter 2 Acknowledgement of Receipt of Materials				Month 07	Day 30	Year 2018
Printed/Typed Name Steven Monroe		Signature 		Month 07	Day 30	Year 2018
19. Discrepancy						
19a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection						
Manifest Reference Number:						
19b. Alternate Facility (or Generator)						
Facility's Phone:						
19c. Signature of Alternate Facility (or Generator)		Signature		Month	Day	Year
20. Facility Owner or Operator: Certification of receipt of materials covered by this manifest except as noted in Item 19a						
Printed/Typed Name Andrew Mark		Signature 		Month 07	Day 30	Year 2018

ORIGINAL - RETURN TO GENERATOR



New
 Requalification

Valicor Internal Use Only
 Isolation: Yes No

NAME OF WASTE STREAM	PROFILE/APPROVAL NUMBER
NON-HAZ IDW GROUNDWATER	VES-WWT-11441

M-town: Water Monroe St. Louis Kansas City AL WV M-town: Oil 7900 Solidification Reuse Stream

GENERATOR SITE INFORMATION

BILLING INFORMATION

Generator Name FORMER RAVENNA ARMY AMMUNITION PLANT C/O CAMP RAVENNA EPA ID# OH5210020736	Billing Name EnviroServe
Contact Person KATIE TAIT - Project Manager	Contact Person Michael Samelak
Site Address 8451 STATE RT 5	Address 4600 Brookpark Road
City RAVENNA	City Cleveland
State OH	State Ohio
Zip 44266	Zip 44134
Phone (614) 336-6136	Phone (216) 642-1311
Fax	Fax (216) 408-6280
Email kathryn.s.tait.nfg@mail.mil	Purchase Order Required <input type="checkbox"/> Yes # <input type="checkbox"/> No
DOT Shipping Name NON HAZARDOUS, NON D.O.T. REGULATED MATERIAL (WATER)	RCRA Hazardous <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> EXEMPT Generating Process: GROUNDWATER SAMPLING

PHYSICAL CHARACTERISTICS

Infectious or Biological Waste: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	NRC Regulated Radioactivity: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Solids	0-5 %
Reactivity: <input checked="" type="checkbox"/> None <input type="checkbox"/> Water <input type="checkbox"/> Shock <input type="checkbox"/> Pyrophoric	<input type="checkbox"/> Cyanides <input type="checkbox"/> Sulfides <input type="checkbox"/> DOT Explosive	<input type="checkbox"/> Sludges	%
<input type="checkbox"/> Gas <input type="checkbox"/> Aerosol <input type="checkbox"/> Lab-Pack <input type="checkbox"/> Other		<input checked="" type="checkbox"/> Free Liquids	95-100 %

ODOR None Mild Strong Describe:

FREQUENCY & SHIPPING DRUM TOTE Bulk
 ONE TIME Weekly Monthly Annually Gallons Totes/Drums 10
 COLOR/APPEARANCE: CLEAR TO BROWN LIQUID

PH N/A 0-2.0 2.1-4 4.1-10 10.1-12.0 >12.5 Exact
 LAYERS Single-Layered Bi-Layered Multi-Layered

VISCOCITY Low Medium High

FLASH POINT (liquid only)
 <73°F 73-140°F 141-200°F > 200°F Exact

CWT CLASSIFICATION (40 CFR PART 437)
 OIL SUBCATEGORY
 • Used Oil • Coolants • Oil Water Mixture • Contaminated Ground Water

METAL SUBCATEGORY
 • Waste acid and bases with or without metals
 • Metal finish rinse waters and sludges
 • Cleaning, rinsing, and surface preparation solutions from electroplating or phosphating operations

ORGANIC SUBCATEGORY
 • Landfill Leachate • contaminated ground water from non-petroleum source
 • Solvent bearing wastes • Off-Spec organic product
 • Wastewater from paint washes, adhesives, and/or epoxies.

ADDITIONAL CHARACTERISTICS

Does waste contain greater than 0ppm Polychlorinated Biphenyl's (PCB)'s Yes No

Is this PCB waste regulated by TSCA? (PCB ≥ 50 ppm or derived from a ≥ 50 ppm source) Yes No

Is this waste derived from drilling or hydraulic fracking Operations relating to the oil & gas industry? Yes No

If yes, is the material considered to be associated with UOG (unconventional Oil and Gas) Extraction wastewaters ie. brine or flowback waters? Yes No

Is waste subject to the National Emission Standards for Benzene Waste Operations? (40 CFR 61 Subpart FF) Yes No

Is Waste regulated as an ozone depleting Substance? (40CFR Part 82) Yes No

Is this waste regulated as a marine pollutant? Yes No

PHYSICAL/CHEMICAL CONSTITUANTS

Attach All MSDS's, sample analysis and other information

CONSTITUENT SUBCATEGORIES

95-100 %
 1-5 %
 %

Oil (> 100ppm)
 Metal (Cd 0.2 ppm), (Cr 8.9ppm), Cu(4.9ppm), (Ni37.5ppm)
 Organic (< 100ppm oil and grease, metals below limits above)

GENERATOR'S CERTIFICATION: I hereby certify that the above and attached description is complete and accurate to the best of my knowledge and ability to determine that no deliberate or willful omission of composition properties exists and that all known or suspected hazards have been disclosed. I certify that the materials tested are representative of all materials described by this profile. Also, I acknowledge that oil containing more than 1,000 ppm total halogens is presumed to be hazardous waste per 40 CFR 279. However, that presumption can be rebutted by applying my knowledge of my halogen content of the used oil in light of the materials or processes used in my operations. To the best of my knowledge and belief, I certify to VALICOR that our used oils are generated from industrial usage and we do not mix hazardous waste with our oil. I understand that every time I and/or another of our employees sign the non-hazardous manifest or bill of lading, we are re-certifying this rebuttal presumption. In addition, to the best of my knowledge and belief, all information on these forms is a complete and accurate representation of our waste stream(s). I will notify VALICOR in ADVANCE of changes in the waste stream(s). I will comply with all local, state, and federal regulations with regards to your waste stream(s).

Customer Signature TAIT.KATHRYN.SERENA.1289508275 Digitally signed by TAIT.KATHRYN.SERENA.1289508275 Date: 2018.07.16 08:41:29 -04'00'

Title Environmental Specialist 2

Date 16 July 2018

Valicor Approval Signature _____

Title _____

Date _____



2496 Old Ivy Road, Suite 300
Charlottesville, VA 22903

July 11, 2018

Ms. Katie Tait
OHARNG Environmental Specialist 2
Camp Ravenna Joint Military Training Center
1438 State Route 534 SW
Newton Falls, OH 44444

Reference **Contract Number: W9133L-14-D-0008**
Delivery Order: 0003

Subject: **Investigation Derived Waste (IDW) Letter Report for June 2018 Sampling Event IDW, RVAAP-66 Facility Wide Groundwater, Ravenna Army Ammunition Plant (RVAAP) Restoration Program, Camp Ravenna Joint Military Training Center, Portage and Trumbull Counties, Ohio**

Dear Ms. Tait:

TEC-Weston Joint Venture (TEC-Weston JV) completed the sampling of monitoring wells in June 2018. All work was performed in accordance with the *Final Remedial Investigation Work Plan for Groundwater and Environmental Investigation Services for RVAAP-66 Facility-Wide Groundwater* (TEC-Weston JV, 2016). These activities resulted in the generation of Investigation Derived Waste (IDW) consisting of recovered waters from well purging and decontamination of sampling equipment. The purpose of this letter report is to characterize and classify the IDW and request approval for off-site disposal at a licensed treatment facility. This letter report follows guidance established by the following:

1. *Final Remedial Investigation Work Plan for Groundwater and Environmental Investigation Services for RVAAP-66 Facility-Wide Groundwater* (RIWP) (TEC-Weston JV, 2016); and
2. *Facility-Wide Sampling and Analysis Plan for Environmental Investigations* (FWSAP) (SAIC, 2011).

The water recovered from sampling operations was containerized in four 55-gallon drums. On June 29, 2018, one composite sample was collected (IDW-062918-W) for IDW characterization parameters: Toxicity Characteristic Leaching Procedure (TCLP) volatile organic compounds (VOCs), TCLP semi-VOCs (SVOCs), TCLP metals, TCLP herbicides, TCLP pesticides, total sulfide, total cyanide, corrosivity (pH), and flashpoint. The sampling event was conducted in accordance with the requirements outlined in Section 7.0 of the RIWP and Section 8.4 of the FWSAP.

Analytical Screening of Results

Upon receipt of the laboratory results, the analytical data were reviewed to determine if the waste was potentially hazardous or nonhazardous.

The data were compared to disposal screening criteria, which are from three sources:

1. Concentration of Contaminants for Toxicity Characteristic (40 Code of Federal Regulations [CFR] 261.24), as listed in Table 8-1 of the FWSAP;
2. Table 8-2 of the FWSAP; and
3. 40 CFR 261.23 – Characteristic of Reactivity.

If analytical results do not exceed disposal criteria then the IDW is classified as “non-hazardous.” If analytical results exceed disposal criteria then the IDW is classified as “hazardous.” All analytical results were below

disposal screening criteria. Attachment 1, Table 1, shows the sample results compared to the disposal screening criteria. The laboratory analytical report is included in Attachment 2.

Conclusions and Recommendation

Based on the observed analytical results, it is recommended the IDW be classified as non-hazardous waste and be disposed of off-site at a licensed water treatment facility.

Upon ARNG/OHARNG approval of this IDW Report and proposed off-site disposal, TEC-Weston JV will proceed with the off-site disposal.

We appreciate the opportunity to work with you. If you have any questions or comments regarding this deliverable, please feel free to contact me by telephone at (512)-651-7108 or email at Brent.Ferry@WestonSolutions.com.

Sincerely,

Brent C. Ferry, PG
Environmental Restoration Project Manager, TEC-Weston Joint Venture
Direct 512-651-7108 Mobile 309-236-9235 Fax 512-651-7101
Address 5301 Southwest Parkway, Suite 450, Austin, Texas 78735
Email Brent.Ferry@WestonSolutions.com Web www.westonsolutions.com

Attachment 1: Investigation Derived Waste Screening Summary Tables

Attachment 2: Laboratory Report

Attachment 1: Investigation Derived Waste Screening Summary Tables

Table 1. Investigation Derived Waste Screening Summary Table

Sample Name	CAS Number	Analyte	Result	Qualifier	FWSAP IDW Disposal Standard	Units	Disposal Standard Source	Result Exceeds Hazardous Criteria?
IDW-062918-W	N/A	Flashpoint	>200		>140	Degrees F	FWSAP (2011) Table 8-2	Non-Hazardous
IDW-062918-W	7440-38-2	Arsenic	ND		5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	7440-39-3	Barium	0.028	J	100	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	7440-47-3	Chromium	ND		5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	7439-92-1	Lead	ND		5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	7782-49-2	Selenium	ND		1	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	7440-22-4	Silver	ND		5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	7439-97-6	Mercury	ND		0.2	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	57-74-9	Chlordane (technical)	ND		0.03	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	72-20-8	Endrin	ND		0.02	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	76-44-8	Heptachlor	ND		0.008	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	1024-57-3	Heptachlor epoxide	ND		0.008	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	58-89-9	gamma-BHC (Lindane)	ND		0.4	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	72-43-5	Methoxychlor	ND		10	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	8001-35-2	Toxaphene	ND		0.5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	94-75-7	2,4-D	ND		10	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	93-72-1	Silvex (2,4,5-TP)	ND		1	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous

Table 1. Investigation Derived Waste Screening Summary Table

Sample Name	CAS Number	Analyte	Result	Qualifier	FWSAP IDW Disposal Standard	Units	Disposal Standard Source	Result Exceeds Hazardous Criteria?
IDW-062918-W	75-35-4	1,1-Dichloroethene	ND		0.7	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	107-06-2	1,2-Dichloroethane	ND		0.5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	78-93-3	2-Butanone (MEK)	ND		200	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	71-43-2	Benzene	ND		0.5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	56-23-5	Carbon tetrachloride	ND		0.5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	108-90-7	Chlorobenzene	ND		100	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	67-66-3	Chloroform	ND		6	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	127-18-4	Tetrachloroethene	ND		0.7	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	79-01-6	Trichloroethene	ND		0.5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	75-01-4	Vinyl chloride	ND		0.2	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	106-46-7	1,4-Dichlorobenzene	ND		7.5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	95-95-4	2,4,5-Trichlorophenol	ND		400	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	88-06-2	2,4,6-Trichlorophenol	ND		2	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	121-14-2	2,4-Dinitrotoluene	ND		0.13	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	95-48-7	2-Methylphenol	ND		200	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	15831-10-4	3 & 4 Methylphenol	ND		200	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	118-74-1	Hexachlorobenzene	ND		0.13	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous

Table 1. Investigation Derived Waste Screening Summary Table								
Sample Name	CAS Number	Analyte	Result	Qualifier	FWSAP IDW Disposal Standard	Units	Disposal Standard Source	Result Exceeds Hazardous Criteria?
IDW-062918-W	87-68-3	Hexachlorobutadiene	ND		0.5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	67-72-1	Hexachloroethane	ND		3	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	98-95-3	Nitrobenzene	ND		2	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	87-86-5	Pentachlorophenol	ND		100	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	110-86-1	Pyridine	ND		5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-062918-W	57-12-5	Cyanide, Total	0.0076	JB	0.01	mg/L	FWSAP (2011) Table 8-2	Non-Hazardous
IDW-062918-W	18496-25-8	Sulfide	ND		3.0	mg/L	FWSAP (2011) Table 8-2	Non-Hazardous
IDW-062918-W	N/A	pH	7.4	HF	2 ≤ pH ≤ 12.5	SU	FWSAP (2011) Table 8-2	Non-Hazardous

Notes:

F – Fahrenheit

mg/L – milligrams per liter

CAS – Chemical Abstract Service Number

CFR – Code of Federal Regulations

Data Qualifier Flags:

B – Compound was found in the blank and sample

HF – Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

J – Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.

ND – Not detected at the reporting limit

FWSAP – Facility-Wide Sampling and Analysis Plan

IDW – Investigation Derived Waste

mg/L = milligrams per liter

N/A – Not applicable or not available

SU – Standard units

W – Water

Attachment 2: Laboratory Report

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Denver

4955 Yarrow Street

Arvada, CO 80002

Tel: (303)736-0100

TestAmerica Job ID: 280-111549-1

Client Project/Site: Ravenna, OH

For:


Cardno GS, Inc

2496 Old Ivy Road

Suite 300

Charlottesville, Virginia 22903

Attn: Mr. Peter Chapman



Authorized for release by:

7/10/2018 3:51:01 PM

Patrick McEntee, Manager of Project Management

(303)736-0107

patrick.mcatee@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions	3
Case Narrative	4
Detection Summary	6
Method Summary	7
Sample Summary	8
Client Sample Results	9
Surrogate Summary	12
QC Sample Results	14
QC Association	21
Chronicle	24
Certification Summary	25
Chain of Custody	26
Receipt Checklists	29

Definitions/Glossary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.

GC Semi VOA

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Job ID: 280-111549-1

Laboratory: TestAmerica Denver

Narrative

CASE NARRATIVE

Client: Cardno GS, Inc

Project: Ravenna, OH

Report Number: 280-111549-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The sample was received on 6/30/2018 9:00 AM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.6° C.

TCLP VOLATILE ORGANIC COMPOUNDS (GC-MS)

Sample IDW-062918-W (280-111549-1) was analyzed for TCLP volatile organic compounds (GC-MS) in accordance with EPA SW-846 Methods 1311/8260B. The samples were leached on 07/05/2018 and analyzed on 07/06/2018.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TCLP SEMIVOLATILE ORGANIC COMPOUNDS (GC-MS)

Sample IDW-062918-W (280-111549-1) was analyzed for TCLP semivolatile organic compounds (GC-MS) in accordance with EPA SW-846 Method 1311/8270D. The samples were leached on 07/05/2018, prepared on 07/06/2018 and analyzed on 07/09/2018.

Pyridine failed the recovery criteria low for LCS 240-334978/8-A. Refer to the QC report for details. The client was notified on July 10, 2018, and instructed the laboratory to report the data and narrate the anomaly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TCLP ORGANOCHLORINE PESTICIDES (GC)

Sample IDW-062918-W (280-111549-1) was analyzed for TCLP Organochlorine Pesticides (GC) in accordance with EPA SW-846 Method 1311/8081B. The samples were leached on 07/05/2018, prepared on 07/06/2018 and analyzed on 07/10/2018.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TCLP CHLORINATED HERBICIDES

Sample IDW-062918-W (280-111549-1) was analyzed for TCLP chlorinated herbicides in accordance with EPA SW-846 Methods 1311/8151A. The samples were leached on 07/05/2018, prepared on 07/06/2018 and analyzed on 07/09/2018.

TestAmerica Denver's practice for the reporting of dual column data in packages requiring forms and/or raw data is to report the surrogates from both columns, and the preferred result for any given target analyte from the analyst selected column. The preferred results for target analytes and surrogates are reported as PRIMARY on the Sample Datasheets. Analytes 2,4-DB/dinoseb co-elute on one

Case Narrative

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Job ID: 280-111549-1 (Continued)

Laboratory: TestAmerica Denver (Continued)

of the columns used for this analysis. As a result, there are no results reported for the %Difference in the concentration on the Form X.

2,4-D and Silvex (2,4,5-TP) failed the recovery criteria high for LCS 240-334985/6-A. Refer to the QC report for details. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TCLP METALS

Sample IDW-062918-W (280-111549-1) was analyzed for TCLP Metals in accordance with EPA SW-846 Method 1311/6010C. The samples were leached on 07/05/2018, prepared on 07/06/2018 and analyzed on 07/09/2018.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TCLP MERCURY

Sample IDW-062918-W (280-111549-1) was analyzed for TCLP mercury in accordance with EPA SW-846 Methods 1311/7470A. The samples were leached on 07/05/2018, prepared on 07/06/2018 and analyzed on 07/10/2018.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

IGNITABILITY

Sample IDW-062918-W (280-111549-1) was analyzed for ignitability in accordance with EPA SW-846 Method 1010. The samples were analyzed on 07/05/2018.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL CYANIDE

Sample IDW-062918-W (280-111549-1) was analyzed for total cyanide in accordance with EPA SW-846 Method 9012B. The samples were prepared and analyzed on 07/09/2018.

Cyanide, Total was detected in method blank MB 240-335328/1-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged. Refer to the QC report for details.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

SULFIDE

Sample IDW-062918-W (280-111549-1) was analyzed for sulfide in accordance with EPA SW-846 9034. The samples were prepared and analyzed on 07/05/2018.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

CORROSIVITY (PH)

Sample IDW-062918-W (280-111549-1) was analyzed for Corrosivity (pH) in accordance with EPA SW-846 9040C. The samples were analyzed on 07/05/2018.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Client Sample ID: IDW-062918-W

Lab Sample ID: 280-111549-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	0.028	J	0.50	0.0013	mg/L	1		6010C	TCLP
Cadmium	0.00049	J	0.050	0.00020	mg/L	1		6010C	TCLP
Flashpoint	>200		1.00	1.00	Degrees F	1		1010A	Total/NA
Cyanide, Total	7.6	J B	10	6.0	ug/L	1		9012B	Total/NA
pH	7.4	HF	0.1	0.1	SU	1		9040C	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Denver

Method Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL CAN
8081B	Organochlorine Pesticides (GC)	SW846	TAL CAN
8151A	Herbicides (GC)	SW846	TAL CAN
6010C	Metals (ICP)	SW846	TAL CAN
7470A	Mercury (CVAA)	SW846	TAL CAN
1010A	Ignitability, Pensky-Martens Closed-Cup Method	SW846	TAL CAN
9012B	Cyanide, Total and/or Amenable	SW846	TAL CAN
9034	Sulfide, Acid soluble and Insoluble (Titrimetric)	SW846	TAL CAN
9040C	pH	SW846	TAL CAN
1311	TCLP Extraction	SW846	TAL CAN
3010A	Preparation, Total Metals	SW846	TAL CAN
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	TAL CAN
3520C	Liquid-Liquid Extraction (Continuous)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN
7470A	Preparation, Mercury	SW846	TAL CAN
8151A	Extraction (Herbicides)	SW846	TAL CAN
9012B	Cyanide, Total and/or Amenable, Distillation	SW846	TAL CAN
9030B	Sulfide, Distillation (Acid Soluble and Insoluble)	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Sample Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
280-111549-1	IDW-062918-W	Water	06/29/18 08:00	06/30/18 09:00

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Client Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8260B - Volatile Organic Compounds (GC/MS) - TCLP

Client Sample ID: IDW-062918-W

Date Collected: 06/29/18 08:00

Date Received: 06/30/18 09:00

Lab Sample ID: 280-111549-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		0.025	0.00019	mg/L			07/06/18 21:50	1
1,2-Dichloroethane	ND		0.025	0.00021	mg/L			07/06/18 21:50	1
2-Butanone (MEK)	ND		0.25	0.0012	mg/L			07/06/18 21:50	1
Benzene	ND		0.025	0.00013	mg/L			07/06/18 21:50	1
Carbon tetrachloride	ND		0.025	0.00026	mg/L			07/06/18 21:50	1
Chlorobenzene	ND		0.025	0.00014	mg/L			07/06/18 21:50	1
Chloroform	ND		0.025	0.00013	mg/L			07/06/18 21:50	1
Tetrachloroethene	ND		0.025	0.00015	mg/L			07/06/18 21:50	1
Trichloroethene	ND		0.025	0.00010	mg/L			07/06/18 21:50	1
Vinyl chloride	ND		0.025	0.00020	mg/L			07/06/18 21:50	1
Surrogate	%Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102			73 - 120				07/06/18 21:50	1
4-Bromofluorobenzene (Surr)	91			76 - 120				07/06/18 21:50	1
Toluene-d8 (Surr)	101			80 - 120				07/06/18 21:50	1
Dibromofluoromethane (Surr)	107			73 - 123				07/06/18 21:50	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) - TCLP

Client Sample ID: IDW-062918-W

Date Collected: 06/29/18 08:00

Date Received: 06/30/18 09:00

Lab Sample ID: 280-111549-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	ND		0.0040	0.00033	mg/L			07/06/18 10:14	07/09/18 17:41
2,4,5-Trichlorophenol	ND		0.0040	0.0020	mg/L			07/06/18 10:14	07/09/18 17:41
2,4,6-Trichlorophenol	ND		0.0040	0.0018	mg/L			07/06/18 10:14	07/09/18 17:41
2,4-Dinitrotoluene	ND		0.0040	0.0021	mg/L			07/06/18 10:14	07/09/18 17:41
2-Methylphenol	ND		0.0040	0.00021	mg/L			07/06/18 10:14	07/09/18 17:41
3 & 4 Methylphenol	ND		0.0040	0.00019	mg/L			07/06/18 10:14	07/09/18 17:41
Hexachlorobenzene	ND		0.00080	0.00016	mg/L			07/06/18 10:14	07/09/18 17:41
Hexachlorobutadiene	ND		0.0040	0.00054	mg/L			07/06/18 10:14	07/09/18 17:41
Hexachloroethane	ND		0.0040	0.00040	mg/L			07/06/18 10:14	07/09/18 17:41
Nitrobenzene	ND		0.0040	0.00051	mg/L			07/06/18 10:14	07/09/18 17:41
Pentachlorophenol	ND		0.016	0.0031	mg/L			07/06/18 10:14	07/09/18 17:41
Pyridine	ND *		0.0040	0.00036	mg/L			07/06/18 10:14	07/09/18 17:41
Surrogate	%Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	87			28 - 120				07/06/18 10:14	07/09/18 17:41
2-Fluorobiphenyl (Surr)	84			38 - 120				07/06/18 10:14	07/09/18 17:41
2-Fluorophenol (Surr)	83			10 - 120				07/06/18 10:14	07/09/18 17:41
Nitrobenzene-d5 (Surr)	86			32 - 120				07/06/18 10:14	07/09/18 17:41
Phenol-d5 (Surr)	77			10 - 120				07/06/18 10:14	07/09/18 17:41
Terphenyl-d14 (Surr)	97			23 - 127				07/06/18 10:14	07/09/18 17:41

TestAmerica Denver

Client Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8081B - Organochlorine Pesticides (GC) - TCLP

Client Sample ID: IDW-062918-W							Lab Sample ID: 280-111549-1			
Date Collected: 06/29/18 08:00							Matrix: Water			
Date Received: 06/30/18 09:00										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chlordane (technical)	ND		0.0050	0.000047	mg/L		07/06/18 10:20	07/10/18 12:28		1
Endrin	ND		0.00050	0.0000025	mg/L		07/06/18 10:20	07/10/18 12:28		1
gamma-BHC (Lindane)	ND		0.00050	0.0000025	mg/L		07/06/18 10:20	07/10/18 12:28		1
Heptachlor	ND		0.00050	0.0000033	mg/L		07/06/18 10:20	07/10/18 12:28		1
Heptachlor epoxide	ND		0.00050	0.0000026	mg/L		07/06/18 10:20	07/10/18 12:28		1
Methoxychlor	ND		0.0010	0.0000047	mg/L		07/06/18 10:20	07/10/18 12:28		1
Toxaphene	ND		0.020	0.000058	mg/L		07/06/18 10:20	07/10/18 12:28		1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
DCB Decachlorobiphenyl	58		21 - 135				07/06/18 10:20	07/10/18 12:28		1
DCB Decachlorobiphenyl	59		21 - 135				07/06/18 10:20	07/10/18 12:28		1
Tetrachloro-m-xylene	61		33 - 123				07/06/18 10:20	07/10/18 12:28		1
Tetrachloro-m-xylene	60		33 - 123				07/06/18 10:20	07/10/18 12:28		1

Method: 8151A - Herbicides (GC) - TCLP

Client Sample ID: IDW-062918-W							Lab Sample ID: 280-111549-1			
Date Collected: 06/29/18 08:00							Matrix: Water			
Date Received: 06/30/18 09:00										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
2,4-D	ND	*	0.0040	0.0022	mg/L		07/06/18 10:42	07/09/18 22:55		1
Silvex (2,4,5-TP)	ND	*	0.0010	0.00043	mg/L		07/06/18 10:42	07/09/18 22:55		1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
2,4-Dichlorophenylacetic acid	106		41 - 130				07/06/18 10:42	07/09/18 22:55		1
2,4-Dichlorophenylacetic acid	112		41 - 130				07/06/18 10:42	07/09/18 22:55		1

Method: 6010C - Metals (ICP) - TCLP

Client Sample ID: IDW-062918-W							Lab Sample ID: 280-111549-1			
Date Collected: 06/29/18 08:00							Matrix: Water			
Date Received: 06/30/18 09:00										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Arsenic	ND		0.050	0.0041	mg/L		07/06/18 14:00	07/09/18 17:32		1
Barium	0.028	J	0.50	0.0013	mg/L		07/06/18 14:00	07/09/18 17:32		1
Cadmium	0.00049	J	0.050	0.00020	mg/L		07/06/18 14:00	07/09/18 17:32		1
Chromium	ND		0.050	0.00063	mg/L		07/06/18 14:00	07/09/18 17:32		1
Lead	ND		0.050	0.0028	mg/L		07/06/18 14:00	07/09/18 17:32		1
Selenium	ND		0.050	0.0060	mg/L		07/06/18 14:00	07/09/18 17:32		1
Silver	ND		0.050	0.00062	mg/L		07/06/18 14:00	07/09/18 17:32		1

Method: 7470A - Mercury (CVAA) - TCLP

Client Sample ID: IDW-062918-W							Lab Sample ID: 280-111549-1			
Date Collected: 06/29/18 08:00							Matrix: Water			
Date Received: 06/30/18 09:00										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Mercury	ND		0.0020	0.00013	mg/L		07/06/18 14:00	07/10/18 09:52		1

TestAmerica Denver

Client Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

General Chemistry

Client Sample ID: IDW-062918-W

Date Collected: 06/29/18 08:00

Date Received: 06/30/18 09:00

Lab Sample ID: 280-111549-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Flashpoint	>200		1.00	1.00	Degrees F		07/05/18 10:00		1
Cyanide, Total	7.6	J B	10	6.0	ug/L		07/09/18 15:10	07/09/18 16:37	1
Sulfide	ND		3000	1400	ug/L		07/05/18 10:33	07/05/18 14:45	1
pH	7.4	HF	0.1	0.1	SU			07/05/18 15:25	1

Surrogate Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (73-120)	BFB (76-120)	TOL (80-120)	DBFM (73-123)
LCS 240-335060/9	Lab Control Sample	106	94	101	111

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (73-120)	BFB (76-120)	TOL (80-120)	DBFM (73-123)
280-111549-1	IDW-062918-W	102	91	101	107
LB 240-334991/1-A MB	Method Blank	105	93	102	111

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-120)	FBP (38-120)	2FP (10-120)	NBZ (32-120)	PHL (10-120)	TPHL (23-127)
LCS 240-334978/8-A	Lab Control Sample	89	88	86	101	74	100
MB 240-334978/7-A	Method Blank	77	84	81	80	71	89

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL = Phenol-d5 (Surr)
TPHL = Terphenyl-d14 (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-120)	FBP (38-120)	2FP (10-120)	NBZ (32-120)	PHL (10-120)	TPHL (23-127)
280-111549-1	IDW-062918-W	87	84	83	86	77	97

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)

TestAmerica Denver

Surrogate Summary

Client: Cardno GS, Inc
 Project/Site: Ravenna, OH
 2FP = 2-Fluorophenol (Surr)
 NBZ = Nitrobenzene-d5 (Surr)
 PHL = Phenol-d5 (Surr)
 TPHL = Terphenyl-d14 (Surr)

TestAmerica Job ID: 280-111549-1

Method: 8081B - Organochlorine Pesticides (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCBP1 (21-135)	DCBP2 (21-135)	TCX1 (33-123)	TCX2 (33-123)
LCS 240-334981/5-A	Lab Control Sample	59	62	54	56
LCS 240-334981/7-A	Lab Control Sample	56	58	56	59
LCS 240-334981/9-A	Lab Control Sample	53	58	55	56
LCSD 240-334981/10-A	Lab Control Sample Dup	54	60	59	59
LCSD 240-334981/6-A	Lab Control Sample Dup	54	56	49	55
LCSD 240-334981/8-A	Lab Control Sample Dup	55	59	52	55
MB 240-334981/4-A	Method Blank	58	61	57	60

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

Method: 8081B - Organochlorine Pesticides (GC)

Matrix: Water

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCBP1 (21-135)	DCBP2 (21-135)	TCX1 (33-123)	TCX2 (33-123)
280-111549-1	IDW-062918-W	58	59	61	60

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

Method: 8151A - Herbicides (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		DCPAA1 (41-130)	DCPAA2 (41-130)
LCS 240-334985/6-A	Lab Control Sample	96	93
MB 240-334985/5-A	Method Blank	101	99

Surrogate Legend

DCPAA = 2,4-Dichlorophenylacetic acid

Method: 8151A - Herbicides (GC)

Matrix: Water

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		DCPAA1 (41-130)	DCPAA2 (41-130)
280-111549-1	IDW-062918-W	106	112

Surrogate Legend

DCPAA = 2,4-Dichlorophenylacetic acid

TestAmerica Denver

QC Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: LCS 240-335060/9

Matrix: Water

Analysis Batch: 335060

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
							Limits
1,1-Dichloroethene	1.00	0.988		mg/L	99	76 - 131	
1,2-Dichloroethane	1.00	0.954		mg/L	95	72 - 125	
2-Butanone (MEK)	2.00	1.80		mg/L	90	55 - 137	
Benzene	1.00	0.957		mg/L	96	80 - 122	
Carbon tetrachloride	1.00	0.907		mg/L	91	69 - 130	
Chlorobenzene	1.00	0.921		mg/L	92	80 - 120	
Chloroform	1.00	1.04		mg/L	104	80 - 122	
Tetrachloroethylene	1.00	0.902		mg/L	90	79 - 120	
Trichloroethylene	1.00	0.891		mg/L	89	80 - 121	
Vinyl chloride	1.00	0.982		mg/L	98	73 - 132	

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	106		73 - 120
4-Bromofluorobenzene (Surr)	94		76 - 120
Toluene-d8 (Surr)	101		80 - 120
Dibromofluoromethane (Surr)	111		73 - 123

Lab Sample ID: LB 240-334991/1-A MB

Matrix: Water

Analysis Batch: 335060

Client Sample ID: Method Blank
Prep Type: TCLP

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		0.025	0.00019	mg/L		07/06/18 18:06		1
1,2-Dichloroethane	ND		0.025	0.00021	mg/L		07/06/18 18:06		1
2-Butanone (MEK)	ND		0.25	0.0012	mg/L		07/06/18 18:06		1
Benzene	ND		0.025	0.00013	mg/L		07/06/18 18:06		1
Carbon tetrachloride	ND		0.025	0.00026	mg/L		07/06/18 18:06		1
Chlorobenzene	ND		0.025	0.00014	mg/L		07/06/18 18:06		1
Chloroform	ND		0.025	0.00013	mg/L		07/06/18 18:06		1
Tetrachloroethylene	ND		0.025	0.00015	mg/L		07/06/18 18:06		1
Trichloroethylene	ND		0.025	0.00010	mg/L		07/06/18 18:06		1
Vinyl chloride	ND		0.025	0.00020	mg/L		07/06/18 18:06		1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		73 - 120		07/06/18 18:06	1
4-Bromofluorobenzene (Surr)	93		76 - 120		07/06/18 18:06	1
Toluene-d8 (Surr)	102		80 - 120		07/06/18 18:06	1
Dibromofluoromethane (Surr)	111		73 - 123		07/06/18 18:06	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-334978/7-A

Matrix: Water

Analysis Batch: 335228

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 334978

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	ND		0.0040	0.00033	mg/L		07/06/18 10:14	07/09/18 12:50	1

TestAmerica Denver

QC Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-334978/7-A

Matrix: Water

Analysis Batch: 335228

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 334978

Analyte	MB		RL	MDL	Unit	D	Prepared		Dil Fac
	Result	Qualifier					Prepared	Analyzed	
2,4,5-Trichlorophenol	ND		0.0040	0.0020	mg/L	07/06/18 10:14	07/09/18 12:50	1	
2,4,6-Trichlorophenol	ND		0.0040	0.0018	mg/L	07/06/18 10:14	07/09/18 12:50	1	
2,4-Dinitrotoluene	ND		0.0040	0.0021	mg/L	07/06/18 10:14	07/09/18 12:50	1	
2-Methylphenol	ND		0.0040	0.00021	mg/L	07/06/18 10:14	07/09/18 12:50	1	
3 & 4 Methylphenol	ND		0.0040	0.00019	mg/L	07/06/18 10:14	07/09/18 12:50	1	
Hexachlorobenzene	ND		0.00080	0.00016	mg/L	07/06/18 10:14	07/09/18 12:50	1	
Hexachlorobutadiene	ND		0.0040	0.00054	mg/L	07/06/18 10:14	07/09/18 12:50	1	
Hexachloroethane	ND		0.0040	0.00040	mg/L	07/06/18 10:14	07/09/18 12:50	1	
Nitrobenzene	ND		0.0040	0.00051	mg/L	07/06/18 10:14	07/09/18 12:50	1	
Pentachlorophenol	ND		0.016	0.0031	mg/L	07/06/18 10:14	07/09/18 12:50	1	
Pyridine	ND		0.0040	0.00036	mg/L	07/06/18 10:14	07/09/18 12:50	1	

Surrogate	MB		Limits	Prepared		Dil Fac
	%Recovery	Qualifier		Prepared	Analyzed	
2,4,6-Tribromophenol (Surr)	77		28 - 120	07/06/18 10:14	07/09/18 12:50	1
2-Fluorobiphenyl (Surr)	84		38 - 120	07/06/18 10:14	07/09/18 12:50	1
2-Fluorophenol (Surr)	81		10 - 120	07/06/18 10:14	07/09/18 12:50	1
Nitrobenzene-d5 (Surr)	80		32 - 120	07/06/18 10:14	07/09/18 12:50	1
Phenol-d5 (Surr)	71		10 - 120	07/06/18 10:14	07/09/18 12:50	1
Terphenyl-d14 (Surr)	89		23 - 127	07/06/18 10:14	07/09/18 12:50	1

Lab Sample ID: LCS 240-334978/8-A

Matrix: Water

Analysis Batch: 335228

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 334978

Analyte	Spike		LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	
	Added	LCS						Limits	
1,4-Dichlorobenzene	0.0800		0.0701		mg/L	88	47 - 120		
2,4,5-Trichlorophenol	0.0800		0.0771		mg/L	96	54 - 120		
2,4,6-Trichlorophenol	0.0800		0.0767		mg/L	96	54 - 120		
2,4-Dinitrotoluene	0.0800		0.0732		mg/L	91	60 - 120		
2-Methylphenol	0.0800		0.0726		mg/L	91	46 - 120		
3 & 4 Methylphenol	0.0800		0.0746		mg/L	93	40 - 120		
Hexachlorobenzene	0.0800		0.0713		mg/L	89	51 - 120		
Hexachlorobutadiene	0.0800		0.0712		mg/L	89	44 - 120		
Hexachloroethane	0.0800		0.0692		mg/L	86	44 - 120		
Nitrobenzene	0.0800		0.0756		mg/L	94	55 - 120		
Pentachlorophenol	0.160		0.139		mg/L	87	30 - 120		
Pyridine	0.160	*	0.0300	*	mg/L	19	23 - 120		

Surrogate	LCS		Limits
	%Recovery	Qualifier	
2,4,6-Tribromophenol (Surr)	89		28 - 120
2-Fluorobiphenyl (Surr)	88		38 - 120
2-Fluorophenol (Surr)	86		10 - 120
Nitrobenzene-d5 (Surr)	101		32 - 120
Phenol-d5 (Surr)	74		10 - 120
Terphenyl-d14 (Surr)	100		23 - 127

TestAmerica Denver

QC Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8081B - Organochlorine Pesticides (GC)

Lab Sample ID: MB 240-334981/4-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 334981

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chlordane (technical)	ND		0.0050	0.000047	mg/L	07/06/18 10:20	07/10/18 11:02		1
Endrin	ND		0.00050	0.0000025	mg/L	07/06/18 10:20	07/10/18 11:02		1
gamma-BHC (Lindane)	ND		0.00050	0.0000025	mg/L	07/06/18 10:20	07/10/18 11:02		1
Heptachlor	ND		0.00050	0.0000033	mg/L	07/06/18 10:20	07/10/18 11:02		1
Heptachlor epoxide	ND		0.00050	0.0000026	mg/L	07/06/18 10:20	07/10/18 11:02		1
Methoxychlor	ND		0.0010	0.0000047	mg/L	07/06/18 10:20	07/10/18 11:02		1
Toxaphene	ND		0.020	0.000058	mg/L	07/06/18 10:20	07/10/18 11:02		1

MB MB

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
DCB Decachlorobiphenyl	58		21 - 135	07/06/18 10:20	07/10/18 11:02	1
DCB Decachlorobiphenyl	61		21 - 135	07/06/18 10:20	07/10/18 11:02	1
Tetrachloro-m-xylene	57		33 - 123	07/06/18 10:20	07/10/18 11:02	1
Tetrachloro-m-xylene	60		33 - 123	07/06/18 10:20	07/10/18 11:02	1

Lab Sample ID: LCS 240-334981/5-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 334981

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.	Limits
	Added	Result	Qualifier					
Endrin	0.00160	0.00111		mg/L	69	36	36 - 124	
gamma-BHC (Lindane)	0.00160	0.00103		mg/L	64	23	23 - 120	
Heptachlor	0.00160	0.00112		mg/L	70	37	37 - 120	
Heptachlor epoxide	0.00160	0.00108		mg/L	68	44	44 - 120	
Methoxychlor	0.00160	0.00106		mg/L	66	36	36 - 120	

LCS LCS

Surrogate	LCs	LCs	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
DCB Decachlorobiphenyl	59		21 - 135			
DCB Decachlorobiphenyl	62		21 - 135			
Tetrachloro-m-xylene	54		33 - 123			
Tetrachloro-m-xylene	56		33 - 123			

Lab Sample ID: LCS 240-334981/7-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 334981

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.	Limits
	Added	Result	Qualifier					
Toxaphene	0.0400	0.0266		mg/L	66	10	10 - 120	

LCS LCS

Surrogate	LCs	LCs	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
DCB Decachlorobiphenyl	56		21 - 135			
DCB Decachlorobiphenyl	58		21 - 135			
Tetrachloro-m-xylene	56		33 - 123			
Tetrachloro-m-xylene	59		33 - 123			

TestAmerica Denver

QC Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 240-334981/9-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 334981

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Chlordane (technical)	0.00400	0.00246	J	mg/L		61	10 - 120
Surrogate							
<i>DCB Decachlorobiphenyl</i>							
	53			21 - 135			
<i>DCB Decachlorobiphenyl</i>							
	58			21 - 135			
<i>Tetrachloro-m-xylene</i>							
	55			33 - 123			
<i>Tetrachloro-m-xylene</i>							
	56			33 - 123			

Lab Sample ID: LCSD 240-334981/10-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 334981

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec.	RPD	Limit
Chlordane (technical)	0.00400	0.00239	J	mg/L		60	10 - 120	3
Surrogate								
<i>DCB Decachlorobiphenyl</i>								
	54			21 - 135				
<i>DCB Decachlorobiphenyl</i>								
	60			21 - 135				
<i>Tetrachloro-m-xylene</i>								
	59			33 - 123				
<i>Tetrachloro-m-xylene</i>								
	59			33 - 123				

Lab Sample ID: LCSD 240-334981/6-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 334981

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec.	RPD	Limit
Endrin	0.00160	0.00103		mg/L		64	36 - 124	7
gamma-BHC (Lindane)	0.00160	0.000997		mg/L		62	23 - 120	3
Heptachlor	0.00160	0.00110		mg/L		69	37 - 120	2
Heptachlor epoxide	0.00160	0.00104		mg/L		65	44 - 120	4
Methoxychlor	0.00160	0.000994	J	mg/L		62	36 - 120	7
Surrogate								
<i>DCB Decachlorobiphenyl</i>								
	54			21 - 135				
<i>DCB Decachlorobiphenyl</i>								
	56			21 - 135				
<i>Tetrachloro-m-xylene</i>								
	49			33 - 123				
<i>Tetrachloro-m-xylene</i>								
	55			33 - 123				

Lab Sample ID: LCSD 240-334981/8-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 334981

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec.	RPD	Limit
Toxaphene	0.0400	0.0271		mg/L		68	10 - 120	2
Surrogate								
<i>DCB Decachlorobiphenyl</i>								
	55			21 - 135				

TestAmerica Denver

QC Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCSD 240-334981/8-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 334981

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
DCB Decachlorobiphenyl	59		21 - 135
Tetrachloro-m-xylene	52		33 - 123
Tetrachloro-m-xylene	55		33 - 123

Method: 8151A - Herbicides (GC)

Lab Sample ID: MB 240-334985/5-A

Matrix: Water

Analysis Batch: 335190

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 334985

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-D	ND		0.0040	0.0022	mg/L		07/06/18 10:42	07/09/18 21:46	1
Silvex (2,4,5-TP)	ND		0.0010	0.00043	mg/L		07/06/18 10:42	07/09/18 21:46	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
2,4-Dichlorophenylacetic acid	101		41 - 130				07/06/18 10:42	07/09/18 21:46	1
2,4-Dichlorophenylacetic acid	99		41 - 130				07/06/18 10:42	07/09/18 21:46	1

Lab Sample ID: LCS 240-334985/6-A

Matrix: Water

Analysis Batch: 335190

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 334985

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
2,4-D		0.0200	0.0269	*	mg/L		135	42 - 120
Silvex (2,4,5-TP)		0.00500	0.00705	*	mg/L		141	41 - 120
Surrogate		MB %Recovery	MB Qualifier	Limits				
2,4-Dichlorophenylacetic acid		96		41 - 130				
2,4-Dichlorophenylacetic acid		93		41 - 130				

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 240-335000/2-A

Matrix: Water

Analysis Batch: 335417

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 335000

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.050	0.0041	mg/L		07/06/18 14:00	07/09/18 16:50	1
Barium	ND		0.50	0.0013	mg/L		07/06/18 14:00	07/09/18 16:50	1
Cadmium	ND		0.050	0.00020	mg/L		07/06/18 14:00	07/09/18 16:50	1
Chromium	ND		0.050	0.00063	mg/L		07/06/18 14:00	07/09/18 16:50	1
Lead	ND		0.050	0.0028	mg/L		07/06/18 14:00	07/09/18 16:50	1
Selenium	ND		0.050	0.0060	mg/L		07/06/18 14:00	07/09/18 16:50	1
Silver	ND		0.050	0.00062	mg/L		07/06/18 14:00	07/09/18 16:50	1

TestAmerica Denver

QC Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 6010C - Metals (ICP) (Continued)

Lab Sample ID: LCS 240-335000/3-A

Matrix: Water

Analysis Batch: 335417

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 335000

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Arsenic	2.00	2.03		mg/L	102	50 - 150	
Barium	2.00	1.95		mg/L	98	50 - 150	
Cadmium	0.0500	0.0487	J	mg/L	97	50 - 150	
Chromium	0.200	0.193		mg/L	96	50 - 150	
Lead	0.500	0.473		mg/L	95	50 - 150	
Selenium	2.00	2.09		mg/L	105	50 - 150	
Silver	0.0500	0.0497	J	mg/L	99	50 - 150	

Lab Sample ID: LB 240-334959/1-B

Matrix: Water

Analysis Batch: 335417

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 335000

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.050	0.0041	mg/L	07/06/18 14:00	07/09/18 16:45		1
Barium	ND		0.50	0.0013	mg/L	07/06/18 14:00	07/09/18 16:45		1
Cadmium	ND		0.050	0.00020	mg/L	07/06/18 14:00	07/09/18 16:45		1
Chromium	ND		0.050	0.00063	mg/L	07/06/18 14:00	07/09/18 16:45		1
Lead	ND		0.050	0.0028	mg/L	07/06/18 14:00	07/09/18 16:45		1
Selenium	ND		0.050	0.0060	mg/L	07/06/18 14:00	07/09/18 16:45		1
Silver	ND		0.050	0.00062	mg/L	07/06/18 14:00	07/09/18 16:45		1

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 240-335003/2-A

Matrix: Water

Analysis Batch: 335479

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 335003

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0020	0.00013	mg/L	07/06/18 14:00	07/10/18 09:41		1

Lab Sample ID: LCS 240-335003/3-A

Matrix: Water

Analysis Batch: 335479

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 335003

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Mercury	0.00500	0.00537		mg/L	107	80 - 120	

Lab Sample ID: LB 240-334959/1-C

Matrix: Water

Analysis Batch: 335479

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 335003

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0020	0.00013	mg/L	07/06/18 14:00	07/10/18 09:39		1

TestAmerica Denver

QC Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 1010A - Ignitability, Pensky-Martens Closed-Cup Method

Lab Sample ID: LCS 240-334774/1

Matrix: Water

Analysis Batch: 334774

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	%Rec.
Flashpoint	81.0	83.00		Degrees F	102	97 - 103	

Method: 9012B - Cyanide, Total andor Amenable

Lab Sample ID: MB 240-335328/1-A

Matrix: Water

Analysis Batch: 335358

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 335328

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Total	6.10	J	10	6.0	ug/L		07/09/18 15:10	07/09/18 16:24	1

Lab Sample ID: LCS 240-335328/2-A

Matrix: Water

Analysis Batch: 335358

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 335328

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	%Rec.
Cyanide, Total	884	951		ug/L	108	59 - 129	

Method: 9034 - Sulfide, Acid soluble and Insoluble (Titrimetric)

Lab Sample ID: MB 240-334822/1-A

Matrix: Water

Analysis Batch: 334879

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 334822

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	ND		3000	1400	ug/L		07/05/18 10:33	07/05/18 14:45	1

Lab Sample ID: LCS 240-334822/2-A

Matrix: Water

Analysis Batch: 334879

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 334822

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	%Rec.
Sulfide	7600	7070		ug/L	93	70 - 120	

QC Association Summary

1

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

GC/MS VOA

Leach Batch: 334991

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	1311	
LB 240-334991/1-A MB	Method Blank	TCLP	Water	1311	

Analysis Batch: 335060

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	8260B	334991
LB 240-334991/1-A MB	Method Blank	TCLP	Water	8260B	334991
LCS 240-335060/9	Lab Control Sample	Total/NA	Water	8260B	

GC/MS Semi VOA

Leach Batch: 334959

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	1311	

Prep Batch: 334978

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	3510C	334959
MB 240-334978/7-A	Method Blank	Total/NA	Water	3510C	
LCS 240-334978/8-A	Lab Control Sample	Total/NA	Water	3510C	

Analysis Batch: 335228

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	8270D	334978
MB 240-334978/7-A	Method Blank	Total/NA	Water	8270D	334978
LCS 240-334978/8-A	Lab Control Sample	Total/NA	Water	8270D	334978

GC Semi VOA

Leach Batch: 334959

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	1311	

Prep Batch: 334981

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	3520C	334959
MB 240-334981/4-A	Method Blank	Total/NA	Water	3520C	
LCS 240-334981/5-A	Lab Control Sample	Total/NA	Water	3520C	
LCS 240-334981/7-A	Lab Control Sample	Total/NA	Water	3520C	
LCS 240-334981/9-A	Lab Control Sample	Total/NA	Water	3520C	
LCSD 240-334981/10-A	Lab Control Sample Dup	Total/NA	Water	3520C	
LCSD 240-334981/6-A	Lab Control Sample Dup	Total/NA	Water	3520C	
LCSD 240-334981/8-A	Lab Control Sample Dup	Total/NA	Water	3520C	

Prep Batch: 334985

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	8151A	334959
MB 240-334985/5-A	Method Blank	Total/NA	Water	8151A	
LCS 240-334985/6-A	Lab Control Sample	Total/NA	Water	8151A	

TestAmerica Denver

QC Association Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

GC Semi VOA (Continued)

Analysis Batch: 335190

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	8151A	334985
MB 240-334985/5-A	Method Blank	Total/NA	Water	8151A	334985
LCS 240-334985/6-A	Lab Control Sample	Total/NA	Water	8151A	334985

Analysis Batch: 335447

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	8081B	334981
MB 240-334981/4-A	Method Blank	Total/NA	Water	8081B	334981
LCS 240-334981/5-A	Lab Control Sample	Total/NA	Water	8081B	334981
LCS 240-334981/7-A	Lab Control Sample	Total/NA	Water	8081B	334981
LCS 240-334981/9-A	Lab Control Sample	Total/NA	Water	8081B	334981
LCSD 240-334981/10-A	Lab Control Sample Dup	Total/NA	Water	8081B	334981
LCSD 240-334981/6-A	Lab Control Sample Dup	Total/NA	Water	8081B	334981
LCSD 240-334981/8-A	Lab Control Sample Dup	Total/NA	Water	8081B	334981

Metals

Leach Batch: 334959

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	1311	
LB 240-334959/1-B	Method Blank	TCLP	Water	1311	
LB 240-334959/1-C	Method Blank	TCLP	Water	1311	

Prep Batch: 335000

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	3010A	334959
LB 240-334959/1-B	Method Blank	TCLP	Water	3010A	334959
MB 240-335000/2-A	Method Blank	Total/NA	Water	3010A	
LCS 240-335000/3-A	Lab Control Sample	Total/NA	Water	3010A	

Prep Batch: 335003

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	7470A	334959
LB 240-334959/1-C	Method Blank	TCLP	Water	7470A	334959
MB 240-335003/2-A	Method Blank	Total/NA	Water	7470A	
LCS 240-335003/3-A	Lab Control Sample	Total/NA	Water	7470A	

Analysis Batch: 335417

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	6010C	335000
LB 240-334959/1-B	Method Blank	TCLP	Water	6010C	335000
MB 240-335000/2-A	Method Blank	Total/NA	Water	6010C	335000
LCS 240-335000/3-A	Lab Control Sample	Total/NA	Water	6010C	335000

Analysis Batch: 335479

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	7470A	335003
LB 240-334959/1-C	Method Blank	TCLP	Water	7470A	335003
MB 240-335003/2-A	Method Blank	Total/NA	Water	7470A	335003
LCS 240-335003/3-A	Lab Control Sample	Total/NA	Water	7470A	335003

TestAmerica Denver

QC Association Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

General Chemistry

Analysis Batch: 334774

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	Total/NA	Water	1010A	
LCS 240-334774/1	Lab Control Sample	Total/NA	Water	1010A	

Prep Batch: 334822

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	Total/NA	Water	9030B	
MB 240-334822/1-A	Method Blank	Total/NA	Water	9030B	
LCS 240-334822/2-A	Lab Control Sample	Total/NA	Water	9030B	

Analysis Batch: 334879

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	Total/NA	Water	9034	
MB 240-334822/1-A	Method Blank	Total/NA	Water	9034	
LCS 240-334822/2-A	Lab Control Sample	Total/NA	Water	9034	

Analysis Batch: 334882

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	Total/NA	Water	9040C	
LCS 240-334882/2	Lab Control Sample	Total/NA	Water	9040C	

Prep Batch: 335328

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	Total/NA	Water	9012B	
MB 240-335328/1-A	Method Blank	Total/NA	Water	9012B	
LCS 240-335328/2-A	Lab Control Sample	Total/NA	Water	9012B	

Analysis Batch: 335358

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	Total/NA	Water	9012B	
MB 240-335328/1-A	Method Blank	Total/NA	Water	9012B	
LCS 240-335328/2-A	Lab Control Sample	Total/NA	Water	9012B	

Lab Chronicle

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Client Sample ID: IDW-062918-W

Lab Sample ID: 280-111549-1

Matrix: Water

Date Collected: 06/29/18 08:00

Date Received: 06/30/18 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
TCLP	Leach	1311			1.0 g	1.0 mL	334991	07/05/18 17:40	PW1	TAL CAN
TCLP	Analysis	8260B		1	0.1 mL	5 mL	335060	07/06/18 21:50	TJL1	TAL CAN
TCLP	Leach	1311			1.0 g	1.0 mL	334959	07/05/18 16:05	PW1	TAL CAN
TCLP	Prep	3510C			250 mL	2 mL	334978	07/06/18 10:14	WKD	TAL CAN
TCLP	Analysis	8270D		1			335228	07/09/18 17:41	JMG	TAL CAN
TCLP	Leach	1311			1.0 g	1.0 mL	334959	07/05/18 16:05	PW1	TAL CAN
TCLP	Prep	3520C			250 mL	3 mL	334981	07/06/18 10:20	WKD	TAL CAN
TCLP	Analysis	8081B		1			335447	07/10/18 12:28	OCR	TAL CAN
TCLP	Leach	1311			1.0 g	1.0 mL	334959	07/05/18 16:05	PW1	TAL CAN
TCLP	Prep	8151A			100 mL	10 mL	334985	07/06/18 10:42	BMB	TAL CAN
TCLP	Analysis	8151A		1			335190	07/09/18 22:55	RTR	TAL CAN
TCLP	Leach	1311			1.0 g	1.0 mL	334959	07/05/18 16:05	PW1	TAL CAN
TCLP	Prep	3010A			50 mL	50 mL	335000	07/06/18 14:00	AJC	TAL CAN
TCLP	Analysis	6010C		1			335417	07/09/18 17:32	KLC	TAL CAN
TCLP	Leach	1311			1.0 g	1.0 mL	334959	07/05/18 16:05	PW1	TAL CAN
TCLP	Prep	7470A			50 mL	50 mL	335003	07/06/18 14:00	AJC	TAL CAN
TCLP	Analysis	7470A		1			335479	07/10/18 09:52	AJC	TAL CAN
Total/NA	Analysis	1010A		1			334774	07/05/18 10:00	TPH	TAL CAN
Total/NA	Prep	9012B			6.0 mL	6.0 mL	335328	07/09/18 15:10	JWW	TAL CAN
Total/NA	Analysis	9012B		1	6.0 mL	6.0 mL	335358	07/09/18 16:37	JWW	TAL CAN
Total/NA	Prep	9030B			50 mL	50 mL	334822	07/05/18 10:33	JMB	TAL CAN
Total/NA	Analysis	9034		1			334879	07/05/18 14:45	JMB	TAL CAN
Total/NA	Analysis	9040C		1			334882	07/05/18 15:25	JESW	TAL CAN

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Laboratory: TestAmerica Denver

The accreditations/certifications listed below are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
A2LA	DoD ELAP		2907.01	10-31-19

Laboratory: TestAmerica Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State Program	9	2927	02-23-19
Connecticut	State Program	1	PH-0590	12-31-19
Florida	NELAP	4	E87225	06-30-19
Illinois	NELAP	5	200004	07-31-18 *
Kansas	NELAP	7	E-10336	01-31-19
Kentucky (UST)	State Program	4	58	02-23-19
Kentucky (WW)	State Program	4	98016	12-31-18
Minnesota	NELAP	5	039-999-348	12-31-18
Minnesota (Petrofund)	State Program	1	3506	07-31-18 *
Nevada	State Program	9	OH-000482008A	07-31-18 *
New Jersey	NELAP	2	OH001	06-30-19
New York	NELAP	2	10975	03-31-19
Ohio VAP	State Program	5	CL0024	09-06-19
Oregon	NELAP	10	4062	02-23-19
Pennsylvania	NELAP	3	68-00340	08-31-18 *
Texas	NELAP	6	T104704517-17-9	08-31-18 *
USDA	Federal		P330-16-00404	12-28-19
Virginia	NELAP	3	460175	09-14-18 *
Washington	State Program	10	C971	01-12-19
West Virginia DEP	State Program	3	210	12-31-18

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Chain of Custody Record

4933 Tabor Street
Arvada, CO 80002
Phone (303) 736-0100 Fax (303) 431-7171

Client Information

Client Information	McEntee, Patrick J. E-Mail: patrick.mcatee@testamericainc.com Client Contact: Myelle Phillips
Phone:	434-906-2085

卷之三

Page:
Page:
Page:

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Client Information		Sampler: Dsp		Lab PM: McEntee, Patrick J	Carrier Tracking No(s): patrick.mcatee@testamericainc.com																																																							
Company: Cardno TEC, Inc		E-Mail: patrick.mcatee@testamericainc.com	Page:																																																									
Address: 1658 Cole Boulevard Suite 190 City: Golden State, Zip: CO, 80401 Phone: 434-906-2085 Email: Danielle.Philips@cardno-qs.com Project Name: Ravenna, OH - IDW Site: Ravenna		PO #:	Job #:																																																									
Analysis Requested																																																												
<p>TAT Requested (days):</p> <p>SSOW#:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2"></th> <th>Sample Type (C=Comp, G=grab) B=Brasur, A=Air)</th> <th>Matrix (W=water, S=soln, D=dust), A=Air)</th> <th>Preservation Code:</th> <th colspan="2">Field Filtered Sample (Yes or No)</th> </tr> <tr> <th colspan="2"></th> <th></th> <th></th> <th colspan="2">Perform MS/MSD (Yes or No)</th> </tr> <tr> <th>Sample Date</th> <th>Sample Time</th> <th></th> <th></th> <th colspan="2"></th> </tr> </thead> <tbody> <tr> <td>6-29-18</td> <td>0800</td> <td>C</td> <td>W</td> <td colspan="2">X</td> </tr> <tr> <td colspan="6">IDW-062918-W</td> </tr> <tr> <td colspan="6"> <input checked="" type="checkbox"/> 1311/8260B - TCLP VOCs <input checked="" type="checkbox"/> 1311/8270D - TCLP SVOCs <input checked="" type="checkbox"/> 1311/6010C/6020A/7470A - TCLP Metals <input checked="" type="checkbox"/> 1311/8081B - TCLP Pesticides <input checked="" type="checkbox"/> 1311/8151A - TCLP Herbicides <input checked="" type="checkbox"/> 9034 - Sulfide <input checked="" type="checkbox"/> 9012B - Cyanide <input checked="" type="checkbox"/> 9040C - pH <input checked="" type="checkbox"/> 1010A - Flashpoint </td> </tr> <tr> <td colspan="6" style="text-align: right;">Total Number of containers: 12</td> </tr> <tr> <td colspan="6" style="text-align: center; vertical-align: top;"> Special Instructions/Note: <i>drop</i> Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify) Empty Kit Relinquished by: Relinquished by: Relinquished by: Custody Seals Intact: Yes <input type="checkbox"/> No </td> </tr> <tr> <td colspan="6"> <p>Date: 6-28-18 Time: 10:40 Company: Cardno Received by: R. D. Date/Time: 6-29-18 - 10:00 Company: Cardno</p> <p>Date: 6-22-18 Time: 12:00 Company: Cardno Received by: R. D. Date/Time: 6-30-18 0900 Company: TA DEN</p> <p>Cooler Temperature(s) °C and Other Remarks: 0.6 +0.0 REMOVED BY RD 06-30-18</p> </td> </tr> </tbody></table>								Sample Type (C=Comp, G=grab) B=Brasur, A=Air)	Matrix (W=water, S=soln, D=dust), A=Air)	Preservation Code:	Field Filtered Sample (Yes or No)						Perform MS/MSD (Yes or No)		Sample Date	Sample Time					6-29-18	0800	C	W	X		IDW-062918-W						<input checked="" type="checkbox"/> 1311/8260B - TCLP VOCs <input checked="" type="checkbox"/> 1311/8270D - TCLP SVOCs <input checked="" type="checkbox"/> 1311/6010C/6020A/7470A - TCLP Metals <input checked="" type="checkbox"/> 1311/8081B - TCLP Pesticides <input checked="" type="checkbox"/> 1311/8151A - TCLP Herbicides <input checked="" type="checkbox"/> 9034 - Sulfide <input checked="" type="checkbox"/> 9012B - Cyanide <input checked="" type="checkbox"/> 9040C - pH <input checked="" type="checkbox"/> 1010A - Flashpoint						Total Number of containers: 12						Special Instructions/Note: <i>drop</i> Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify) Empty Kit Relinquished by: Relinquished by: Relinquished by: Custody Seals Intact: Yes <input type="checkbox"/> No						<p>Date: 6-28-18 Time: 10:40 Company: Cardno Received by: R. D. Date/Time: 6-29-18 - 10:00 Company: Cardno</p> <p>Date: 6-22-18 Time: 12:00 Company: Cardno Received by: R. D. Date/Time: 6-30-18 0900 Company: TA DEN</p> <p>Cooler Temperature(s) °C and Other Remarks: 0.6 +0.0 REMOVED BY RD 06-30-18</p>					
		Sample Type (C=Comp, G=grab) B=Brasur, A=Air)	Matrix (W=water, S=soln, D=dust), A=Air)	Preservation Code:	Field Filtered Sample (Yes or No)																																																							
				Perform MS/MSD (Yes or No)																																																								
Sample Date	Sample Time																																																											
6-29-18	0800	C	W	X																																																								
IDW-062918-W																																																												
<input checked="" type="checkbox"/> 1311/8260B - TCLP VOCs <input checked="" type="checkbox"/> 1311/8270D - TCLP SVOCs <input checked="" type="checkbox"/> 1311/6010C/6020A/7470A - TCLP Metals <input checked="" type="checkbox"/> 1311/8081B - TCLP Pesticides <input checked="" type="checkbox"/> 1311/8151A - TCLP Herbicides <input checked="" type="checkbox"/> 9034 - Sulfide <input checked="" type="checkbox"/> 9012B - Cyanide <input checked="" type="checkbox"/> 9040C - pH <input checked="" type="checkbox"/> 1010A - Flashpoint																																																												
Total Number of containers: 12																																																												
Special Instructions/Note: <i>drop</i> Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify) Empty Kit Relinquished by: Relinquished by: Relinquished by: Custody Seals Intact: Yes <input type="checkbox"/> No																																																												
<p>Date: 6-28-18 Time: 10:40 Company: Cardno Received by: R. D. Date/Time: 6-29-18 - 10:00 Company: Cardno</p> <p>Date: 6-22-18 Time: 12:00 Company: Cardno Received by: R. D. Date/Time: 6-30-18 0900 Company: TA DEN</p> <p>Cooler Temperature(s) °C and Other Remarks: 0.6 +0.0 REMOVED BY RD 06-30-18</p>																																																												
<p>Preservation Codes:</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">A - HCl</td> <td style="width: 50%;">M - Hexane</td> </tr> <tr> <td>B - NaOH</td> <td>N - None</td> </tr> <tr> <td>C - Zn Acetate</td> <td>O - AsNaO2</td> </tr> <tr> <td>D - Nitric Acid</td> <td>P - Na2O4S</td> </tr> <tr> <td>E - NaHSO4</td> <td>Q - Na2SO3</td> </tr> <tr> <td>F - MeOH</td> <td>R - Na2S2O3</td> </tr> <tr> <td>G - Ammonium</td> <td>S - H2SO4</td> </tr> <tr> <td>H - Ascorbic Acid</td> <td>T - TSP Dodecahydrate</td> </tr> <tr> <td>I - Ice</td> <td>U - Acetone</td> </tr> <tr> <td>J - DI Water</td> <td>V - MCAA</td> </tr> <tr> <td>K - EDTA</td> <td>W - pH 4.5</td> </tr> <tr> <td>L - EDA</td> <td>Z - other (specify)</td> </tr> </table>						A - HCl	M - Hexane	B - NaOH	N - None	C - Zn Acetate	O - AsNaO2	D - Nitric Acid	P - Na2O4S	E - NaHSO4	Q - Na2SO3	F - MeOH	R - Na2S2O3	G - Ammonium	S - H2SO4	H - Ascorbic Acid	T - TSP Dodecahydrate	I - Ice	U - Acetone	J - DI Water	V - MCAA	K - EDTA	W - pH 4.5	L - EDA	Z - other (specify)																															
A - HCl	M - Hexane																																																											
B - NaOH	N - None																																																											
C - Zn Acetate	O - AsNaO2																																																											
D - Nitric Acid	P - Na2O4S																																																											
E - NaHSO4	Q - Na2SO3																																																											
F - MeOH	R - Na2S2O3																																																											
G - Ammonium	S - H2SO4																																																											
H - Ascorbic Acid	T - TSP Dodecahydrate																																																											
I - Ice	U - Acetone																																																											
J - DI Water	V - MCAA																																																											
K - EDTA	W - pH 4.5																																																											
L - EDA	Z - other (specify)																																																											



Chain of Custody Record

301C3.2

Client Information (Sub Contract Lab)		Sampler:	Lab P.M.: McEntee, Patrick J	Carrier Tracking No(s): COC No: 280-445536.1
		Phone:	E-Mail: patrick.mcintee@testamericainc.com	State of Origin: Ohio
		Accreditations Required (See note): DOD ELAP - A2LA		
		Preservation Codes: A - HCl B - NaOH C - Zn Acetate D - Nitric Acid E - Na2SO4 F - Na2S03 G - Anchor H - H2SO4 I - Ascorbic Acid J - Ice K - EDTA L - EDA M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2S04 R - Na2S03 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4.5 Z - other (specify) Other:		
		Total Number of Containers: C 2 2 W 1 2 7 MS		
		Analysis Requested		
		9034-Calc/9030B (MOD) Local Method		
		9012B/9012B_Prep		
		7470A/1311T_Hg TCLP Mercury		
		6010C/1311T_M TCLP Metals		
		8151A/1311-T TCLP Herbicides		
		8081B/1311-T TCLP Pesticides		
		8270D/1311-T TCLP Semivolatiles		
		8260B/1311-Z TCLP Volatiles		
		9040C/PH		
		1010A		
		Perfomr MS/MSD (yes or No)		
		Not Filtered Sample (yes or No)		
		Preservation Code: X		
		Matrix (Water, Solid, Oil, Tissue, Air) (W=water, S=solid, O=oil, T=tissue, A=air)		
		Sample Type (C=comp, G=grab)		
		Sample Time		
		Sample Date		
		Project #: 28014271		
		SSOW#:		
		Site:		
		PO #:		
		WO #:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		
		Company:		
		TestAmerica Laboratories, Inc.		
		4101 Shaffer Street NW,		
		North Canton		
		OH, 44720		
		330-497-9396(Tel) 330-497-0772(Fax)		
		Email:		
		Project #:		
		28014271		
		SSOW#:		
		Site:		
		City:		
		State, Zip:		
		Phone:		
		Email:		
		Project Name:		
		Site:		
		Address:		

**TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility**

Login # : _____

Client TA Danner Site Name _____ Cooler unpacked by: SL

Cooler Received on 7/5/18 Opened on 7/5/18

FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time Storage Location

TestAmerica Cooler # TA Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN# IR-8 (CF +0 °C) Observed Cooler Temp. 3.0 °C Corrected Cooler Temp. 3.0 °C
IR GUN #36 (CF -0.3°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
IR GUN # 627 (CF -1.3°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
-Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels be reconciled with the COC? Yes No
9. Were correct bottle(s) used for the test(s) indicated? Yes No
10. Sufficient quantity received to perform indicated analyses? Yes No
11. Are these work share samples? Yes No

If yes, Questions 12-16 have been checked at the originating laboratory.

12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC740840
13. Were VOAs on the COC? Yes No
14. Were air bubbles >6 mm in any VOA vials?  Larger than this. Yes No NA
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
16. Was a LL Hg or Me Hg trip blank present? _____ Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: _____

18. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____

Login Sample Receipt Checklist

Client: Cardno GS, Inc

Job Number: 280-111549-1

Login Number: 111549

List Source: TestAmerica Denver

List Number: 1

Creator: Dunlap, Krista M

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

THIS PAGE INTENTIONALLY LEFT BLANK.

G.2 December 2018 IDW Documentation

FOR LEAK, FIRE OR MEDICAL EMERGENCY, CALL
INFOTRAC AT 1-800-535-5053 AND REFERENCE
CONTRACT #104631

50225

BILL OF LADING MATERIAL MANIFEST		1. Generator ID Number OH5210020736	2. Page 1 of 1	3. Emergency Response Phone (800) 535-5053	Document Number 130198	
4. Generator's Name and Mailing Address FORMER RAVENNA ARMY AMMUNITION PLANT C/O CAMP RAVENNA 1438 SR 534 SW, NEWTON FALLS, OH 44444		Generator's Site Address (if different than mailing address) FORMER RAVENNA ARMY AMMUNITION PLANT 8451 STATE RT 5, RAVENNA, OH 44266				
Generator's Phone (614) 336-6136						
5. Transporter 1 Company Name ENVIROSERVE, DIV. OF SUNPRO		6. US EPA ID Number OH0000333336	A. Transporter's Phone (216) 642-1311			
7. Transporter 2 Company Name VALICOR ENVIRONMENTAL SERVICES		8. US EPA ID Number OHR000200386	B. Transporter's Phone (513) 733-4666			
9. Designated Facility Name and Site Address VALICOR (MONROE) 1045 REED ROAD, MONROE, OH 45050		10. US EPA ID Number OHR000200386	C. Facility's Phone (513) 615-2798			
11. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)) HM NON HAZARDOUS, NON D.O.T. REGULATED MATERIAL (WATER) VES-LFP-11441			12. Containers No. DOL	Type DM	13. Total Quantity D2D	14. Unit Wt/Vol T/G
a.						
b.						
c.						
d.						
e.						
15. Special Handling Instructions and Additional Information Profile Approval # VES-WWT-11441						
ENVSRV PO# 0050465						
16. GENERATOR CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.						
Printed/Typed Name Kathryn S. Tait		Signature Kathryn S. Tait		Month 12	Day 5	Year 18
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed/Typed Name JOSHUA Hein		Signature [Signature]		Month 12	Day 5	Year 18
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name Steven Monroe		Signature [Signature]		Month 12	Day 19	Year 18
19. Discrepancy						
19a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection						
Manifest Reference Number:						
19b. Alternate Facility (or Generator)		US EPA ID Number				
Facility's Phone:						
19c. Signature of Alternate Facility (or Generator)		Signature		Month	Day	Year
20. Facility Owner or Operator: Certification of receipt of materials covered by this manifest except as noted in Item 19a						
Printed/Typed Name Sara Auer		Signature [Signature]		Month 12	Day 19	Year 18

ORIGINAL - RETURN TO GENERATOR



2496 Old Ivy Road, Suite 300
Charlottesville, VA 22903

December 6, 2018

Ms. Katie Tait
OHARNG Environmental Specialist 2
Camp Ravenna Joint Military Training Center
1438 State Route 534 SW
Newton Falls, OH 44444

Reference **Contract Number: W9133L-14-D-0008**
Delivery Order: 0003

Subject: **Investigation Derived Waste (IDW) Letter Report for December 2018 Well Abandonment of FWGmw-017, RVAAP-66 Facility Wide Groundwater, Ravenna Army Ammunition Plant (RVAAP) Restoration Program, Camp Ravenna Joint Military Training Center, Portage and Trumbull Counties, Ohio**

Dear Ms. Tait:

TEC-Weston Joint Venture (TEC-Weston JV) completed the well abandonment of FWGmw-017 on Tuesday, December 4th, 2018. All work was performed in accordance with the *Final Well Abandonment Work Plan for RVAAP-66 Facility-Wide Groundwater* (TEC-Weston JV, 2016). These activities resulted in the generation of Investigation Derived Waste (IDW) consisting of recovered waters from well abandonment and decontamination of the drill rig equipment. The purpose of this letter report is to characterize and classify the IDW and request approval for off-site disposal at a licensed treatment facility. This letter report follows guidance established by the following:

1. *Final Remedial Investigation Work Plan for Groundwater and Environmental Investigation Services for RVAAP-66 Facility-Wide Groundwater* (RIWP) (TEC-Weston JV, 2016); and
2. *Facility-Wide Sampling and Analysis Plan for Environmental Investigations* (FWSAP) (SAIC, 2011).

The water recovered from monitoring well abandonment operations was containerized in one 55-gallon drum. The water was characterized with the IDW sampling results from the June 2018 groundwater sampling which included FWGmw-017. On June 29, 2018, one composite sample was collected (IDW-062918-W) for IDW characterization parameters: Toxicity Characteristic Leaching Procedure (TCLP) volatile organic compounds (VOCs), TCLP semi-VOCs (SVOCs), TCLP metals, TCLP herbicides, TCLP pesticides, total sulfide, total cyanide, corrosivity (pH), and flashpoint. The sampling event was conducted in accordance with the requirements outlined in Section 7.0 of the RIWP and Section 8.4 of the FWSAP. The approved IDW profile form from the July 2018 pickup will be used for this pickup.

Analytical Screening of Results

The analytical data were reviewed to determine if the waste was potentially hazardous or nonhazardous.

The data were compared to disposal screening criteria, which are from three sources:

1. Concentration of Contaminants for Toxicity Characteristic (40 Code of Federal Regulations [CFR] 261.24), as listed in Table 8-1 of the FWSAP;
2. Table 8-2 of the FWSAP; and
3. 40 CFR 261.23 – Characteristic of Reactivity.

If analytical results do not exceed disposal criteria then the IDW is classified as “non-hazardous.” If analytical results exceed disposal criteria then the IDW is classified as “hazardous.” All analytical results were below disposal screening criteria. The pH of the IDW was initially measured at 12.58 pH at 1.13 °C. The pH of the IDW measured 11.17 pH at 2.03 °C after neutralization. Attachment 1, Table 1, shows the sample results compared to the disposal

screening criteria. The laboratory analytical report is included in Attachment 2.

Conclusions and Recommendation

Based on the observed analytical results, it is recommended the IDW be classified as non-hazardous waste and be disposed of off-site at a licensed water treatment facility.

Upon ARNG/OHARNG approval of this IDW Report and proposed off-site disposal, TEC-Weston JV will proceed with the off-site disposal.

We appreciate the opportunity to work with you. If you have any questions or comments regarding this deliverable, please feel free to contact me by telephone at (512)-651-7108 or email at Brent.Ferry@WestonSolutions.com.

Sincerely,

Brent C. Ferry, PG
Environmental Restoration Project Manager, TEC-Weston Joint Venture
Direct 512-651-7108 Mobile 309-236-9235 Fax 512-651-7101
Address 5301 Southwest Parkway, Suite 450, Austin, Texas 78735
Email Brent.Ferry@WestonSolutions.com Web www.westonsolutions.com

Attachment 1: Investigation Derived Waste Screening Summary Tables

Attachment 2: Laboratory Report

Attachment 1: Investigation Derived Waste Screening Summary Tables

Table 1. Investigation Derived Waste Screening Summary Table

Sample Name	CAS Number	Analyte	Result	Qualifier	FWSAP IDW Disposal Standard	Units	Disposal Standard Source	Result Exceeds Hazardous Criteria?
IDW-120817	N/A	Flashpoint	>200		>140	Degrees F	FWSAP (2011) Table 8-2	Non-Hazardous
IDW-120817	7440-38-2	Arsenic	ND		5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	7440-39-3	Barium	0.028	J	100	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	7440-47-3	Chromium	ND		5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	7439-92-1	Lead	ND		5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	7782-49-2	Selenium	ND		1	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	7440-22-4	Silver	ND		5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	7439-97-6	Mercury	ND		0.2	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	57-74-9	Chlordane (technical)	ND		0.03	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	72-20-8	Endrin	ND		0.02	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	76-44-8	Heptachlor	ND		0.008	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	1024-57-3	Heptachlor epoxide	ND		0.008	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	58-89-9	gamma-BHC (Lindane)	ND		0.4	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	72-43-5	Methoxychlor	ND		10	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	8001-35-2	Toxaphene	ND		0.5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	94-75-7	2,4-D	ND		10	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	93-72-1	Silvex (2,4,5-TP)	ND		1	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous

Table 1. Investigation Derived Waste Screening Summary Table

Sample Name	CAS Number	Analyte	Result	Qualifier	FWSAP IDW Disposal Standard	Units	Disposal Standard Source	Result Exceeds Hazardous Criteria?
IDW-120817	75-35-4	1,1-Dichloroethene	ND		0.7	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	107-06-2	1,2-Dichloroethane	ND		0.5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	78-93-3	2-Butanone (MEK)	ND		200	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	71-43-2	Benzene	ND		0.5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	56-23-5	Carbon tetrachloride	ND		0.5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	108-90-7	Chlorobenzene	ND		100	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	67-66-3	Chloroform	ND		6	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	127-18-4	Tetrachloroethene	ND		0.7	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	79-01-6	Trichloroethene	ND		0.5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	75-01-4	Vinyl chloride	ND		0.2	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	106-46-7	1,4-Dichlorobenzene	ND		7.5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	95-95-4	2,4,5-Trichlorophenol	ND		400	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	88-06-2	2,4,6-Trichlorophenol	ND		2	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	121-14-2	2,4-Dinitrotoluene	ND		0.13	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	95-48-7	2-Methylphenol	ND		200	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	15831-10-4	3 & 4 Methylphenol	ND		200	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	118-74-1	Hexachlorobenzene	ND		0.13	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous

Table 1. Investigation Derived Waste Screening Summary Table

Sample Name	CAS Number	Analyte	Result	Qualifier	FWSAP IDW Disposal Standard	Units	Disposal Standard Source	Result Exceeds Hazardous Criteria?
IDW-120817	87-68-3	Hexachlorobutadiene	ND		0.5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	67-72-1	Hexachloroethane	ND		3	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	98-95-3	Nitrobenzene	ND		2	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	87-86-5	Pentachlorophenol	ND		100	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	110-86-1	Pyridine	ND		5	mg/L	FWSAP (2011) Table 8-1	Non-Hazardous
IDW-120817	57-12-5	Cyanide, Total	0.0076	JB	0.01	mg/L	FWSAP (2011) Table 8-2	Non-Hazardous
IDW-120817	18496-25-8	Sulfide	ND		3.0	mg/L	FWSAP (2011) Table 8-2	Non-Hazardous
IDW-120817	N/A	pH	11.17		$2 \leq \text{pH} \leq 12.5$	SU	FWSAP (2011) Table 8-2	Non-Hazardous

Notes:

F – Fahrenheit

mg/L – milligrams per liter

CAS – Chemical Abstract Service Number

CFR – Code of Federal Regulations

Data Qualifier Flags:

J – Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.

ND – Not detected at the reporting limit

FWSAP – Facility-Wide Sampling and Analysis Plan

mg/L = milligrams per liter

N/A – Not applicable or not available

SU – Standard units

Attachment 2: Laboratory Report

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Denver

4955 Yarrow Street

Arvada, CO 80002

Tel: (303)736-0100

TestAmerica Job ID: 280-111549-1

Client Project/Site: Ravenna, OH

For:


Cardno GS, Inc

2496 Old Ivy Road

Suite 300

Charlottesville, Virginia 22903

Attn: Mr. Peter Chapman



Authorized for release by:

7/10/2018 3:51:01 PM

Patrick McEntee, Manager of Project Management

(303)736-0107

patrick.mcatee@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions	3
Case Narrative	4
Detection Summary	6
Method Summary	7
Sample Summary	8
Client Sample Results	9
Surrogate Summary	12
QC Sample Results	14
QC Association	21
Chronicle	24
Certification Summary	25
Chain of Custody	26
Receipt Checklists	29

Definitions/Glossary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.

GC Semi VOA

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Job ID: 280-111549-1

Laboratory: TestAmerica Denver

Narrative

CASE NARRATIVE

Client: Cardno GS, Inc

Project: Ravenna, OH

Report Number: 280-111549-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The sample was received on 6/30/2018 9:00 AM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.6° C.

TCLP VOLATILE ORGANIC COMPOUNDS (GC-MS)

Sample IDW-062918-W (280-111549-1) was analyzed for TCLP volatile organic compounds (GC-MS) in accordance with EPA SW-846 Methods 1311/8260B. The samples were leached on 07/05/2018 and analyzed on 07/06/2018.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TCLP SEMIVOLATILE ORGANIC COMPOUNDS (GC-MS)

Sample IDW-062918-W (280-111549-1) was analyzed for TCLP semivolatile organic compounds (GC-MS) in accordance with EPA SW-846 Method 1311/8270D. The samples were leached on 07/05/2018, prepared on 07/06/2018 and analyzed on 07/09/2018.

Pyridine failed the recovery criteria low for LCS 240-334978/8-A. Refer to the QC report for details. The client was notified on July 10, 2018, and instructed the laboratory to report the data and narrate the anomaly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TCLP ORGANOCHLORINE PESTICIDES (GC)

Sample IDW-062918-W (280-111549-1) was analyzed for TCLP Organochlorine Pesticides (GC) in accordance with EPA SW-846 Method 1311/8081B. The samples were leached on 07/05/2018, prepared on 07/06/2018 and analyzed on 07/10/2018.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TCLP CHLORINATED HERBICIDES

Sample IDW-062918-W (280-111549-1) was analyzed for TCLP chlorinated herbicides in accordance with EPA SW-846 Methods 1311/8151A. The samples were leached on 07/05/2018, prepared on 07/06/2018 and analyzed on 07/09/2018.

TestAmerica Denver's practice for the reporting of dual column data in packages requiring forms and/or raw data is to report the surrogates from both columns, and the preferred result for any given target analyte from the analyst selected column. The preferred results for target analytes and surrogates are reported as PRIMARY on the Sample Datasheets. Analytes 2,4-DB/dinoseb co-elute on one

Case Narrative

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Job ID: 280-111549-1 (Continued)

Laboratory: TestAmerica Denver (Continued)

of the columns used for this analysis. As a result, there are no results reported for the %Difference in the concentration on the Form X.

2,4-D and Silvex (2,4,5-TP) failed the recovery criteria high for LCS 240-334985/6-A. Refer to the QC report for details. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TCLP METALS

Sample IDW-062918-W (280-111549-1) was analyzed for TCLP Metals in accordance with EPA SW-846 Method 1311/6010C. The samples were leached on 07/05/2018, prepared on 07/06/2018 and analyzed on 07/09/2018.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TCLP MERCURY

Sample IDW-062918-W (280-111549-1) was analyzed for TCLP mercury in accordance with EPA SW-846 Methods 1311/7470A. The samples were leached on 07/05/2018, prepared on 07/06/2018 and analyzed on 07/10/2018.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

IGNITABILITY

Sample IDW-062918-W (280-111549-1) was analyzed for ignitability in accordance with EPA SW-846 Method 1010. The samples were analyzed on 07/05/2018.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL CYANIDE

Sample IDW-062918-W (280-111549-1) was analyzed for total cyanide in accordance with EPA SW-846 Method 9012B. The samples were prepared and analyzed on 07/09/2018.

Cyanide, Total was detected in method blank MB 240-335328/1-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged. Refer to the QC report for details.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

SULFIDE

Sample IDW-062918-W (280-111549-1) was analyzed for sulfide in accordance with EPA SW-846 9034. The samples were prepared and analyzed on 07/05/2018.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

CORROSIVITY (PH)

Sample IDW-062918-W (280-111549-1) was analyzed for Corrosivity (pH) in accordance with EPA SW-846 9040C. The samples were analyzed on 07/05/2018.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Client Sample ID: IDW-062918-W

Lab Sample ID: 280-111549-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	0.028	J	0.50	0.0013	mg/L	1		6010C	TCLP
Cadmium	0.00049	J	0.050	0.00020	mg/L	1		6010C	TCLP
Flashpoint	>200		1.00	1.00	Degrees F	1		1010A	Total/NA
Cyanide, Total	7.6	J B	10	6.0	ug/L	1		9012B	Total/NA
pH	7.4	HF	0.1	0.1	SU	1		9040C	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Denver

Method Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL CAN
8081B	Organochlorine Pesticides (GC)	SW846	TAL CAN
8151A	Herbicides (GC)	SW846	TAL CAN
6010C	Metals (ICP)	SW846	TAL CAN
7470A	Mercury (CVAA)	SW846	TAL CAN
1010A	Ignitability, Pensky-Martens Closed-Cup Method	SW846	TAL CAN
9012B	Cyanide, Total and/or Amenable	SW846	TAL CAN
9034	Sulfide, Acid soluble and Insoluble (Titrimetric)	SW846	TAL CAN
9040C	pH	SW846	TAL CAN
1311	TCLP Extraction	SW846	TAL CAN
3010A	Preparation, Total Metals	SW846	TAL CAN
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	TAL CAN
3520C	Liquid-Liquid Extraction (Continuous)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN
7470A	Preparation, Mercury	SW846	TAL CAN
8151A	Extraction (Herbicides)	SW846	TAL CAN
9012B	Cyanide, Total and/or Amenable, Distillation	SW846	TAL CAN
9030B	Sulfide, Distillation (Acid Soluble and Insoluble)	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Sample Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
280-111549-1	IDW-062918-W	Water	06/29/18 08:00	06/30/18 09:00

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Client Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8260B - Volatile Organic Compounds (GC/MS) - TCLP

Client Sample ID: IDW-062918-W

Date Collected: 06/29/18 08:00

Date Received: 06/30/18 09:00

Lab Sample ID: 280-111549-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		0.025	0.00019	mg/L			07/06/18 21:50	1
1,2-Dichloroethane	ND		0.025	0.00021	mg/L			07/06/18 21:50	1
2-Butanone (MEK)	ND		0.25	0.0012	mg/L			07/06/18 21:50	1
Benzene	ND		0.025	0.00013	mg/L			07/06/18 21:50	1
Carbon tetrachloride	ND		0.025	0.00026	mg/L			07/06/18 21:50	1
Chlorobenzene	ND		0.025	0.00014	mg/L			07/06/18 21:50	1
Chloroform	ND		0.025	0.00013	mg/L			07/06/18 21:50	1
Tetrachloroethene	ND		0.025	0.00015	mg/L			07/06/18 21:50	1
Trichloroethene	ND		0.025	0.00010	mg/L			07/06/18 21:50	1
Vinyl chloride	ND		0.025	0.00020	mg/L			07/06/18 21:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		73 - 120					07/06/18 21:50	1
4-Bromofluorobenzene (Surr)	91		76 - 120					07/06/18 21:50	1
Toluene-d8 (Surr)	101		80 - 120					07/06/18 21:50	1
Dibromofluoromethane (Surr)	107		73 - 123					07/06/18 21:50	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) - TCLP

Client Sample ID: IDW-062918-W

Date Collected: 06/29/18 08:00

Date Received: 06/30/18 09:00

Lab Sample ID: 280-111549-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	ND		0.0040	0.00033	mg/L			07/06/18 10:14	07/09/18 17:41
2,4,5-Trichlorophenol	ND		0.0040	0.0020	mg/L			07/06/18 10:14	07/09/18 17:41
2,4,6-Trichlorophenol	ND		0.0040	0.0018	mg/L			07/06/18 10:14	07/09/18 17:41
2,4-Dinitrotoluene	ND		0.0040	0.0021	mg/L			07/06/18 10:14	07/09/18 17:41
2-Methylphenol	ND		0.0040	0.00021	mg/L			07/06/18 10:14	07/09/18 17:41
3 & 4 Methylphenol	ND		0.0040	0.00019	mg/L			07/06/18 10:14	07/09/18 17:41
Hexachlorobenzene	ND		0.00080	0.00016	mg/L			07/06/18 10:14	07/09/18 17:41
Hexachlorobutadiene	ND		0.0040	0.00054	mg/L			07/06/18 10:14	07/09/18 17:41
Hexachloroethane	ND		0.0040	0.00040	mg/L			07/06/18 10:14	07/09/18 17:41
Nitrobenzene	ND		0.0040	0.00051	mg/L			07/06/18 10:14	07/09/18 17:41
Pentachlorophenol	ND		0.016	0.0031	mg/L			07/06/18 10:14	07/09/18 17:41
Pyridine	ND *		0.0040	0.00036	mg/L			07/06/18 10:14	07/09/18 17:41
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	87		28 - 120					07/06/18 10:14	07/09/18 17:41
2-Fluorobiphenyl (Surr)	84		38 - 120					07/06/18 10:14	07/09/18 17:41
2-Fluorophenol (Surr)	83		10 - 120					07/06/18 10:14	07/09/18 17:41
Nitrobenzene-d5 (Surr)	86		32 - 120					07/06/18 10:14	07/09/18 17:41
Phenol-d5 (Surr)	77		10 - 120					07/06/18 10:14	07/09/18 17:41
Terphenyl-d14 (Surr)	97		23 - 127					07/06/18 10:14	07/09/18 17:41

TestAmerica Denver

Client Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8081B - Organochlorine Pesticides (GC) - TCLP

Client Sample ID: IDW-062918-W							Lab Sample ID: 280-111549-1			
Date Collected: 06/29/18 08:00							Matrix: Water			
Date Received: 06/30/18 09:00										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chlordane (technical)	ND		0.0050	0.000047	mg/L		07/06/18 10:20	07/10/18 12:28		1
Endrin	ND		0.00050	0.0000025	mg/L		07/06/18 10:20	07/10/18 12:28		1
gamma-BHC (Lindane)	ND		0.00050	0.0000025	mg/L		07/06/18 10:20	07/10/18 12:28		1
Heptachlor	ND		0.00050	0.0000033	mg/L		07/06/18 10:20	07/10/18 12:28		1
Heptachlor epoxide	ND		0.00050	0.0000026	mg/L		07/06/18 10:20	07/10/18 12:28		1
Methoxychlor	ND		0.0010	0.0000047	mg/L		07/06/18 10:20	07/10/18 12:28		1
Toxaphene	ND		0.020	0.000058	mg/L		07/06/18 10:20	07/10/18 12:28		1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
DCB Decachlorobiphenyl	58		21 - 135				07/06/18 10:20	07/10/18 12:28		1
DCB Decachlorobiphenyl	59		21 - 135				07/06/18 10:20	07/10/18 12:28		1
Tetrachloro-m-xylene	61		33 - 123				07/06/18 10:20	07/10/18 12:28		1
Tetrachloro-m-xylene	60		33 - 123				07/06/18 10:20	07/10/18 12:28		1

Method: 8151A - Herbicides (GC) - TCLP

Client Sample ID: IDW-062918-W							Lab Sample ID: 280-111549-1			
Date Collected: 06/29/18 08:00							Matrix: Water			
Date Received: 06/30/18 09:00										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
2,4-D	ND	*	0.0040	0.0022	mg/L		07/06/18 10:42	07/09/18 22:55		1
Silvex (2,4,5-TP)	ND	*	0.0010	0.00043	mg/L		07/06/18 10:42	07/09/18 22:55		1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
2,4-Dichlorophenylacetic acid	106		41 - 130				07/06/18 10:42	07/09/18 22:55		1
2,4-Dichlorophenylacetic acid	112		41 - 130				07/06/18 10:42	07/09/18 22:55		1

Method: 6010C - Metals (ICP) - TCLP

Client Sample ID: IDW-062918-W							Lab Sample ID: 280-111549-1			
Date Collected: 06/29/18 08:00							Matrix: Water			
Date Received: 06/30/18 09:00										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Arsenic	ND		0.050	0.0041	mg/L		07/06/18 14:00	07/09/18 17:32		1
Barium	0.028	J	0.50	0.0013	mg/L		07/06/18 14:00	07/09/18 17:32		1
Cadmium	0.00049	J	0.050	0.00020	mg/L		07/06/18 14:00	07/09/18 17:32		1
Chromium	ND		0.050	0.00063	mg/L		07/06/18 14:00	07/09/18 17:32		1
Lead	ND		0.050	0.0028	mg/L		07/06/18 14:00	07/09/18 17:32		1
Selenium	ND		0.050	0.0060	mg/L		07/06/18 14:00	07/09/18 17:32		1
Silver	ND		0.050	0.00062	mg/L		07/06/18 14:00	07/09/18 17:32		1

Method: 7470A - Mercury (CVAA) - TCLP

Client Sample ID: IDW-062918-W							Lab Sample ID: 280-111549-1			
Date Collected: 06/29/18 08:00							Matrix: Water			
Date Received: 06/30/18 09:00										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Mercury	ND		0.0020	0.00013	mg/L		07/06/18 14:00	07/10/18 09:52		1

TestAmerica Denver

Client Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

General Chemistry

Client Sample ID: IDW-062918-W

Date Collected: 06/29/18 08:00

Date Received: 06/30/18 09:00

Lab Sample ID: 280-111549-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Flashpoint	>200		1.00	1.00	Degrees F		07/05/18 10:00		1
Cyanide, Total	7.6	J B	10	6.0	ug/L		07/09/18 15:10	07/09/18 16:37	1
Sulfide	ND		3000	1400	ug/L		07/05/18 10:33	07/05/18 14:45	1
pH	7.4	HF	0.1	0.1	SU			07/05/18 15:25	1

Surrogate Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (73-120)	BFB (76-120)	TOL (80-120)	DBFM (73-123)
LCS 240-335060/9	Lab Control Sample	106	94	101	111

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (73-120)	BFB (76-120)	TOL (80-120)	DBFM (73-123)
280-111549-1	IDW-062918-W	102	91	101	107
LB 240-334991/1-A MB	Method Blank	105	93	102	111

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-120)	FBP (38-120)	2FP (10-120)	NBZ (32-120)	PHL (10-120)	TPHL (23-127)
LCS 240-334978/8-A	Lab Control Sample	89	88	86	101	74	100
MB 240-334978/7-A	Method Blank	77	84	81	80	71	89

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL = Phenol-d5 (Surr)
TPHL = Terphenyl-d14 (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-120)	FBP (38-120)	2FP (10-120)	NBZ (32-120)	PHL (10-120)	TPHL (23-127)
280-111549-1	IDW-062918-W	87	84	83	86	77	97

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)

TestAmerica Denver

Surrogate Summary

Client: Cardno GS, Inc
 Project/Site: Ravenna, OH
 2FP = 2-Fluorophenol (Surr)
 NBZ = Nitrobenzene-d5 (Surr)
 PHL = Phenol-d5 (Surr)
 TPHL = Terphenyl-d14 (Surr)

TestAmerica Job ID: 280-111549-1

Method: 8081B - Organochlorine Pesticides (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCBP1 (21-135)	DCBP2 (21-135)	TCX1 (33-123)	TCX2 (33-123)
LCS 240-334981/5-A	Lab Control Sample	59	62	54	56
LCS 240-334981/7-A	Lab Control Sample	56	58	56	59
LCS 240-334981/9-A	Lab Control Sample	53	58	55	56
LCSD 240-334981/10-A	Lab Control Sample Dup	54	60	59	59
LCSD 240-334981/6-A	Lab Control Sample Dup	54	56	49	55
LCSD 240-334981/8-A	Lab Control Sample Dup	55	59	52	55
MB 240-334981/4-A	Method Blank	58	61	57	60

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

Method: 8081B - Organochlorine Pesticides (GC)

Matrix: Water

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCBP1 (21-135)	DCBP2 (21-135)	TCX1 (33-123)	TCX2 (33-123)
280-111549-1	IDW-062918-W	58	59	61	60

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

Method: 8151A - Herbicides (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		DCPAA1 (41-130)	DCPAA2 (41-130)
LCS 240-334985/6-A	Lab Control Sample	96	93
MB 240-334985/5-A	Method Blank	101	99

Surrogate Legend

DCPAA = 2,4-Dichlorophenylacetic acid

Method: 8151A - Herbicides (GC)

Matrix: Water

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		DCPAA1 (41-130)	DCPAA2 (41-130)
280-111549-1	IDW-062918-W	106	112

Surrogate Legend

DCPAA = 2,4-Dichlorophenylacetic acid

TestAmerica Denver

QC Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: LCS 240-335060/9

Matrix: Water

Analysis Batch: 335060

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
							Limits
1,1-Dichloroethene	1.00	0.988		mg/L	99	76 - 131	
1,2-Dichloroethane	1.00	0.954		mg/L	95	72 - 125	
2-Butanone (MEK)	2.00	1.80		mg/L	90	55 - 137	
Benzene	1.00	0.957		mg/L	96	80 - 122	
Carbon tetrachloride	1.00	0.907		mg/L	91	69 - 130	
Chlorobenzene	1.00	0.921		mg/L	92	80 - 120	
Chloroform	1.00	1.04		mg/L	104	80 - 122	
Tetrachloroethylene	1.00	0.902		mg/L	90	79 - 120	
Trichloroethylene	1.00	0.891		mg/L	89	80 - 121	
Vinyl chloride	1.00	0.982		mg/L	98	73 - 132	

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	106		73 - 120
4-Bromofluorobenzene (Surr)	94		76 - 120
Toluene-d8 (Surr)	101		80 - 120
Dibromofluoromethane (Surr)	111		73 - 123

Lab Sample ID: LB 240-334991/1-A MB

Matrix: Water

Analysis Batch: 335060

Client Sample ID: Method Blank
Prep Type: TCLP

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		0.025	0.00019	mg/L		07/06/18 18:06		1
1,2-Dichloroethane	ND		0.025	0.00021	mg/L		07/06/18 18:06		1
2-Butanone (MEK)	ND		0.25	0.0012	mg/L		07/06/18 18:06		1
Benzene	ND		0.025	0.00013	mg/L		07/06/18 18:06		1
Carbon tetrachloride	ND		0.025	0.00026	mg/L		07/06/18 18:06		1
Chlorobenzene	ND		0.025	0.00014	mg/L		07/06/18 18:06		1
Chloroform	ND		0.025	0.00013	mg/L		07/06/18 18:06		1
Tetrachloroethylene	ND		0.025	0.00015	mg/L		07/06/18 18:06		1
Trichloroethylene	ND		0.025	0.00010	mg/L		07/06/18 18:06		1
Vinyl chloride	ND		0.025	0.00020	mg/L		07/06/18 18:06		1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		73 - 120		07/06/18 18:06	1
4-Bromofluorobenzene (Surr)	93		76 - 120		07/06/18 18:06	1
Toluene-d8 (Surr)	102		80 - 120		07/06/18 18:06	1
Dibromofluoromethane (Surr)	111		73 - 123		07/06/18 18:06	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-334978/7-A

Matrix: Water

Analysis Batch: 335228

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 334978

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	ND		0.0040	0.00033	mg/L		07/06/18 10:14	07/09/18 12:50	1

TestAmerica Denver

QC Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-334978/7-A

Matrix: Water

Analysis Batch: 335228

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 334978

Analyte	MB		RL	MDL	Unit	D	Prepared		Dil Fac
	Result	Qualifier					Prepared	Analyzed	
2,4,5-Trichlorophenol	ND		0.0040	0.0020	mg/L	07/06/18 10:14	07/09/18 12:50	1	
2,4,6-Trichlorophenol	ND		0.0040	0.0018	mg/L	07/06/18 10:14	07/09/18 12:50	1	
2,4-Dinitrotoluene	ND		0.0040	0.0021	mg/L	07/06/18 10:14	07/09/18 12:50	1	
2-Methylphenol	ND		0.0040	0.00021	mg/L	07/06/18 10:14	07/09/18 12:50	1	
3 & 4 Methylphenol	ND		0.0040	0.00019	mg/L	07/06/18 10:14	07/09/18 12:50	1	
Hexachlorobenzene	ND		0.00080	0.00016	mg/L	07/06/18 10:14	07/09/18 12:50	1	
Hexachlorobutadiene	ND		0.0040	0.00054	mg/L	07/06/18 10:14	07/09/18 12:50	1	
Hexachloroethane	ND		0.0040	0.00040	mg/L	07/06/18 10:14	07/09/18 12:50	1	
Nitrobenzene	ND		0.0040	0.00051	mg/L	07/06/18 10:14	07/09/18 12:50	1	
Pentachlorophenol	ND		0.016	0.0031	mg/L	07/06/18 10:14	07/09/18 12:50	1	
Pyridine	ND		0.0040	0.00036	mg/L	07/06/18 10:14	07/09/18 12:50	1	

Surrogate	MB		Limits	Prepared		Dil Fac
	%Recovery	Qualifier		Prepared	Analyzed	
2,4,6-Tribromophenol (Surr)	77		28 - 120	07/06/18 10:14	07/09/18 12:50	1
2-Fluorobiphenyl (Surr)	84		38 - 120	07/06/18 10:14	07/09/18 12:50	1
2-Fluorophenol (Surr)	81		10 - 120	07/06/18 10:14	07/09/18 12:50	1
Nitrobenzene-d5 (Surr)	80		32 - 120	07/06/18 10:14	07/09/18 12:50	1
Phenol-d5 (Surr)	71		10 - 120	07/06/18 10:14	07/09/18 12:50	1
Terphenyl-d14 (Surr)	89		23 - 127	07/06/18 10:14	07/09/18 12:50	1

Lab Sample ID: LCS 240-334978/8-A

Matrix: Water

Analysis Batch: 335228

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 334978

Analyte	Spike		LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	
	Added	Result						Limits	
1,4-Dichlorobenzene	0.0800	0.0701	mg/L	88	47 - 120				
2,4,5-Trichlorophenol	0.0800	0.0771	mg/L	96	54 - 120				
2,4,6-Trichlorophenol	0.0800	0.0767	mg/L	96	54 - 120				
2,4-Dinitrotoluene	0.0800	0.0732	mg/L	91	60 - 120				
2-Methylphenol	0.0800	0.0726	mg/L	91	46 - 120				
3 & 4 Methylphenol	0.0800	0.0746	mg/L	93	40 - 120				
Hexachlorobenzene	0.0800	0.0713	mg/L	89	51 - 120				
Hexachlorobutadiene	0.0800	0.0712	mg/L	89	44 - 120				
Hexachloroethane	0.0800	0.0692	mg/L	86	44 - 120				
Nitrobenzene	0.0800	0.0756	mg/L	94	55 - 120				
Pentachlorophenol	0.160	0.139	mg/L	87	30 - 120				
Pyridine	0.160	0.0300 *	mg/L	19	23 - 120				

Surrogate	LCS		Limits
	%Recovery	Qualifier	
2,4,6-Tribromophenol (Surr)	89		28 - 120
2-Fluorobiphenyl (Surr)	88		38 - 120
2-Fluorophenol (Surr)	86		10 - 120
Nitrobenzene-d5 (Surr)	101		32 - 120
Phenol-d5 (Surr)	74		10 - 120
Terphenyl-d14 (Surr)	100		23 - 127

TestAmerica Denver

QC Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8081B - Organochlorine Pesticides (GC)

Lab Sample ID: MB 240-334981/4-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 334981

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chlordane (technical)	ND		0.0050	0.000047	mg/L	07/06/18 10:20	07/10/18 11:02		1
Endrin	ND		0.00050	0.0000025	mg/L	07/06/18 10:20	07/10/18 11:02		1
gamma-BHC (Lindane)	ND		0.00050	0.0000025	mg/L	07/06/18 10:20	07/10/18 11:02		1
Heptachlor	ND		0.00050	0.0000033	mg/L	07/06/18 10:20	07/10/18 11:02		1
Heptachlor epoxide	ND		0.00050	0.0000026	mg/L	07/06/18 10:20	07/10/18 11:02		1
Methoxychlor	ND		0.0010	0.0000047	mg/L	07/06/18 10:20	07/10/18 11:02		1
Toxaphene	ND		0.020	0.000058	mg/L	07/06/18 10:20	07/10/18 11:02		1

MB MB

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
DCB Decachlorobiphenyl	58		21 - 135	07/06/18 10:20	07/10/18 11:02	1
DCB Decachlorobiphenyl	61		21 - 135	07/06/18 10:20	07/10/18 11:02	1
Tetrachloro-m-xylene	57		33 - 123	07/06/18 10:20	07/10/18 11:02	1
Tetrachloro-m-xylene	60		33 - 123	07/06/18 10:20	07/10/18 11:02	1

Lab Sample ID: LCS 240-334981/5-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 334981

Analyte	Spike	LCS	LCS	D	%Rec	%Rec.	Limits
	Added	Result	Qualifier				
Endrin	0.00160	0.00111		mg/L	69	36 - 124	
gamma-BHC (Lindane)	0.00160	0.00103		mg/L	64	23 - 120	
Heptachlor	0.00160	0.00112		mg/L	70	37 - 120	
Heptachlor epoxide	0.00160	0.00108		mg/L	68	44 - 120	
Methoxychlor	0.00160	0.00106		mg/L	66	36 - 120	

LCS LCS

Surrogate	LCs	LCs	Limits
	%Recovery	Qualifier	
DCB Decachlorobiphenyl	59		21 - 135
DCB Decachlorobiphenyl	62		21 - 135
Tetrachloro-m-xylene	54		33 - 123
Tetrachloro-m-xylene	56		33 - 123

Lab Sample ID: LCS 240-334981/7-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 334981

Analyte	Spike	LCS	LCS	D	%Rec	%Rec.	Limits
	Added	Result	Qualifier				
Toxaphene	0.0400	0.0266		mg/L	66	10 - 120	

LCS LCS

Surrogate	LCs	LCs	Limits
	%Recovery	Qualifier	
DCB Decachlorobiphenyl	56		21 - 135
DCB Decachlorobiphenyl	58		21 - 135
Tetrachloro-m-xylene	56		33 - 123
Tetrachloro-m-xylene	59		33 - 123

TestAmerica Denver

QC Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 240-334981/9-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 334981

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Chlordane (technical)	0.00400	0.00246	J	mg/L		61	10 - 120
Surrogate							
<i>DCB Decachlorobiphenyl</i>							
	53			21 - 135			
<i>DCB Decachlorobiphenyl</i>							
	58			21 - 135			
<i>Tetrachloro-m-xylene</i>							
	55			33 - 123			
<i>Tetrachloro-m-xylene</i>							
	56			33 - 123			

Lab Sample ID: LCSD 240-334981/10-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 334981

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec.	RPD	Limit
Chlordane (technical)	0.00400	0.00239	J	mg/L		60	10 - 120	3
Surrogate								
<i>DCB Decachlorobiphenyl</i>								
	54			21 - 135				
<i>DCB Decachlorobiphenyl</i>								
	60			21 - 135				
<i>Tetrachloro-m-xylene</i>								
	59			33 - 123				
<i>Tetrachloro-m-xylene</i>								
	59			33 - 123				

Lab Sample ID: LCSD 240-334981/6-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 334981

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec.	RPD	Limit
Endrin	0.00160	0.00103		mg/L		64	36 - 124	7
gamma-BHC (Lindane)	0.00160	0.000997		mg/L		62	23 - 120	3
Heptachlor	0.00160	0.00110		mg/L		69	37 - 120	2
Heptachlor epoxide	0.00160	0.00104		mg/L		65	44 - 120	4
Methoxychlor	0.00160	0.000994	J	mg/L		62	36 - 120	7
Surrogate								
<i>DCB Decachlorobiphenyl</i>								
	54			21 - 135				
<i>DCB Decachlorobiphenyl</i>								
	56			21 - 135				
<i>Tetrachloro-m-xylene</i>								
	49			33 - 123				
<i>Tetrachloro-m-xylene</i>								
	55			33 - 123				

Lab Sample ID: LCSD 240-334981/8-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 334981

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec.	RPD	Limit
Toxaphene	0.0400	0.0271		mg/L		68	10 - 120	2
Surrogate								
<i>DCB Decachlorobiphenyl</i>								
	55			21 - 135				

TestAmerica Denver

QC Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCSD 240-334981/8-A

Matrix: Water

Analysis Batch: 335447

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 334981

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
DCB Decachlorobiphenyl	59		21 - 135
Tetrachloro-m-xylene	52		33 - 123
Tetrachloro-m-xylene	55		33 - 123

Method: 8151A - Herbicides (GC)

Lab Sample ID: MB 240-334985/5-A

Matrix: Water

Analysis Batch: 335190

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 334985

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-D	ND		0.0040	0.0022	mg/L		07/06/18 10:42	07/09/18 21:46	1
Silvex (2,4,5-TP)	ND		0.0010	0.00043	mg/L		07/06/18 10:42	07/09/18 21:46	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
2,4-Dichlorophenylacetic acid	101		41 - 130				07/06/18 10:42	07/09/18 21:46	1
2,4-Dichlorophenylacetic acid	99		41 - 130				07/06/18 10:42	07/09/18 21:46	1

Lab Sample ID: LCS 240-334985/6-A

Matrix: Water

Analysis Batch: 335190

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 334985

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
2,4-D		0.0200	0.0269	*	mg/L		135	42 - 120
Silvex (2,4,5-TP)		0.00500	0.00705	*	mg/L		141	41 - 120
Surrogate		MB %Recovery	MB Qualifier	Limits				
2,4-Dichlorophenylacetic acid		96		41 - 130				
2,4-Dichlorophenylacetic acid		93		41 - 130				

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 240-335000/2-A

Matrix: Water

Analysis Batch: 335417

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 335000

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.050	0.0041	mg/L		07/06/18 14:00	07/09/18 16:50	1
Barium	ND		0.50	0.0013	mg/L		07/06/18 14:00	07/09/18 16:50	1
Cadmium	ND		0.050	0.00020	mg/L		07/06/18 14:00	07/09/18 16:50	1
Chromium	ND		0.050	0.00063	mg/L		07/06/18 14:00	07/09/18 16:50	1
Lead	ND		0.050	0.0028	mg/L		07/06/18 14:00	07/09/18 16:50	1
Selenium	ND		0.050	0.0060	mg/L		07/06/18 14:00	07/09/18 16:50	1
Silver	ND		0.050	0.00062	mg/L		07/06/18 14:00	07/09/18 16:50	1

TestAmerica Denver

QC Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 6010C - Metals (ICP) (Continued)

Lab Sample ID: LCS 240-335000/3-A

Matrix: Water

Analysis Batch: 335417

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 335000

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Arsenic	2.00	2.03		mg/L	102	50 - 150	
Barium	2.00	1.95		mg/L	98	50 - 150	
Cadmium	0.0500	0.0487	J	mg/L	97	50 - 150	
Chromium	0.200	0.193		mg/L	96	50 - 150	
Lead	0.500	0.473		mg/L	95	50 - 150	
Selenium	2.00	2.09		mg/L	105	50 - 150	
Silver	0.0500	0.0497	J	mg/L	99	50 - 150	

Lab Sample ID: LB 240-334959/1-B

Matrix: Water

Analysis Batch: 335417

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 335000

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.050	0.0041	mg/L	07/06/18 14:00	07/09/18 16:45		1
Barium	ND		0.50	0.0013	mg/L	07/06/18 14:00	07/09/18 16:45		1
Cadmium	ND		0.050	0.00020	mg/L	07/06/18 14:00	07/09/18 16:45		1
Chromium	ND		0.050	0.00063	mg/L	07/06/18 14:00	07/09/18 16:45		1
Lead	ND		0.050	0.0028	mg/L	07/06/18 14:00	07/09/18 16:45		1
Selenium	ND		0.050	0.0060	mg/L	07/06/18 14:00	07/09/18 16:45		1
Silver	ND		0.050	0.00062	mg/L	07/06/18 14:00	07/09/18 16:45		1

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 240-335003/2-A

Matrix: Water

Analysis Batch: 335479

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 335003

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0020	0.00013	mg/L	07/06/18 14:00	07/10/18 09:41		1

Lab Sample ID: LCS 240-335003/3-A

Matrix: Water

Analysis Batch: 335479

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 335003

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Mercury	0.00500	0.00537		mg/L	107	80 - 120	

Lab Sample ID: LB 240-334959/1-C

Matrix: Water

Analysis Batch: 335479

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 335003

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0020	0.00013	mg/L	07/06/18 14:00	07/10/18 09:39		1

TestAmerica Denver

QC Sample Results

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Method: 1010A - Ignitability, Pensky-Martens Closed-Cup Method

Lab Sample ID: LCS 240-334774/1

Matrix: Water

Analysis Batch: 334774

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	%Rec.
Flashpoint	81.0	83.00		Degrees F	102	97 - 103	

Method: 9012B - Cyanide, Total andor Amenable

Lab Sample ID: MB 240-335328/1-A

Matrix: Water

Analysis Batch: 335358

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 335328

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Total	6.10	J	10	6.0	ug/L		07/09/18 15:10	07/09/18 16:24	1

Lab Sample ID: LCS 240-335328/2-A

Matrix: Water

Analysis Batch: 335358

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 335328

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	%Rec.
Cyanide, Total	884	951		ug/L	108	59 - 129	

Method: 9034 - Sulfide, Acid soluble and Insoluble (Titrimetric)

Lab Sample ID: MB 240-334822/1-A

Matrix: Water

Analysis Batch: 334879

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 334822

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	ND		3000	1400	ug/L		07/05/18 10:33	07/05/18 14:45	1

Lab Sample ID: LCS 240-334822/2-A

Matrix: Water

Analysis Batch: 334879

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 334822

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	%Rec.
Sulfide	7600	7070		ug/L	93	70 - 120	

QC Association Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

GC/MS VOA

Leach Batch: 334991

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	1311	
LB 240-334991/1-A MB	Method Blank	TCLP	Water	1311	

Analysis Batch: 335060

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	8260B	
LB 240-334991/1-A MB	Method Blank	TCLP	Water	8260B	334991
LCS 240-335060/9	Lab Control Sample	Total/NA	Water	8260B	

GC/MS Semi VOA

Leach Batch: 334959

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	1311	

Prep Batch: 334978

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	3510C	
MB 240-334978/7-A	Method Blank	Total/NA	Water	3510C	
LCS 240-334978/8-A	Lab Control Sample	Total/NA	Water	3510C	

Analysis Batch: 335228

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	8270D	
MB 240-334978/7-A	Method Blank	Total/NA	Water	8270D	334978
LCS 240-334978/8-A	Lab Control Sample	Total/NA	Water	8270D	334978

GC Semi VOA

Leach Batch: 334959

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	1311	

Prep Batch: 334981

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	3520C	
MB 240-334981/4-A	Method Blank	Total/NA	Water	3520C	
LCS 240-334981/5-A	Lab Control Sample	Total/NA	Water	3520C	
LCS 240-334981/7-A	Lab Control Sample	Total/NA	Water	3520C	
LCS 240-334981/9-A	Lab Control Sample	Total/NA	Water	3520C	
LCSD 240-334981/10-A	Lab Control Sample Dup	Total/NA	Water	3520C	
LCSD 240-334981/6-A	Lab Control Sample Dup	Total/NA	Water	3520C	
LCSD 240-334981/8-A	Lab Control Sample Dup	Total/NA	Water	3520C	

Prep Batch: 334985

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	8151A	
MB 240-334985/5-A	Method Blank	Total/NA	Water	8151A	
LCS 240-334985/6-A	Lab Control Sample	Total/NA	Water	8151A	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

QC Association Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

GC Semi VOA (Continued)

Analysis Batch: 335190

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	8151A	334985
MB 240-334985/5-A	Method Blank	Total/NA	Water	8151A	334985
LCS 240-334985/6-A	Lab Control Sample	Total/NA	Water	8151A	334985

Analysis Batch: 335447

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	8081B	334981
MB 240-334981/4-A	Method Blank	Total/NA	Water	8081B	334981
LCS 240-334981/5-A	Lab Control Sample	Total/NA	Water	8081B	334981
LCS 240-334981/7-A	Lab Control Sample	Total/NA	Water	8081B	334981
LCS 240-334981/9-A	Lab Control Sample	Total/NA	Water	8081B	334981
LCSD 240-334981/10-A	Lab Control Sample Dup	Total/NA	Water	8081B	334981
LCSD 240-334981/6-A	Lab Control Sample Dup	Total/NA	Water	8081B	334981
LCSD 240-334981/8-A	Lab Control Sample Dup	Total/NA	Water	8081B	334981

Metals

Leach Batch: 334959

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	1311	
LB 240-334959/1-B	Method Blank	TCLP	Water	1311	
LB 240-334959/1-C	Method Blank	TCLP	Water	1311	

Prep Batch: 335000

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	3010A	334959
LB 240-334959/1-B	Method Blank	TCLP	Water	3010A	334959
MB 240-335000/2-A	Method Blank	Total/NA	Water	3010A	
LCS 240-335000/3-A	Lab Control Sample	Total/NA	Water	3010A	

Prep Batch: 335003

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	7470A	334959
LB 240-334959/1-C	Method Blank	TCLP	Water	7470A	334959
MB 240-335003/2-A	Method Blank	Total/NA	Water	7470A	
LCS 240-335003/3-A	Lab Control Sample	Total/NA	Water	7470A	

Analysis Batch: 335417

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	6010C	335000
LB 240-334959/1-B	Method Blank	TCLP	Water	6010C	335000
MB 240-335000/2-A	Method Blank	Total/NA	Water	6010C	335000
LCS 240-335000/3-A	Lab Control Sample	Total/NA	Water	6010C	335000

Analysis Batch: 335479

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	TCLP	Water	7470A	335003
LB 240-334959/1-C	Method Blank	TCLP	Water	7470A	335003
MB 240-335003/2-A	Method Blank	Total/NA	Water	7470A	335003
LCS 240-335003/3-A	Lab Control Sample	Total/NA	Water	7470A	335003

TestAmerica Denver

QC Association Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

General Chemistry

Analysis Batch: 334774

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	Total/NA	Water	1010A	
LCS 240-334774/1	Lab Control Sample	Total/NA	Water	1010A	

Prep Batch: 334822

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	Total/NA	Water	9030B	
MB 240-334822/1-A	Method Blank	Total/NA	Water	9030B	
LCS 240-334822/2-A	Lab Control Sample	Total/NA	Water	9030B	

Analysis Batch: 334879

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	Total/NA	Water	9034	
MB 240-334822/1-A	Method Blank	Total/NA	Water	9034	
LCS 240-334822/2-A	Lab Control Sample	Total/NA	Water	9034	

Analysis Batch: 334882

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	Total/NA	Water	9040C	
LCS 240-334882/2	Lab Control Sample	Total/NA	Water	9040C	

Prep Batch: 335328

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	Total/NA	Water	9012B	
MB 240-335328/1-A	Method Blank	Total/NA	Water	9012B	
LCS 240-335328/2-A	Lab Control Sample	Total/NA	Water	9012B	

Analysis Batch: 335358

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-111549-1	IDW-062918-W	Total/NA	Water	9012B	
MB 240-335328/1-A	Method Blank	Total/NA	Water	9012B	
LCS 240-335328/2-A	Lab Control Sample	Total/NA	Water	9012B	

Lab Chronicle

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Client Sample ID: IDW-062918-W

Lab Sample ID: 280-111549-1

Date Collected: 06/29/18 08:00

Matrix: Water

Date Received: 06/30/18 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
TCLP	Leach	1311			1.0 g	1.0 mL	334991	07/05/18 17:40	PW1	TAL CAN
TCLP	Analysis	8260B		1	0.1 mL	5 mL	335060	07/06/18 21:50	TJL1	TAL CAN
TCLP	Leach	1311			1.0 g	1.0 mL	334959	07/05/18 16:05	PW1	TAL CAN
TCLP	Prep	3510C			250 mL	2 mL	334978	07/06/18 10:14	WKD	TAL CAN
TCLP	Analysis	8270D		1			335228	07/09/18 17:41	JMG	TAL CAN
TCLP	Leach	1311			1.0 g	1.0 mL	334959	07/05/18 16:05	PW1	TAL CAN
TCLP	Prep	3520C			250 mL	3 mL	334981	07/06/18 10:20	WKD	TAL CAN
TCLP	Analysis	8081B		1			335447	07/10/18 12:28	OCR	TAL CAN
TCLP	Leach	1311			1.0 g	1.0 mL	334959	07/05/18 16:05	PW1	TAL CAN
TCLP	Prep	8151A			100 mL	10 mL	334985	07/06/18 10:42	BMB	TAL CAN
TCLP	Analysis	8151A		1			335190	07/09/18 22:55	RTR	TAL CAN
TCLP	Leach	1311			1.0 g	1.0 mL	334959	07/05/18 16:05	PW1	TAL CAN
TCLP	Prep	3010A			50 mL	50 mL	335000	07/06/18 14:00	AJC	TAL CAN
TCLP	Analysis	6010C		1			335417	07/09/18 17:32	KLC	TAL CAN
TCLP	Leach	1311			1.0 g	1.0 mL	334959	07/05/18 16:05	PW1	TAL CAN
TCLP	Prep	7470A			50 mL	50 mL	335003	07/06/18 14:00	AJC	TAL CAN
TCLP	Analysis	7470A		1			335479	07/10/18 09:52	AJC	TAL CAN
Total/NA	Analysis	1010A		1			334774	07/05/18 10:00	TPH	TAL CAN
Total/NA	Prep	9012B			6.0 mL	6.0 mL	335328	07/09/18 15:10	JWW	TAL CAN
Total/NA	Analysis	9012B		1	6.0 mL	6.0 mL	335358	07/09/18 16:37	JWW	TAL CAN
Total/NA	Prep	9030B			50 mL	50 mL	334822	07/05/18 10:33	JMB	TAL CAN
Total/NA	Analysis	9034		1			334879	07/05/18 14:45	JMB	TAL CAN
Total/NA	Analysis	9040C		1			334882	07/05/18 15:25	JESW	TAL CAN

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 280-111549-1

Laboratory: TestAmerica Denver

The accreditations/certifications listed below are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
A2LA	DoD ELAP		2907.01	10-31-19

Laboratory: TestAmerica Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State Program	9	2927	02-23-19
Connecticut	State Program	1	PH-0590	12-31-19
Florida	NELAP	4	E87225	06-30-19
Illinois	NELAP	5	200004	07-31-18 *
Kansas	NELAP	7	E-10336	01-31-19
Kentucky (UST)	State Program	4	58	02-23-19
Kentucky (WW)	State Program	4	98016	12-31-18
Minnesota	NELAP	5	039-999-348	12-31-18
Minnesota (Petrofund)	State Program	1	3506	07-31-18 *
Nevada	State Program	9	OH-000482008A	07-31-18 *
New Jersey	NELAP	2	OH001	06-30-19
New York	NELAP	2	10975	03-31-19
Ohio VAP	State Program	5	CL0024	09-06-19
Oregon	NELAP	10	4062	02-23-19
Pennsylvania	NELAP	3	68-00340	08-31-18 *
Texas	NELAP	6	T104704517-17-9	08-31-18 *
USDA	Federal		P330-16-00404	12-28-19
Virginia	NELAP	3	460175	09-14-18 *
Washington	State Program	10	C971	01-12-19
West Virginia DEP	State Program	3	210	12-31-18

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

TestAmerica Denver



Chain of Custody Record

4955 Yarrow Street
Arvada, CO 80002
Phone (303) 736-0100 Fax. (303) 431-7171

Client Information (Sub Contract Lab)

Client Contact: Shipping/Receiving Company: TestAmerica Laboratories, Inc.

Address: 4101 Shaffer Street NW, City: North Canton

State, Zip: OH, 44720

Phone: 330-497-9396(Tel) 330-497-0772(Fax)

Email:

Project Name: Ravenna, OH

Site:

Sampler: Lab P.M.: Lab P.M.:
McEntee, Patrick J
E-Mail: patrick.mcintee@testamericainc.com State of Origin: Ohio

Carrier Tracking No(s): COC No: 280-445536.1

Phone: Page 1 of 1

Accreditations Required (See note): Job #: 280-111549-1

DOD ELAP - A2LA

Client Information (Sub Contract Lab)		Sampler: Lab P.M.: Lab P.M.: McEntee, Patrick J E-Mail: patrick.mcintee@testamericainc.com State of Origin: Ohio		Carrier Tracking No(s): COC No: 280-445536.1	
Address: 4101 Shaffer Street NW, City: North Canton		State, Zip: OH, 44720		Phone: Page 1 of 1	
Project Name: Ravenna, OH		Site:		Accreditations Required (See note): Job #: 280-111549-1	
PO #:		W.O. #:		DOD ELAP - A2LA	
Phone:		Email:		Preservation Codes:	
4101 Shaffer Street NW, Ravenna, OH				A - HCl B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Anchor S - H2SO4 H - Ascorbic Acid T - TSP Decadehydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4.5 L - EDA Z - other (specify) Other:	
Due Date Requested: 7/10/2018		TAT Requested (days):		Total Number of Containers	
Sample Identification - Client ID (Lab ID)		Sample Date		Analysis Requested	
IDW-062918-W (280-111549-1)		6/29/18 08:00 Eastern		1010A	
Perfected Sample (Yes or No)		Preservation Code:		Special Instructions/Note:	
X		Water		12 Dil 3 - report dilute/undilute, one result per analyte. Only report results that are within	
8260B/1311-Z CLP Volatiles		8081B/1311-T CLP Pesticides		9012B/9012B_Prep	
8270D/1311-T CLP Semivolatiles		8151A/1311-T CLP Herbicides		9034_Cal/C9030B (MDD) Local Method	
8260B/1311-Z CLP Volatiles		6010C/1311-T CLP Metals		7470A/1311-Hg TLCP Mercury	
8270D/1311-T CLP Semivolatiles		9040C/PH		9010A	
8081B/1311-T CLP Pesticides		9012B/9012B_Prep		9034_Cal/C9030B (MDD) Local Method	
8151A/1311-T CLP Herbicides		6010C/1311-T CLP Metals		7470A/1311-Hg TLCP Mercury	
6010C/1311-T CLP Metals		9040C/PH		9010A	
9012B/9012B_Prep		9012B/9012B_Prep		9034_Cal/C9030B (MDD) Local Method	
7470A/1311-Hg TLCP Mercury		7470A/1311-Hg TLCP Mercury		9010A	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C9030B (MDD) Local Method		9010A	
9010A		9010A		9034_Cal/C9030B (MDD) Local Method	
9034_Cal/C9030B (MDD) Local Method		9034_Cal/C903			

**TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility**

Login # : _____

Client TA Danner Site Name _____ Cooler unpacked by: SL
Cooler Received on 7/5/18 Opened on 7/5/18

FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time Storage Location

TestAmerica Cooler # TA Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN# IR-8 (CF +0 °C) Observed Cooler Temp. 3.0 °C Corrected Cooler Temp. 3.0 °C
IR GUN #36 (CF -0.3°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
IR GUN # 627 (CF -1.3°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
-Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels be reconciled with the COC? Yes No
9. Were correct bottle(s) used for the test(s) indicated? Yes No
10. Sufficient quantity received to perform indicated analyses? Yes No
11. Are these work share samples?
If yes, Questions 12-16 have been checked at the originating laboratory.
12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC740840
13. Were VOAs on the COC? Yes No
14. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
16. Was a LL Hg or Me Hg trip blank present? _____ Yes No

Tests that are not checked for pH by Receiving:

VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: _____

18. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____

Login Sample Receipt Checklist

Client: Cardno GS, Inc

Job Number: 280-111549-1

Login Number: 111549

List Source: TestAmerica Denver

List Number: 1

Creator: Dunlap, Krista M

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	