

ANALYTICAL REPORT

Job Number: 240-97858-1

Job Description: Ravenna, OH

For:
Cardno GS, Inc
2496 Old Ivy Road
Suite 300
Charlottesville, VA 22903

Attention: Mr. Peter Chapman

Approved for release. Patrick J McEntee Manager of Project Management 6/28/2018 8:02 PM

Patrick J McEntee, Manager of Project Management 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0107 patrick.mcentee@testamericainc.com 06/28/2018

Patril J. M. Enter

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

Table of Contents

| Co | over Title Page | 1 |
|-----|---------------------------|----|
| Da | ata Summaries | 4 |
| | Definitions | 4 |
| | Case Narrative | 5 |
| | Detection Summary | 6 |
| | Client Sample Results | 7 |
| | Default Detection Limits | 8 |
| | QC Sample Results | 9 |
| | QC Association | 10 |
| | Chronicle | 11 |
| | Certification Summary | 12 |
| | Method Summary | 13 |
| | Sample Summary | 14 |
| | Reagent Traceability | 15 |
| | COAs | 16 |
| Inc | organic Sample Data | 20 |
| | General Chemistry Data | 20 |
| | Gen Chem Cover Page | 21 |
| | Gen Chem Sample Data | 22 |
| | Gen Chem QC Data | 23 |
| | Gen Chem ICV/CCV | 23 |
| | Gen Chem Blanks | 25 |
| | Gen Chem MS/MSD/PDS | 26 |
| | Gen Chem LCS/LCSD | 28 |
| | Gen Chem MDL | 29 |
| | Gen Chem Analysis Run Log | 31 |

Table of Contents

| Gen Chem Prep Data | 33 |
|----------------------------------|----|
| Gen Chem Raw Data | 35 |
| Shipping and Receiving Documents | 36 |
| Client Chain of Custody | 37 |
| Sample Receipt Checklist | 30 |

Definitions/Glossary

Client: Cardno GS, Inc TestAmerica Job ID: 240-97858-1

Project/Site: Ravenna, OH

Qualifiers

General Chemistry

Qualifier Qualifier Description

Undetected at the Limit of Detection.

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|--------------|--|
| ¤ | Listed under the "D" column to designate that the result is reported on a dry weight basis |

%R Percent Recovery
CFL Contains Free Liquid
CNF Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin)

LOD Limit of Detection (DoD/DOE)

LOQ Limit of Quantitation (DoD/DOE)

MDA Minimum Detectable Activity (Radiochemistry)

MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit
ML Minimum Level (Dioxin)
NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

PQL Practical Quantitation Limit

QC Quality Control

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin)
TEQ Toxicity Equivalent Quotient (Dioxin)

CASE NARRATIVE

Client: Cardno GS, Inc

Project: Ravenna, OH

Report Number: 240-97858-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 6/28/2018 2:50 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.2° C.

Under client approval, Hexavalent chromium analysis was performed by TestAmerica Canton. TestAmerica Canton is not hold DoD accreditation; therefore, method EPA SW-846 Method 7196A is reported with standard data qualifiers applied.

HEXAVALENT CHROMIUM

Sample RQLmw-011-062818-GW (240-97858-1) was analyzed for hexavalent chromium in accordance with EPA SW-846 Method 7196A. The samples were analyzed on 06/28/2018.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 240-97858-1

Client Sample ID: RQLmw-011-062818-GW

Lab Sample ID: 240-97858-1

No Detections.

Client Sample Results

Client: Cardno GS, Inc TestAmerica Job ID: 240-97858-1

Project/Site: Ravenna, OH

Client Sample ID: RQLmw-011-062818-GW

Lab Sample ID: 240-97858-1

Date Collected: 06/28/18 11:51 Matrix: Water Date Received: 06/28/18 14:50

_

| General Chemistry | | | | | | | | | |
|---------------------|--------|-----------|----|-----|------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
| Hexavalent chromium | 10 | U | 20 | 3.0 | ug/L | | | 06/28/18 18:13 | 1 |

Default Detection Limits

Client: Cardno GS, Inc Project/Site: Ravenna, OH TestAmerica Job ID: 240-97858-1

General Chemistry

| Analyte | RL | MDL | Units | Method |
|---------------------|----|-----|-------|--------|
| Hexavalent chromium | 20 | 3.0 | ug/L | 7196A |

QC Sample Results

Client: Cardno GS, Inc TestAmerica Job ID: 240-97858-1

Project/Site: Ravenna, OH

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 240-334035/3

Matrix: Water Analysis Batch: 334035

MB MB

Result Qualifier RL **MDL** Unit Analyte **Prepared** Analyzed Dil Fac Hexavalent chromium 10 U 20 3.0 ug/L 06/28/18 18:11

Lab Sample ID: LCS 240-334035/4

Matrix: Water

Analysis Batch: 334035

LCS LCS Spike %Rec. Added Analyte Result Qualifier Unit %Rec Limits 250 247 Hexavalent chromium 99 80 - 123 ug/L

Lab Sample ID: 240-97858-1 MS

Matrix: Water

Analysis Batch: 334035

Sample Sample Spike MS MS %Rec. Result Qualifier Added Result Qualifier Unit D %Rec Limits Hexavalent chromium 10 U 250 178 ug/L 31 - 151

Lab Sample ID: 240-97858-1 MSD

Matrix: Water

Analysis Batch: 334035

Sample Sample Spike MSD MSD %Rec. **RPD** Analyte Result Qualifier Added Result Qualifier Unit %Rec Limits **RPD** Limit Hexavalent chromium 10 U 250 183 ug/L 73 31 - 151

> TestAmerica Canton 06/28/2018

Client Sample ID: Method Blank

Client Sample ID: Lab Control Sample

Client Sample ID: RQLmw-011-062818-GW

Client Sample ID: RQLmw-011-062818-GW

Prep Type: Total/NA

Prep Type: Total/NA

Prep Type: Total/NA

Prep Type: Total/NA

QC Association Summary

Client: Cardno GS, Inc
Project/Site: Ravenna, OH

TestAmerica Job ID: 240-97858-1

General Chemistry

Analysis Batch: 334035

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|---------------------|-----------|--------|--------|------------|
| 240-97858-1 | RQLmw-011-062818-GW | Total/NA | Water | 7196A | |
| MB 240-334035/3 | Method Blank | Total/NA | Water | 7196A | |
| LCS 240-334035/4 | Lab Control Sample | Total/NA | Water | 7196A | |
| 240-97858-1 MS | RQLmw-011-062818-GW | Total/NA | Water | 7196A | |
| 240-97858-1 MSD | RQLmw-011-062818-GW | Total/NA | Water | 7196A | |

Lab Chronicle

Client: Cardno GS, Inc TestAmerica Job ID: 240-97858-1 Project/Site: Ravenna, OH

Client Sample ID: RQLmw-011-062818-GW

Lab Sample ID: 240-97858-1 Date Collected: 06/28/18 11:51 **Matrix: Water**

Date Received: 06/28/18 14:50

| | Batch | Batch | | Dilution | Batch | Prepared | | |
|-----------|----------|--------|-----|----------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Number | or Analyzed | Analyst | Lab |
| Total/NA | Analysis | 7196A | | 1 | 334035 | 06/28/18 18:13 | JWW | TAL CAN |

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: Cardno GS, Inc TestAmerica Job ID: 240-97858-1

Project/Site: Ravenna, OH

Laboratory: TestAmerica Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority | Program | EPA Region | Identification Number | Expiration Date |
|-----------------------|---------------|------------|-----------------------|-----------------|
| California | State Program | 9 | 2927 | 02-23-19 |
| Connecticut | State Program | 1 | PH-0590 | 12-31-19 |
| Florida | NELAP | 4 | E87225 | 06-30-19 |
| Illinois | NELAP | 5 | 200004 | 07-31-18 * |
| Kansas | NELAP | 7 | E-10336 | 01-31-19 |
| Kentucky (UST) | State Program | 4 | 58 | 02-23-19 |
| Kentucky (WW) | State Program | 4 | 98016 | 12-31-18 |
| Minnesota | NELAP | 5 | 039-999-348 | 12-31-18 |
| Minnesota (Petrofund) | State Program | 1 | 3506 | 07-31-18 * |
| Nevada | State Program | 9 | OH-000482008A | 07-31-18 * |
| New Jersey | NELAP | 2 | OH001 | 06-30-19 |
| New York | NELAP | 2 | 10975 | 03-31-19 |
| Ohio VAP | State Program | 5 | CL0024 | 09-06-19 |
| Oregon | NELAP | 10 | 4062 | 02-23-19 |
| Pennsylvania | NELAP | 3 | 68-00340 | 08-31-18 * |
| Texas | NELAP | 6 | T104704517-17-9 | 08-31-18 * |
| USDA | Federal | | P330-16-00404 | 12-28-19 |
| Virginia | NELAP | 3 | 460175 | 09-14-18 * |
| Washington | State Program | 10 | C971 | 01-12-19 |
| West Virginia DEP | State Program | 3 | 210 | 12-31-18 |

Laboratory: TestAmerica Denver

The accreditations/certifications listed below are applicable to this report.

| Authority | Program | EPA Region | Identification Number | Expiration Date |
|-----------|----------|------------|-----------------------|-----------------|
| A2LA | DoD ELAP | - | 2907.01 | 10-31-19 |

^{*} Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: Cardno GS, Inc Project/Site: Ravenna, OH TestAmerica Job ID: 240-97858-1

| Method | Method Description | Protocol | Laboratory |
|--------|----------------------|----------|------------|
| 7196A | Chromium, Hexavalent | SW846 | TAL CAN |

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Sample Summary

Client: Cardno GS, Inc Project/Site: Ravenna, OH TestAmerica Job ID: 240-97858-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|---------------------|--------|----------------|----------------|
| 240-97858-1 | RQLmw-011-062818-GW | Water | 06/28/18 11:51 | 06/28/18 14:50 |

REAGENT TRACEABILITY SUMMARY

| Lab | Name: | TestAmerica | Canton | Job No.: 2 | 40-97858-1 |
|-----|-------|-------------|--------|------------|------------|
| | | | | | |
| SDG | И○ • | | | | |

| | | | | Reagent | Parent Reager | ıt | | |
|----------------------|-------------|--------------|---------------------|-----------------|---------------------|-----------------|---------------------|---------------|
| Reagent ID | Exp Date | Prep Date | Dilutant Used | Final Volume | Reagent ID | Volume Added | Analyte | Concentration |
| WCCHROME50PM2 00022 | 09/09/18 | 03/09/18 | DIWATER, Lot 052014 | 1000 mL | WCKDICHROME62 00003 | 0.1414 g | Hexavalent chromium | 49.9764 mg/L |
| .WCKDICHROME62_00003 | 06/06/19 | | Fisher, Lot 140919 | | (Purchased Reag | ent) | Hexavalent chromium | 0.35344 g/g |
| WCCHROME50PPM_00024 | 09/09/18 | 03/09/18 | DIWATER, Lot 052014 | 1000 mL | WCKDICHROME62_00004 | 0.1414 g | Hexavalent chromium | 49.9764 mg/L |
| .WCKDICHROME62 00004 | 09/07/21 | | Fisher, Lot 126893 | * | (Purchased Reag | ent) | Hexavalent chromium | 0.35344 g/g |

Reagent

WCKDICHROME62_00003



1 Reagent Lane Fair Lawn, NJ 07410 201.796.7100 tel 201.796.1329 fax

Certificate of Analysis

Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2008 standard by SAI Global Certificate Number CERT - 0064970

This is to certify that units of the above mentioned lot number were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Certain products (USP/FCC/NF/EP/BP/JP grades) are sold for use in food, drug, or medical device manufacturing. Fisher does not claim regulatory coverage under 21 CFR nor maintain DMF's with the FDA. The following are the actual analytical results obtained:

| Catalog Numbe | r P188 | 8 | | Quality Test / Release Date 2/25/2014 | | | | |
|-----------------|--------|-------------------|---|--|--|--|--|--|
| Lot Number | 1409 | 919 | | | | | | |
| Description I | POTAS | SSIUM DICH | ROMATE, A.C.S. | | | | | |
| Country of Orig | in | United Sta | tes | * Suggested Retest Date | Feb-2019 | | | |
| Chemical Origin | 1 | Inorganic- | non animal | | | | | |
| BSE/TSE Comm | nent | | No animal products are us processing, including lubri migrate to the finished pro | sed as starting raw material ingredie icants, processing aids, or any other oduct. | nts, or used in material that might | | | |

| Result name | Units | Specifications | Test Value |
|------------------------|-----------|----------------|-----------------------------|
| APPEARANCE | | REPORT | FINE ORANGE-RED CRYSTALS |
| ASSAY | % | >= 99 | 99.9 |
| CALCIUM | % | <= 0.003 | 0.0010 |
| CHLORIDE | % | <= 0.001 | <0.0010 |
| IDENTIFICATION | PASS/FAIL | = PASS TEST | PASS TEST |
| INSOLUBLE MATTER | % | <= 0.005 | 0.002 |
| IRON (Fe) | % | <= 0.001 | 0.0010 |
| LOSS ON DRYING @ 105 C | % | <= 0.05 | 0.02 |
| SODIUM (Na) | % | <= 0.02 | 0.001 |
| SULFATE (SO4) | % | <= 0.005 | 0.002 |



Edgan E. Hara

Lab Manager Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as a extension of this catalog number listed above. If there are any questions with this certificate, please call Chemical Services at (800) 227-6701. *Based on suggested storage condition.

Reagent

WCKDICHROME 62_00004



1 Reagent Lane Fair Lawn, NJ 07410 201.796.7100 tel 201.796.1329 fax

Certificate of Analysis

Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2008 standard by DNV Certificate number CERT-08052-2006-AQ-HOU-ANAB

This is to certify that units of the above mentioned lot number were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Certain products (USP/FCC/NF/EP/BP/JP grades) are sold for use in food, drug, or medical device manufacturing. Fisher does not claim regulatory coverage under 21 CFR nor maintain DMF's with the FDA. The following are the actual analytical results obtained:

| Catalog Number | r P18 | 8 | | Mfg. Date | 11/16/2012 | |
|-----------------|-------|-------------------|---|-------------------|---|--|
| Lot Number | 1268 | 393 | | | | |
| Description | POTAS | SSIUM DICH | ROMATE, A.C.S. | | | |
| Country of Orio | jin | United Sta | tes | Recommende | d Retest Date | Nov-2017 |
| Chemical Origi | n | Inorganic- | non animal | | | |
| BSE/TSE Comm | nent | | No animal products are us processing, including lubri migrate to the finished pro | icants, processir | aw material ingredie ng aids, or any other | nts, or used in material that might |

| Result name | Units | Specifications | Test Value |
|------------------------|-----------|----------------|-------------------------|
| APPEARANCE | | REPORT | Fine, orange-red powder |
| ASSAY | % | >= 99 | 99.8 |
| CALCIUM | % | <= 0.003 | <0.0010 |
| CHLORIDE | % | <= 0.001 | <0.0010 |
| IDENTIFICATION | PASS/FAIL | = PASS TEST | PASS TEST |
| INSOLUBLE MATTER | % | <= 0.005 | 0.004 |
| IRON (Fe) | % | <= 0.001 | 0.0010 |
| LOSS ON DRYING @ 105 C | % | <= 0.05 | 0.03 |
| SODIUM (Na) | % | <= 0.02 | 0.005 |
| SULFATE (SO4) | % | <= 0.005 | 0.003 |



Lab Manager Fair Lawn

Edgan E. Have

Note: The data listed is valid for all package sizes of this lot of this product, expressed as a extension of this catalog number listed above. If there are any questions with this certificate, please call Chemical Services at (800) 227-6701.

GENERAL CHEMISTRY

COVER PAGE GENERAL CHEMISTRY

| Lab Name | : TestAmerica Canton | Job Number: 240-97858-1 | |
|----------|----------------------|-------------------------|--|
| SDG No.: | | | |
| Project: | Ravenna, OH | | |
| | Client Sample ID | Lab Sample ID | |
| | RQLmw-011-062818-GW | 240-97858-1 | |

Comments:

1B-IN INORGANIC ANALYSIS DATA SHEET GENERAL CHEMISTRY

| Client Sample | lient Sample ID: RQLmw-011-062818-GW | | | Lab Sample ID: 240-97858-1 | | | | | |
|---------------|--------------------------------------|--------|-----|----------------------------|-----------|---------|-------|-----|--------|
| Lab Name: Te | stAmerica Canton | | | Job No.: 240-97858-1 | | | | | |
| SDG ID.: | | | | | | | | | |
| Matrix: Wate: | r | | | Date Sampl | ed: 06/28 | 3/2018 | 11:51 | | |
| Reporting Bas | is: WET | | | Date Recei | ved: 06/2 | 28/2018 | 14:50 | | |
| | | | | | | | | | |
| CAS No. | Analyte | Result | RL | MDL | Units | С | Q | DIL | Method |
| 18540-29-9 | Hexavalent chromium | 1.0 | 2.0 | 3.0 | ua/Ti | IJ | | 1 | 7196A |

2-IN CALIBRATION QUALITY CONTROL GENERAL CHEMISTRY

Lab Name: TestAmerica Canton Job No.: 240-97858-1

SDG No.:

Analyst: JWW Batch Start Date: 06/12/2018

Reporting Units: mg/L Analytical Batch No.: 331317

| Sample QC Number Type | Time | Analyte | Result | Spike Amount | (%) Recovery | Limits | Qual | Reagent |
|--------------------------|-------|---------------------|--------|-----------------|-----------------|--------|------|-------------------------|
| 7 ICV | 16:38 | Hexavalent chromium | 0.266 | 0.250 | 106 | 90-110 | | WCCHROME50PM2_0002 2 |
| 8 ICB | 16:39 | Hexavalent chromium | 0.010 | | | | U | |

Note! Calculations are performed before rounding to avoid round-off errors in calculated results.

2-IN CALIBRATION QUALITY CONTROL GENERAL CHEMISTRY

Lab Name: TestAmerica Canton Job No.: 240-97858-1

SDG No.:

Analyst: JWW Batch Start Date: 06/28/2018

Reporting Units: mg/L Analytical Batch No.: 334035

| Sample QC Number Type | Time | Analyte | Result | | (%) Recovery | Limits | Qual | Reagent |
|--------------------------|-------|---------------------|--------|-------|-----------------|--------|------|-------------------------|
| 1 CCV | 18:10 | Hexavalent chromium | 0.262 | 0.250 | 105 | 90-110 | | WCCHROME50PPM_0002 |
| 2 CCB | 18:10 | Hexavalent chromium | 0.010 | | | | U | |
| 8 CCV | 18:16 | Hexavalent chromium | 0.262 | 0.250 | 105 | 90-110 | | WCCHROME50PPM_0002 4 |
| 9 CCB | 18:17 | Hexavalent chromium | 0.010 | | | | U | |

Note! Calculations are performed before rounding to avoid round-off errors in calculated results.

3-IN METHOD BLANK GENERAL CHEMISTRY

Lab Name: TestAmerica Canton Job No.: 240-97858-1

SDG No.:

| Method | Lab Sample ID | Analyte | Result (| Qual Units | RL | Dil |
|-----------|-----------------|---------------------|----------|------------|----|-----|
| Batch ID: | 334035 Date: | 06/28/2018 18:11 | | | | |
| 7196A | MB 240-334035/3 | Hexavalent chromium | 10 t | J ug/L | 20 | 1 |

5-IN MATRIX SPIKE SAMPLE RECOVERY GENERAL CHEMISTRY

| Lab Nam | e: TestAmerica | Canton | Job No.: | 240-97858-1 |
|---------|----------------|--------|----------|-------------|
| SDG No. | | | | |

Matrix: Water

| Method Lab Sample ID Analyte | Result C Unit | Spike Pct. Amount Rec. | Limits | RPD RPD Limit | Q |
|---|---------------|---------------------------|--------|------------------|---|
| Batch ID: 334035 Date: 06/28/2018 18:14 | | | | | |
| 7196A 240-97858-1 Hexavalent chromium | 10 U ug/L | | | | |
| 7196A 240-97858-1 Hexavalent chromium | 178 ug/L | 250 71 | 31-151 | | |

Calculations are performed before rounding to avoid round-off errors in calculated results.

5-IN MATRIX SPIKE DUPLICATE SAMPLE RECOVERY GENERAL CHEMISTRY

| Lab | Name: | TestAmerica Canton | Job No.: | 240-97858-1 |
|-----|-------|--------------------|----------|-------------|
| SDG | No.: | | | |

Matrix: Water

| Method Lab Sample ID Analyte | Result C Unit | Spike Pct. Amount Rec. | Limits | RPD RPD Limit | Q |
|---|---------------|---------------------------|--------|------------------|---|
| Batch ID: 334035 Date: 06/28/2018 18:15 7196A 240-97858-1 Hexavalent chromium MSD | 183 ug/L | 250 73 | 31-151 | 3 20 | |

Calculations are performed before rounding to avoid round-off errors in calculated results.

7A-IN LAB CONTROL SAMPLE GENERAL CHEMISTRY

| Lab | Name: | TestAmerica Canton | Job No.: | 240-97858-1 |
|-----|--------|--------------------|----------|-------------|
| SDG | No.: _ | | | |
| | | | | |

Matrix: Water

| Method | Lab Sample ID | Analyte | Result | C Unit | Spike Amount | Pct. Rec. | Limits | RPD RPD Limit | Q |
|--------|---------------------|------------------------|--------|--------|-----------------|--------------|-----------|------------------|---|
| Batch | ID: 334035 | Date: 06/28/2018 18:12 | | | | | | | |
| | | | | | LCS Source: | WCCHROM | E50PM2_00 | 0022 | |
| 7196A | LCS 240-334035/4 | Hexavalent chromium | 247 | ug/L | 250 | 99 | 80-123 | | |

 $\hbox{\it Calculations are performed before rounding to avoid round-off errors in calculated results.}$

9-IN DETECTION LIMITS GENERAL CHEMISTRY

Lab Name: TestAmerica Canton

SDG Number: 240-97858-1

Matrix: Water

Method: 7196A

MDL Date: 04/25/2017 11:21

| Analyte | Wavelength/ | RL | MDL |
|---------------------|-------------|--------|--------|
| | Mass | (mg/L) | (mg/L) |
| Hexavalent chromium | | 0.02 | 0.003 |

9-IN CALIBRATION BLANK DETECTION LIMITS GENERAL CHEMISTRY

| Lab Name: TestAmerica Canton | Job Number: 240-97858-1 |
|------------------------------|-----------------------------|
| SDG Number: | |
| Matrix: Water | Instrument ID: OSCAR |
| Method: 7196A | XMDL Date: 04/25/2017 11:21 |
| | |

| Analyte | Wavelength/ | XRL | XMDL |
|---------------------|-------------|--------|--------|
| | Mass | (mg/L) | (mg/L) |
| Hexavalent chromium | | 0.02 | 0.003 |

13-IN ANALYSIS RUN LOG GENERAL CHEMISTRY

Lab Name: TestAmerica Canton Job No.: 240-97858-1

SDG No.:

Instrument ID: OSCAR Analysis Method: 7196A

Start Date: 06/12/2018 16:33 End Date: 06/12/2018 16:45

| | | Т | | Analytes |
|-------------------|-----|-------------|-------|----------|
| Lab Sample Id | D/F | У р е | Time | C r 6 |
| IC 240-331317/1 | 1 | | 16:33 | X |
| IC 240-331317/2 | 1 | | 16:33 | X |
| IC 240-331317/3 | 1 | | 16:34 | X |
| IC 240-331317/4 | 1 | | 16:35 | X |
| IC 240-331317/5 | 1 | | 16:36 | X |
| IC 240-331317/6 | 1 | | 16:37 | X |
| ICV 240-331317/7 | 1 | | 16:38 | X |
| ICB 240-331317/8 | 1 | | 16:39 | X |
| ZZZZZZ | | | 16:39 | |
| ZZZZZZ | | | 16:40 | |
| ZZZZZZ | | | 16:41 | |
| ZZZZZZ | | | 16:42 | |
| ZZZZZZ | | | 16:43 | |
| CCV 240-331317/14 | | | 16:44 | |
| CCB 240-331317/15 | | | 16:45 | |

Prep Types:

=

13-IN ANALYSIS RUN LOG GENERAL CHEMISTRY

Lab Name: TestAmerica Canton Job No.: 240-97858-1

SDG No.:

Instrument ID: OSCAR Analysis Method: 7196A

Start Date: 06/28/2018 18:10 End Date: 06/28/2018 18:17

| | | Т | | | | Analytes | | | | | | | | | | | | | | | | | |
|------------------|-----|-------------|-------|-------------|--|----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------|
| Lab Sample Id | D/F | У р е | Time | C r 6 | | | | | | | | | | | | | | | | | | | |
| CCV 240-334035/1 | 1 | | 18:10 | Х | | | | | | | | | | | | | | | | | | | \Box |
| CCB 240-334035/2 | 1 | | 18:10 | Х | | | | | | | | | | | | | | | | | | | |
| MB 240-334035/3 | 1 | Т | 18:11 | Х | | | | | | | | | | | | | | | | | | | |
| LCS 240-334035/4 | 1 | Т | 18:12 | Х | | | | | | | | | | | | | | | | | | | |
| 240-97858-1 | 1 | Т | 18:13 | Х | | | | | | | | | | | | | | | | | | | |
| 240-97858-1 MS | 1 | Т | 18:14 | Х | | | | | | | | | | | | | | | | | | | |
| 240-97858-1 MSD | 1 | Т | 18:15 | Х | | | | | | | | | | | | | | | | | | | |
| CCV 240-334035/8 | 1 | | 18:16 | Х | | | | | | | | | | | | | | | | | | | |
| CCB 240-334035/9 | 1 | | 18:17 | Х | | | | | | | | | | | | | | | | | | | |

Prep Types:

T = Total/NA

GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: TestAmerica Canton Job No.: 240-97858-1

SDG No.:

Batch Number: 331317 Batch Start Date: 06/12/18 16:33 Batch Analyst: Weimer, Joshua W

Batch Method: 7196A Batch End Date: 06/12/18 16:46

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | UnCorResp | WCCHROME50PM2 00022 | WCCHROME50PPM 00024 | |
|---------------------|------------------|--------------|-------|---------------|-------------|---------------------|------------------------|------------------------|--|
| IC 240-331317/1 | | 7196A | | 50.0 mL | 50.0 mL | 0 Absorbance | | | |
| IC 240-331317/2 | | 7196A | | 50.0 mL | 50.0 mL | 0.004 Absorbance | | 0.005 mL | |
| IC 240-331317/3 | | 7196A | | 50.0 mL | 50.0 mL | 0.008 Absorbance | | 0.01 mL | |
| IC 240-331317/4 | | 7196A | | 50.0 mL | 50.0 mL | 0.074 Absorbance | | 0.1 mL | |
| IC 240-331317/5 | | 7196A | | 50.0 mL | 50.0 mL | 0.190 Absorbance | | 0.25 mL | |
| IC 240-331317/6 | | 7196A | | 50.0 mL | 50.0 mL | 0.362 Absorbance | | 0.5 mL | |
| ICV 240-331317/7 | | 7196A | | 50.0 mL | 50.0 mL | 0.195 Absorbance | 0.25 mL | | |
| ICB 240-331317/8 | | 7196A | | 50.0 mL | 50.0 mL | 0 Absorbance | | | |

| Batch | Notes |
|------------------------------------|---------|
| Acid Used for pH Adjustment ID | 3294428 |
| Spectrophotometer Cell Path Length | 1 cm |
| Color Reagent ID | 3628696 |

| Basis | Basis Description |
|-------|-------------------|
| | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

7196A Page 1 of 1

GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: TestAmerica Canton Job No.: 240-97858-1

SDG No.:

Batch Number: 334035 Batch Start Date: 06/28/18 18:10 Batch Analyst: Weimer, Joshua W

Batch Method: 7196A Batch End Date: 06/28/18 18:18

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | ColorBlk | UnCorResp | WCCHROME50PM2 00022 | WCCHROME50PPM 00024 |
|----------------------|-------------------------|--------------|-------|---------------|-------------|---------------------|---------------------|------------------------|------------------------|
| CCV 240-334035/1 | | 7196A | | 50.0 mL | 50.0 mL | | 0.192 Absorbance | | 0.25 mL |
| CCB 240-334035/2 | | 7196A | | 50.0 mL | 50.0 mL | | 0 Absorbance | | |
| MB 240-334035/3 | | 7196A | | 50.0 mL | 50.0 mL | | 0 Absorbance | | |
| LCS 240-334035/4 | | 7196A | | 50.0 mL | 50.0 mL | | 0.181 Absorbance | 0.25 mL | |
| 240-97858-A-1 | RQLmw-011-062818 -GW | 7196A | Т | 50.0 mL | 50.0 mL | 0.005 Absorbance | 0.005 Absorbance | | |
| 240-97858-A-1 MS | RQLmw-011-062818 -GW | 7196A | T | 50.0 mL | 50.0 mL | 0.005 Absorbance | 0.136 Absorbance | 0.25 mL | |
| 240-97858-A-1 MSD | RQLmw-011-062818 -GW | 7196A | Т | 50.0 mL | 50.0 mL | 0.005 Absorbance | 0.140 Absorbance | 0.25 mL | |
| CCV 240-334035/8 | | 7196A | | 50.0 mL | 50.0 mL | | 0.192 Absorbance | | 0.25 mL |
| CCB 240-334035/9 | | 7196A | | 50.0 mL | 50.0 mL | | 0 Absorbance | | |

| Batch Notes | | | | |
|------------------------------------|---------|--|--|--|
| Acid Used for pH Adjustment ID | 3294428 | | | |
| Spectrophotometer Cell Path Length | 1 cm | | | |
| Color Reagent ID | 3666038 | | | |
| Pipette/Syringe/Dispenser ID | E 10 | | | |

| Basis | Basis Description | |
|-------|-------------------|--|
| Т | Total/NA | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

7196A Page 1 of 1

Calibration

Curve Type: Weighting:

Linear

None None

Dependency:

Concentration

Calib Mode:

Origin:

ESTD AREA

Response Base: RF Rounding:

Curve Coefficients

Intercept: Slope:

-0.001879

1.373

Error Coefficients

Standard Error:

Relative Standard Error:

0.00526 16.9


Correlation Coefficient:

1.000

Coefficient of Determination (Adjusted):

0.999 (0.999)

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|----|-----------------|---------------|----------|-----------|-------------|----------|------|
| 1 | IC 240-331317/1 | 0.0 | 0.0 | | | NaN | Υ |
| 2 | IC 240-331317/2 | 0.004998 | 0.004 | | | 0.800378 | Υ |
| 3 | IC 240-331317/3 | 0.009995 | 0.008 | | | 0.800378 | Υ |
| 4 | IC 240-331317/4 | 0.099953 | 0.074 | | | 0.74035 | Υ |
| 5 | IC 240-331317/5 | 0.249882 | 0.19 | | | 0.760359 | Υ |
| 6 | IC 240-331317/6 | 0.499764 | 0.362 | | | 0.724342 | Υ |
| | | | | | | | |



Shipping and Receiving Documents

TestAmerica Canton 4101 Shuffel Street, N. H.

TestAmerica

161058

4.04 4.0 Chain of Custody Record

BH 44720 North Canton, Phone: 320 49

| North Canton, UH 44720 Phone: 330.497.9396 Fax: 330.497.0772 | Regulatory Program: Dw Dw | DECEA Cother: | THE LEADER IN ENVIRONMENTAL TESTING TestAmerica Laboratories, Inc. TAL-8210 (0713) |
|--|---------------------------|--|--|
| Client Contact | Jim Brachet | 1 # | COC No: |
| Company Name: Carding | -900-5085 | Carrier: | of L cocs |
| Address 2491, 010 IN IN Rd. Suit 300 | 层 | | Sampler: |
| 2 | WORKING DAYS | Univ | For Lab Use Only: |
| Phone: 134-406-5085 | | | Walk-in Client: |
| Project Name: Canno Davenda | | - 1 | .gr. |
| Site: Pavenna | y) elq |) two | 5.0 |
| = 0 | | 3/K | |
| Sample Identification | # of # of Matrix Cont. | 240-97858 Chain of Custody | Sample Specific Notes: |
| Rahmm-011-062818-GW | 6-2848 1151 G- W 3 | × | MS/MSD |
| / | | | |
| | | | |
| Pa | | | |
| age | | | |
| 37 (| | | |
| of 39 | | | |
| | | | |
| | | | |
| | | | den |
| | | | / |
| Preservation Lead: 1= Ico 2= HCl: 3= H2SOd: 4=HNO3: 5=NaOH: 6= Other | S=NaOH: 6= Other | | |
| Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to discose of the sample. | | Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) | d longer than 1 month) |
| Non-Hazard Flammable Skin Irritant | ☐ Polson B ☐ Unknown | Return to Client Disposal by Lab | Months |
| Special Instructions/QC Requirements & Comments: | | | |
| Custody Seals Infact: Tes No | Custody Seal No.: | Cooler Temp. ("C): Obs'd:Corr'd: | Therm ID No.: |
| Rejequished by: | Company Date/Time 1400 | Received by R. Company . 246 | Date/Time: 78 - 1407 |
| 28/2 Sudnished by: | Date/Tyne: | Received by: Ormany: | Date Mile 11 V 1110 |
| | Date/Time: | Received in Laboratory by: Company: | bake/Time: 0 143V |

| TestAmerica Canton Sample Receipt Forn Canton Facility | n/Narrative | Login # : | 97858 | | |
|--|--|--|--|--|--|
| Client Cooler Received on 6/28/18 | Site Name Opened on 6/28/18 | Coole | unpacked by: | | |
| FedEx: 1st Grd Exp UPS FAS Clipper | | a Courier Other | | | |
| Receipt After-hours: Drop off Date/Time | | Location | | | |
| | | | | | |
| TestAmerica Cooler # Foam B Packing material used: Bubble Wrap COOLANT: Wet Ice Blue Ice 1. Cooler temperature upon receipt IR GUN# IR-8 (CF +0 °C) Observed Cooler IR GUN# 36 (CF -0.3 °C) Observed Cooler IR GUN# 627 (CF -1.3 °C) Observed Coo | Foam Plastic Bag None Dry Ice Water None See Mult Coler Temp. C Corrected coler Temp. C Coler Te | Cooler Temp. Yes No | _°C _°C _°C | | |
| 11. Are these work share samples? If yes, Questions 12-16 have been checked 12. Were all preserved sample(s) at the correct 13. Were VOAs on the COC? 14. Were air bubbles >6 mm in any VOA vials 15. Was a VOA trip blank present in the cooler 16. Was a LL Hg or Me Hg trip blank present? | at the originating laboratory. pH upon receipt? Larger than this. (s)? Trip Blank Lot # | Yes No NA Yes No NA Yes No NA Yes No Yes No Yes No | | | |
| Contacted PM Date | by v | ia Verbal Voice Mail | Other | | |
| Concerning | | | | | |
| 17. CHAIN OF CUSTODY & SAMPLE DIS | SCREPANCIES | San | nples processed by: | | |
| | | | | | |
| 18. SAMPLE CONDITION Sample(s) | were received after the recomm | nended holding time h | ad expired. | | |
| Sample(s) | | vere received in a broke ble >6 mm in diameter | The second secon | | |
| 19. SAMPLE PRESERVATION | | | | | |
| Sample(s)Preservative(s) | 11.17 | were further prese | rved in the laboratory. | | |
| 1 ime preserved:Preservative(s) | added/Lot number(s): | | | | |

Login Sample Receipt Checklist

Client: Cardno GS, Inc Job Number: 240-97858-1

Login Number: 97858 List Source: TestAmerica Canton

List Number: 1 Creator: Sutek, Nick

| Question | Answer | Comment |
|---|--------|---------|
| Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>N/A</td> <td></td> | N/A | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | N/A | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |