

APPENDIX H

Ecological Risk Assessment Information and Data

THIS PAGE INTENTIONALLY LEFT BLANK.

TABLE OF CONTENTS

LIST OF PHOTOGRAPHS

Photograph H-1.	Herbaceous Field, Successional Shrubs, and Forest at Landfill North of Winklepeck Burning Grounds – May 20, 2008	1
Photograph H-2.	Habitat Area of Herbaceous Field and Forest at Landfill North of Winklepeck Burning Grounds – February 9, 2011	1

LIST OF FIGURES

Figure H-1.	Ohio Rapid Assessment Method Worksheet for the East Wetland at Landfill North of Winklepeck Burning Grounds.....	2
Figure H-2.	Ohio Rapid Assessment Method Worksheet for the South Wetland at Landfill North of Winklepeck Burning Grounds	4

LIST OF TABLES

Table H-1.	Historical ERA COPEC Screen for Surface Soil at Landfill North of Winklepeck Burning Grounds.....	6
Table H-2.	Historical ERA COPEC Screen for Sediment at Landfill North of Winklepeck Burning Grounds	7
Table H-3.	Historical ERA COPEC Screen for Surface Water at Landfill North of Winklepeck Burning Grounds.....	8
Table H-4.	Checklist of Important Ecological Places and Resources at Landfill North of Winklepeck Burning Grounds.....	9
Table H-5.	Natural Resources Management Goals (OHARNG 2014).....	11
Table H-6.	Sediment Reference Values for Camp Ravenna	14
Table H-7.	Ecological Screening Values for Chemical Analytes in Soil	15
Table H-8.	Ecological Screening Values for Chemical Analytes in Sediment	28
Table H-9.	Ecological Screening Values for Chemical Analytes in Surface Water.....	37
Table H-10.	SRC and Integrated COPEC Screening with Maximum Ratio for Shallow Surface Soil (0-1 ft bgs ISM Samples) at Landfill North of Winklepeck Burning Grounds.....	43
Table H-11.	SRC and Integrated COPEC Screening with Maximum Ratio for Sediment (2010 Samples) at the Landfill North of Winklepeck Burning Grounds East Tributary Exposure Unit.....	45
Table H-12.	SRC and Integrated COPEC Screening with Maximum Ratio for Sediment (2010 Samples) at the Landfill North of Winklepeck Burning Grounds South Tributary Exposure Unit.....	47
Table H-13.	SRC and Integrated COPEC Screening with Maximum Ratio for Sediment (2004 ISM Samples) at the Landfill North of Winklepeck Burning Grounds East Tributary Exposure Unit.....	48

Table H-14. SRC and Integrated COPEC Screening with Maximum Ratio for Sediment (2004 ISM Samples) at the Landfill North of Winklepeck Burning Grounds South Tributary Exposure Unit.....	49
Table H-15. SRC and Integrated COPEC Screening with Maximum to OMZM Ratio for Surface Water at the Landfill North of Winklepeck Burning Grounds East Tributary Exposure Unit.....	50
Table H-16. SRC and Integrated COPEC Screening with Maximum to OMZA Ratio for Surface Water at the Landfill North of Winklepeck Burning Grounds East Tributary Exposure Unit.....	51
Table H-17. SRC and Integrated COPEC Screening with Maximum to OMZM Ratio for Surface Water at the Landfill North of Winklepeck Burning Grounds South Tributary Exposure Unit.....	52
Table H-18. SRC and Integrated COPEC Screening with Maximum to OMZA Ratio for Surface Water at the Landfill North of Winklepeck Burning Grounds South Tributary Exposure Unit.....	53
REFERENCES.....	55



Photograph H-1. Herbaceous Field, Successional Shrubs, and Forest at Landfill North of Winklepeck Burning Grounds – May 20, 2008 (looking east)



Photograph H-2. Habitat Area of Herbaceous Field and Forest at Landfill North of Winklepeck Burning Grounds – February 9, 2011 (looking north)

RVAAP
 ORAM v. 5.0 Field Form Quantitative Rating *Landfill North of Winklepeck*

Site: *W01 (Eastern Tributary EL)* **Rater(s):** *J Gorton* **Date:** *March 23 2011*

3 3 Metric 1. Wetland Area (size).
 max 6 pts. subtotal
 Select one size class and assign score.
 >50 acres (>20.2ha) (6 pts)
 25 to <50 acres (10.1 to <20.2ha) (5 pts)
 10 to <25 acres (4 to <10.1ha) (4 pts)
 3 to <10 acres (1.2 to <4ha) (3 pts)
 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
 <0.1 acres (0.04ha) (0 pts)

11 14 Metric 2. Upland buffers and surrounding land use.
 max 14 pts. subtotal
 2a. Calculate average buffer width. Select only one and assign score. Do not double check.
 WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
 MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
 NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
 VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)
 2b. Intensity of surrounding land use. Select one or double check and average.
 VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
 LOW. Old field (>10 years), shrub land, young second growth forest. (5)
 MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
 HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

23 37 Metric 3. Hydrology.
 max 30 pts. subtotal
 3a. Sources of Water. Score all that apply.
 High pH groundwater (5)
 Other groundwater (3)
 Precipitation (1)
 Seasonal/intermittent surface water (3)
 Perennial surface water (lake or stream) (5)
 3b. Connectivity. Score all that apply.
 100 year floodplain (1)
 Between stream/lake and other human use (1)
 Part of wetland/upland (e.g. forest), complex (1)
 Part of riparian or upland corridor (1)
 3c. Maximum water depth. Select only one and assign score.
 >0.7 (27.6in) (3)
 0.4 to 0.7m (15.7 to 27.6in) (2)
 <0.4m (<15.7in) (1)
 3d. Duration inundation/saturation. Score one or dbl check.
 Semi- to permanently inundated/saturated (4)
 Regularly inundated/saturated (3)
 Seasonally inundated (2)
 Seasonally saturated in upper 30cm (12in) (1)
 3e. Modifications to natural hydrologic regime. Score one or double check and average.
 None or none apparent (12)
 Recovered (7)
 Recovering (3)
 Recent or no recovery (1)
 Check all disturbances observed
 ditch
 tile
 dike
 weir
 stormwater input
 point source (nonstormwater)
 filling/grading
 road bed/RR track
 dredging
 other

13 50 Metric 4. Habitat Alteration and Development.
 max 20 pts. subtotal
 4a. Substrate disturbance. Score one or double check and average.
 None or none apparent (4)
 Recovered (3)
 Recovering (2)
 Recent or no recovery (1)
 4b. Habitat development. Select only one and assign score.
 Excellent (7)
 Very good (6)
 Good (5)
 Moderately good (4)
 Fair (3)
 Poor to fair (2)
 Poor (1)
 4c. Habitat alteration. Score one or double check and average.
 None or none apparent (9)
 Recovered (6)
 Recovering (3)
 Recent or no recovery (1)
 Check all disturbances observed
 mowing
 grazing
 clearcutting
 selective cutting
 woody debris removal
 toxic pollutants
 shrub/sapling removal
 herbaceous/aquatic bed removal
 sedimentation
 dredging
 farming
 nutrient enrichment

50
 subtotal this page
 last revised 1 February 2001 ijm

Figure H-1. Ohio Rapid Assessment Method Worksheet for the East Wetland at Landfill North of Winklepeck Burning Grounds

RVAAP

ORAM v. 5.0 Field Form Quantitative Rating *Landfill North of Winklepeck*

Site: *W01 (Eastern Stream EU)* **Rater(s):** *J. Grotan* **Date:** *March 23, 2011*

50
subtotal first page

0 **50** **Metric 5. Special Wetlands.**
max 10 pts. subtotal

Check all that apply and score as indicated.

- Bog (10)
- Fen (10)
- Old growth forest (10)
- Mature forested wetland (5)
- Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- Lake Erie coastal/tributary wetland-restricted hydrology (5)
- Lake Plain Sand Prairies (Oak Openings) (10)
- Relict Wet Prairies (10)
- Known occurrence state/federal threatened or endangered species (10)
- Significant migratory songbird/water fowl habitat or usage (10)
- Category 1 Wetland. See Question 1 Qualitative Rating (-10)

10 **60** **Metric 6. Plant communities, interspersions, microtopography.**
max 20 pts. subtotal

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- Aquatic bed
- Emergent
- Shrub
- Forest
- Mudflats
- Open water
- Other

7 **2** **2** **1** **1**

6b. horizontal (plan view) Interspersion.
Select only one.

- High (5)
- Moderately high (4)
- Moderate (3)
- Moderately low (2)
- Low (1)
- None (0)

3

6c. Coverage of invasive plants. Refer to Table 1 ORAM long form for list. Add or deduct points for coverage

- Extensive >75% cover (-5)
- Moderate 25-75% cover (-3)
- Sparse 5-25% cover (-1)
- Nearly absent <5% cover (0)
- Absent (1)

-1

6d. Microtopography.
Score all present using 0 to 3 scale.

- Vegetated hummocks/tussocks
- Coarse woody debris >15cm (6in)
- Standing dead >25cm (10in) dbh
- Amphibian breeding pools

1

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's vegetation and is of high quality

Narrative Description of Vegetation Quality

low	Low spp diversity and/or predominance of nonnative or disturbance tolerant native species
mod	Native spp are dominant component of the vegetation, although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare threatened or endangered spp
high	A predominance of native species, with nonnative spp and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

60 **Category 3**

End of Quantitative Rating. Complete Categorization Worksheets.

Figure H-1. Ohio Rapid Assessment Method Worksheet for the East Wetland at Landfill North of Winklepeck Burning Grounds (continued)

RVAAP
 ORAM v. 5.0 Field Form Quantitative Rating
 Landfill North of Winklepeck
 Site: W02 (Southern Tributary) Rater(s): J Groton Date: March 23, 2011
 E.U.

Metric 1. Wetland Area (size).
 4 4
 max 6 pts. subtotal
 Select one size class and assign score.
 >50 acres (>20.2ha) (6 pts)
 25 to <50 acres (10.1 to <20.2ha) (5 pts)
 10 to <25 acres (4 to <10.1ha) (4 pts)
 3 to <10 acres (1.2 to <4ha) (3 pts)
 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
 <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.
 13 17
 max 14 pts. subtotal
 2a. Calculate average buffer width. Select only one and assign score. Do not double check.
 WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
 MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
 NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
 VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)
 2b. Intensity of surrounding land use. Select one or double check and average.
 VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
 LOW. Old field (>10 years), shrub land, young second growth forest. (5)
 MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
 HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.
 23 40
 max 30 pts. subtotal
 3a. Sources of Water. Score all that apply.
 High pH groundwater (5)
 Other groundwater (3)
 Precipitation (1)
 Seasonal/intermittent surface water (3)
 Perennial surface water (lake or stream) (5)
 3b. Connectivity. Score all that apply.
 100 year floodplain (1)
 Between stream/lake and other human use (1)
 Part of wetland/upland (e.g. forest), complex (1)
 Part of riparian or upland corridor (1)
 3c. Maximum water depth. Select only one and assign score.
 >0.7 (27.6in) (3)
 0.4 to 0.7m (15.7 to 27.6in) (2)
 <0.4m (<15.7in) (1)
 3d. Duration inundation/saturation. Score one or dbl check.
 Semi- to permanently inundated/saturated (4)
 Regularly inundated/saturated (3)
 Seasonally inundated (2)
 Seasonally saturated in upper 30cm (12in) (1)
 3e. Modifications to natural hydrologic regime. Score one or double check and average.
 None or none apparent (12)
 Recovered (7)
 Recovering (3)
 Recent or no recovery (1)
 Check all disturbances observed
 ditch
 tile
 dike
 weir
 stormwater input
 point source (nonstormwater)
 filling/grading
 road bed/RR track
 dredging
 other

Metric 4. Habitat Alteration and Development.
 14 54
 max 20 pts. subtotal
 4a. Substrate disturbance. Score one or double check and average.
 None or none apparent (4)
 Recovered (3)
 Recovering (2)
 Recent or no recovery (1)
 4b. Habitat development. Select only one and assign score.
 Excellent (7)
 Very good (6)
 Good (5)
 Moderately good (4)
 Fair (3)
 Poor to fair (2)
 Poor (1)
 4c. Habitat alteration. Score one or double check and average.
 None or none apparent (9)
 Recovered (6)
 Recovering (3)
 Recent or no recovery (1)
 Check all disturbances observed
 mowing
 grazing
 clearcutting
 selective cutting
 woody debris removal
 toxic pollutants
 shrub/sapling removal
 herbaceous/aquatic bed removal
 Sedimentation
 dredging
 farming
 nutrient enrichment

54
 subtotal this page
 last revised 1 February 2001 jjm

Figure H-2. Ohio Rapid Assessment Method Worksheet for the South Wetland at Landfill North of Winklepeck Burning Grounds

RVAAP

ORAM v. 5.0 Field Form Quantitative Rating

Landfill North of Winklepeck

Site: W02 (Southern Stream EU)

Rater(s): J Groten

Date: March 23, 2011

54

subtotal first page

0 54

max 10 pts. subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- Bog (10)
- Fen (10)
- Old growth forest (10)
- Mature forested wetland (5)
- Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- Lake Erie coastal/tributary wetland-restricted hydrology (5)
- Lake Plain Sand Prairies (Oak Openings) (10)
- Relict Wet Prairies (10)
- Known occurrence state/federal threatened or endangered species (10)
- Significant migratory songbird/water fowl habitat or usage (10)
- Category 1 Wetland. See Question 1 Qualitative Rating (-10)

8 62

max 20 pts. subtotal

Metric 6. Plant communities, interspersions, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- Aquatic bed
- Emergent
- Shrub
- Forest
- Mudflats
- Open water
- Other

6b. horizontal (plan view) Interspersion. Select only one.

- High (5)
- Moderately high (4)
- Moderate (3)
- Moderately low (2)
- Low (1)
- None (0)

6c. Coverage of invasive plants. Refer to Table 1 ORAM long form for list. Add or deduct points for coverage

- Extensive >75% cover (-5)
- Moderate 25-75% cover (-3)
- Sparse 5-25% cover (-1)
- Nearly absent <5% cover (0)
- Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- Vegetated hummocks/tussocks
- Coarse woody debris >15cm (6in)
- Standing dead >25cm (10in) dbh
- Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's vegetation and is of high quality

Narrative Description of Vegetation Quality

low	Low spp diversity and/or predominance of nonnative or disturbance tolerant native species
mod	Native spp are dominant component of the vegetation, although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare threatened or endangered spp
high	A predominance of native species, with nonnative spp and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

62 Category 3

End of Quantitative Rating. Complete Categorization Worksheets.

Figure H-2. Ohio Rapid Assessment Method Worksheet for the South Wetland at Landfill North of Winklepeck Burning Grounds (continued)

Table H-1. Historical ERA COPEC Screen for Surface Soil at Landfill North of Winklepeck Burning Grounds

Table LNW-17
Landfill North of Winklepeck Burning Grounds Ecological Risk Screening Tables for Surface Soil (0-1 ft)
 RVAAP 14 AOC Characterization
 Ravenna Army Ammunition Plant, Ravenna, Ohio

Group	Parameter	Frequency of Detection	Average Concentration	Maximum Detected Concentration	Units	Surface Soil Background Concentration	Maximum Concentration > Background	Screening Value	Maximum Concentration > Screening value	PBT	COPC	COPC Rationale	
Metals	Aluminum	18 / 18	10217	12000	mg/kg	17700	No	600 ss2	Yes	No	No	BLBKG	
	Arsenic	18 / 18	10	14	mg/kg	15.4	No	9.9 ss1	Yes	No	No	BLBKG	
	Barium	18 / 18	68	120	mg/kg	88.4	Yes	283 ss1	No	No	No	BSL	
	Beryllium	18 / 18	0.69	1.4	mg/kg	0.88	Yes	10 ss1	No	No	No	BSL	
	Cadmium	3 / 18	0.23	1.1	mg/kg	0.00	Yes	4 ss1	No	No	No	BSL	
	Calcium	18 / 18	2388	21000	mg/kg	15800	Yes	NUT	No	No	No	BSL	
	Chromium	18 / 18	20	26	mg/kg	17.4	Yes	0.4 ss1	Yes	No	Yes	ASL	
	Cobalt	18 / 18	8.5	10	mg/kg	10.4	No	20 ss1	No	No	No	BLBKG	
	Copper	18 / 18	37	430	mg/kg	17.7	Yes	60 ss1	Yes	No	Yes	ASL	
	Iron	18 / 18	18944	24000	mg/kg	23100	Yes	200 ss2	Yes	No	Yes	ASL	
	Lead	18 / 18	26	140	mg/kg	26.1	Yes	40.5 ss1	Yes	No	Yes	ASL	
	Magnesium	18 / 18	2144	4500	mg/kg	3030	Yes	NUT	No	No	No	BSL	
	Manganese	18 / 18	712	1300	mg/kg	1450	No	100 ss2	Yes	No	No	BLBKG	
	Nickel	18 / 18	18	24	mg/kg	21.1	Yes	30 ss1	No	No	No	BSL	
	Potassium	18 / 18	848	2300	mg/kg	927	Yes	NUT	No	No	No	BSL	
	Selenium	10 / 18	0.64	0.73	mg/kg	1.4	No	0.21 ss1	Yes	No	No	BLBKG	
	Silver	1 / 18	1.7	22	mg/kg	0.00	Yes	2 ss1	Yes	No	Yes	ASL	
	Sodium	18 / 18	267	690	mg/kg	123	Yes	NUT	No	No	No	BSL	
	Vanadium	18 / 18	18	22	mg/kg	31.1	No	2 ss1	Yes	No	No	BLBKG	
	Zinc	18 / 18	139	1400	mg/kg	61.8	Yes	8.5 ss1	Yes	No	Yes	ASL	
	Mercury	18 / 18	0.044	0.092	mg/kg	0.04	Yes	0.00051 ss1	Yes	Yes	Yes	ASL	
	Thallium	6 / 18	0.28	0.3	mg/kg	0.00	Yes	1 ss1	No	No	No	BSL	
	Pesticides	4,4'-DDE	1 / 2	0.0019	0.0027	mg/kg	--	NA	0.596 ss4	No	No	No	BSL
		beta-BHC	1 / 2	0.0013	0.0017	mg/kg	--	NA	0.00398 ss4	No	Yes	Yes	PBT
VOCs	Acetone	1 / 3	0.035	0.088	mg/kg	--	NA	2.5 ss4	No	No	No	BSL	
SVOCs	2-Methylnaphthalene	4 / 18	0.021	0.085	mg/kg	--	NA	3.24 ss4	No	No	No	BSL	
	Acephenanthylene	2 / 18	0.017	0.018	mg/kg	--	NA	628 ss4	No	No	No	BSL	
	Anthracene	3 / 18	0.018	0.031	mg/kg	--	NA	148 ss4	No	No	No	BSL	
	Benzo(a)anthracene	8 / 18	0.031	0.14	mg/kg	--	NA	5.21 ss4	No	No	No	BSL	
	Benzo(a)pyrene	10 / 18	0.030	0.14	mg/kg	--	NA	1.52 ss4	No	No	No	BSL	
	Benzo(b)fluoranthene	14 / 18	0.040	0.21	mg/kg	--	NA	59.8 ss4	No	No	No	BSL	
	Benzo(g,h,i)perylene	5 / 18	0.021	0.056	mg/kg	--	NA	119 ss4	No	No	No	BSL	
	Benzo(k)fluoranthene	7 / 18	0.027	0.12	mg/kg	--	NA	148 ss4	No	No	No	BSL	
	Benzoic acid	1 / 1	0.24	0.24	mg/kg	--	NA	--	NSL	No	Yes	NSL	
	Benzyl alcohol	2 / 18	0.36	0.6	mg/kg	--	NA	658 ss4	No	No	No	BSL	
	Bis(2-ethylhexyl) phthalate	3 / 18	0.084	0.12	mg/kg	--	NA	0.925 ss4	No	No	No	BSL	
	Carbazole	1 / 18	0.084	0.041	mg/kg	--	NA	--	NSL	No	Yes	NSL	
	Chrysene	15 / 18	0.036	0.19	mg/kg	--	NA	4.73 ss4	No	No	No	BSL	
	Dibenzofuran	3 / 18	0.032	0.025	mg/kg	--	NA	--	NSL	No	Yes	NSL	
	Fluoranthene	17 / 18	0.057	0.36	mg/kg	--	NA	122 ss4	No	No	No	BSL	
	Fluorene	1 / 18	0.017	0.016	mg/kg	--	NA	122 ss4	No	No	No	BSL	
	Indeno(1,2,3-cd)pyrene	5 / 18	0.022	0.06	mg/kg	--	NA	109 ss4	No	No	No	BSL	
	Naphthalene	5 / 18	0.020	0.064	mg/kg	--	NA	0.0994 ss4	No	No	No	BSL	
	Phenanthrene	6 / 18	0.047	0.26	mg/kg	--	NA	45.7 ss4	No	No	No	BSL	
	Phenol	1 / 18	0.084	0.031	mg/kg	--	NA	30 ss1	No	No	No	BSL	
	Pyrene	11 / 18	0.048	0.23	mg/kg	--	NA	78.5 ss4	No	No	No	BSL	
	Propellants	Nitrocellulose	2 / 2	1.2	1.3	mg/kg	--	NA	--	NSL	No	Yes	NSL

Notes:
 -- = no value available
 mg/kg - means milligrams per Kilogram (parts per million - ppm)
 ss1 - Preliminary Remediation Goals (Efroymson et al., 1997a)
 ss2 - Toxicological Benchmarks for Soil and Litter Invertebrates (Efroymson et al. 1997b)
 ss3 - Toxicological Benchmarks for Terrestrial Plants (Efroymson et al. 1997c)
 ss4 - Ecological Data Quality Level (USEPA Region 5, 1999)
 -- = no value available
 NA - not applicable

NUT - nutrient
 BLBKG - below background concentration
 PBT - persistent, bioaccumulative and toxic
 NSL - no screening level
 ASL - above screening level
 BSL - below screening level

AOC = Area of concern.
 COPC = Chemical of potential concern.
 COPEC = Chemical of potential ecological concern.

ERA= Ecological risk assessment.
 RVAAP = Ravenna Army Ammunition Plant.
 SVOC = Semi-volatile organic compound.

VOC = Volatile organic compound.

Table H-2. Historical ERA COPEC Screen for Sediment at Landfill North of Winklepeck Burning Grounds

Table LNw-18

Landfill North of Winklepeck Burning Grounds Ecological Risk Screening Tables for Sediment

RVAAP 14 AOC Characterization

Ravenna Army Ammunition Plant, Ravenna, Ohio

Group	Parameter	Frequency of Detection	Average Concentration	Maximum Detected Concentration	Units	Sediment Background Concentration	Maximum Concentration > Background	SRV	Maximum Concentration > SRV	Screening Value	Maximum Concentration > Screening value	PBT	COPC	COPC Rationale
Metals	Aluminum	5/5	9120	10000	mg/kg	13900	No	29000	No	--	NSL	No	No	BLBKG
	Arsenic	5/5	9.2	12	mg/kg	19.5	No	25	No	9.79 sd1	Yes	No	No	BLBKG
	Barium	5/5	83	110	mg/kg	123	No	190	No	--	NSL	No	No	BLBKG
	Beryllium	5/5	0.67	0.73	mg/kg	0.38	Yes	0.8	No	--	NSL	No	No	BLSRV
	Cadmium	1/5	0.28	0.34	mg/kg	0.00	Yes	0.79	No	0.99 sd1	No	No	No	BLSRV
	Calcium	5/5	1960	2100	mg/kg	5510	No	21000	No	NUT	No	No	No	BLBKG
	Chromium	5/5	12	13	mg/kg	18.1	No	29	No	43.4 sd1	No	No	No	BLBKG
	Cobalt	5/5	8.1	8.8	mg/kg	9.1	No	12	No	50 sd2	No	No	No	BLBKG
	Copper	5/5	15	18	mg/kg	27.6	No	32	No	31.6 sd1	No	No	No	BLBKG
	Iron	5/5	19800	22000	mg/kg	28200	No	41000	No	--	NSL	No	No	BLBKG
	Lead	5/5	16	19	mg/kg	27.4	No	47	No	35.8 sd1	No	No	No	BLBKG
	Magnesium	5/5	2140	2400	mg/kg	2760	No	7100	No	NUT	No	No	No	BLBKG
	Manganese	5/5	638	710	mg/kg	1950	No	1500	No	--	NSL	No	No	BLBKG
	Nickel	5/5	17	19	mg/kg	17.7	Yes	33	No	22.7 sd1	No	No	No	BLSRV
	Potassium	5/5	1088	1300	mg/kg	1950	No	6800	No	NUT	No	No	No	BLBKG
	Sodium	5/5	276	300	mg/kg	112	Yes	--	NA	NUT	No	No	No	BLSRV
	Vanadium	5/5	17	18	mg/kg	26.1	No	40	No	--	NSL	No	No	BLBKG
	Zinc	5/5	82	91	mg/kg	532	No	160	No	121 sd1	No	No	No	BLBKG
	Mercury	5/5	0.048	0.068	mg/kg	0.06	Yes	0.12	No	0.18 sd1	No	Yes	No	BLSRV
	SVOCs	Benzo(a)anthracene	4/5	0.066	0.059	mg/kg	--	NA	--	NA	0.108 sd1	No	No	No
Benzo(a)pyrene		4/5	0.065	0.064	mg/kg	--	NA	--	NA	0.15 sd1	No	No	No	BSL
Benzo(b)fluoranthene		3/5	0.077	0.091	mg/kg	--	NA	--	NA	10.4 sd2	No	No	No	BSL
Benzo(g,h,i)perylene		1/5	0.067	0.043	mg/kg	--	NA	--	NA	0.17 sd2	No	No	No	BSL
Benzo(k)fluoranthene		2/5	0.063	0.038	mg/kg	--	NA	--	NA	0.24 sd2	No	No	No	BSL
Chrysene		4/5	0.073	0.079	mg/kg	--	NA	--	NA	0.166 sd1	No	No	No	BSL
Fluoranthene		4/5	0.073	0.068	mg/kg	--	NA	--	NA	0.423 sd1	No	No	No	BSL
Pyrene		4/5	0.094	0.071	mg/kg	--	NA	--	NA	0.195 sd1	No	No	No	BSL
Total PAHs		(1) 4/5	1.1	0.513	mg/kg	--	NA	--	NA	1.610 sd1	No	No	No	BSL
Propellants		Nitrocellulose	1/1	1.4	1.4	mg/kg	--	NA	--	NA	--	NSL	No	Yes

Notes:

-- no value available

mg/kg - means milligrams per Kilogram (parts per million - ppm)

sd1 - Threshold Effects Concentration from McDonald et al., (2000)

sd2 - Ecological Data Quality Level (USEPA Region 5, 1999)

-- no value available

NUT - nutrient

NA - not applicable

BLBKG - below background concentration

PBT - persistent, bioaccumulative and toxic

NSL - no screening level

ASL - above screening level

BSL - below screening level

SRV - Sediment Reference Value (OEPA, 2003)

(1) - maximum detected concentration of total PAHs was calculated by summing positive detections

AOC = Area of concern.

BLSRV = Below sediment reference value.

COPC = Chemical of potential concern.

COPEC = Chemical of potential ecological concern.

ERA= Ecological risk assessment.

RVAAP = Ravenna Army Ammunition Plant.

SVOC = Semi-volatile organic compound.

Table H-3. Historical ERA COPEC Screen for Surface Water at Landfill North of Winklepeck Burning Grounds

Table LN-19

Landfill North of Winklepeck Burning Grounds Ecological Risk Screening Tables for Surface Water

RVAAP 14 AOC Characterization

Ravenna Army Ammunition Plant, Ravenna, Ohio

Group	Parameter	Frequency of Detection	Average Concentration	Maximum Detected Concentration	Units	Surface Water Background Concentration	Maximum Concentration > Background	Screening Value	Maximum Concentration > Screening value	PBT	COPC	COPC Rationale
Metals	Aluminum	7 / 7	140	300	ug/l	3370	No	--	NSL	No	No	BLBKG
	Barium	7 / 7	34	53	ug/l	47.5	Yes	2000 sw1	No	No	No	BSL
	Calcium	7 / 7	33857	39000	ug/l	41400	No	NUT	No	No	No	BLBKG
	Iron	7 / 7	1499	1900	ug/l	2560	No	--	NSL	No	No	BLBKG
	Magnesium	7 / 7	7986	9000	ug/l	10800	No	NUT	No	No	No	BLBKG
	Manganese	7 / 7	704	1700	ug/l	391	Yes	--	NSL	No	Yes	NSL
	Potassium	7 / 7	2514	3500	ug/l	3170	Yes	NUT	No	No	No	BSL
	Sodium	7 / 7	2857	3200	ug/l	21300	No	NUT	No	No	No	BLBKG
	Zinc	2 / 7	12	4.8	ug/l	42	No	137 sw1 [H]	No	No	No	BLBKG
	Arsenic	5 / 7	0.87	1.3	ug/l	3.2	No	340 sw1	No	No	No	BLBKG
	Mercury	1 / 7	0.093	0.05	ug/l	0.00	Yes	1.7 sw1	No	Yes	Yes	PBT
	Thallium	1 / 7	1.9	1.5	ug/l	0.00	Yes	79 sw1	No	No	No	BSL
	SVOCs	Benzo(a)anthracene	1 / 7	0.11	0.17	ug/l	--	NA	--	NSL	No	Yes
Benzo(a)pyrene		1 / 7	0.18	0.12	ug/l	--	NA	--	NSL	No	Yes	NSL
Benzo(b)fluoranthene		1 / 7	0.18	0.11	ug/l	--	NA	--	NSL	No	Yes	NSL
Benzo(k)fluoranthene		1 / 7	0.19	0.14	ug/l	--	NA	--	NSL	No	Yes	NSL
Chrysene		1 / 7	0.23	0.17	ug/l	--	NA	--	NSL	No	Yes	NSL
Dibenzo(a,h)anthracene		1 / 7	0.19	0.13	ug/l	--	NA	--	NSL	No	Yes	NSL
Fluoranthene		1 / 7	0.44	0.14	ug/l	--	NA	3.7 sw1	No	No	No	BSL
Indeno(1,2,3-cd)pyrene		1 / 7	0.19	0.13	ug/l	--	NA	--	NSL	No	Yes	NSL
Pyrene		1 / 7	0.44	0.16	ug/l	--	NA	42 sw1	No	No	No	BSL
Explosives	RDX	1 / 7	0.14	0.099	ug/l	--	NA	520 sw1	No	No	No	BSL

Notes:

-- no value available

ug/l - means micrograms per Liter (parts per billion - ppb)

sw1 - Ohio Water Quality Criteria (Reg 3745-1-07)

sw1[H] - Ohio Water Quality Criteria (Reg 3745-1-07) based on a site specific hardness of 117 (mg/l)

-- no screening value listed

NA - not applicable

ID - insufficient data to calculate screening value

NUT - nutrient

BLBKG - below background concentration

PBT- persistent, bioaccumulative and toxic

NSL - no screening level

ASL- above screening level

AOC = Area of concern.

COPC = Chemical of Potential concern.

COPEC = Chemical of potential ecological concern.

ERA= Ecological risk assessment.

RVAAP = Ravenna Army Ammunition Plant.

SVOC = Semi-volatile organic compound.

**Table H-4. Checklist of Important Ecological Places and Resources at
Landfill North of Winklepeck Burning Grounds**

Resource	Army (2005)	Ohio EPA (2008)	Landfill North of Winklepeck Burning Grounds	
			Absent	Present
National park	X	X	X	
Designated federal wilderness area	X	X	X	
National lakeshore recreational area	X	X	X	
Habitat known to be used by federal designated or proposed threatened or endangered species	X	X	X	
National or state wildlife refuge	X	X	X	
Federal land designated for protection of natural ecosystems	X	X	X	
Habitat known to be used by state designated threatened or endangered species	X	X	X	
Federally-designated scenic or wild river	X	X	X	
State land designated for wildlife or game management	X	X	X	
State-designated scenic or wild river	X	X	X	
Wetlands and waters of the state^a	X	X		X
National preserve	X	X ^b	X	
State-designated natural areas	X	X ^b	X	
Spawning areas critical for the maintenance of fish/shellfish species within river, lake, or coastal tidal waters	X	X ^c	X	
Migratory pathways and feeding areas critical for maintenance of anadromous fish species ^d	X	X ^c	X	
Terrestrial areas used for breeding by large or dense aggregations of animals	X	X ^c	X	
Particular areas, relatively small in size, important to maintenance of unique biotic communities^e	X	X ^c	X	
Locally important ecological place^f	X		X	
Critical habitat for federal designated threatened or endangered species	X		X	
Marine Sanctuary	X		X	
Areas identified under the Coastal Zone Management Act	X		X	
Sensitive areas identified under the National Estuary Program or Near Coastal Waters Program	X		X	
Critical areas identified under the Clean Lakes Program	X		X	
National monument	X		X	
National seashore recreational area	X		X	
Unit of coastal barrier resources system	X		X	
Coastal barrier (undeveloped)	X		X	
Coastal barrier (partially developed)	X		X	
Administratively proposed federal wilderness area	X		X	
National river reach designated as recreational	X		X	
Habitat known to be used by species under review as to its federal threatened or endangered status	X		X	
State-designated areas for protection or maintenance of aquatic life	X		X	
Fragile landscapes, land sensitive to degradation if vegetative habitat or cover diminishes	X		X	
State, local, or private land designated for protection of natural ecosystems		X	X	

**Table H-4. Checklist of Important Ecological Places and Resources at
Landfill North of Winklepeck Burning Grounds (continued)**

Resource	Army (2005)	Ohio EPA (2008)	Landfill North of Winklepeck Burning Grounds	
			Absent	Present
Federal land designated for wildlife or game management		X	X	
Surface water, as that term is used in Chapter 3745-1 of the OAC		X		X
Federally-listed or state-listed threatened or endangered species		X	X	
State of Ohio special interest or declining species and its associated habitat		X	X	
State park		X	X	

U.S. Army Biological Technical Assistance Group, Technical Document for Ecological Risk Assessment: Process for Developing Management Goals. August 2005.

Ohio EPA. Guidance for Conducting Ecological Risk Assessments (Ohio EPA). Division of Emergency and Remedial Response. April 2008.

^aFor Ohio EPA 2008, as qualified by “regulated under federal law and state of Ohio’s water quality laws.”

^bOhio EPA does not restrict preserves and natural areas to national or state.

^cOhio EPA lists “wildlife populations and their associated important nesting areas and food resources, taking into consideration land use and the quality and extent of habitat on and in the vicinity of the site.”

^dWithin river reaches or areas in lakes or coastal tidal waters in which fish spend extended periods of time.

^eIdentified by the Integrated Natural Resource Management Plan, Base Realignment and Closure Cleanup Plan or Redevelopment Plan, or other official land management plans.

^fThe Ohio Army National Guard (OHARNG 2014) has five special interest areas (important resources) at Camp Ravenna: Unit 1 - mixed mature woods, Unit 2 - Hemlock Ravine-Wadsworth Glen, Unit 3 - mixed swamp forest, Unit 4 - mixed valuable communities, and Unit 5 - oak/maple swamp forest. Also, Ohio Army National Guard recognizes the importance of federal and state-listed threatened and endangered plant and animal species.

X = Designated as important and when bolded there are possible qualifiers.

OAC = Ohio Administrative Code.

Ohio EPA = Ohio Environmental Protection Agency.

Table H-5. Natural Resources Management Goals (OHARNG 2014)

Goals and Objectives of Ohio Army National Guard	Comments on Goals Relative to HTRW Work at Camp Ravenna
<p>Goal 1. Manage natural resources in a manner that is compatible with and supports the military mission while complying with applicable federal and state laws and Army regulations and policies.</p> <p>Objective 1.1: Initiate programs and projects that enhance the training land and training opportunities and/or do not unnecessarily limit training land availability.</p> <p>Objective 1.2: Continue to educate Camp Ravenna users regarding the natural resources at the Camp Ravenna and their part in ensuring sustainable use of the site in perpetuity.</p>	<p>The Army committed to natural resources management in a manner that is compatible with and supports the military mission and complies with Federal and State laws and Army regulations and policies.</p>
<p>Goal 2. Maintain and foster positive working relationships with the U.S. Fish and Wildlife Service; ODNR DOW; and other federal, state, and local natural resources management agencies and organizations for the benefit of the military mission, the natural resources being managed, and the citizens of Ohio and the nation.</p> <p>Objective 2.1: Effectively communicate mission needs to cooperating agencies and solicit input/review on projects with the potential to impact natural resources, especially in areas of regulatory primacy.</p> <p>Objective 2.2: Provide copies of biological surveys to interested cooperating agencies.</p> <p>Objective 2.3: Facilitate cooperative management programs and projects that are compatible with the military mission and within the capabilities of the Camp Ravenna staff.</p>	<p>The Army works and coordinates with other federal and state agencies as necessary if mission or projects have the potential to impact natural resources.</p>
<p>Goal 3. Monitor the condition of the natural resources and the implied impacts from training and the natural resources management program on the natural resources at the Camp Ravenna.</p> <p>Objective 3.1: Maintain current species inventories and other PLSs through periodic reoccurring surveys and inventories.</p>	<p>The Army conducts natural resource management activities at the facility to monitor potential impacts from training or other disturbance activities.</p>
<p>Goal 4. Protect and maintain populations of rare plant and animal species on Camp Ravenna in compliance with federal and state laws and regulations.</p> <p>Objective 4.1: Avoid negative impacts to federally listed species and avoid/minimize impacts to state listed and otherwise rare species.</p>	<p>The Army protects and maintains populations of rare plant and animal species by implementing a natural resource management plan at the facility and by avoiding and/or not disturbing areas with rare species.</p>

Table H-5. Natural Resources Management Goals (OHARNG 2014) (continued)

Goals and Objectives of Ohio Army National Guard	Comments on Goals Relative to HTRW Work at Camp Ravenna
<p>Goal 5. Sustain usable training lands and native natural resources by managing non-native and invasive species, vegetation and plant communities, and nuisance wildlife species.</p> <p>Objective 5.1: Manage populations of invasive plant species where they hinder training and/or habitat management objectives.</p> <p>Objective 5.2: Manage non-native and invasive insect species that pose a threat to forest resources.</p> <p>Objective 5.3: Manage terrestrial vegetation to support training, encourage native plant communities, and prevent damage to training site facilities and infrastructure.</p> <p>Objective 5.4: Manage the beaver population to prevent damage to training site facilities and infrastructure and to maintain the quality warm water habitats of Hinkley Creek, Sand Creek, and South Fork Eagle Creek.</p> <p>Objective 5.5: Manage other nuisance animals that negatively impact the ecosystem.</p>	<p>The Army sustains usable training lands and native natural resources by implementing a natural resource management plan which incorporates invasive species and nuisance species management and by utilizing native species mixes for re-vegetation after ground disturbance activities.</p>
<p>Goal 6. Manage wildlife resources in a manner compatible with the military mission and within the limits of the natural habitat.</p> <p>Objective 6.1: Cooperatively manage wildlife resources with the Ohio DOW.</p> <p>Objective 6.2: Provide opportunity for wildlife recreation to the public that is compatible with the military mission.</p> <p>Objective 6.3: Maintain wildlife population without augmenting the habitat with artificial food plots.</p>	<p>The Army minimizes habitat disturbance during HTRW activities and utilizes sustainability practices when disturbance is required in order to properly manage and maintain wildlife populations and resources.</p>
<p>Goal 7. Manage the Camp Ravenna whitetail deer population in a manner that minimizes impacts on the military mission, is ecologically sustainable, provides for public hunting, and is in accordance with Army regulations and state law.</p> <p>Objective 7.1: Census the deer herd.</p> <p>Objective 7.2: Determine winter carrying capacity for whitetail deer at Camp Ravenna.</p> <p>Objective 7.3: Maintain the white-tailed deer population at or near carrying capacity and at a buck-to-doe ratio close to 1:2 (acceptable ratio is dependent on population size) with a maximum of six hunter's dates per year.</p>	<p>The Army manages populations of white-tailed deer by implementing a natural resource management plan at the facility in a manner that is compatible with and supports the military mission and complies with state laws and Army regulations and policies.</p>

Table H-5. Natural Resources Management Goals (OHARNG 2014) (continued)

Goals and Objectives of Ohio Army National Guard	Comments on Goals Relative to HTRW Work at Camp Ravenna
<p>Goal 8. Manage forest resources to the benefit of the military mission, to perpetuate the ecosystem functions, to support regional ecosystem needs, and for the production of forest products.</p> <p>Objective 8.1: Maintain current forest resource data.</p> <p>Objective 8.2: Implement forest management strategies identified in the Camp Ravenna INRMP.</p>	<p>The Army sustains and manages forest resources by implementing a natural resource management plan. During HTRW activities, efforts are made by the Army to minimize impacts to forest communities.</p>
<p>Goal 9. Manage wetlands and other surface waters in accordance with applicable federal, state, and local regulations and to protect water quality and ecological functions while facilitating the military mission.</p> <p>Objective 9.1: Avoid wetland fills.</p> <p>Objective 9.2: Minimize and mitigate unavoidable wetland fills.</p> <p>Objective 9.3: Maintain healthy aquatic ecosystems in ponds.</p> <p>Objective 9.4: Restore, enhance, and create wetlands when possible and compatible with the military mission.</p>	<p>Wetlands and other surface waters are to be protected during disturbance activities in accordance with federal, state, and local regulations. Avoidance measures will be implemented as practical. Some AOCs have wetlands.</p>
<p>Goal 10. Manage soil to maintain productivity and prevent and repair erosion in accordance with state and federal laws and regulations so that Camp Ravenna can support doctrinally required military training in perpetuity.</p> <p>Objective 10.1: Conduct training and other activities in locations with soil most suitable for supporting the activity.</p> <p>Objective 10.2: Rehabilitate, repair, and maintain areas damaged by training and other activities.</p>	<p>Management of soil relevant to remedial activities under CERCLA. Appropriate storm water and erosion controls are to be utilized during activities that require ground disturbance.</p>
<p>Goal 11. Manage cultural resources on Camp Ravenna in accordance with state and federal laws and regulations while implementing the natural resources management program.</p> <p>Objective 11.1: Comply with federal, state, and local laws and regulations pertaining to cultural resources found on the training site.</p>	<p>The Army utilizes a cultural resource management plan to manage and protect cultural resources at the facility. Coordination with state and federal agencies regarding cultural resources is conducted as necessary. Restoration contractors are also advised to utilize the Camp Ravenna Policy for Inadvertent Discoveries for reporting purposes should they come upon a cultural item.</p>

Table H-5. Natural Resources Management Goals (OHARNG 2014) (continued)

Goals and Objectives of Ohio Army National Guard	Comments on Goals Relative to HTRW Work at Camp Ravenna
<p>Goal 12. Develop, maintain, and manage data regarding natural resources at Camp Ravenna through the use of GIS for efficient data storage, retrieval, analysis, and presentation.</p> <p>Objective 12.1: Develop accurate and usable natural resources GIS data.</p>	<p>Natural resource data is collected and managed by OHARNG. This data may be utilized during restoration activities in order to provide an accurate portrait of natural resources at an AOC.</p>

OHARNG. Integrated Natural Resources Management Plan and Environmental Assessment for the Ravenna Training and Logistics Site, Portage and Trumbull Counties, Ohio. December 2014.

AOC = Area of concern.

CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act.

DOW = Department of Wildlife.

GIS = Geographic information system.

HTRW = Hazardous, toxic, and radioactive waste.

INRMP = Integrated Natural Resources Management Plan.

ODNR = Ohio Department of Natural Resources.

OHARNG = Ohio Army National Guard.

PLS = Planning level survey (wetland).

Table H-6. Sediment Reference Values for Camp Ravenna

Chemical	SRV (mg/kg)
Aluminum	2.90E+04
Antimony	1.30E+00
Arsenic	2.50E+01
Barium	1.90E+02
Beryllium	8.00E-01
Cadmium	7.90E-01
Calcium	2.10E+04
Chromium	2.90E+01
Cobalt	1.20E+01
Copper	3.20E+01
Iron	4.10E+04
Lead	4.70E+01
Magnesium	7.10E+03
Manganese	1.50E+03
Mercury	1.20E-01
Nickel	3.30E+01
Potassium	6.80E+03
Selenium	1.70E+00
Silver	4.30E-01
Strontium	6.20E+01
Thallium	4.70E+00
Vanadium	4.00E+01
Zinc	1.60E+02

Values are EOLP (Erie/Ontario Lake Plain) or statewide from Table 2 of Appendix H, Ohio Environmental Protection Agency 2008 *Guidance for Conducting Ecological Risk Assessments*, April 2008.

mg/kg = Milligrams per kilogram.

SRV = Sediment reference value.

Table H-7. Ecological Screening Values for Chemical Analytes in Soil

Analyte	CAS Registry Number	Soil Screening Values							
		USEPA EcoSSLs		DOE (1997a) Preliminary Remediation Goals for Ecological Endpoints ^a		USEPA Region 5 Ecological Screening Levels (2003) (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^d	
		Number (mg/kg dry soil)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source
<i>Inorganic Chemicals</i>									
Aluminum (Al)	7429-90-5	--*	Al EcoSSL	50	PRGs ^b	--	--	50	PRGs
Antimony (Sb)	7440-36-0	0.27	mammalian EcoSSL for Sb	5	PRGs	0.142	USEPA Reg 5	2.70E-01	mammalian EcoSSL for Sb
Arsenic (As)	7440-38-2	18	plant EcoSSL for As	9.9	PRGs	5.7	USEPA Reg 5	1.80E+01	plant EcoSSL for As
Barium (Ba)	7440-39-3	330	soil invert EcoSSL for Ba	283	PRGs	1.04	USEPA Reg 5	3.30E+02	soil invert EcoSSL for Ba
Beryllium (Be)	7440-41-7	21	mammalian EcoSSL for Be	10	PRGs	1.06	USEPA Reg 5	2.10E+01	mammalian EcoSSL for Be
Bismuth	7440-69-9	--	--	--	--	--	--	No ESV	No Source
Boron	7440-42-8	--	--	0.5	PRGs	--	--	5.00E-01	PRGs
Bromine	7726-95-6	--	--	10	PRGs	--	--	1.00E+01	PRGs
Cadmium (Cd)	7440-43-9	0.36	mammalian EcoSSL for Cd	4	PRGs	0.00222	USEPA Reg 5	3.60E-01	mammalian EcoSSL for Cd
Calcium	7440-70-2	--	--	--	--	--	--	No ESV	No Source
Chromium (Cr)	16065-83-1	26	avian EcoSSL for Cr III	0.4	PRGs	0.4	ESL for Cr+3	2.60E+01	avian EcoSSL for Cr III
Chromium, hexavalent	18540-29-9	130	mammalian EcoSSL for Cr VI	--	--	--	--	1.30E+02	mammalian EcoSSL for Cr VI
Cobalt (Co)	7440-48-4	13	plant EcoSSL for Co	20	PRGs	0.14	USEPA Reg 5	1.30E+01	plant EcoSSL for Co

Table H-7. Ecological Screening Values for Chemical Analytes in Soil (continued)

Analyte	CAS Registry Number	Soil Screening Values							
		USEPA EcoSSLs		DOE (1997a) Preliminary Remediation Goals for Ecological Endpoints ^a		USEPA Region 5 Ecological Screening Levels (2003) (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^d	
		Number (mg/kg dry soil)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source
Copper (Cu)	7440-50-8	28	avian EcoSSL for Cu	60	PRGs	5.4	USEPA Reg 5	2.80E+01	avian EcoSSL for Cu
Cyanide	57-12-5	--	--	--	--	1.33	USEPA Reg 5	1.33E+00	USEPA Reg 5
Fluorine	7782-41-4	--	--	200	PRGs	--	--	2.00E+02	PRGs
Iodine	7553-56-2	--	--	4	PRGs	--	--	4.00E+00	PRGs
Iron (Fe)	7439-89-6	--**	Fe EcoSSL	--	--	--	--	No ESV	No Source
Lanthanum	7439-91-0	--	--	--	--	--	--	No ESV	No Source
Lead (Pb)	7439-92-1	11	avian EcoSSL for Pb	40.5	PRGs	0.0537	USEPA Reg 5	1.10E+01	avian EcoSSL for Pb
Lithium	7439-93-2	--	--	2	PRGs	--	--	2.00E+00	PRGs
Magnesium	7439-95-4	--	--	--	--	--	--	No ESV	No Source
Manganese (Mn)	7439-96-5	220	plant EcoSSL for Mn	500	PRGs ^b	--	--	2.20E+02	plant EcoSSL for Mn
Mercury	7439-97-6	--	--	0.00051	PRGs	0.1	USEPA Reg 5	5.10E-04	PRGs
Mercury, methyl	22967-92-6	--	--	--	--	0.00158	USEPA Reg 5	1.58E-03	USEPA Reg 5
Molybdenum	7439-98-7	--	--	2	PRGs	--	--	2.00E+00	PRGs
Nickel (Ni)	7440-02-0	38	plant EcoSSL for Ni	30	PRGs	13.6	USEPA Reg 5	3.80E+01	plant EcoSSL for Ni
Potassium	7440-09-7	--	--	--	--	--	--	No ESV	No Source
Selenium (Se)	7782-49-2	0.52	plant EcoSSL for Se	0.21	PRGs	0.0276	USEPA Reg 5	5.20E-01	plant EcoSSL for Se
Silver (Ag)	7440-22-4	4.2	avian EcoSSL for Ag	2	PRGs	4.04	USEPA Reg 5	4.20E+00	avian EcoSSL for Ag
Sodium	7440-23-5	--	--	--	--	--	--	No ESV	No Source
Technetium	7440-26-8	--	--	0.2	PRGs	--	--	2.00E-01	PRGs
Tellurium	13494-80-9	--	--	--	--	--	--	No ESV	No Source
Thallium	7440-28-0	--	--	1	PRGs	0.0569	USEPA Reg 5	1.00E+00	PRGs
Tin	7440-31-5	--	--	50	PRGs	7.62	USEPA Reg 5	5.00E+01	PRGs
Titanium	7440-32-6	--	--	--	--	--	--	No ESV	No Source

Table H-7. Ecological Screening Values for Chemical Analytes in Soil (continued)

Analyte	CAS Registry Number	Soil Screening Values							
		USEPA EcoSSLs		DOE (1997a) Preliminary Remediation Goals for Ecological Endpoints ^a		USEPA Region 5 Ecological Screening Levels (2003) (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^d	
		Number (mg/kg dry soil)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source
Tungsten	7440-33-7	--	--	--	--	--	--	No ESV	No Source
Uranium	7440-61-1	--	--	5	PRGs	--	--	5.00E+00	PRGs
Vanadium (V)	7440-62-2	7.8	avian EcoSSL for V	2	PRGs	1.59	USEPA Reg 5	7.80E+00	avian EcoSSL for V
Zinc (Zn)	7440-66-6	46	avian EcoSSL for Zn	8.5	PRGs	6.62	USEPA Reg 5	4.60E+01	avian EcoSSL for Zn
Anions									
Nitrate	14797-55-8	--	--	--	--	--	--	No ESV	No Source
Sulfide	18496-25-8	--	--	--	--	0.00358	USEPA Reg 5	3.58E-03	USEPA Reg 5
Organic Chemicals									
Acenaphthene	83-32-9	--	--	20	PRGs	682	USEPA Reg 5	2.00E+01	PRGs
Acenaphthylene	208-96-8	--	--	--	--	682	USEPA Reg 5	6.82E+02	USEPA Reg 5
Acetone	67-64-1	--	--	--	--	2.5	USEPA Reg 5	2.50E+00	USEPA Reg 5
Acetonitrile	75-05-8	--	--	--	--	1.37	USEPA Reg 5	1.37E+00	USEPA Reg 5
Acetophenone	98-86-2	--	--	--	--	300	USEPA Reg 5	3.00E+02	USEPA Reg 5
Acetylaminofluorene[2-]	53-96-3	--	--	--	--	0.596	USEPA Reg 5	5.96E-01	USEPA Reg 5
Acrolein	107-02-8	--	--	--	--	5.27	USEPA Reg 5	5.27E+00	USEPA Reg 5
Acrylonitrile	107-13-1	--	--	--	--	0.0239	USEPA Reg 5	2.39E-02	USEPA Reg 5
Aldrin	309-00-2	--	--	--	--	0.00332	USEPA Reg 5	3.32E-03	USEPA Reg 5
2-Amino-4,6-dinitrotoluene	35572-78-2	--	--	--	--	--	--	No ESV	No Source
4-Amino-2,6-dinitrotoluene	19406-51-0	--	--	--	--	--	--	No ESV	No Source
4-Aminobiphenyl	92-67-1	--	--	--	--	0.00305	USEPA Reg 5	3.05E-03	USEPA Reg 5
Aniline	62-53-3	--	--	--	--	0.0568	USEPA Reg 5	5.68E-02	USEPA Reg 5
Anthracene	120-12-7	--	--	--	--	1480	USEPA Reg 5	1.48E+03	USEPA Reg 5
Aramite	140-57-8	--	--	--	--	166	USEPA Reg 5	1.66E+02	USEPA Reg 5
Azobenzene[p-(dimethylamino)]	60-11-7	--	--	--	--	0.04	USEPA Reg 5	4.00E-02	USEPA Reg 5
PCB-1016	12674-11-2	--	--	--	--	--	--	No ESV	No Source
Arochlor-1221	11104-28-2	--	--	--	--	--	--	No ESV	No Source

Table H-7. Ecological Screening Values for Chemical Analytes in Soil (continued)

Analyte	CAS Registry Number	Soil Screening Values							
		USEPA EcoSSLs		DOE (1997a) Preliminary Remediation Goals for Ecological Endpoints ^a		USEPA Region 5 Ecological Screening Levels (2003) (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^d	
		Number (mg/kg dry soil)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source
Arochlor-1232	11141-16-5	--	--	--	--	--	--	No ESV	No Source
Arochlor-1242	53469-21-9	--	--	--	--	--	--	No ESV	No Source
Arochlor-1248	12672-29-6	--	--	--	--	--	--	No ESV	No Source
PCB-1254	11097-69-1	--	--	--	--	--	--	No ESV	No Source
PCB-1260	11096-82-5	--	--	--	--	--	--	No ESV	No Source
Benzene	71-43-2	--	--	--	--	0.255	USEPA Reg 5	2.55E-01	USEPA Reg 5
Benzenemethanol	100-51-6	--	--	--	--	65.8	USEPA Reg 5	6.58E+01	USEPA Reg 5
Benz(a)anthracene	56-55-3	--	--	--	--	5.21	USEPA Reg 5	5.21E+00	USEPA Reg 5
Benzo(a)pyrene	50-32-8	--	--	--	--	1.52	USEPA Reg 5	1.52E+00	USEPA Reg 5
Benzo(b)fluoranthene	205-99-2	--	--	--	--	59.8	USEPA Reg 5	5.98E+01	USEPA Reg 5
Benzo(ghi)perylene	191-24-2	--	--	--	--	119	USEPA Reg 5	1.19E+02	USEPA Reg 5
Benzo(k)fluoranthene	207-08-9	--	--	--	--	148	USEPA Reg 5	1.48E+02	USEPA Reg 5
Benzoic acid	65-85-0	--	--	--	--	--	--	No ESV	No Source
BHC	608-73-1	--	--	--	--	--	--	No ESV	No Source
BHC, alpha	319-84-6	--	--	--	--	0.0994	USEPA Reg 5	9.94E-02	USEPA Reg 5
BHC, beta	319-85-7	--	--	--	--	0.00398	USEPA Reg 5	3.98E-03	USEPA Reg 5
BHC, delta	319-86-8	--	--	--	--	9.94	USEPA Reg 5	9.94E+00	USEPA Reg 5
BHC, gamma (Lindane)	58-89-9	--	--	--	--	0.005	USEPA Reg 5	5.00E-03	USEPA Reg 5
Biphenyl	92-52-4	--	--	60	PRGs	--	--	6.00E+01	PRGs
bis(2-chloroethoxy) methane	111-91-1	--	--	--	--	0.302	USEPA Reg 5	3.02E-01	USEPA Reg 5
bis(2-Chloroethyl) ether	111-44-4	--	--	--	--	23.7	USEPA Reg 5	2.37E+01	USEPA Reg 5
bis(2-Ethylhexyl)phthalate	117-81-7	--	--	--	--	0.925	USEPA Reg 5	9.25E-01	USEPA Reg 5
4-Bromoaniline	106-40-1	--	--	--	--	--	--	No ESV	No Source
Bromodichloromethane	75-27-4	--	--	--	--	0.54	USEPA Reg 5	5.40E-01	USEPA Reg 5
Bromoform	75-25-2	--	--	--	--	15.9	USEPA Reg 5	1.59E+01	USEPA Reg 5
Bromomethane	74-83-9	--	--	--	--	0.235	USEPA Reg 5	2.35E-01	USEPA Reg 5
4-bromophenyl-phenylether	101-55-3	--	--	--	--	--	--	No ESV	No Source

Table H-7. Ecological Screening Values for Chemical Analytes in Soil (continued)

Analyte	CAS Registry Number	Soil Screening Values							
		USEPA EcoSSLs		DOE (1997a) Preliminary Remediation Goals for Ecological Endpoints ^a		USEPA Region 5 Ecological Screening Levels (2003) (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^d	
		Number (mg/kg dry soil)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source
2-Butanone	78-93-3	--	--	--	--	89.6	USEPA Reg 5	8.96E+01	USEPA Reg 5
Butylbenzyl phthalate	85-68-7	--	--	--	--	0.239	USEPA Reg 5	2.39E-01	USEPA Reg 5
N-Nitrosodi-n-Butylamine	924-16-3	--	--	--	--	0.267	USEPA Reg 5	2.67E-01	USEPA Reg 5
Carbazole	86-74-8	--	--	--	--	--	--	No ESV	No Source
Carbon disulfide	75-15-0	--	--	--	--	0.0941	USEPA Reg 5	9.41E-02	USEPA Reg 5
Carbon tetrachloride	56-23-5	--	--	--	--	2.98	USEPA Reg 5	2.98E+00	USEPA Reg 5
Chlordane	12789-03-6	--	--	--	--	0.224	USEPA Reg 5	2.24E-01	USEPA Reg 5
alpha-Chlordane	12789-03-6	--	--	--	--	0.224	USEPA Reg 5	2.24E-01	USEPA Reg 5
gamma-Chlordane	12789-03-6	--	--	--	--	0.224	USEPA Reg 5	2.24E-01	USEPA Reg 5
Chloroacetamide	79-07-2	--	--	2	PRGs ^c	--	--	2.00E+00	PRGs
3-Chloroaniline	108-42-9	--	--	20	PRGs	--	--	2.00E+01	PRGs
4-Chloroaniline	106-47-8	--	--	--	--	1.1	USEPA Reg 5	1.10E+00	USEPA Reg 5
Chlorobenzene	108-90-7	--	--	40	PRGs	13.1	USEPA Reg 5	4.00E+01	PRGs
Chlorobenzilate	510-15-6	--	--	--	--	5.05	USEPA Reg 5	5.05E+00	USEPA Reg 5
Chloroethane	75-00-3	--	--	--	--	--	--	No ESV	No Source
Chloroform	67-66-3	--	--	--	--	1.19	USEPA Reg 5	1.19E+00	USEPA Reg 5
Chloromethane	74-87-3	--	--	--	--	10.4	USEPA Reg 5	1.04E+01	USEPA Reg 5
2-Chloronaphthalene	91-58-7	--	--	--	--	0.0122	USEPA Reg 5	1.22E-02	USEPA Reg 5
2-Chlorophenol	95-57-8	--	--	--	--	0.243	USEPA Reg 5	2.43E-01	USEPA Reg 5
3-Chlorophenol	108-43-0	--	--	7	PRGs	--	--	7.00E+00	PRGs
4-Chlorophenol	106-48-9	--	--	--	--	--	--	No ESV	No Source
4-Chlorophenyl-phenyl ether	7005-72-3	--	--	--	--	--	--	No ESV	No Source
4-chloro-3-methylphenol	59-50-7	--	--	--	--	7.95	USEPA Reg 5	7.95E+00	USEPA Reg 5
Chloropropene	107-05-1	--	--	--	--	0.0134	USEPA Reg 5	1.34E-02	USEPA Reg 5
Chloroprene	126-99-8	--	--	--	--	0.0029	USEPA Reg 5	2.90E-03	USEPA Reg 5
Chrysene	218-01-9	--	--	--	--	4.73	USEPA Reg 5	4.73E+00	USEPA Reg 5
m-Cresol	108-39-4	--	--	--	--	3.49	USEPA Reg 5	3.49E+00	USEPA Reg 5

Table H-7. Ecological Screening Values for Chemical Analytes in Soil (continued)

Analyte	CAS Registry Number	Soil Screening Values							
		USEPA EcoSSLs		DOE (1997a) Preliminary Remediation Goals for Ecological Endpoints ^a		USEPA Region 5 Ecological Screening Levels (2003) (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^d	
		Number (mg/kg dry soil)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source
2,4-D	94-75-7	--	--	--	--	0.0272	USEPA Reg 5	2.72E-02	USEPA Reg 5
4,4'-DDD	72-54-8	0.021	mammalian EcoSSL for DDT and metabolites	--	--	0.758	USEPA Reg 5	2.10E-02	mammalian EcoSSL for DDT and metabolites
4,4'-DDE	72-55-9	0.021	mammalian EcoSSL for DDT and metabolites	--	--	0.596	USEPA Reg 5	2.10E-02	mammalian EcoSSL for DDT and metabolites
4,4'-DDT	50-29-3	0.021	mammalian EcoSSL for DDT and metabolites	--	--	0.0035	USEPA Reg 5	2.10E-02	mammalian EcoSSL for DDT and metabolites
Diallate	2303-16-4	--	--	--	--	0.452	USEPA Reg 5	4.52E-01	USEPA Reg 5
Diazinon	333-41-5	--	--	--	--	--	--	No ESV	No Source
Dibenz(a,h)anthracene	53-70-3	--	--	--	--	18.4	USEPA Reg 5	1.84E+01	USEPA Reg 5
Dibenzofuran	132-64-9	--	--	--	--	--	--	No ESV	No Source
1,2-Dibromo-3-Chloropropane	96-12-8	--	--	--	--	0.0352	USEPA Reg 5	3.52E-02	USEPA Reg 5
Dibromochloromethane	124-48-1	--	--	--	--	2.05	USEPA Reg 5	2.05E+00	USEPA Reg 5
Dibromoethane	106-93-4	--	--	--	--	1.23	USEPA Reg 5	1.23E+00	USEPA Reg 5
2,4-Dichloroaniline	554-00-7	--	--	100	PRGs ^e	--	--	1.00E+02	PRGs
3,4-Dichloroaniline	95-76-1	--	--	20	PRGs ^e	--	--	2.00E+01	PRGs
1,2-Dichlorobenzene	95-50-1	--	--	--	--	2.96	USEPA Reg 5	2.96E+00	USEPA Reg 5
1,3-Dichlorobenzene	541-73-1	--	--	--	--	37.7	USEPA Reg 5	3.77E+01	USEPA Reg 5
1,4-Dichlorobenzene	106-46-7	--	--	20	PRGs	0.546	USEPA Reg 5	2.00E+01	PRGs
3,3'-Dichlorobenzidine	91-94-1	--	--	--	--	0.646	USEPA Reg 5	6.46E-01	USEPA Reg 5
Cis-1,4-dichloro-2-butene	1476-11-5	--	--	--	--	--	--	No ESV	No Source
Trans-1,4-dichloro-2-butene	110-57-6	--	--	--	--	--	--	No ESV	No Source
Dichlorodifluoromethane	75-71-8	--	--	--	--	39.5	USEPA Reg 5	3.95E+01	USEPA Reg 5
1,1-Dichloroethane	75-34-3	--	--	--	--	20.1	USEPA Reg 5	2.01E+01	USEPA Reg 5

Table H-7. Ecological Screening Values for Chemical Analytes in Soil (continued)

Analyte	CAS Registry Number	Soil Screening Values							
		USEPA EcoSSLs		DOE (1997a) Preliminary Remediation Goals for Ecological Endpoints ^a		USEPA Region 5 Ecological Screening Levels (2003) (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^d	
		Number (mg/kg dry soil)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source
1,2-Dichloroethane	107-06-2	--	--	--	--	21.2	USEPA Reg 5	2.12E+01	USEPA Reg 5
1,1-Dichloroethene	75-35-4	--	--	--	--	8.28	USEPA Reg 5	8.28E+00	USEPA Reg 5
1,2-Dichloroethene	540-59-0	--	--	--	--	0.784	USEPA Reg 5 (for trans form)	7.84E-01	USEPA Reg 5 (for trans form)
2,4-Dichlorophenol	120-83-2	--	--	--	--	87.5	USEPA Reg 5	8.75E+01	USEPA Reg 5
2,6-Dichlorophenol	87-65-0	--	--	--	--	1.17	USEPA Reg 5	1.17E+00	USEPA Reg 5
3,4-Dichlorophenol	95-77-2	--	--	20	PRGs	--	--	2.00E+01	PRGs
1,2-Dichloropropane	78-87-5	--	--	700	PRGs ^c	32.7	USEPA Reg 5	7.00E+02	PRGs
cis-1,3-Dichloropropene	10061-01-5	--	--	--	--	0.398	USEPA Reg 5	3.98E-01	USEPA Reg 5
trans-1,3-Dichloropropene	10061-02-6	--	--	--	--	0.398	USEPA Reg 5	3.98E-01	USEPA Reg 5
Dieldrin	60-57-1	0.0049	mammalian EcoSSL for Dieldrin	--	--	0.00238	USEPA Reg 5	4.90E-03	mammalian EcoSSL for Dieldrin
O,O-Diethyl O-2-pyrazinylphosphorothioate	297-97-2	--	--	--	--	0.799	USEPA Reg 5	7.99E-01	USEPA Reg 5
Diethylphthalate	84-66-2	--	--	100	PRGs	24.8	USEPA Reg 5	1.00E+02	PRGs
Dimethoate	60-51-5	--	--	--	--	0.218	USEPA Reg 5	2.18E-01	USEPA Reg 5
Dimethylphthalate	131-11-3	--	--	200	PRGs ^c	734	USEPA Reg 5	2.00E+02	PRGs
3,3'-Dimethylbenzidine	119-93-7	--	--	--	--	0.104	USEPA Reg 5	1.04E-01	USEPA Reg 5
7,12'-Dimethylbenz(a)anthracene	57-97-6	--	--	--	--	16.3	USEPA Reg 5	1.63E+01	USEPA Reg 5
alpha,alpha-Dimethylphenethylamine	122-09-8	--	--	--	--	0.3	USEPA Reg 5	3.00E-01	USEPA Reg 5
2,4-Dimethylphenol	105-67-9	--	--	--	--	0.01	USEPA Reg 5	1.00E-02	USEPA Reg 5
Di-n-butyl phthalate	84-74-2	--	--	200	PRGs	0.15	USEPA Reg 5	2.00E+02	PRGs
Di-n-octylphthalate	117-84-0	--	--	--	--	709	USEPA Reg 5	7.09E+02	USEPA Reg 5
1,3-Dinitrobenzene	99-65-0	--	--	--	--	0.655	USEPA Reg 5	6.55E-01	USEPA Reg 5
2,4-Dinitrophenol	51-28-5	--	--	20	PRGs	0.0609	USEPA Reg 5	2.00E+01	PRGs

Table H-7. Ecological Screening Values for Chemical Analytes in Soil (continued)

Analyte	CAS Registry Number	Soil Screening Values							
		USEPA EcoSSLs		DOE (1997a) Preliminary Remediation Goals for Ecological Endpoints ^a		USEPA Region 5 Ecological Screening Levels (2003) (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^d	
		Number (mg/kg dry soil)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source
2,4-Dinitrotoluene	121-14-2	--	--	--	--	1.28	USEPA Reg 5	1.28E+00	USEPA Reg 5
2,6-Dinitrotoluene	606-20-2	--	--	--	--	0.0328	USEPA Reg 5	3.28E-02	USEPA Reg 5
4,6-Dinitro-2-methylphenol	534-52-1	--	--	--	--	0.144	USEPA Reg 5	1.44E-01	USEPA Reg 5
Dinoseb	88-85-7	--	--	--	--	0.0218	USEPA Reg 5	2.18E-02	USEPA Reg 5
1,4-Dioxane	123-91-1	--	--	--	--	2.05	USEPA Reg 5	2.05E+00	USEPA Reg 5
Diphenylamine	122-39-4	--	--	--	--	1.01	USEPA Reg 5	1.01E+00	USEPA Reg 5
Disulfoton	298-04-4	--	--	--	--	0.0199	USEPA Reg 5	1.99E-02	USEPA Reg 5
Endosulfan I (alpha)	959-98-8	--	--	--	--	0.119	USEPA Reg 5	1.19E-01	USEPA Reg 5
Endosulfan II (beta)	33213-65-9	--	--	--	--	0.119	USEPA Reg 5	1.19E-01	USEPA Reg 5
Endosulfan, mixed isomers	115-29-7	--	--	--	--	--	--	No ESV	No Source
Endosulfan sulfate	1031-07-8	--	--	--	--	0.0358	USEPA Reg 5	3.58E-02	USEPA Reg 5
Endrin	72-20-8	--	--	--	--	0.0101	USEPA Reg 5	1.01E-02	USEPA Reg 5
Endrin aldehyde	7421-93-4	--	--	--	--	0.0105	USEPA Reg 5	1.05E-02	USEPA Reg 5
Ethyl methacrylate	97-63-2	--	--	--	--	30	USEPA Reg 5	3.00E+01	USEPA Reg 5
Ethylbenzene	100-41-4	--	--	--	--	5.16	USEPA Reg 5	5.16E+00	USEPA Reg 5
Famphur	52-85-7	--	--	--	--	0.0497	USEPA Reg 5	4.97E-02	USEPA Reg 5
Fluoranthene	206-44-0	--	--	--	--	122	USEPA Reg 5	1.22E+02	USEPA Reg 5
Fluorene	86-73-7	--	--	30	PRGs ^c	122	USEPA Reg 5	3.00E+01	PRGs
Furan	110-00-9	--	--	600	PRGs	--	--	6.00E+02	PRGs
Heptane	142-82-5	--	--	--	--	--	--	No ESV	No Source
Heptachlor	76-44-8	--	--	--	--	0.00598	USEPA Reg 5	5.98E-03	USEPA Reg 5
Heptachlor Epoxide	1024-57-3	--	--	--	--	0.152	USEPA Reg 5	1.52E-01	USEPA Reg 5
Hexachlorobenzene	118-74-1	--	--	--	--	0.199	USEPA Reg 5	1.99E-01	USEPA Reg 5
Hexachlorobutadiene	87-68-3	--	--	--	--	0.0398	USEPA Reg 5	3.98E-02	USEPA Reg 5
Hexachlorocyclopentadiene	77-47-4	--	--	10	PRGs	0.755	USEPA Reg 5	1.00E+01	PRGs
Hexachloroethane	67-72-1	--	--	--	--	0.596	USEPA Reg 5	5.96E-01	USEPA Reg 5
Hexachlorophene	70-30-4	--	--	--	--	0.199	USEPA Reg 5	1.99E-01	USEPA Reg 5

Table H-7. Ecological Screening Values for Chemical Analytes in Soil (continued)

Analyte	CAS Registry Number	Soil Screening Values							
		USEPA EcoSSLs		DOE (1997a) Preliminary Remediation Goals for Ecological Endpoints ^a		USEPA Region 5 Ecological Screening Levels (2003) (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^d	
		Number (mg/kg dry soil)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source
2-Hexanone	591-78-6	--	--	--	--	12.6	USEPA Reg 5	1.26E+01	USEPA Reg 5
HMX	2691-41-0	--	--	--	--	--	--	No ESV	No Source
Indeno(1,2,3-cd)pyrene	193-39-5	--	--	--	--	109	USEPA Reg 5	1.09E+02	USEPA Reg 5
Isobutyl alcohol	78-83-1	--	--	--	--	20.8	USEPA Reg 5	2.08E+01	USEPA Reg 5
Isodrin	465-73-6	--	--	--	--	0.00332	USEPA Reg 5	3.32E-03	USEPA Reg 5
Isophorone	78-59-1	--	--	--	--	139	USEPA Reg 5	1.39E+02	USEPA Reg 5
Isosafrole	120-58-1	--	--	--	--	9.94	USEPA Reg 5	9.94E+00	USEPA Reg 5
Kepone	143-50-0	--	--	--	--	0.0327	USEPA Reg 5	3.27E-02	USEPA Reg 5
Malathion	121-75-5	--	--	--	--	--	--	No ESV	No Source
Methacrylonitrile	126-98-7	--	--	--	--	0.057	USEPA Reg 5	5.70E-02	USEPA Reg 5
Methapyrilene	91-80-5	--	--	--	--	2.78	USEPA Reg 5	2.78E+00	USEPA Reg 5
Methoxychlor	72-43-5	--	--	--	--	0.0199	USEPA Reg 5	1.99E-02	USEPA Reg 5
Methyl iodide	74-88-4	--	--	--	--	1.23	USEPA Reg 5	1.23E+00	USEPA Reg 5
Methyl methacrylate	80-62-6	--	--	--	--	984	USEPA Reg 5	9.84E+02	USEPA Reg 5
Methyl methanesulfanate	66-27-3	--	--	--	--	0.315	USEPA Reg 5	3.15E-01	USEPA Reg 5
Methyl parathion	298-00-0	--	--	--	--	0.00029	USEPA Reg 5	2.92E-04	USEPA Reg 5
4-Methyl-2-pentanone	108-10-1	--	--	--	--	443	USEPA Reg 5	4.43E+02	USEPA Reg 5
3-Methylcholanthrene	56-49-5	--	--	--	--	0.0779	USEPA Reg 5	7.79E-02	USEPA Reg 5
Methylene bromide	74-95-3	--	--	--	--	65	USEPA Reg 5	6.50E+01	USEPA Reg 5
Methylene chloride	75-09-2	--	--	--	--	4.05	USEPA Reg 5	4.05E+00	USEPA Reg 5
2-Methylnaphthalene	91-57-6	--	--	--	--	3.24	USEPA Reg 5	3.24E+00	USEPA Reg 5
2-Methylphenol	95-48-7	--	--	--	--	40.4	USEPA Reg 5	4.04E+01	USEPA Reg 5
4-Methylphenol	106-44-5	--	--	--	--	163	USEPA Reg 5	1.63E+02	USEPA Reg 5
Mirex	2385-85-5	--	--	--	--	--	--	No ESV	No Source
Naphthalene	91-20-3	--	--	--	--	0.0994	USEPA Reg 5	9.94E-02	USEPA Reg 5
1,4-Naphthoquinone	130-15-4	--	--	--	--	1.67	USEPA Reg 5	1.67E+00	USEPA Reg 5
1-Naphthylamine	134-32-7	--	--	--	--	9.34	USEPA Reg 5	9.34E+00	USEPA Reg 5

Table H-7. Ecological Screening Values for Chemical Analytes in Soil (continued)

Analyte	CAS Registry Number	Soil Screening Values							
		USEPA EcoSSLs		DOE (1997a) Preliminary Remediation Goals for Ecological Endpoints ^a		USEPA Region 5 Ecological Screening Levels (2003) (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^d	
		Number (mg/kg dry soil)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source
2-Naphthylamine	91-59-8	--	--	--	--	3.03	USEPA Reg 5	3.03E+00	USEPA Reg 5
2-Nitroaniline	88-74-4	--	--	--	--	74.1	USEPA Reg 5	7.41E+01	USEPA Reg 5
3-Nitroaniline	99-09-2	--	--	--	--	3.16	USEPA Reg 5	3.16E+00	USEPA Reg 5
4-Nitroaniline	100-01-6	--	--	--	--	21.9	USEPA Reg 5	2.19E+01	USEPA Reg 5
Nitrobenzene	99-95-3	--	--	40	PRGs ^c	1.31	USEPA Reg 5	4.00E+01	PRGs
Nitrocellulose	9004-70-0	--	--	--	--	--	--	No ESV	No Source
Nitroglycerin	55-63-0	--	--	--	--	--	--	No ESV	No Source
Nitroguanidine	556-88-7	--	--	--	--	--	--	No ESV	No Source
2-Nitrophenol	88-75-5	--	--	--	--	1.6	USEPA Reg 5	1.60E+00	USEPA Reg 5
4-Nitrophenol	100-02-7	--	--	7	PRGs	5.12	USEPA Reg 5	7.00E+00	PRGs
4-Nitroquinoline-1-oxide	56-57-5	--	--	--	--	0.122	USEPA Reg 5	1.22E-01	USEPA Reg 5
3-Nitrotoluene	99-08-1	--	--	--	--	--	--	No ESV	No Source
N-Nitrosodiethylamine	55-18-5	--	--	--	--	0.0693	USEPA Reg 5	6.93E-02	USEPA Reg 5
N-Nitrosodimethylamine	62-75-9	--	--	--	--	3.2E-05	USEPA Reg 5	3.21E-05	USEPA Reg 5
N-Nitrosodiphenylamine	86-30-6	--	--	20	PRGs ^c	0.545	USEPA Reg 5	2.00E+01	PRGs
N-Nitrosomethylethylamine	10595-95-6	--	--	--	--	0.00166	USEPA Reg 5	1.66E-03	USEPA Reg 5
N-Nitrosomorpholine	59-89-2	--	--	--	--	0.0706	USEPA Reg 5	7.06E-02	USEPA Reg 5
N-Nitrosopiperidine	100-75-4	--	--	--	--	0.00665	USEPA Reg 5	6.65E-03	USEPA Reg 5
N-Nitrosopyrrolidine	930-55-2	--	--	--	--	0.0126	USEPA Reg 5	1.26E-02	USEPA Reg 5
N-nitroso-di-n-propylamine	621-64-7	--	--	--	--	0.544	USEPA Reg 5	5.44E-01	USEPA Reg 5
2-Nitrotoluene	88-72-2	--	--	--	--	--	--	No ESV	No Source
5-nitro-o-Toluidine	99-55-8	--	--	--	--	8.73	USEPA Reg 5	8.73E+00	USEPA Reg 5
2,2'-oxybis(1-Chloropropane)	108-60-1	--	--	--	--	19.9	USEPA Reg 5	1.99E+01	USEPA Reg 5
Parathion	56-38-2	--	--	--	--	0.00034	USEPA Reg 5	3.40E-04	USEPA Reg 5
PCDDs	PCDD-S	--	--	--	--	2E-07	USEPA Reg 5	1.99E-07	USEPA Reg 5
Pentachloroaniline	527-20-8	--	--	100	PRGs ^c	--	--	1.00E+02	PRGs
Pentachlorobenzene	608-93-5	--	--	20	PRGs	0.497	USEPA Reg 5	2.00E+01	PRGs

Table H-7. Ecological Screening Values for Chemical Analytes in Soil (continued)

Analyte	CAS Registry Number	Soil Screening Values							
		USEPA EcoSSLs		DOE (1997a) Preliminary Remediation Goals for Ecological Endpoints ^a		USEPA Region 5 Ecological Screening Levels (2003) (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^d	
		Number (mg/kg dry soil)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source
Pentachloroethane	76-01-7	--	--	--	--	10.7	USEPA Reg 5	1.07E+01	USEPA Reg 5
Pentachloronitrobenzene	82-68-8	--	--	--	--	7.09	USEPA Reg 5	7.09E+00	USEPA Reg 5
Pentachlorophenol (PCP)	87-86-5	2.1	avian EcoSSL for PCP	3	PRGs	0.119	USEPA Reg 5	2.10E+00	avian EcoSSL for PCP
PETN	78-11-5	--	--	--	--	--	--	No ESV	No Source
Phenacetin	62-44-2	--	--	--	--	11.7	USEPA Reg 5	1.17E+01	USEPA Reg 5
Phenanthrene	85-01-8	--	--	--	--	45.7	USEPA Reg 5	4.57E+01	USEPA Reg 5
Phenol	108-95-2	--	--	30	PRGs	120	USEPA Reg 5	3.00E+01	PRGs
p-Phenylenediamine	106-50-3	--	--	--	--	6.16	USEPA Reg 5	6.16E+00	USEPA Reg 5
Phorate	298-02-2	--	--	--	--	0.0005	USEPA Reg 5	4.96E-04	USEPA Reg 5
2-Picoline	109-06-8	--	--	--	--	9.9	USEPA Reg 5	9.90E+00	USEPA Reg 5
Polychlorinated biphenyls	1336-36-3	--	--	0.371	PRGs	0.00033	USEPA Reg 5	3.71E-01	PRGs
Polychlorinated dibenzofurans	51207-31-9	--	--	--	--	3.9E-05	USEPA Reg 5	3.86E-05	USEPA Reg 5
Polycyclic aromatic hydrocarbons (PAHs)	130498-29-2	1.1	mammalian EcoSSL for HMW PAHs	--	--	--	--	1.10E+00	mammalian EcoSSL for HMW PAHs
Pronamide	23950-58-5	--	--	--	--	0.0136	USEPA Reg 5	1.36E-02	USEPA Reg 5
Propionitrile	107-12-0	--	--	--	--	0.0498	USEPA Reg 5	4.98E-02	USEPA Reg 5
4-Nitrotoluene	99-99-0	--	--	--	--	--	--	No ESV	No Source
Pyrene	129-00-0	--	--	--	--	78.5	USEPA Reg 5	7.85E+01	USEPA Reg 5
Pyridine	110-86-1	--	--	--	--	1.03	USEPA Reg 5	1.03E+00	USEPA Reg 5
RDX	121-82-4	--	--	--	--	--	--	No ESV	No Source
Safrole	94-59-7	--	--	--	--	0.404	USEPA Reg 5	4.04E-01	USEPA Reg 5
Silvex (2,4,5-TP)	93-72-1	--	--	--	--	0.109	USEPA Reg 5	1.09E-01	USEPA Reg 5
Styrene	100-42-5	--	--	300	PRGs	4.69	USEPA Reg 5	3.00E+02	PRGs
TCDD (2,3,7,8-Tetrachlorodibenzo-p-dioxin)	1746-01-6	--	--	3.15E-06	PRGs	2E-07	USEPA Reg 5	3.15E-06	PRGs

Table H-7. Ecological Screening Values for Chemical Analytes in Soil (continued)

Analyte	CAS Registry Number	Soil Screening Values							
		USEPA EcoSSLs		DOE (1997a) Preliminary Remediation Goals for Ecological Endpoints ^a		USEPA Region 5 Ecological Screening Levels (2003) (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^d	
		Number (mg/kg dry soil)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source
TCDF	51207-31-9	--	--	8.40E-04	PRGs	3.9E-05	USEPA Reg 5	8.40E-04	PRGs
2,3,5,6-Tetrachloroaniline	3481-20-7	--	--	20	PRGs	--	--	2.00E+01	PRGs
1,2,4,5-Tetrachlorobenzene	95-94-3	--	--	--	--	2.02	USEPA Reg 5	2.02E+00	USEPA Reg 5
1,2,3,4-Tetrachlorobenzene	634-66-2	--	--	10	PRGs	--	--	1.00E+01	PRGs
1,1,1,2-Tetrachloroethane	630-20-6	--	--	--	--	225	USEPA Reg 5	2.25E+02	USEPA Reg 5
1,1,2,2-Tetrachloroethane	79-34-5	--	--	--	--	0.127	USEPA Reg 5	1.27E-01	USEPA Reg 5
Tetrachloroethene	127-18-4	--	--	--	--	9.92	USEPA Reg 5	9.92E+00	USEPA Reg 5
2,3,4,5-Tetrachlorophenol	4901-51-3	--	--	20	PRGs	--	--	2.00E+01	PRGs
2,3,4,6-Tetrachlorophenol	58-90-2	--	--	--	--	0.199	USEPA Reg 5	1.99E-01	USEPA Reg 5
Tetraethyl dithiopyrophosphate	3689-24-5	--	--	--	--	0.596	USEPA Reg 5	5.96E-01	USEPA Reg 5
Tetryl	479-45-8	--	--	--	--	--	--	No ESV	No Source
Toluene	108-88-3	--	--	200	PRGs	5.45	USEPA Reg 5	2.00E+02	PRGs
o-Toluidine	95-53-4	--	--	--	--	2.97	USEPA Reg 5	2.97E+00	USEPA Reg 5
4-Toluidine	106-49-0	--	--	--	--	--	--	No ESV	No Source
Toxaphene	8001-35-2	--	--	--	--	0.119	USEPA Reg 5	1.19E-01	USEPA Reg 5
2,4,5-Trichloroaniline	636-30-6	--	--	20	PRGs	--	--	2.00E+01	PRGs
1,2,3-Trichlorobenzene	87-61-6	--	--	20	PRGs	--	--	2.00E+01	PRGs
1,2,4-Trichlorobenzene	120-82-1	--	--	20	PRGs	11.1	USEPA Reg 5	2.00E+01	PRGs
1,1,1-Trichloroethane	71-55-6	--	--	--	--	29.8	USEPA Reg 5	2.98E+01	USEPA Reg 5
1,1,2-Trichloroethane	79-00-5	--	--	--	--	28.6	USEPA Reg 5	2.86E+01	USEPA Reg 5
Trichloroethene	79-01-6	--	--	--	--	12.4	USEPA Reg 5	1.24E+01	USEPA Reg 5
Trichlorofluoromethane	75-69-4	--	--	--	--	16.4	USEPA Reg 5	1.64E+01	USEPA Reg 5
2,4,5-Trichlorophenol	95-95-4	--	--	9	PRGs	14.1	USEPA Reg 5	9.00E+00	PRGs
2,4,6-Trichlorophenol	88-06-2	--	--	4	PRGs	9.94	USEPA Reg 5	4.00E+00	PRGs
1,2,3-Trichloropropane	96-18-4	--	--	--	--	3.36	USEPA Reg 5	3.36E+00	USEPA Reg 5

Table H-7. Ecological Screening Values for Chemical Analytes in Soil (continued)

Analyte	CAS Registry Number	Soil Screening Values							
		USEPA EcoSSLs		DOE (1997a) Preliminary Remediation Goals for Ecological Endpoints ^a		USEPA Region 5 Ecological Screening Levels (2003) (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^d	
		Number (mg/kg dry soil)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source	Number (mg/kg)	Source
2,4,5-Trichlorophenoxyacetic acid	93-76-5	--	--	--	--	0.596	USEPA Reg 5	5.96E-01	USEPA Reg 5
O,O,O-Triethyl phosphorothioate	126-68-1	--	--	--	--	0.818	USEPA Reg 5	8.18E-01	USEPA Reg 5
1,3,5-Trinitrobenzene	99-35-4	--	--	--	--	0.376	USEPA Reg 5	3.76E-01	USEPA Reg 5
2,4,6-Trinitrotoluene	118-96-7	--	--	--	--	--	--	No ESV	No Source
Vinyl acetate	108-05-4	--	--	--	--	12.7	USEPA Reg 5	1.27E+01	USEPA Reg 5
Vinyl chloride	75-01-4	--	--	--	--	0.646	USEPA Reg 5	6.46E-01	USEPA Reg 5
Xylenes (total)	1330-20-7	--	--	--	--	10	USEPA Reg 5	1.00E+01	USEPA Reg 5

Hierarchy of values found in updated Ohio Environmental Protection Agency Risk Assessment Guidance, section 3.3.5: <http://www.epa.ohio.gov/portals/30/rules/RR-031.pdf>

EcoSSLs: <http://www.epa.gov/ecotox/ecossl/> (USEPA 2010).

ESLs, USEPA Region 5, 2003: <http://www.epa.gov/reg5rcra/ca/edql.htm>

^aDOE (1997a). *Preliminary Remediation Goals for Ecological Endpoints*. ES/ER/TM-162/R2. August 1997.

^bValues for which plant benchmark is lowest. According to DOE (1997a), the PRG is the lowest of three values (earthworm, plant, or wildlife). The only values shown in DOE 1997a are the ones for which the calculated value is lower than earthworm and plant values. Plant values found in DOE 1997b. *Toxicological Benchmarks for Screening Contaminants of Potential Concern for Effects on Terrestrial Plants*. ES/ER/TM-85/R3. November 1997.

^cValues for which earthworm benchmark is lowest. According to DOE (1997a), the PRG is the lowest of three values (earthworm, plant, or wildlife). The only values shown in DOE 1997a are the ones for which the calculated value is lower than earthworm and plant values. Earthworm values found in DOE 1997c. *Toxicological Benchmarks for Screening Contaminants of Potential Concern for Effects on Soil and Litter Invertebrates and Heterotrophic Process*. ES/ER/TM-126/R2. November 1997.

^dThe preferred soil value is the EcoSSLs, followed by DOE (1997a), followed by USEPA Region 5 ESLs.

*Aluminum is identified as a chemical of potential concern only at sites where the soil pH is less than 5.5

**In well-aerated soils between pH 5 and 8, iron is not expected to be toxic to plants. A determination of the geochemical conditions (i.e., pH and Eh at a minimum) of the environmental setting, as well as the presence of iron floc and the toxic metals, is critical to the determination of the relative importance of iron at an area of concern.

-- = No value.

BHC = Hexachlorocyclohexane.

CAS = Chemical Abstract Service.

DDD = Dichlorodiphenyldichloroethane.

DDE = Dichlorodiphenyldichloroethylene.

DDT = Dichlorodiphenyltrichloroethane.

DOE = U.S. Department of Energy.

EcoSSL = Ecological Soil Screening Level.

EDQL = Ecological data quality level, superseded by ESLs.

ESV = Ecological screening value.

HMW = High molecular weight.

HMX = Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine.

mg/kg = Milligrams per kilogram.

PCDD = Polychlorinated dibenzodioxins.

PRG = Preliminary remediation goal.

RDX = Hexahydro-1,3,5-trinitro-1,3,5-triazine.

TCDF = Tetrachlorodibenzofuran.

USEPA = U.S. Environmental Protection Agency.

Table H-8. Ecological Screening Values for Chemical Analytes in Sediment

Analyte	CAS Registry Number	Sediment Screening Values					
		MacDonald et al. ^a		USEPA Region 5 Ecological Screening Levels (2003) ^b (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^c	
		Number (mg/kg)	Reference	Number (mg/kg)	Reference	Number (mg/kg)	Reference
<i>Inorganic Chemicals</i>							
Aluminum	7429-90-5	--	--	--	--	No ESV	No Source
Antimony	7440-36-0	--	--	--	--	No ESV	No Source
Arsenic	7440-38-2	9.79	MacDonald et al.	9.79	USEPA Reg 5	9.79E+00	MacDonald et al.
Barium	7440-39-3	--	--	--	--	No ESV	No Source
Beryllium	7440-41-7	--	--	--	--	No ESV	No Source
Cadmium	7440-43-9	0.99	MacDonald et al.	0.99	USEPA Reg 5	9.90E-01	MacDonald et al.
Calcium	7440-70-2	--	--	--	--	No ESV	No Source
Chromium, Trivalent	7440-47-3	43.4	MacDonald et al.	43.4	USEPA Reg 5	4.34E+01	MacDonald et al.
Chromium, Hexavalent	18540-29-9	--	--	--	--	No ESV	No Source
Cobalt	7440-48-4	--	--	50	USEPA Reg 5	5.00E+01	USEPA Reg 5
Copper	7440-50-8	31.6	MacDonald et al.	31.6	USEPA Reg 5	3.16E+01	MacDonald et al.
Cyanide	57-12-5	--	--	0.0001	USEPA Reg 5	1.00E-04	USEPA Reg 5
Iron	7439-89-6	--	--	--	--	No ESV	No Source
Lead	7439-92-1	35.8	MacDonald et al.	35.8	USEPA Reg 5	3.58E+01	MacDonald et al.
Magnesium	7439-95-4	--	--	--	--	No ESV	No Source
Manganese	7439-96-5	--	--	--	--	No ESV	No Source
Mercury	7439-97-6	0.18	MacDonald et al.	0.174	USEPA Reg 5	1.80E-01	MacDonald et al.
Mercury, methyl	22967-92-6	--	--	0.00001	USEPA Reg 5	1.00E-05	USEPA Reg 5
Nickel	7440-02-0	22.7	MacDonald et al.	22.7	USEPA Reg 5	2.27E+01	MacDonald et al.

Table H-8. Ecological Screening Values for Chemical Analytes in Sediment (continued)

Analyte	CAS Registry Number	Sediment Screening Values					
		MacDonald et al. ^a		USEPA Region 5 Ecological Screening Levels (2003) ^b (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^c	
		Number (mg/kg)	Reference	Number (mg/kg)	Reference	Number (mg/kg)	Reference
Potassium	7440-07-7	--	--	--	--	No ESV	No Source
Selenium	7782-49-2	--	--	--	--	No ESV	No Source
Silver	7440-22-4	--	--	0.5	USEPA Reg 5	5.00E-01	USEPA Reg 5
Sodium	7440-23-5	--	--	--	--	No ESV	No Source
Thallium	7440-28-0	--	--	--	--	No ESV	No Source
Vanadium	7440-62-2	--	--	--	--	No ESV	No Source
Zinc	7440-66-6	121	MacDonald et al.	121	USEPA Reg 5	1.21E+02	MacDonald et al.
<i>Anions</i>							
Sulfate	14808-79-8	--	--	--	--	No ESV	No Source
Sulfide	18496-25-8	--	--	--	--	No ESV	No Source
<i>Organic Chemicals</i>							
Acenaphthene	83-32-9	--	--	0.00671	USEPA Reg 5	6.71E-03	USEPA Reg 5
Acenaphthylene	208-96-8	--	--	0.00587	USEPA Reg 5	5.87E-03	USEPA Reg 5
Acetone	67-64-1	--	--	0.0099	USEPA Reg 5	9.90E-03	USEPA Reg 5
Acetonitrile	75-05-8	--	--	0.056	USEPA Reg 5	5.60E-02	USEPA Reg 5
Acetylaminofluorene[2-]	53-96-3	--	--	0.0153	USEPA Reg 5	1.53E-02	USEPA Reg 5
Acrolein	107-02-8	--	--	1.52E-06	USEPA Reg 5	1.52E-06	USEPA Reg 5
Acrylonitrile	107-13-1	--	--	0.0012	USEPA Reg 5	1.20E-03	USEPA Reg 5
Aldrin	309-00-2	--	--	0.002	USEPA Reg 5	2.00E-03	USEPA Reg 5
Aniline	62-53-3	--	--	0.00031	USEPA Reg 5	3.10E-04	USEPA Reg 5
Anthracene	120-12-7	0.0572	MacDonald et al.	0.0572	USEPA Reg 5	5.72E-02	MacDonald et al.
PCB-1016	12674-11-2	--	--	--	--	No ESV	No Source
Arochlor-1221	11104-28-2	--	--	--	--	No ESV	No Source
Arochlor-1232	11141-16-5	--	--	--	--	No ESV	No Source
Arochlor-1242	53469-21-9	--	--	--	--	No ESV	No Source
Arochlor-1248	12672-29-6	--	--	--	--	No ESV	No Source
PCB-1254	11097-69-1	--	--	--	--	No ESV	No Source
PCB-1260	11096-82-5	--	--	--	--	No ESV	No Source
Aramite	140-57-8	--	--	1.11E-06	USEPA Reg 5	1.11E-06	USEPA Reg 5
Azobenzene[p-(dimethylamino)]	60-11-7	--	--	0.318	USEPA Reg 5	3.18E-01	USEPA Reg 5

Table H-8. Ecological Screening Values for Chemical Analytes in Sediment (continued)

Analyte	CAS Registry Number	Sediment Screening Values					
		MacDonald et al. ^a		USEPA Region 5 Ecological Screening Levels (2003) ^b (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^c	
		Number (mg/kg)	Reference	Number (mg/kg)	Reference	Number (mg/kg)	Reference
Benzene	71-43-2	--	--	0.142	USEPA Reg 5	1.42E-01	USEPA Reg 5
Benzenemethanol	100-51-6	--	--	0.00104	USEPA Reg 5	1.04E-03	USEPA Reg 5
Benz(a)anthracene	56-55-3	0.108	MacDonald et al.	0.108	USEPA Reg 5	1.08E-01	MacDonald et al.
Benzo(a)pyrene	50-32-8	0.15	MacDonald et al.	0.15	USEPA Reg 5	1.50E-01	MacDonald et al.
Benzo(b)fluoranthene	205-99-2	--	--	10.4	USEPA Reg 5	1.04E+01	USEPA Reg 5
Benzo(g,h,i)perylene	191-24-2	--	--	0.17	USEPA Reg 5	1.70E-01	USEPA Reg 5
Benzo(k)fluoranthene	207-08-9	--	--	0.24	USEPA Reg 5	2.40E-01	USEPA Reg 5
BHC	608-73-1	--	--	--	--	No ESV	No Source
BHC, alpha	319-84-6	--	--	0.006	USEPA Reg 5	6.00E-03	USEPA Reg 5
BHC, beta	319-85-7	--	--	0.005	USEPA Reg 5	5.00E-03	USEPA Reg 5
BHC, delta	319-86-8	--	--	71.5	USEPA Reg 5	7.15E+01	USEPA Reg 5
BHC, gamma (Lindane)	58-89-9	0.00237	MacDonald et al.	0.00237	USEPA Reg 5	2.37E-03	MacDonald et al.
Biphenyl	92-52-4	--	--	--	--	No ESV	No Source
bis(2-chloroethoxy) methane	111-91-1	--	--	--	--	No ESV	No Source
bis(2-Chloroethyl) ether	111-44-4	--	--	3.52	USEPA Reg 5	3.52E+00	USEPA Reg 5
bis(2-Ethylhexyl)phthalate	117-81-7	--	--	0.182	USEPA Reg 5	1.82E-01	USEPA Reg 5
Bromodichloromethane	74-97-5	--	--	--	--	No ESV	No Source
Bromoform	75-25-2	--	--	0.492	USEPA Reg 5	4.92E-01	USEPA Reg 5
Bromomethane	74-83-9	--	--	0.0137	USEPA Reg 5	1.37E-02	USEPA Reg 5
4-bromophenyl-phenylether	101-55-3	--	--	1.55	USEPA Reg 5	1.55E+00	USEPA Reg 5
2-Butanone	78-93-3	--	--	0.0424	USEPA Reg 5	4.24E-02	USEPA Reg 5
Butylbenzylphthalate	85-68-7	--	--	1.97	USEPA Reg 5	1.97E+00	USEPA Reg 5
Carbazole	86-74-8	--	--	--	--	No ESV	No Source
Carbon disulfide	75-15-0	--	--	0.0239	USEPA Reg 5	2.39E-02	USEPA Reg 5
Carbon tetrachloride	56-23-5	--	--	1.45	USEPA Reg 5	1.45E+00	USEPA Reg 5
Chlordane	57-74-9	0.00324	MacDonald et al.	0.00324	USEPA Reg 5	3.24E-03	MacDonald et al.
gamma-Chlordane	12789-03-6	--	--	0.00324	value for chlordane	3.24E-03	value for chlordane
Total Organic Carbon	-	--	--	--	--	No ESV	No Source
4-Chloroaniline	106-47-8	--	--	0.146	USEPA Reg 5	1.46E-01	USEPA Reg 5
Chlorobenzene	108-90-7	--	--	0.291	USEPA Reg 5	2.91E-01	USEPA Reg 5
Chlorobenzilate	510-15-6	--	--	0.86	USEPA Reg 5	8.60E-01	USEPA Reg 5

Table H-8. Ecological Screening Values for Chemical Analytes in Sediment (continued)

Analyte	CAS Registry Number	Sediment Screening Values					
		MacDonald et al. ^a		USEPA Region 5 Ecological Screening Levels (2003) ^b (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^c	
		Number (mg/kg)	Reference	Number (mg/kg)	Reference	Number (mg/kg)	Reference
Chloroethane	75-00-3	--	--	--	--	No ESV	No Source
Chloroform	67-66-3	--	--	0.121	USEPA Reg 5	1.21E-01	USEPA Reg 5
Chloromethane	74-87-3	--	--	--	--	No ESV	No Source
2-Chloronaphthalene	91-58-7	--	--	0.417	USEPA Reg 5	4.17E-01	USEPA Reg 5
2-Chlorophenol	95-57-8	--	--	0.0319	USEPA Reg 5	3.19E-02	USEPA Reg 5
4-Chlorophenyl-phenyl ether	7005-72-3	--	--	--	--	No ESV	No Source
4-chloro-3-methylphenol	59-50-7	--	--	0.388	USEPA Reg 5	3.88E-01	USEPA Reg 5
Chrysene	218-01-9	0.166	MacDonald et al.	0.166	USEPA Reg 5	1.66E-01	MacDonald et al.
m-Cresol	108-39-4	--	--	0.0524	USEPA Reg 5	5.24E-02	USEPA Reg 5
2,4-D	94-75-7	--	--	1.273	USEPA Reg 5	1.27E+00	USEPA Reg 5
4,4'-DDD	72-54-8	0.00488	MacDonald et al.	0.00488	USEPA Reg 5	4.88E-03	MacDonald et al.
4,4'-DDE	72-55-9	0.00316	MacDonald et al.	0.00316	USEPA Reg 5	3.16E-03	MacDonald et al.
4,4'-DDT	50-29-3	0.00416	MacDonald et al.	0.00416	USEPA Reg 5	4.16E-03	MacDonald et al.
Diazinon	333-41-5	--	--	--	--	No ESV	No Source
Dibenz(a,h)anthracene	53-70-3	0.033	MacDonald et al.	0.033	USEPA Reg 5	3.30E-02	MacDonald et al.
Dibenzofuran	132-64-9	--	--	0.449	USEPA Reg 5	4.49E-01	USEPA Reg 5
Dibromochloromethane	124-48-1	--	--	--	--	No ESV	No Source
1,2-Dichlorobenzene	95-50-1	--	--	0.294	USEPA Reg 5	2.94E-01	USEPA Reg 5
1,3-Dichlorobenzene	541-73-1	--	--	1.315	USEPA Reg 5	1.32E+00	USEPA Reg 5
1,4-Dichlorobenzene	106-46-7	--	--	0.318	USEPA Reg 5	3.18E-01	USEPA Reg 5
3,3'-Dichlorobenzidine	91-94-1	--	--	0.127	USEPA Reg 5	1.27E-01	USEPA Reg 5
1,1-Dichloroethane	75-34-3	--	--	0.000575	USEPA Reg 5	5.75E-04	USEPA Reg 5
1,2-Dichloroethane	107-06-2	--	--	0.26	USEPA Reg 5	2.60E-01	USEPA Reg 5
1,1-Dichloroethene	75-35-4	--	--	0.0194	USEPA Reg 5	1.94E-02	USEPA Reg 5
1,2-Dichloroethene	540-59-0	--	--	0.654	USEPA Reg 5 (for trans form)	6.54E-01	USEPA Reg 5 (for trans form)
2,4-Dichlorophenol	120-83-2	--	--	0.0817	USEPA Reg 5	8.17E-02	USEPA Reg 5
1,2-Dichloropropane	78-87-5	--	--	0.333	USEPA Reg 5	3.33E-01	USEPA Reg 5
cis-1,3-Dichloropropene	10061-02-6	--	--	--	--	No ESV	No Source
trans-1,3-Dichloropropene	10061-02-6	--	--	--	--	No ESV	No Source
Dieldrin	60-57-1	0.0019	MacDonald et al.	0.0019	USEPA Reg 5	1.90E-03	MacDonald et al.

Table H-8. Ecological Screening Values for Chemical Analytes in Sediment (continued)

Analyte	CAS Registry Number	Sediment Screening Values					
		MacDonald et al. ^a		USEPA Region 5 Ecological Screening Levels (2003) ^b (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^c	
		Number (mg/kg)	Reference	Number (mg/kg)	Reference	Number (mg/kg)	Reference
Diethylphthalate	84-66-2	--	--	0.295	USEPA Reg 5	2.95E-01	USEPA Reg 5
Dimethylphthalate	131-11-3	--	--	--	--	No ESV	No Source
7,12'-Dimethylbenz(a)anthracene	57-97-6	--	--	66.4	USEPA Reg 5	6.64E+01	USEPA Reg 5
2,4-Dimethylphenol	105-67-9	--	--	0.304	USEPA Reg 5	3.04E-01	USEPA Reg 5
Di-n-butyl phthalate	84-74-2	--	--	1.114	USEPA Reg 5	1.11E+00	USEPA Reg 5
Di-n-octylphthalate	117-84-0	--	--	40.6	USEPA Reg 5	4.06E+01	USEPA Reg 5
1,3-Dinitrobenzene	99-65-0	--	--	0.00861	USEPA Reg 5	8.61E-03	USEPA Reg 5
2,4-Dinitrophenol	51-28-5	--	--	0.00621	USEPA Reg 5	6.21E-03	USEPA Reg 5
2,4-Dinitrotoluene	121-14-2	--	--	0.0144	USEPA Reg 5	1.44E-02	USEPA Reg 5
2,6-Dinitrotoluene	606-20-2	--	--	0.0398	USEPA Reg 5	3.98E-02	USEPA Reg 5
2-Amino-4,6-Dinitrotoluene	35572-78-2	--	--	--	--	No ESV	No Source
4-Amino-2,6-Dinitrotoluene	19406-51-0	--	--	--	--	No ESV	No Source
4,6-Dinitro-2-methylphenol	534-52-1	--	--	0.0104	USEPA Reg 5	1.04E-02	USEPA Reg 5
Dinoseb	88-85-7	--	--	0.0145	USEPA Reg 5	1.45E-02	USEPA Reg 5
1,4-Dioxane	123-91-1	--	--	0.119	USEPA Reg 5	1.19E-01	USEPA Reg 5
Diphenylamine	122-39-4	--	--	0.0346	USEPA Reg 5	3.46E-02	USEPA Reg 5
Disulfoton	298-04-4	--	--	0.324	USEPA Reg 5	3.24E-01	USEPA Reg 5
Endosulfan I (alpha)	959-98-8	--	--	0.00326	USEPA Reg 5	3.26E-03	USEPA Reg 5
Endosulfan II (beta)	33213-65-9	--	--	0.00194	USEPA Reg 5	1.94E-03	USEPA Reg 5
Endosulfan, mixed isomers	115-29-7	--	--	--	--	No ESV	No Source
Endosulfan sulfate	1031-07-8	--	--	0.0346	USEPA Reg 5	3.46E-02	USEPA Reg 5
Endrin	72-20-8	0.00222	MacDonald et al.	0.00222	USEPA Reg 5	2.22E-03	MacDonald et al.
Endrin Aldehyde	7421-93-4	--	--	0.48	USEPA Reg 5	4.80E-01	USEPA Reg 5
Ethylbenzene	100-41-4	--	--	0.175	USEPA Reg 5	1.75E-01	USEPA Reg 5
Fluoranthene	206-44-0	0.423	MacDonald et al.	0.423	USEPA Reg 5	4.23E-01	MacDonald et al.
Fluorene	86-73-7	0.0774	MacDonald et al.	0.0774	USEPA Reg 5	7.74E-02	MacDonald et al.
Heptachlor	76-44-8	--	--	0.0006	USEPA Reg 5	6.00E-04	USEPA Reg 5
Heptachlor Epoxide	1024-57-3	0.00247	MacDonald et al.	0.00247	USEPA Reg 5	2.47E-03	MacDonald et al.
Hexachlorobenzene	118-74-1	--	--	0.02	USEPA Reg 5	2.00E-02	USEPA Reg 5
Hexachlorobutadiene	87-68-3	--	--	0.0265	USEPA Reg 5	2.65E-02	USEPA Reg 5
Hexachlorocyclopentadiene	77-47-4	--	--	0.901	USEPA Reg 5	9.01E-01	USEPA Reg 5

Table H-8. Ecological Screening Values for Chemical Analytes in Sediment (continued)

Analyte	CAS Registry Number	Sediment Screening Values					
		MacDonald et al. ^a		USEPA Region 5 Ecological Screening Levels (2003) ^b (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^c	
		Number (mg/kg)	Reference	Number (mg/kg)	Reference	Number (mg/kg)	Reference
Hexachloroethane	67-72-1	--	--	0.584	USEPA Reg 5	5.84E-01	USEPA Reg 5
Hexachorophene	70-30-4	--	--	231	USEPA Reg 5	2.31E+02	USEPA Reg 5
2-Hexanone	591-78-6	--	--	0.0582	USEPA Reg 5	5.82E-02	USEPA Reg 5
HMX	2691-41-0	--	--	--	--	No ESV	No Source
Indeno(1,2,3-cd)pyrene	193-39-5	--	--	0.2	USEPA Reg 5	2.00E-01	USEPA Reg 5
Isodrin	465-73-6	--	--	0.0552	USEPA Reg 5	5.52E-02	USEPA Reg 5
Isophorone	78-59-1	--	--	0.432	USEPA Reg 5	4.32E-01	USEPA Reg 5
Kepone	143-50-0	--	--	0.00331	USEPA Reg 5	3.31E-03	USEPA Reg 5
Malathion	121-75-5	--	--	--	--	No ESV	No Source
Methoxychlor	72-43-5	--	--	0.0136	USEPA Reg 5	1.36E-02	USEPA Reg 5
Methyl methacrylate	80-62-6	--	--	0.168	USEPA Reg 5	1.68E-01	USEPA Reg 5
4-Methyl-2-pentanone	108-10-1	--	--	0.0251	USEPA Reg 5	2.51E-02	USEPA Reg 5
3-Methylcholanthrene	56-49-5	--	--	8190	USEPA Reg 5	8.19E+03	USEPA Reg 5
Methylene chloride	75-09-2	--	--	0.159	USEPA Reg 5	1.59E-01	USEPA Reg 5
2-Methylnaphthalene	91-57-6	--	--	0.0202	USEPA Reg 5	2.02E-02	USEPA Reg 5
2-Methylphenol	95-48-7	--	--	0.0554	USEPA Reg 5	5.54E-02	USEPA Reg 5
4-Methylphenol	106-44-5	--	--	0.0202	USEPA Reg 5	2.02E-02	USEPA Reg 5
Mirex	2385-85-5	--	--	--	--	No ESV	No Source
Naphthalene	91-20-3	0.176	MacDonald et al.	0.176	USEPA Reg 5	1.76E-01	MacDonald et al.
2-Nitroaniline	88-74-4	--	--	--	--	No ESV	No Source
3-Nitroaniline	99-09-2	--	--	--	--	No ESV	No Source
4-Nitroaniline	100-01-6	--	--	--	--	No ESV	No Source
Nitrobenzene	99-95-3	--	--	0.145	USEPA Reg 5	1.45E-01	USEPA Reg 5
Nitrocellulose	9004-70-0	--	--	--	--	No ESV	No Source
Nitroglycerin	55-63-0	--	--	--	--	No ESV	No Source
Nitroguanidine	556-88-7	--	--	--	--	No ESV	No Source
2-Nitrophenol	88-75-5	--	--	--	--	No ESV	No Source
4-Nitrophenol	100-02-7	--	--	0.0133	USEPA Reg 5	1.33E-02	USEPA Reg 5
m-Nitrotoluene	99-08-1	--	--	--	--	No ESV	No Source
N-Nitrosodiethylamine	55-18-5	--	--	0.0228	USEPA Reg 5	2.28E-02	USEPA Reg 5
N-nitroso-di-n-dipropylamine	621-64-7	--	--	--	--	No ESV	No Source

Table H-8. Ecological Screening Values for Chemical Analytes in Sediment (continued)

Analyte	CAS Registry Number	Sediment Screening Values					
		MacDonald et al. ^a		USEPA Region 5 Ecological Screening Levels (2003) ^b (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^c	
		Number (mg/kg)	Reference	Number (mg/kg)	Reference	Number (mg/kg)	Reference
N-nitrosodiphenylamine	86-30-6	--	--	--	--	No ESV	No Source
o-Nitrotoluene	88-72-2	--	--	--	--	No ESV	No Source
2,2'-oxybis(1-Chloropropane)	108-60-1	--	--	--	--	No ESV	No Source
Parathion	56-38-2	--	--	0.000757	USEPA Reg 5	7.57E-04	USEPA Reg 5
PCDDs	PCDD-S	--	--	0.000011	USEPA Reg 5	1.10E-05	USEPA Reg 5
Pentachlorobenzene	608-93-5	--	--	0.024	USEPA Reg 5	2.40E-02	USEPA Reg 5
Pentachloroethane	76-01-7	--	--	0.689	USEPA Reg 5	6.89E-01	USEPA Reg 5
Pentachlorophenol	87-86-5	--	--	23	USEPA Reg 5	2.30E+01	USEPA Reg 5
Phenanthrene	85-01-8	0.204	MacDonald et al.	0.204	USEPA Reg 5	2.04E-01	MacDonald et al.
Phenol	108-95-2	--	--	0.0491	USEPA Reg 5	4.91E-02	USEPA Reg 5
Phorate	298-02-2	--	--	0.000861	USEPA Reg 5	8.61E-04	USEPA Reg 5
Polynuclear aromatic hydrocarbons	130498-29-2	1.61	MacDonald et al.	--	--	1.61E+00	MacDonald et al.
Polychlorinated biphenyls	1336-36-3	0.0598	MacDonald et al.	0.0598	USEPA Reg 5	5.98E-02	MacDonald et al.
p-Nitrotoluene	99-99-0	--	--	--	--	No ESV	No Source
Pyrene	129-00-0	0.195	MacDonald et al.	0.195	USEPA Reg 5	1.95E-01	MacDonald et al.
Pyridine	110-86-1	--	--	0.106	USEPA Reg 5	1.06E-01	USEPA Reg 5
RDX (cyclonite)	121-82-4	--	--	--	--	No ESV	No Source
Silvex (2,4,5-TP)	93-72-1	--	--	0.675	USEPA Reg 5	6.75E-01	USEPA Reg 5
Styrene	100-42-5	--	--	0.254	USEPA Reg 5	2.54E-01	USEPA Reg 5
1,2,4,5-Tetrachlorobenzene	95-94-3	--	--	1.252	USEPA Reg 5	1.25E+00	USEPA Reg 5
2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD)	1746-01-6	--	--	1.20E-07	USEPA Reg 5	1.20E-07	USEPA Reg 5
1,1,2,2-Tetrachloroethane	79-34-5	--	--	0.85	USEPA Reg 5	8.50E-01	USEPA Reg 5
Tetrachloroethene	127-18-4	--	--	0.99	USEPA Reg 5	9.90E-01	USEPA Reg 5
2,3,4,6-Tetrachlorophenol	58-90-2	--	--	0.129	USEPA Reg 5	1.29E-01	USEPA Reg 5
Tetraethyl dithiopyrophosphate	3689-24-5	--	--	0.56	USEPA Reg 5	5.60E-01	USEPA Reg 5
Tetryl	479-45-8	--	--	--	--	No ESV	No Source
Toluene	108-88-3	--	--	1.22	USEPA Reg 5	1.22E+00	USEPA Reg 5
Toxaphene	8001-35-2	--	--	0.000077	USEPA Reg 5	7.70E-05	USEPA Reg 5
1,2,4-Trichlorobenzene	120-82-1	--	--	5.062	USEPA Reg 5	5.06E+00	USEPA Reg 5
1,1,1-Trichloroethane	71-55-6	--	--	0.213	USEPA Reg 5	2.13E-01	USEPA Reg 5

Table H-8. Ecological Screening Values for Chemical Analytes in Sediment (continued)

Analyte	CAS Registry Number	Sediment Screening Values					
		MacDonald et al. ^a		USEPA Region 5 Ecological Screening Levels (2003) ^b (update of 1998 EDQLs)		Preferred Ecological Screening Value (ESV) ^c	
		Number (mg/kg)	Reference	Number (mg/kg)	Reference	Number (mg/kg)	Reference
1,1,2-Trichloroethane	79-00-5	--	--	0.518	USEPA Reg 5	5.18E-01	USEPA Reg 5
Trichloroethene	79-01-6	--	--	0.112	USEPA Reg 5	1.12E-01	USEPA Reg 5
2,4,5-Trichlorophenol	95-95-4	--	--	--	--	No ESV	No Source
2,4,6-Trichlorophenol	88-06-2	--	--	0.208	USEPA Reg 5	2.08E-01	USEPA Reg 5
2,4,5-Trichlorophenoxyacetic acid	93-76-5	--	--	58.7	USEPA Reg 5	5.87E+01	USEPA Reg 5
O,O,O-Triethyl phosphorothioate	126-68-1	--	--	0.189	USEPA Reg 5	1.89E-01	USEPA Reg 5
1,3,5-Trinitrobenzene	99-35-4	--	--	--	--	No ESV	No Source
2,4,6-Trinitrotoluene	118-96-7	--	--	--	--	No ESV	No Source
Vinyl acetate	108-05-4	--	--	0.013	USEPA Reg 5	1.30E-02	USEPA Reg 5
Vinyl chloride	75-01-4	--	--	0.202	USEPA Reg 5	2.02E-01	USEPA Reg 5
Xylenes (total)	1330-20-7	--	--	0.433	USEPA Reg 5	4.33E-01	USEPA Reg 5

^aD.D. MacDonald, C.G. Ingersoll, T.A. Berger. *Development and Evaluation of Consensus-Based Sediment Quality Guidelines for Freshwater Ecosystems*. Archives of Environmental Contamination and Toxicology 39, 20–31 (2000).

^bEcological screening levels (ESLs), USEPA Region 5, 2003: <http://www.epa.gov/reg5rcra/ca/edql.htm>

^cThe preferred sediment screening value is MacDonald et al. (2000) followed by USEPA Region 5 ESLs.

-- = No value.

MacDonald et al = Consensus-based threshold effect concentrations.

BHC = Hexachlorocyclohexane.

DDD = Dichlorodiphenyldichloroethane.

DDE = Dichlorodiphenyldichloroethylene.

DDT = Dichlorodiphenyltrichloroethane.

HMX = Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine.

mg/kg = Milligrams per kilogram.

CAS = Chemical Abstract Service

EDQL = Ecological data quality level.

ESV = Ecological screening value.

PCB = Polychlorinated biphenyl.

PCDD = Polychlorinated dibenzodioxins.

RDX = Hexahydro-1,3,5-trinitro-1,3,5-triazine.

Reg. = Region.

USEPA = U.S. Environmental Protection Agency.

THIS PAGE INTENTIONALLY LEFT BLANK.

Table H-9. Ecological Screening Values for Chemical Analytes in Surface Water

Analyte	CAS Registry Number	Surface Water Screening Values									
		Ohio EPA Administrative Code (µg/L) ^a		Updated Values for Suter and Tsao 1996 ^b				USEPA Region 5 ESLs (2003) ^c (update of 1998 EDQLs)		Preferred Surface Water Value ^d	
				NAWQC 2009 Update		Tier II Values					
		OMZM	OMZA	Number (µg/L)	Reference	Number (µg/L)	Reference	Number (µg/L)	Reference	Number (µg/L)	Reference
<i>Inorganic Chemicals</i>											
Aluminum	7429-90-5	--	--	87	NAWQC 2009	100	Tier II (GLI database)	--	--	8.70E+01	NAWQC 2009
Ammonia	7664-41-7	500	100	--	--	--	--	--	--	1.00E+02	Ohio Administrative Code
Antimony	7440-36-0	900	190	--	--	30	Tier II (Suter & Tsao 1996)	80	USEPA Reg 5	1.90E+02	Ohio Administrative Code
Arsenic III (Diss)	7440-38-2	340	150	150	NAWQC 2009	--	--	--	--	1.50E+02	Ohio Administrative Code
Arsenic	7440-38-2	340	150	--	--	--	--	148	USEPA Reg 5	1.50E+02	Ohio Administrative Code
Arsenic V (Diss)	7440-38-2	--	--	--	--	3.1	Tier II (Suter & Tsao 1996)	--	--	3.10E+00	Tier II (Suter & Tsao 1996)
Barium	7440-39-3	2,000	220	--	--	4.0	Tier II (Suter & Tsao 1996)	220	USEPA Reg 5	2.20E+02	Ohio Administrative Code
Beryllium	7440-41-7	93	11	--	--	0.66	Tier II (Suter & Tsao 1996)	3.6	USEPA Reg 5	1.10E+01	Ohio Administrative Code
Boron	7440-42-8	33,000	3,900	--	--	1.6	Tier II (Suter & Tsao 1996)	--	--	3.90E+03	Ohio Administrative Code
Cadmium	7440-43-9	4.5	2.5	--	--	0.2	Tier II (Suter & Tsao 1996)	0.15	USEPA Reg 5	2.50E+00	Ohio Administrative Code
Cadmium (Diss)	7440-43-9	4.3	2.2	0.25	NAWQC 2009	--	--	--	--	2.20E+00	Ohio Administrative Code
Calcium	7440-70-2	--	--	--	--	--	--	--	--	No ESV	No Source
Chlorine (total residual)	7782-50-5	19	11	11	NAWQC 2009	5	Tier II (GLI database)	--	--	1.10E+01	Ohio Administrative Code
Chromium III (Diss)	7440-47-3	570	74	74	NAWQC 2009	210	Tier II (Suter & Tsao 1996)	42	USEPA Reg 5	7.40E+01	Ohio Administrative Code
Chromium	7440-47-3	1,800	86	--	--	--	--	42	USEPA Reg 5	8.60E+01	Ohio Administrative Code
Chromium VI (Diss)	7440-47-3	16	11	11	NAWQC 2009	11	Tier II (Suter & Tsao 1996)	--	--	1.10E+01	Ohio Administrative Code
Cobalt	7440-48-4	220	24	--	--	23	Tier II (Suter & Tsao 1996)	24	USEPA Reg 5	2.40E+01	Ohio Administrative Code
Copper (Diss)	7440-50-8	13	9	1.45	NAWQC 2009	--	--	--	--	9.00E+00	Ohio Administrative Code
Copper	7440-50-8	14	9.3	--	--	--	--	1.58	USEPA Reg 5	9.30E+00	Ohio Administrative Code
Cyanide	57-12-5	22	5.2	5.2	NAWQC 2009	--	--	5.2	USEPA Reg 5	5.20E+00	Ohio Administrative Code
Iron	7439-89-6	--	--	1,000	NAWQC 2009	300	Tier II (GLI database)	--	--	1.00E+03	NAWQC 2009
Lead (Diss)	7439-92-1	97	5.1	2.5	NAWQC 2009	--	--	--	--	5.10E+00	Ohio Administrative Code
Lead	7439-92-1	120	6.4	--	--	--	--	1.17	USEPA Reg 5	6.40E+00	Ohio Administrative Code
Lithium	7439-93-2	--	--	--	--	14	Tier II (Suter & Tsao 1996)	--	--	1.40E+01	Tier II (Suter & Tsao 1996)
Magnesium	7439-95-4	--	--	--	--	--	--	--	--	No ESV	No Source
Manganese	7439-96-5	--	--	--	--	120	Tier II (Suter & Tsao 1996)	--	--	1.20E+02	Tier II (Suter & Tsao 1996)
Mercury	7439-97-6	1.7	0.91	--	--	1.3	Tier II (Suter & Tsao 1996)	0.0013	--	9.10E-01	Ohio Administrative Code
Mercury (Diss)	7439-97-6	1.4	0.77	0.77	NAWQC 2009	--	--	--	--	7.70E-01	Ohio Administrative Code
Mercury, methyl	22967-92-6	--	--	--	--	0.0028	Tier II (Suter & Tsao 1996)	2.46E-03	--	2.80E-03	Tier II (Suter & Tsao 1996)
Molybdenum	7439-98-7	190,000	20,000	--	--	370	Tier II (Suter & Tsao 1996)	--	--	2.00E+04	Ohio Administrative Code
Nickel (Diss)	7440-02-0	470	52	52	NAWQC 2009	--	--	--	--	5.20E+01	Ohio Administrative Code
Nickel (TR)	7440-02-1	470	52	--	--	--	--	28.9	USEPA Reg 5	5.20E+01	Ohio Administrative Code
Potassium	7440-09-7	--	--	--	--	--	--	--	--	No ESV	No Source
Selenium (Diss)	7782-49-2	--	4.6	4.6	NAWQC 2009	--	--	--	--	4.60E+00	Ohio Administrative Code
Selenium	7782-49-2	--	5	5	NAWQC 2009	--	--	5	USEPA Reg 5	5.00E+00	Ohio Administrative Code
Silver (Diss)	7440-22-4	1.4	--	--	--	0.12	Tier II (Suter & Tsao 1996)	--	--	1.40E+00	Ohio Administrative Code
Silver	7440-22-4	1.6	1.3	--	--	0.36	Tier II (Suter & Tsao 1996)	0.12	USEPA Reg 5	1.30E+00	Ohio Administrative Code
Sodium	7440-23-5	--	--	--	--	--	--	--	--	No ESV	No Source
Strontium	7440-24-6	40,000	21,000	--	--	1,500	Tier II (Suter & Tsao 1996)	--	--	2.10E+04	Ohio Administrative Code
Thallium	7440-28-0	79	17	--	--	12	Tier II (Suter & Tsao 1996)	10	USEPA Reg 5	1.70E+01	Ohio Administrative Code
Tin	7440-31-5	1,600	180	--	--	73	Tier II (Suter & Tsao 1996)	180	USEPA Reg 5	1.80E+02	Ohio Administrative Code
Uranium	7440-61-1	--	--	--	--	2.6	Tier II (Suter & Tsao 1996)	--	--	2.60E+00	Tier II (Suter & Tsao 1996)
Vanadium	7440-62-2	150	44	--	--	20	Tier II (Suter & Tsao 1996)	12	USEPA Reg 5	4.40E+01	Ohio Administrative Code
Zinc (Diss)	7440-66-6	120	120	120	NAWQC 2009	--	--	--	--	1.20E+02	Ohio Administrative Code
Zinc (TR)	7440-66-6	120	120	--	--	--	--	65.7	USEPA Reg 5	1.20E+02	Ohio Administrative Code
Zirconium	7440-67-7	--	--	--	--	17	Tier II (Suter & Tsao 1996)	--	--	1.70E+01	Tier II (Suter & Tsao 1996)

Table H-9. Ecological Screening Values for Chemical Analytes in Surface Water (continued)

Analyte	CAS Registry Number	Surface Water Screening Values									
		Ohio EPA Administrative Code (µg/L) ^a		Updated Values for Suter and Tsao 1996 ^b				USEPA Region 5 ESLs (2003) ^c (update of 1998 EDQLs)		Preferred Surface Water Value ^d	
				NAWQC 2009 Update		Tier II Values		Number (µg/L)	Reference		
		OMZM	OMZA	Number (µg/L)	Reference	Number (µg/L)	Reference			Number (µg/L)	Reference
<i>Anions</i>											
Chloride	16887-00-6	--	--	230,000	NAWQC 2009	--	--	--	--	2.30E+05	NAWQC 2009
Fluoride	16984-48-8	--	--	--	--	3400	Tier II (GLI database)	--	--	3.40E+03	Tier II (GLI database)
Hydrogen Sulfide/Sulfide	7783-06-4	--	--	2	NAWQC 2009	2	Tier II (GLI database)	--	--	2.00E+00	NAWQC 2009
Nitrate	14797-55-8	--	--	--	--	--	--	--	--	No ESV	No Source
Nitrite	14797-65-0	--	--	--	--	20	Tier II (GLI database)	--	--	2.00E+01	Tier II (GLI database)
Sulfite	14265-45-3	--	--	--	--	200	Tier II (GLI database)	--	--	2.00E+02	Tier II (GLI database)
<i>Organic Compounds</i>											
Acenaphthene	83-32-9	19	15	--	--	5.3	Tier II (GLI database)	38	USEPA Reg 5	1.50E+01	Ohio Administrative Code
Acenaphthylene	208-96-8	120	13	--	--	--	--	4,840	USEPA Reg 5	1.30E+01	Ohio Administrative Code
Acetaldehyde	75-07-0	--	--	--	--	130	Tier II (GLI database)	--	--	1.30E+02	Tier II (GLI database)
Acetone	67-64-1	--	--	--	--	1500	Tier II (Suter & Tsao 1996)	1,700	USEPA Reg 5	1.50E+03	Tier II (Suter & Tsao 1996)
Acetonitrile	75-05-8	100,000	12,000	--	--	12,000	Tier II (GLI database)	12,000	USEPA Reg 5	1.20E+04	Ohio Administrative Code
Acetylaminofluorene[2-]	53-96-3	--	--	--	--	--	--	535	USEPA Reg 5	5.35E+02	USEPA Reg 5
Acrolein	107-02-8	--	--	3	NAWQC 2009	0.19	Tier II (GLI database)	0.19	USEPA Reg 5	3.00E+00	NAWQC 2009
Acrylonitrile	107-13-1	650	78	--	--	78	Tier II (GLI database)	66	USEPA Reg 5	7.80E+01	Ohio Administrative Code
Alachlor	15972-60-8	--	--	--	--	21	Tier II (GLI database)	--	--	2.10E+01	Tier II (GLI database)
Aldrin	309-00-2	--	--	--	--	0.035	Tier II (GLI database)	0.017	USEPA Reg 5	3.50E-02	Tier II (GLI database)
2-Amino-4,6-dinitrotoluene	35572-78-2	160	18	--	--	18	Tier II (GLI database)	--	--	1.80E+01	Ohio Administrative Code
4-Amino-2,6-dinitrotoluene	19406-51-0	98	11	--	--	11	Tier II (GLI database)	--	--	1.10E+01	Ohio Administrative Code
Aniline	62-53-3	30	4.1	--	--	4.1	Tier II (GLI database)	4.1	USEPA Reg 5	4.10E+00	Ohio Administrative Code
Anthracene	120-12-7	0.18	0.02	--	--	0.73	Tier II (Suter & Tsao 1996)	0.035	USEPA Reg 5	2.00E-02	Ohio Administrative Code
Aramite	140-57-8	--	--	--	--	--	--	3.09	USEPA Reg 5	3.09E+00	USEPA Reg 5
Azobenzene[p-(dimethylamino)]	60-11-7	--	--	--	--	--	--	1.65	USEPA Reg 5	1.65E+00	USEPA Reg 5
Benzene	71-43-2	700	160	--	--	130	Tier II (Suter & Tsao 1996)	114	USEPA Reg 5	1.60E+02	Ohio Administrative Code
Benzenemethanol	100-51-6	--	--	--	--	8.6	Tier II (Suter & Tsao 1996)	8.6	USEPA Reg 5	8.60E+00	Tier II (Suter & Tsao 1996)
Benzidine	92-87-5	--	--	--	--	3.9	Tier II (Suter & Tsao 1996)	--	--	3.90E+00	Tier II (Suter & Tsao 1996)
Benz(a)anthracene	56-55-3	42	4.7	--	--	0.027	Tier II (Suter & Tsao 1996)	0.025	USEPA Reg 5	4.70E+00	Ohio Administrative Code
Benzo(a)pyrene	50-32-8	0.54	0.06	--	--	0.014	Tier II (Suter & Tsao 1996)	0.014	USEPA Reg 5	6.00E-02	Ohio Administrative Code
Benzo(b)fluoranthene	205-99-2	23	2.6	--	--	2.6	Tier II (GLI database)	9.07	USEPA Reg 5	2.60E+00	Ohio Administrative Code
Benzo(g,h,i)perylene	191-24-2	--	--	--	--	--	--	7.64	USEPA Reg 5	7.64E+00	USEPA Reg 5
Benzo(k)fluoranthene	207-08-9	--	--	--	--	--	--	--	--	No ESV	No Source
Benzoic acid	65-85-0	--	--	--	--	42	Tier II (Suter & Tsao 1996)	--	--	4.20E+01	Tier II (Suter & Tsao 1996)
BHC, alpha	319-84-6	--	--	--	--	--	--	12.4	USEPA Reg 5	1.24E+01	USEPA Reg 5
BHC, beta	319-85-7	--	--	--	--	--	--	0.495	USEPA Reg 5	4.95E-01	USEPA Reg 5
BHC, delta	319-86-8	--	--	--	--	--	--	667	USEPA Reg 5	6.67E+02	USEPA Reg 5
BHC, gamma (Lindane)	58-89-9	0.95	0.057	--	--	0.057	Tier II (GLI database)	0.026	USEPA Reg 5	5.70E-02	Ohio Administrative Code
Biphenyl	92-52-4	26	6.5	--	--	6.5	Tier II (GLI database)	--	--	6.50E+00	Ohio Administrative Code
bis(2-Chloroethyl) ether	111-44-4	--	--	--	--	--	--	19,000	USEPA Reg 5	1.90E+04	USEPA Reg 5
bis(2-Ethylhexyl)phthalate	117-81-7	1,100	8.4	--	--	3.0	Tier II (Suter & Tsao 1996)	0.3	USEPA Reg 5	8.40E+00	Ohio Administrative Code
Bromodichloromethane	74-97-5	3,100	340	--	--	--	--	--	--	3.40E+02	Ohio Administrative Code
Bromomethane (methyl bromide)	74-83-9	38	16	--	--	16	Tier II (GLI database)	16	USEPA Reg 5	1.60E+01	Ohio Administrative Code
4-bromophenyl-phenylether	101-55-3	--	--	--	--	--	--	1.5	USEPA Reg 5	1.50E+00	USEPA Reg 5
2-Butanone (methyl ethyl ketone)	78-93-3	200,000	22,000	--	--	22,000	Tier II (GLI database)	2,200	USEPA Reg 5	2.20E+04	Ohio Administrative Code
Butyl benzyl phthalate	85-68-7	130	23	--	--	23	Tier II (GLI database)	23	USEPA Reg 5	2.30E+01	Ohio Administrative Code
Carbofuran	1563-66-2	--	--	--	--	1	Tier II (GLI database)	--	--	1.00E+00	Tier II (GLI database)
Carbon disulfide	75-15-0	130	15	--	--	15	Tier II (GLI database)	15	USEPA Reg 5	1.50E+01	Ohio Administrative Code

Table H-9. Ecological Screening Values for Chemical Analytes in Surface Water (continued)

Analyte	CAS Registry Number	Surface Water Screening Values									
		Ohio EPA Administrative Code (µg/L) ^a		Updated Values for Suter and Tsao 1996 ^b				USEPA Region 5 ESLs (2003) ^c (update of 1998 EDQLs)		Preferred Surface Water Value ^d	
				NAWQC 2009 Update		Tier II Values		Number (µg/L)	Reference		
		OMZM	OMZA	Number (µg/L)	Reference	Number (µg/L)	Reference			Number (µg/L)	Reference
Carbon tetrachloride	56-23-5	2,200	240	--	--	240	Tier II (GLI database)	240	USEPA Reg 5	2.40E+02	Ohio Administrative Code
Chlordane	57-74-9	--	--	0.0043	NAWQC 2009	--	--	0.0043	USEPA Reg 5	4.30E-03	NAWQC 2009
gamma-Chlordane	5103-74-2	--	--	--	--	--	--	--	--	No ESV	No Source
4-Chloroaniline	106-47-8	--	--	--	--	--	--	232	USEPA Reg 5	2.32E+02	USEPA Reg 5
Chlorobenzene	108-90-7	420	47	--	--	47	Tier II (GLI database)	47	USEPA Reg 5	4.70E+01	Ohio Administrative Code
Chlorobenzilate	510-15-6	--	--	--	--	--	--	7.16	USEPA Reg 5	7.16E+00	USEPA Reg 5
Chloroform	67-66-3	1,300	140	--	--	140	Tier II (GLI database)	140	USEPA Reg 5	1.40E+02	Ohio Administrative Code
Chloromethane	74-87-3	--	--	--	--	--	--	--	--	No ESV	No Source
2-Chloronaphthalene	91-58-7	--	--	--	--	--	--	0.396	USEPA Reg 5	3.96E-01	USEPA Reg 5
2-Chlorophenol	95-57-8	290	32	--	--	32	Tier II (GLI database)	24	USEPA Reg 5	3.20E+01	Ohio Administrative Code
Chloropyrifos	2921-88-2	--	--	0.041	NAWQC 2009	--	--	--	--	4.10E-02	NAWQC 2009
4-chloro-3-methylphenol	59-50-7	--	--	--	--	--	--	34.8	USEPA Reg 5	3.48E+01	USEPA Reg 5
Chrysene	218-01-9	42	4.7	--	--	--	--	--	--	4.70E+00	Ohio Administrative Code
Cyanazine	21725-46-2	--	--	--	--	270	Tier II (GLI database)	--	--	2.70E+02	Tier II (GLI database)
2,4-D	94-75-7	--	--	--	--	240	Tier II (GLI database)	220	USEPA Reg 5	2.40E+02	Tier II (GLI database)
4,4'-DDD	72-54-8	--	--	--	--	--	--	--	--	No ESV	No Source
4,4'-DDE	72-55-9	--	--	--	--	--	--	4.51E-09	USEPA Reg 5	4.51E-09	USEPA Reg 5
4,4'-DDT	50-29-3	1.10E-05	1.10E-05	0.001	NAWQC 2009	--	--	1.10E-05	USEPA Reg 5	1.10E-05	Ohio Administrative Code
Demeton	8065-48-3	--	--	0.1	NAWQC 2009	0.1	Tier II (GLI database)	--	--	1.00E-01	NAWQC 2009
Diazinon	333-41-5	--	--	0.17	NAWQC 2009	0.08	Tier II (GLI database)	--	--	1.70E-01	NAWQC 2009
Dibenzofuran	132-64-9	36	4	--	--	4	Tier II (GLI database)	4	USEPA Reg 5	4.00E+00	Ohio Administrative Code
Dibromochloromethane	124-48-1	2,900	320	--	--	--	--	--	--	3.20E+02	Ohio Administrative Code
2,2-Dibromo-3-nitropropionamide	10222-01-2	--	--	--	--	20	Tier II (GLI database)	--	--	2.00E+01	Tier II (GLI database)
1,2-Dichlorobenzene	95-50-1	130	23	--	--	23	Tier II (GLI database)	14	USEPA Reg 5	2.30E+01	Ohio Administrative Code
1,3-Dichlorobenzene	541-73-1	79	22	--	--	22	Tier II (GLI database)	38	USEPA Reg 5	2.20E+01	Ohio Administrative Code
1,4-Dichlorobenzene	106-46-7	57	9.4	--	--	9.4	Tier II (GLI database)	9.4	USEPA Reg 5	9.40E+00	Ohio Administrative Code
Dichlorobenzene	25321-22-6	--	--	--	--	5	Tier II (GLI database)	--	--	5.00E+00	Tier II (GLI database)
3,3'-Dichlorobenzidine	91-94-1	--	--	--	--	--	--	4.5	USEPA Reg 5	4.50E+00	USEPA Reg 5
1,1-Dichloroethane	75-34-3	3,700	410	--	--	740	Tier II (GLI database)	47	USEPA Reg 5	4.10E+02	Ohio Administrative Code
1,2-Dichloroethane	107-06-2	9,600	2,000	--	--	2,000	Tier II (GLI database)	910	USEPA Reg 5	2.00E+03	Ohio Administrative Code
1,1-Dichloroethene	75-35-4	1,900	210	--	--	210	Tier II (GLI database)	65	USEPA Reg 5	2.10E+02	Ohio Administrative Code
1,2-Dichloroethene	540-59-0	8,800	970	--	--	970	Tier II (GLI database)	970	USEPA Reg 5	9.70E+02	Ohio Administrative Code
2,4-Dichlorophenol	120-83-2	110	11	--	--	11	Tier II (GLI database)	11	USEPA Reg 5	1.10E+01	Ohio Administrative Code
1,2-Dichloropropane	78-87-5	3,300	520	--	--	520	Tier II (GLI database)	360	USEPA Reg 5	5.20E+02	Ohio Administrative Code
1,3-Dichloropropene	542-75-6	15	1.7	--	--	1.7	Tier II (GLI database)	--	--	1.70E+00	Ohio Administrative Code
Dieldrin	60-57-1	0.24	0.056	0.056	NAWQC 2009	--	--	7.10E-05	USEPA Reg 5	5.60E-02	Ohio Administrative Code
Diethylphthalate	84-66-2	980	220	--	--	220	Tier II (GLI database)	110	USEPA Reg 5	2.20E+02	Ohio Administrative Code
7,12'-Dimethylbenz(a)anthracene	57-97-6	--	--	--	--	--	--	0.548	USEPA Reg 5	5.48E-01	USEPA Reg 5
2,4-Dimethylphenol	105-67-9	140	15	--	--	15	Tier II (GLI database)	100	USEPA Reg 5	1.50E+01	Ohio Administrative Code
Dimethylphthalate	131-11-3	3,200	1,100	--	--	1100	Tier II (GLI database)	--	--	1.10E+03	Ohio Administrative Code
Di-n-butyl phthalate	84-74-2	--	--	--	--	19	Tier II (GLI database)	9.7	USEPA Reg 5	1.90E+01	Tier II (GLI database)
Di-n-octylphthalate	117-84-0	--	--	--	--	--	--	30	USEPA Reg 5	3.00E+01	USEPA Reg 5
3,5-Dinitroaniline	618-87-1	210	70	--	--	70	Tier II (GLI database)	--	--	7.00E+01	Ohio Administrative Code
1,3-Dinitrobenzene	99-65-0	100	22	--	--	22	Tier II (GLI database)	22	--	2.20E+01	Ohio Administrative Code
2,4-Dinitrophenol	51-28-5	--	--	--	--	--	--	19	USEPA Reg 5	1.90E+01	USEPA Reg 5
2,3-Dinitrotoluene	602-01-7	21	2.3	--	--	2.3	Tier II (GLI database)	--	--	2.30E+00	Ohio Administrative Code

Table H-9. Ecological Screening Values for Chemical Analytes in Surface Water (continued)

Analyte	CAS Registry Number	Surface Water Screening Values									
		Ohio EPA Administrative Code (µg/L) ^a		Updated Values for Suter and Tsao 1996 ^b				USEPA Region 5 ESLs (2003) ^c (update of 1998 EDQLs)		Preferred Surface Water Value ^d	
				NAWQC 2009 Update		Tier II Values		Number (µg/L)	Reference		
		OMZM	OMZA	Number (µg/L)	Reference	Number (µg/L)	Reference			Number (µg/L)	Reference
2,4-Dinitrotoluene	121-14-2	390	44	--	--	44	Tier II (GLI database)	44	USEPA Reg 5	4.40E+01	Ohio Administrative Code
2,5-Dinitrotoluene	619-15-8	50	5.6	--	--	5.6	Tier II (GLI database)	--	--	5.60E+00	Ohio Administrative Code
2,6-Dinitrotoluene	606-20-2	730	81	--	--	81	Tier II (GLI database)	81	USEPA Reg 5	8.10E+01	Ohio Administrative Code
3,5-Dinitrotoluene	618-85-9	860	95	--	--	95	Tier II (GLI database)	--	--	9.50E+01	Ohio Administrative Code
4,6-Dinitro-2-methylphenol	534-52-1	--	--	--	--	--	--	23	USEPA Reg 5	2.30E+01	USEPA Reg 5
Dinoseb	88-85-7	--	--	--	--	--	--	0.48	USEPA Reg 5	4.80E-01	USEPA Reg 5
1,4-Dioxane	123-91-1	--	--	--	--	--	--	22,000	USEPA Reg 5	2.20E+04	USEPA Reg 5
Diphenylamine	122-39-4	--	--	--	--	--	--	412	USEPA Reg 5	4.12E+02	USEPA Reg 5
1,2-Diphenylhydrazine	122-66-7	--	--	--	--	1.1	Tier II (GLI database)	--	--	1.10E+00	Tier II (GLI database)
Disulfoton	298-04-4	--	--	--	--	--	--	0.0402	USEPA Reg 5	4.02E-02	USEPA Reg 5
Endosulfan	115-29-7	--	--	--	--	0.009	Tier II (GLI database)	--	--	9.00E-03	Tier II (GLI database)
Endosulfan I (alpha)	959-98-8	--	--	0.056	NAWQC 2009	--	--	0.056	USEPA Reg 5	5.60E-02	NAWQC 2009
Endosulfan II (beta)	33213-65-9	--	--	0.056	NAWQC 2009	--	--	0.056	USEPA Reg 5	5.60E-02	NAWQC 2009
Endosulfan sulfate	1031-07-8	--	--	--	--	--	--	2.22	USEPA Reg 5	2.22E+00	USEPA Reg 5
Endrin	72-20-8	0.086	0.036	0.036	NAWQC 2009	--	--	0.036	USEPA Reg 5	3.60E-02	Ohio Administrative Code
Endrin aldehyde	7421-93-4	--	--	--	--	--	--	0.15	USEPA Reg 5	1.50E-01	USEPA Reg 5
Ethylbenzene	100-41-4	550	61	--	--	61	Tier II (GLI database)	14	USEPA Reg 5	6.10E+01	Ohio Administrative Code
Ethylene glycol	107-21-1	1,300,000	140,000	--	--	140000	Tier II (GLI database)	--	--	1.40E+05	Ohio Administrative Code
Fluoranthene	206-44-0	3.7	0.80	6.16	NAWQC (Suter & Tsao 1996)	0.8	Tier II (GLI database)	1.9	USEPA Reg 5	8.00E-01	Ohio Administrative Code
Fluorene	86-73-7	110	19	--	--	19	Tier II (GLI database)	19	USEPA Reg 5	1.90E+01	Ohio Administrative Code
Formaldehyde	50-00-0	--	--	--	--	74	Tier II (GLI database)	--	--	7.40E+01	Tier II (GLI database)
Guthion	86-50-0	--	--	0.01	NAWQC 2009	0.005	Tier II (GLI database)	--	--	1.00E-02	NAWQC 2009
Heptachlor	76-44-8	--	--	0.0038	NAWQC 2009	--	--	3.80E-03	USEPA Reg 5	3.80E-03	NAWQC 2009
Heptachlor epoxide	1024-57-3	--	--	0.0038	NAWQC 2009	--	--	3.80E-03	USEPA Reg 5	3.80E-03	NAWQC 2009
Hexachlorobenzene	118-74-1	--	--	--	--	--	--	3.00E-04	USEPA Reg 5	3.00E-04	USEPA Reg 5
Hexachlorobutadiene	87-68-3	--	--	--	--	1	Tier II (GLI database)	0.053	USEPA Reg 5	1.00E+00	Tier II (GLI database)
Hexachlorocyclopentadiene	77-47-4	--	--	--	--	0.45	Tier II (GLI database)	77	USEPA Reg 5	4.50E-01	Tier II (GLI database)
Hexachloroethane	67-72-1	--	--	--	--	--	--	8	USEPA Reg 5	8.00E+00	USEPA Reg 5
Hexachlorophene	70-30-4	--	--	--	--	--	--	0.228	USEPA Reg 5	2.28E-01	USEPA Reg 5
2-Hexanone	591-78-6	--	--	--	--	--	--	99	USEPA Reg 5	9.90E+01	USEPA Reg 5
HMX	2691-41-0	1,200	220	--	--	220	Tier II (GLI database)	--	--	2.20E+02	Ohio Administrative Code
Hydroquinone	123-31-9	--	--	--	--	2.2	Tier II (GLI database)	--	--	2.20E+00	Tier II (GLI database)
Indeno(1,2,3-cd)pyrene	193-39-5	--	--	--	--	--	--	4.31	USEPA Reg 5	4.31E+00	USEPA Reg 5
Isodecyl diphenyl phosphate	29761-21-5	--	--	--	--	1.73	Tier II (GLI database)	--	--	1.73E+00	Tier II (GLI database)
Isodrin	465-73-6	--	--	--	--	--	--	0.0309	USEPA Reg 5	3.09E-02	USEPA Reg 5
Isophorone	78-59-1	7,500	920	--	--	920	Tier II (GLI database)	920	USEPA Reg 5	9.20E+02	Ohio Administrative Code
Isopropylbenzene	98-82-8	43	4.8	--	--	4.8	Tier II (GLI database)	--	--	4.80E+00	Ohio Administrative Code
4-Isopropyltoluene	99-87-6	150	16	--	--	16	Tier II (GLI database)	--	--	1.60E+01	Ohio Administrative Code
Kepone	143-50-0	--	--	--	--	--	--	0.132	USEPA Reg 5	1.32E-01	USEPA Reg 5
Malathion	121-75-5	--	--	0.1	NAWQC 2009	0.1	Tier II (GLI database)	--	--	1.00E-01	NAWQC 2009
MBAS (foaming agents, aesthetic criteria)	--	500	--	--	--	--	--	--	--	5.00E+02	Ohio Administrative Code
Methanol	67-56-1	--	--	--	--	330	Tier II (GLI database)	--	--	3.30E+02	Tier II (GLI database)
Methoxychlor	72-43-5	--	--	0.03	NAWQC 2009	0.03	Tier II (GLI database)	0.019	USEPA Reg 5	3.00E-02	NAWQC 2009
Methyl methacrylate	80-62-6	--	--	--	--	--	--	2,800	USEPA Reg 5	2.80E+03	USEPA Reg 5
4-Methyl-2-pentanone	108-10-1	--	--	--	--	--	--	170	USEPA Reg 5	1.70E+02	USEPA Reg 5

Table H-9. Ecological Screening Values for Chemical Analytes in Surface Water (continued)

Analyte	CAS Registry Number	Surface Water Screening Values									
		Ohio EPA Administrative Code (µg/L) ^a		Updated Values for Suter and Tsao 1996 ^b				USEPA Region 5 ESLs (2003) ^c (update of 1998 EDQLs)		Preferred Surface Water Value ^d	
				NAWQC 2009 Update		Tier II Values		Number (µg/L)	Reference		
		OMZM	OMZA	Number (µg/L)	Reference	Number (µg/L)	Reference				
Methyl tert-butyl ether	1634-04-4	6,500	730	51,000	NAWQC 2009	730	Tier II (GLI database)	--	--	7.30E+02	Ohio Administrative Code
Methylamine	74-89-5	--	--	--	--	860	Tier II (GLI database)	--	--	8.60E+02	Tier II (GLI database)
3-Methylcholanthrene	56-49-5	--	--	--	--	--	--	0.0891	USEPA Reg 5	8.91E-02	USEPA Reg 5
Methylene chloride (dichloromethane)	75-09-2	11,000	1,900	--	--	2,200	Tier II (Suter & Tsao 1996)	940	USEPA Reg 5	1.90E+03	Ohio Administrative Code
Methylene dithiocyanate	6317-18-6	--	--	--	--	1	Tier II (GLI database)	--	--	1.00E+00	Tier II (GLI database)
2-Methylnaphthalene	91-57-6	--	--	--	--	4.7	Tier II (GLI database)	330	USEPA Reg 5	4.70E+00	Tier II (GLI database)
2-Methylphenol	95-48-7	600	67	--	--	67	Tier II (GLI database)	67	USEPA Reg 5	6.70E+01	Ohio Administrative Code
3-Methylphenol	108-39-4	560	62	--	--	62	Tier II (GLI database)	62	USEPA Reg 5	6.20E+01	Ohio Administrative Code
4-Methylphenol	106-44-5	480	53	--	--	53	Tier II (GLI database)	25	USEPA Reg 5	5.30E+01	Ohio Administrative Code
Mirex	2385-85-5	--	--	0.001	NAWQC 2009	0.001	Tier II (GLI database)	--	--	1.00E-03	NAWQC 2009
Naphthalene	91-20-3	170	21	--	--	21	Tier II (GLI database)	13	USEPA Reg 5	2.10E+01	Ohio Administrative Code
Nitrioltriacetic acid	139-13-9	--	--	--	--	5000	Tier II (GLI database)	--	--	5.00E+03	Tier II (GLI database)
Nitrobenzene	99-95-3	2,000	380	--	--	380	Tier II (GLI database)	220	USEPA Reg 5	3.80E+02	Ohio Administrative Code
Nitrocellulose	9004-70-0	--	--	--	--	--	--	--	--	No ESV	No Source
Nitroglycerin	55-63-0	160	18	--	--	18	Tier II (GLI database)	--	--	1.80E+01	Ohio Administrative Code
2-Nitrophenol	88-75-5	650	73	--	--	73	Tier II (GLI database)	--	--	7.30E+01	Ohio Administrative Code
4-Nitrophenol	100-02-7	--	--	--	--	58	Tier II (GLI database)	60	USEPA Reg 5	5.80E+01	Tier II (GLI database)
N-Nitrosodiethylamine	55-18-5	--	--	--	--	--	--	768	USEPA Reg 5	7.68E+02	USEPA Reg 5
N-Nitrosodiphenylamine	86-30-6	--	--	--	--	25	Tier II (GLI database)	--	--	2.50E+01	Tier II (GLI database)
2-Nitrotoluene	88-72-2	640	71	--	--	71	Tier II (GLI database)	--	--	7.10E+01	Ohio Administrative Code
3-Nitrotoluene	99-08-1	380	42	--	--	42	Tier II (GLI database)	--	--	4.20E+01	Ohio Administrative Code
4-Nitrotoluene	99-99-0	410	46	--	--	46	Tier II (GLI database)	--	--	4.60E+01	Ohio Administrative Code
Nonylphenol	84852-15-3	--	--	28	NAWQC 2009	--	--	--	--	2.80E+01	NAWQC 2009
Oil and grease (aesthetic criteria)	--	10,000	--	--	--	--	--	--	--	1.00E+04	Ohio Administrative Code
Parathion	56-38-2	0.065	0.013	0.013	NAWQC 2009	--	--	0.013	USEPA Reg 5	1.30E-02	Ohio Administrative Code
PCDDs	PCDD-S	--	--	--	--	--	--	2.78E-07	USEPA Reg 5	2.78E-07	USEPA Reg 5
Pentachlorobenzene	608-93-5	--	--	--	--	3.1	Tier II (GLI database)	0.019	USEPA Reg 5	3.10E+00	Tier II (GLI database)
Pentachloroethane	76-01-7	--	--	--	--	--	--	56.4	USEPA Reg 5	5.64E+01	USEPA Reg 5
PCP	87-86-5	5.3	4	15	NAWQC 2009	--	--	4	USEPA Reg 5	4.00E+00	Ohio Administrative Code
Perchlorate	14797-73-0	20,000	10,000	--	--	--	--	--	--	1.00E+04	Ohio Administrative Code
Phenanthrene	85-01-8	31	2.3	--	--	2.3	Tier II (GLI database)	3.6	USEPA Reg 5	2.30E+00	Ohio Administrative Code
Phenol	108-95-2	4,700	400	--	--	400	Tier II (GLI database)	180	USEPA Reg 5	4.00E+02	Ohio Administrative Code
Phenol (cold water and salmon spawning habitat)	108-95-2	4,600	160	--	--	--	--	--	--	1.60E+02	Ohio Administrative Code
Phorate	298-02-2	--	--	--	--	--	--	3.62	USEPA Reg 5	3.62E+00	USEPA Reg 5
PCBs	1336-36-3	1.20E-04	1.20E-04	0.014	NAWQC 2009	--	--	1.20E-04	USEPA Reg 5	1.20E-04	Ohio Administrative Code
Propylene glycol	57-55-6	640,000	71,000	--	--	71000	Tier II (GLI database)	--	--	7.10E+04	Ohio Administrative Code
Pyrene	129-00-0	42	4.6	--	--	4.6	Tier II (GLI database)	0.3	USEPA Reg 5	4.60E+00	Ohio Administrative Code
Pyridine	110-86-1	--	--	--	--	--	--	2,380	USEPA Reg 5	2.38E+03	USEPA Reg 5
RDX	121-82-4	520	79	--	--	79	Tier II (GLI database)	--	--	7.90E+01	Ohio Administrative Code
SAS-310	--	5	0.61	--	--	0.61	Tier II (GLI database)	--	--	6.10E-01	Ohio Administrative Code
Silvex (2,4,5-TP)	93-72-1	--	--	--	--	--	--	30	USEPA Reg 5	3.00E+01	USEPA Reg 5
Simazine	122-34-9	--	--	--	--	9	Tier II (GLI database)	--	--	9.00E+00	Tier II (GLI database)
Styrene	100-42-5	290	32	--	--	32	Tier II (GLI database)	32	USEPA Reg 5	3.20E+01	Ohio Administrative Code
1,2,4,5-Tetrachlorobenzene	95-94-3	--	--	--	--	8.3	Tier II (GLI database)	3	USEPA Reg 5	8.30E+00	Tier II (GLI database)
2,3,7,8-TCDD	1746-01-6	--	--	--	--	--	--	3.00E-09	USEPA Reg 5	3.00E-09	USEPA Reg 5

Table H-9. Ecological Screening Values for Chemical Analytes in Surface Water (continued)

Analyte	CAS Registry Number	Surface Water Screening Values									
		Ohio EPA Administrative Code (µg/L) ^a		Updated Values for Suter and Tsao 1996 ^b				USEPA Region 5 ESLs (2003) ^c (update of 1998 EDQLs)		Preferred Surface Water Value ^d	
				NAWQC 2009 Update		Tier II Values		Number (µg/L)	Reference		
		OMZM	OMZA	Number (µg/L)	Reference	Number (µg/L)	Reference			Number (µg/L)	Reference
1,1,1,2-Tetrachloroethane	630-20-6	770	85	--	--	85	Tier II (GLI database)	--	--	8.50E+01	Ohio Administrative Code
1,1,2,2-Tetrachloroethane	79-34-5	910	260	--	--	260	Tier II (GLI database)	380	USEPA Reg 5	2.60E+02	Ohio Administrative Code
Tetrachloroethene	127-18-4	430	53	--	--	53	Tier II (GLI database)	45	USEPA Reg 5	5.30E+01	Ohio Administrative Code
2,3,4,6-Tetrachlorophenol	58-90-2	--	--	--	--	--	--	1.2	USEPA Reg 5	1.20E+00	USEPA Reg 5
Tetraethyl dithiopyrophosphate	3689-24-5	--	--	--	--	--	--	13.9	USEPA Reg 5	1.39E+01	USEPA Reg 5
Tetrahydrofuran	109-99-9	74,000	11,000	--	--	11,000	Tier II (GLI database)	--	--	1.10E+04	Ohio Administrative Code
Tetryl	479-45-8	--	--	--	--	--	--	--	--	No ESV	No Source
Toluene	108-88-3	560	62	--	--	62	Tier II (GLI database)	253	USEPA Reg 5	6.20E+01	Ohio Administrative Code
Toxaphene	8001-35-2	--	--	0.0002	NAWQC 2009	0.005	Tier II (GLI database)	1.40E-04	USEPA Reg 5	2.00E-04	NAWQC 2009
Tribromomethane (bromoform)	75-25-2	1,100	230	--	--	230	Tier II (GLI database)	230	USEPA Reg 5	2.30E+02	Ohio Administrative Code
2,4,6-Tribromophenol	118-79-6	50	5.6	--	--	5.6	Tier II (GLI database)	--	--	5.60E+00	Ohio Administrative Code
Tributyltin	688-73-3	--	--	0.072	NAWQC 2009	--	--	--	--	7.20E-02	NAWQC 2009
Trichlorobenzene	12002-48-1	--	--	--	--	5	Tier II (GLI database)	--	--	5.00E+00	Tier II (GLI database)
1,2,4-Trichlorobenzene	120-82-1	--	--	--	--	--	--	30	USEPA Reg 5	3.00E+01	USEPA Reg 5
1,1,1-Trichloroethane	71-55-6	690	76	--	--	76	Tier II (GLI database)	76	USEPA Reg 5	7.60E+01	Ohio Administrative Code
1,1,2-Trichloroethane	79-00-5	3,300	740	--	--	740	Tier II (GLI database)	500	USEPA Reg 5	7.40E+02	Ohio Administrative Code
Trichloroethylene	79-01-6	2,000	220	--	--	220	Tier II (GLI database)	47	USEPA Reg 5	2.20E+02	Ohio Administrative Code
2,4,5-Trichlorophenol	95-95-4	--	--	--	--	1.9	Tier II (GLI database)	--	--	1.90E+00	Tier II (GLI database)
2,4,6-Trichlorophenol	88-06-2	39	4.9	--	--	4.9	Tier II (GLI database)	4.9	USEPA Reg 5	4.90E+00	Ohio Administrative Code
2,4,5-Trichlorophenoxyacetic acid	93-76-5	--	--	--	--	--	--	686	USEPA Reg 5	6.86E+02	USEPA Reg 5
O,O,O-Triethyl phosphorothioate	126-68-1	--	--	--	--	--	--	58.2	USEPA Reg 5	5.82E+01	USEPA Reg 5
Trimethylbenzene	25551-13-7	--	--	--	--	15	Tier II (GLI database)	--	--	1.50E+01	Tier II (GLI database)
1,2,4-Trimethylbenzene	95-63-6	140	15	--	--	15	Tier II (GLI database)	--	--	1.50E+01	Ohio Administrative Code
1,3,5-Trimethylbenzene	108-67-8	230	26	--	--	26	Tier II (GLI database)	--	--	2.60E+01	Ohio Administrative Code
1,3,5-Trinitrobenzene	99-35-4	27	11	--	--	11	Tier II (GLI database)	--	--	1.10E+01	Ohio Administrative Code
2,4,6-Trinitrotoluene	118-96-7	120	13	--	--	13	Tier II (GLI database)	--	--	1.30E+01	Ohio Administrative Code
Triphenyl phosphate	115-86-6	--	--	--	--	4	Tier II (GLI database)	--	--	4.00E+00	Tier II (GLI database)
Urea	57-13-6	150,000	17,000	--	--	17,000	Tier II (GLI database)	--	--	1.70E+04	Ohio Administrative Code
Vinyl acetate	108-05-4	--	--	--	--	--	--	248	USEPA Reg 5	2.48E+02	USEPA Reg 5
Vinyl chloride	75-01-4	8,400	930	--	--	930	Tier II (GLI database)	930	USEPA Reg 5	9.30E+02	Ohio Administrative Code
Xylenes (total)	1330-20-7	240	27	--	--	27	Tier II (GLI database)	27	USEPA Reg 5	2.70E+01	Ohio Administrative Code

^aOhio EPA, Division of Surface Water 1999. Ohio Administrative Code, Chapters 3745-1, 3745-2, May 11 (Ohio River Basin). Where Ohio River Basin is unavailable, Lake Erie is used [acenaphthylene; benz(a)anthracene; benzo(a)pyrene; benzo(b)fluoranthene; bromodichloromethane; chrysene; dibromochloromethane; and 1,1-dichloroethane]. Lake Erie Wildlife OMZA (Table 33-2) used for PCBs and 4,4'-DDT. PCP is pH dependent; 6.5 used as default pH. Ammonia is both pH and temperature dependent; default value is the lowest available for each criterion. The following metals are hardness dependent: beryllium, cadmium, chromium, copper, lead, nickel, and silver; 100 mg/L calcium carbonate used as default hardness.

^bSuter, G.W. and C.L. Tsao 1996. *Toxicological Benchmarks for Screening Potential Contaminants of Concern for Effects on Aquatic Biota: 1996 Revision*, ES/ER/TM-96/R2, Lockheed Martin Energy Systems, Oak Ridge National Laboratory. See notes below for NAWQC and GLI.

^cUSEPA 2003. ESLs. Formerly EDQLs. <http://www.epa.gov/reg5rcra/ca/edql.htm>.

^dThe preferred surface water value is the hierarchy of Chapters 3745-1 and 3745-2 of the Ohio Administrative Code for the Ohio River Basin (Ohio EPA 1999), Suter and Tsao 1996 (NAWQC followed by Tier II), and EDQLs from Reg 5 (USEPA 2003). For comparisons of maximum detected concentrations to ESVs, the OMZM is the preferred value. For comparisons of average concentrations to ESVs, the OMZA is the preferred value. In the absence of either OMZM values or OMZA values, the next available value from the hierarchy [Suter and Tsao 1996 (NAWQC) followed by Tier II] and then EDQLs from Reg 5 (USEPA 2003) was used in the comparison.

BHC = Hexachlorocyclohexane.

CAS = Chemical Abstract Service.

DDD = Dichlorodiphenyldichloroethane.

DDE = Dichlorodiphenyldichloroethylene.

DDT = Dichlorodiphenyltrichloroethane.

Diss = Dissolved.

EDQL = Ecological data quality level.

ESL = Ecological screening level.

ESV = Ecological screening value.

GLI = Great Lakes Initiative Clearinghouse database, contains Tier II secondary chronic values; <http://epa.gov/gliclear/>. Values used as supplement to original Suter and Tsao values because of scholarship and methodology shown in Suter and Tsao.

HMX = Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine.

µg/L = Micrograms per liter.

MBAS = Methylene blue active substances.

NAWQC = National Ambient Water Quality Criteria, originally found in Suter and Tsao 1996 and updated in 2009 as National

Recommended Water Quality Criteria; values are freshwater chronic. <http://epa.gov/waterscience/criteria/wqctable/>.

NAWQC 2009 value for copper can be found here:

<http://www.epa.gov/waterscience/criteria/copper/2007/criteria-full.pdf>.

NAWQC 2009 value for methyl tert-butyl ether can be found here:

<http://www.epa.gov/waterscience/criteria/mtbe/#findings>.

Ohio EPA = Ohio Environmental Protection Agency. Ohio EPA Tier II values used where available; otherwise, lowest or most recent value, as appropriate.

OMZA = Outside mixing zone average.

OMZM = Outside mixing zone maximum.

PCB = Polychlorinated biphenyl.

PCDD = Polychlorinated dibenzo-p-dioxins.

PCP = Pentachlorophenol.

RDX = Hexahydro-1,3,5-trinitro-1,3,5-triazine.

Reg = Region.

TCDD = Tetrachlorodibenzo-p-dioxin.

USEPA = U.S. Environmental Protection Agency.

-- = No value.

Table H-10. SRC and Integrated COPEC Screening with Maximum Ratio for Shallow Surface Soil (0-1 ft bgs ISM Samples) at Landfill North of Winklepeck Burning Grounds

Analyte (mg/kg)	CAS Number	Freq of Detect	Minimum Detect	Maximum Detect	Average Result	Background Criteria ^a	PBT ^b Compound? (yes/no)	SRC? (yes/no)	SRC Justification	ESV	ESV Source ^c	COPEC? (yes/no)	COPEC Justification	Ratio of Max to ESV
<i>Inorganic Chemicals</i>														
Aluminum	7429-90-5	23/ 23	6660	12000	9650	17700	No	No	Below background	50	PRGs	No	Below background	240
Antimony	7440-36-0	10/ 22	0.11	0.44	0.47	0.96	No	No	Below background	0.27	EcoSSL	No	Below background	1.63
Arsenic	7440-38-2	23/ 23	7.9	14	10.6	15.4	No	No	Below background	18	EcoSSL	No	Below background	0.78
Barium	7440-39-3	23/ 23	30.8	76	60.2	88.4	No	No	Below background	330	EcoSSL	No	Below background	0.23
Beryllium	7440-41-7	23/ 23	0.32	0.72	0.573	0.88	No	No	Below background	21	EcoSSL	No	Below background	0.03
Cadmium	7440-43-9	11/ 23	0.1	1.8	0.267	0	No	Yes	Exceeds background	0.36	EcoSSL	Yes	Exceeds ESV	5.00
Calcium	7440-70-2	23/ 23	260	7300	1500	15800	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Chromium	7440-47-3	23/ 23	13	26	18.7	17.4	No	Yes	Exceeds background	26	EcoSSL	No	Max=ESV	1.00
Cobalt	7440-48-4	23/ 23	5.7	10	8.46	10.4	No	No	Below background	13	EcoSSL	No	Below background	0.77
Copper	7440-50-8	23/ 23	9.7	23.1	14.6	17.7	No	Yes	Exceeds background	28	EcoSSL	No	Below ESV	0.83
Iron	7439-89-6	23/ 23	15000	24000	20100	23100	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Lead	7439-92-1	23/ 23	12.3	37.2	18.9	26.1	No	Yes	Exceeds background	11	EcoSSL	Yes	Exceeds ESV	3.38
Magnesium	7439-95-4	23/ 23	1360	3700	2130	3030	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Manganese	7439-96-5	23/ 23	292	1300	624	1450	No	No	Below background	220	EcoSSL	No	Below background	5.91
Mercury	7439-97-6	22/ 23	0.018	0.06	0.0393	0.036	Yes	Yes	Exceeds background, PBT Compound	0.00051	PRGs	Yes	Exceeds ESV, PBT Compound	117.65
Nickel	7440-02-0	23/ 23	14	22.5	17.4	21.1	No	Yes	Exceeds background	38	EcoSSL	No	Below ESV	0.59
Potassium	7440-09-7	23/ 23	435	2300	770	927	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Selenium	7782-49-2	17/ 23	0.4	0.94	0.72	1.4	No	No	Below background	0.52	EcoSSL	No	Below background	1.81
Silver	7440-22-4	2/ 23	0.13	0.18	0.303	0	No	Yes	Exceeds background	4.2	EcoSSL	No	Below ESV	0.04
Sodium	7440-23-5	23/ 23	30	270	154	123	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Thallium	7440-28-0	15/ 23	0.11	0.27	0.217	0	No	Yes	Exceeds background	1	PRGs	No	Below ESV	0.27
Vanadium	7440-62-2	23/ 23	12.2	22	17.7	31.1	No	No	Below background	7.8	EcoSSL	No	Below background	2.82
Zinc	7440-66-6	23/ 23	45.1	113	64.2	61.8	No	Yes	Exceeds background	46	EcoSSL	Yes	Exceeds ESV	2.46
<i>Explosives</i>														
Nitrocellulose	9004-70-0	3/ 3	0.81	1.3	1.04	0	No	Yes	Detected organic	No ESV	No Source	Yes	Detected organic	No ESV
Nitroglycerin	55-63-0	1/ 12	0.14	0.14	0.24	0	No	Yes	Detected organic	No ESV	No Source	Yes	Detected organic	No ESV
Nitroguanidine	556-88-7	1/ 3	0.11	0.11	0.12	0	No	Yes	Detected organic	No ESV	No Source	Yes	Detected organic	No ESV
Tetryl	479-45-8	1/ 23	0.016	0.016	0.16	0	No	Yes	Detected organic	No ESV	No Source	Yes	Detected organic	No ESV
<i>Semi-volatile Organic Compounds</i>														
2-Methylnaphthalene	91-57-6	3/ 14	0.01	0.02	0.0165	0	No	Yes	Detected organic	3.24	USEPA Reg 5	No	Below ESV	0.01
Acenaphthene	83-32-9	2/ 23	0.0068	0.057	0.0147	0	No	Yes	Detected organic	20	PRGs	No	Below ESV	0.003
Acenaphthylene	208-96-8	2/ 23	0.015	0.018	0.0127	0	No	Yes	Detected organic	682	USEPA Reg 5	No	Below ESV	2.64E-05
Anthracene	120-12-7	3/ 23	0.0073	0.034	0.0143	0	No	Yes	Detected organic	1480	USEPA Reg 5	No	Below ESV	2.30E-05
Benz(a)anthracene	56-55-3	13/ 23	0.01	0.17	0.0285	0	No	Yes	Detected organic	5.21	USEPA Reg 5	No	Below ESV	0.03
Benzenemethanol	100-51-6	2/ 14	0.35	0.6	0.355	0	No	Yes	Detected organic	65.8	USEPA Reg 5	No	Below ESV	0.01
Benzo(a)pyrene	50-32-8	15/ 23	0.011	0.16	0.0268	0	No	Yes	Detected organic	1.52	USEPA Reg 5	No	Below ESV	0.11
Benzo(b)fluoranthene	205-99-2	18/ 23	0.0094	0.23	0.0378	0	No	Yes	Detected organic	59.8	USEPA Reg 5	No	Below ESV	0.004
Benzo(ghi)perylene	191-24-2	6/ 23	0.0093	0.11	0.0187	0	No	Yes	Detected organic	119	USEPA Reg 5	No	Below ESV	0.001
Benzo(k)fluoranthene	207-08-9	9/ 23	0.0077	0.13	0.0229	0	No	Yes	Detected organic	148	USEPA Reg 5	No	Below ESV	0.001
Benzoic acid	65-85-0	1/ 2	0.24	0.24	0.323	0	No	Yes	Detected organic	No ESV	No Source	Yes	Detected organic	No ESV
Bis(2-ethylhexyl)phthalate	117-81-7	4/ 14	0.023	0.12	0.0786	0	No	Yes	Detected organic	0.925	USEPA Reg 5	No	Below ESV	0.13

Table H-10. SRC and Integrated COPEC Screening with Maximum Ratio for Shallow Surface Soil (0-1 ft bgs ISM Samples) at Landfill North of Winklepeck Burning Grounds (continued)

Analyte (mg/kg)	CAS Number	Freq of Detect	Minimum Detect	Maximum Detect	Average Result	Background Criteria ^a	PBT ^b Compound? (yes/no)	SRC? (yes/no)	SRC Justification	ESV	ESV Source ^c	COPEC? (yes/no)	COPEC Justification	Ratio of Max to ESV
Carbazole	86-74-8	1/ 14	0.041	0.041	0.0794	0	No	Yes	Detected organic	No ESV	No Source	Yes	Detected organic	No ESV
Chrysene	218-01-9	19/ 23	0.011	0.21	0.0331	0	No	Yes	Detected organic	4.73	USEPA Reg 5	No	Below ESV	0.04
Di-n-butyl phthalate	84-74-2	1/ 14	0.032	0.032	0.083	0	No	Yes	Detected organic	200	PRGs	No	Below ESV	0.0002
Dibenz(a,h)anthracene	53-70-3	1/ 23	0.028	0.028	0.0133	0	No	Yes	Detected organic	18.4	USEPA Reg 5	No	Below ESV	0.002
Dibenzofuran	132-64-9	2/ 14	0.0093	0.018	0.0415	0	No	Yes	Detected organic	No ESV	No Source	Yes	Detected organic	No ESV
Diethylphthalate	84-66-2	1/ 14	0.022	0.022	0.0339	0	No	Yes	Detected organic	100	PRGs	No	Below ESV	0.0002
Fluoranthene	206-44-0	22/ 23	0.0088	0.43	0.0612	0	No	Yes	Detected organic	122	USEPA Reg 5	No	Below ESV	0.004
Fluorene	86-73-7	3/ 23	0.013	0.029	0.0137	0	No	Yes	Detected organic	30	PRGs	No	Below ESV	0.001
Indeno(1,2,3-cd)pyrene	193-39-5	7/ 23	0.0081	0.11	0.019	0	No	Yes	Detected organic	109	USEPA Reg 5	No	Below ESV	0.001
Naphthalene	91-20-3	11/ 23	0.0072	0.029	0.0149	0	No	Yes	Detected organic	0.0994	USEPA Reg 5	No	Below ESV	0.29
Phenanthrene	85-01-8	13/ 23	0.009	0.26	0.0462	0	No	Yes	Detected organic	45.7	USEPA Reg 5	No	Below ESV	0.01
Phenol	108-95-2	1/ 14	0.031	0.031	0.089	0	No	Yes	Detected organic	30	PRGs	No	Below ESV	0.001
Pyrene	129-00-0	17/ 23	0.0073	0.29	0.0457	0	No	Yes	Detected organic	78.5	USEPA Reg 5	No	Below ESV	0.004
<i>Pesticides/PCBs</i>														
4,4'-DDE	72-55-9	1/ 3	0.0027	0.0027	0.00157	0	Yes	Yes	Detected organic, PBT Compound	0.021	EcoSSL	Yes	PBT Compound	0.13
beta-BHC	319-85-7	1/ 3	0.0017	0.0017	0.00153	0	Yes	Yes	Detected organic, PBT Compound	0.00398	USEPA Reg 5	Yes	PBT Compound	0.43
<i>Volatile Organic Compounds</i>														
Acetone	67-64-1	1/ 4	0.088	0.088	0.0295	0	No	Yes	Detected organic	2.5	USEPA Reg 5	No	Below ESV	0.04

^aBackground criteria for soil 0-1 ft bgs from final facility-wide background values for Camp Ravenna, published in the *Final Phase II Remedial Investigation Report for Winklepeck Burning Grounds at Ravenna Army Ammunition Plant, Ravenna, Ohio* (USACE 2001).

^bPBT compounds are defined by Ohio Environmental Protection Agency (Ohio EPA) 2008 as: aldrin/dieldrin; chlordane; dichlorodiphenyltrichloroethane (DDT) and metabolites [dichlorodiphenyldichloroethane (DDD)+dichlorodiphenyldichloroethylene (DDE)]; hexachlorobenzene; hexachlorobutadiene (hexachloro-1,3-butadiene); hexachlorocyclohexanes (BHCs, alpha-BHC, beta-BHC, delta-BHC); lindane (gammahexachlorocyclohexane); alkyl-lead; mercury and its compounds; mirex; photomirex; octachlorostyrene; PCBs; 2,3,7,8-tetrachlorodibenzo-p-dioxin; dioxin; polychlorinated dibenzofurans (PCDF) (furans); 1,2,3,4-tetrachlorobenzene; 1,2,4,5-tetrachlorobenzene; toxaphene; and other chemicals that are reasonably anticipated to bioaccumulate in animal tissues.

^cScreening level source: See soil ESV table. Hierarchy of values according to Ohio EPA Risk Assessment Guidance is EcoSSLs, followed by U.S. Department of Energy (DOE) (1997a) *Preliminary Remediation Goals for Ecological Endpoints*, followed by USEPA Region 5 ecological screening levels.

bgs = Below ground surface.

BHC = Hexachlorocyclohexane.

CAS = Chemical Abstract Service.

COPEC = Chemical of potential ecological concern.

DDE = Dichlorodiphenyldichloroethylene.

EcoSSL = Ecological soil screening level.

ESV = Ecological screening value.

Freq. = Frequency.

ft = Feet.

ISM = Incremental sampling methodology.

Max = Maximum concentration

mg/kg = Milligrams per kilogram. PBT = Persistent, bioaccumulative, and toxic.

PCB = Polychlorinated biphenyl.

PRG = Preliminary remediation goal.

Reg = Region.

SRC = Site-related contaminant.

USEPA = U.S. Environmental Protection Agency.

Bold = Chemical is a COPEC.

Table H-11. SRC and Integrated COPEC Screening with Maximum Ratio for Sediment (2010 Samples) at the Landfill North of Winklepeck Burning Grounds East Tributary Exposure Unit

Analyte (mg/kg)	CAS Number	Freq of Detect	Minimum Detect	Maximum Detect	Average Result	Background Criteria ^a	Ohio SRV	PBT ^b Compound? (yes/no)	SRC? (yes/no)	SRC Justification	ESV	ESV Source ^c	COPEC? (yes/no)	COPEC Justification	Ratio of Max to ESV
<i>Inorganic Chemicals</i>															
Aluminum	7429-90-5	3/ 3	5100	11500	8660	13900	29000	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Antimony	7440-36-0	2/ 3	0.09	0.24	0.212	0	1.3	No	No	Below SRV	No ESV	No Source	No	Below SRV	No ESV
Arsenic	7440-38-2	3/ 3	7.8	12.9	10.2	19.5	25	No	No	Below background	9.79	MacDonald et al.	No	Below background	1.32
Barium	7440-39-3	3/ 3	35.9	93.1	72.3	123	190	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Beryllium	7440-41-7	3/ 3	0.5	0.62	0.567	0.38	0.8	No	No	Below SRV	No ESV	No Source	No	Below SRV	No ESV
Cadmium	7440-43-9	3/ 3	0.11	0.55	0.32	0	0.79	No	No	Below SRV	0.99	MacDonald et al.	No	Below ESV and SRV	0.56
Calcium	7440-70-2	3/ 3	916	1990	1370	5510	21000	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Chromium	7440-47-3	3/ 3	10.4	14.6	13	18.1	29	No	No	Below background	43.4	MacDonald et al.	No	Below background	0.34
Cobalt	7440-48-4	3/ 3	7	10.2	8.53	9.1	12	No	No	Below SRV	50	USEPA Reg 5	No	Below ESV and SRV	0.20
Copper	7440-50-8	3/ 3	11.4	20.2	15.5	27.6	32	No	No	Below background	31.6	MacDonald et al.	No	Below background	0.64
Iron	7439-89-6	3/ 3	18700	29400	23400	28200	41000	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Lead	7439-92-1	3/ 3	9.4	30	18.6	27.4	47	No	No	Below SRV	35.8	MacDonald et al.	No	Below ESV and SRV	0.84
Magnesium	7439-95-4	3/ 3	1560	2670	2230	2760	7100	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Manganese	7439-96-5	3/ 3	473	1080	748	1950	1500	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Nickel	7440-02-0	3/ 3	19.3	22.1	20.7	17.7	33	No	No	Below SRV	22.7	MacDonald et al.	No	Below ESV and SRV	0.97
Potassium	7440-09-7	3/ 3	903	1010	960	1950	6800	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Selenium	7782-49-2	3/ 3	0.89	1.4	1.2	1.7	1.7	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Silver	7440-22-4	2/ 3	0.038	0.041	0.0293	0	0.43	No	No	Below SRV	0.5	USEPA Reg 5	No	Below ESV and SRV	0.08
Sodium	7440-23-5	3/ 3	45.6	54.4	49.4	112	--	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Thallium	7440-28-0	3/ 3	0.096	0.19	0.149	0.89	4.7	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Vanadium	7440-62-2	3/ 3	8.2	19.7	15.2	26.1	40	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Zinc	7440-66-6	3/ 3	52	111	81.4	532	160	No	No	Below background	121	MacDonald et al.	No	Below background	0.92
<i>Semi-volatile Organic Compounds</i>															
2-Methylnaphthalene	91-57-6	1/ 3	0.15	0.15	0.242	0	--	No	Yes	Detected organic	0.0202	USEPA Reg 5	Yes	Exceeds ESV	7.43
Acenaphthylene	208-96-8	1/ 3	0.015	0.015	0.0318	0	--	No	Yes	Detected organic	0.00587	USEPA Reg 5	Yes	Exceeds ESV	2.56
Benz(a)anthracene	56-55-3	2/ 3	0.014	0.037	0.0272	0	--	No	Yes	Detected organic	0.108	MacDonald et al.	No	Below ESV	0.34
Benzo(a)pyrene	50-32-8	3/ 3	0.014	0.044	0.0243	0	--	No	Yes	Detected organic	0.15	MacDonald et al.	No	Below ESV	0.29
Benzo(b)fluoranthene	205-99-2	2/ 3	0.039	0.079	0.056	0	--	No	Yes	Detected organic	10.4	USEPA Reg 5	No	Below ESV	0.01
Benzo(g,h,i)perylene	191-24-2	2/ 3	0.03	0.03	0.04	0	--	No	Yes	Detected organic	0.17	USEPA Reg 5	No	Below ESV	0.18
Benzo(k)fluoranthene	207-08-9	1/ 3	0.038	0.038	0.0395	0	--	No	Yes	Detected organic	0.24	USEPA Reg 5	No	Below ESV	0.16
Bis(2-ethylhexyl)phthalate	117-81-7	1/ 3	0.42	0.42	0.322	0	--	No	Yes	Detected organic	0.182	USEPA Reg 5	Yes	Exceeds ESV	2.31
Chrysene	218-01-9	2/ 3	0.016	0.049	0.0318	0	--	No	Yes	Detected organic	0.166	MacDonald et al.	No	Below ESV	0.30
Fluoranthene	206-44-0	3/ 3	0.017	0.066	0.036	0	--	No	Yes	Detected organic	0.423	MacDonald et al.	No	Below ESV	0.16
Fluorene	86-73-7	1/ 3	0.016	0.016	0.0337	0	--	No	Yes	Detected organic	0.0774	MacDonald et al.	No	Below ESV	0.21
Indeno(1,2,3-cd)pyrene	193-39-5	1/ 3	0.029	0.029	0.0365	0	--	No	Yes	Detected organic	0.2	USEPA Reg 5	No	Below ESV	0.15
Naphthalene	91-20-3	1/ 3	0.065	0.065	0.05	0	--	No	Yes	Detected organic	0.176	MacDonald et al.	No	Below ESV	0.37
Phenanthrene	85-01-8	2/ 3	0.016	0.081	0.049	0	--	No	Yes	Detected organic	0.204	MacDonald et al.	No	Below ESV	0.40
Pyrene	129-00-0	3/ 3	0.019	0.052	0.0327	0	--	No	Yes	Detected organic	0.195	MacDonald et al.	No	Below ESV	0.27

Table H-11. SRC and Integrated COPEC Screening with Maximum Ratio for Sediment (2010 Samples) at the Landfill North of Winklepeck Burning Grounds East Tributary Exposure Unit (continued)

Analyte (mg/kg)	CAS Number	Freq of Detect	Minimum Detect	Maximum Detect	Average Result	Background Criteria ^a	Ohio SRV	PBT ^b Compound? (yes/no)	SRC? (yes/no)	SRC Justification	ESV	ESV Source ^c	COPEC? (yes/no)	COPEC Justification	Ratio of Max to ESV
<i>Volatile Organic Compounds</i>															
2-Butanone	78-93-3	1/ 1	0.0054	0.0054	0.0054	0	--	No	Yes	Detected organic	0.0424	USEPA Reg 5	No	Below ESV	0.13

^aBackground criteria for sediment from final facility-wide background values for Camp Ravenna, published in the *Final Phase II Remedial Investigation Report for Winklepeck Burning Grounds at Ravenna Army Ammunition Plant, Ravenna, Ohio* (USACE 2001).

^bPBT compounds are defined by Ohio Environmental Protection Agency (Ohio EPA) 2008 as: aldrin/dieldrin; chlordane; dichlorodiphenyltrichloroethane (DDT) and metabolites [dichlorodiphenyldichloroethane (DDD)+dichlorodipenyldichloroethylene.(DDE)]; hexachlorobenzene; hexachlorobutadiene (hexachloro-1,3-butadiene); hexachlorocyclohexanes (BHCs, alpha-BHC, beta-BHC, delta-BHC); lindane (gammahexachlorocyclohexane); alkyl-lead; mercury and its compounds; mirex; photomirex; octachlorostyrene; polychlorinated biphenyls; 2,3,7,8-tetrachlorodibenzo-p-dioxin; dioxin; polychlorinated dibenzofurans (PCDF) (furans); 1,2,3,4-tetrachlorobenzene; 1,2,4,5-tetrachlorobenzene; toxaphene; and other chemicals that are reasonably anticipated to bioaccumulate in animal tissues.

^cEcological screening value: See sediment ESV table. Hierarchy of values according to Ohio EPA Risk Assessment Guidance is MacDonald et al. *Development and Evaluation of Consensus-based Sediment Quality Guidelines for Freshwater Ecosystems*, Arch. Environ. Contam. Toxicol. Volume 39, Issue 1. January 2000, followed by USEPA Region 5 ecological screening levels.

--= SRV not available.

CAS = Chemical Abstract Service.

COPEC = Chemical of potential ecological concern.

ESV = Ecological screening value.

Max = Maximum concentration.

mg/kg = Milligrams per kilogram.

PBT = Persistent, bioaccumulative, and toxic.

Reg = Region.

Req. =Requirement.

SRC = Site-related contaminant.

SRV = Sediment reference value.

USEPA = U.S. Environmental Protection Agency.

Bold = Chemical is a COPEC.

Table H-12. SRC and Integrated COPEC Screening with Maximum Ratio for Sediment (2010 Samples) at the Landfill North of Winklepeck Burning Grounds South Tributary Exposure Unit

Analyte (mg/kg)	CAS Number	Freq of Detect	Minimum Detect	Maximum Detect	Average Result	Background Criteria ^a	Ohio SRV	PBT ^b Compound? (yes/no)	SRC? (yes/no)	SRC Justification	ESV	ESV Source ^c	COPEC? (yes/no)	COPEC Justification	Ratio of Max to ESV
Inorganic Chemicals															
Aluminum	7429-90-5	1/ 1	12000	12000	12000	13900	29000	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Antimony	7440-36-0	1/ 1	0.2	0.2	0.2	0	1.3	No	No	Below SRV	No ESV	No Source	No	Below SRV	No ESV
Arsenic	7440-38-2	1/ 1	18.6	18.6	18.6	19.5	25	No	No	Below background	9.79	MacDonald et al.	No	Below background	1.90
Barium	7440-39-3	1/ 1	76.7	76.7	76.7	123	190	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Beryllium	7440-41-7	1/ 1	1	1	1	0.38	0.8	No	Yes	Exceeds SRV	No ESV	No Source	Yes	Exceeds SRV	No ESV
Cadmium	7440-43-9	1/ 1	0.43	0.43	0.43	0	0.79	No	No	Below SRV	0.99	MacDonald et al.	No	Below ESV and SRV	0.43
Calcium	7440-70-2	1/ 1	1270	1270	1270	5510	21000	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Chromium	7440-47-3	1/ 1	15.4	15.4	15.4	18.1	29	No	No	Below background	43.4	MacDonald et al.	No	Below background	0.35
Cobalt	7440-48-4	1/ 1	10	10	10	9.1	12	No	No	Below SRV	50	USEPA Reg 5	No	Below ESV and SRV	0.20
Copper	7440-50-8	1/ 1	14.7	14.7	14.7	27.6	32	No	No	Below background	31.6	MacDonald et al.	No	Below background	0.47
Iron	7439-89-6	1/ 1	80200	80200	80200	28200	41000	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Lead	7439-92-1	1/ 1	24.1	24.1	24.1	27.4	47	No	No	Below background	35.8	MacDonald et al.	No	Below background	0.67
Magnesium	7439-95-4	1/ 1	2300	2300	2300	2760	7100	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Manganese	7439-96-5	1/ 1	738	738	738	1950	1500	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Mercury	7439-97-6	1/ 1	0.047	0.047	0.047	0.059	0.12	Yes	Yes	PBT Compound	0.18	MacDonald et al.	Yes	PBT Compound	0.26
Nickel	7440-02-0	1/ 1	17.6	17.6	17.6	17.7	33	No	No	Below background	22.7	MacDonald et al.	No	Below background	0.78
Potassium	7440-09-7	1/ 1	885	885	885	1950	6800	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Selenium	7782-49-2	1/ 1	1.2	1.2	1.2	1.7	1.7	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Silver	7440-22-4	1/ 1	0.04	0.04	0.04	0	0.43	No	No	Below SRV	0.5	USEPA Reg 5	No	Below ESV and SRV	0.08
Sodium	7440-23-5	1/ 1	45.7	45.7	45.7	112	--	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Thallium	7440-28-0	1/ 1	0.19	0.19	0.19	0.89	4.7	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Vanadium	7440-62-2	1/ 1	29.9	29.9	29.9	26.1	40	No	No	Below SRV	No ESV	No Source	No	Below SRV	No ESV
Zinc	7440-66-6	1/ 1	81.8	81.8	81.8	532	160	No	No	Below background	121	MacDonald et al.	No	Below background	0.68
Explosives															
1,3,5-Trinitrobenzene	99-35-4	1/ 1	0.023	0.023	0.023	0	--	No	Yes	Detected organic	No ESV	No Source	Yes	Detected organic	No ESV
Semi-volatile Organic Compounds															
Fluoranthene	206-44-0	1/ 1	0.012	0.012	0.012	0	--	No	Yes	Detected organic	0.423	MacDonald et al.	No	Below ESV	0.03

^aBackground criteria for sediment from final facility-wide background values for Camp Ravenna, published in the *Final Phase II Remedial Investigation Report for Winklepeck Burning Grounds at Ravenna Army Ammunition Plant, Ravenna, Ohio* (USACE 2001).

^bPBT compounds are defined by Ohio Environmental Protection Agency (Ohio EPA) 2008 as: aldrin/dieldrin; chlordane; dichlorodiphenyltrichloroethane (DDT) and metabolites [dichlorodiphenyldichloroethane (DDD)+dichlorodiphenyldichloroethylene (DDE)]; hexachlorobenzene; hexachlorobutadiene (hexachloro-1,3-butadiene); hexachlorocyclohexanes (BHCs, alpha-BHC, beta-BHC, delta-BHC); lindane (gammahexachlorocyclohexane); alkyl-lead; mercury and its compounds; mirex; photomirex; octachlorostyrene; polychlorinated biphenyls; 2,3,7,8-tetrachlorodibenzo-p-dioxin; dioxin; polychlorinated dibenzofurans (PCDF) (furans); 1,2,3,4-tetrachlorobenzene; 1,2,4,5-tetrachlorobenzene; toxaphene; and other chemicals that are reasonably anticipated to bioaccumulate in animal tissues.

^cEcological screening value: See sediment ESV table. Hierarchy of values according to Ohio EPA Risk Assessment Guidance is MacDonald et al. *Development and Evaluation of Consensus-based Sediment Quality Guidelines for Freshwater Ecosystems*, Arch. Environ. Contam. Toxicol. Volume 39, Issue 1. January 2000, followed by USEPA Region 5 ecological screening levels.

--= SRV not available.

CAS = Chemical Abstract Service.

COPEC = Chemical of potential ecological concern.

ESV = Ecological screening value.

Max = Maximum concentration

mg/kg = Milligrams per kilogram.

PBT = Persistent, bioaccumulative, and toxic.

Reg = Region.

Req. = Requirement.

SRC = Site-related contaminant.

SRV = Sediment reference value.

USEPA = U.S. Environmental Protection Agency.

Bold = Chemical is a COPEC.

Table H-13. SRC and Integrated COPEC Screening with Maximum Ratio for Sediment (2004 ISM Samples) at the Landfill North of Winklepeck Burning Grounds East Tributary Exposure Unit

Analyte (mg/kg)	CAS Number	Freq of Detect	Minimum Detect	Maximum Detect	Average Result	Background Criteria ^a	Ohio SRV	PBT ^b Compound? (yes/no)	SRC? (yes/no)	SRC Justification	ESV	ESV Source ^c	COPEC? (yes/no)	COPEC Justification	Ratio of Max to ESV
Inorganic Chemicals															
Aluminum	7429-90-5	3/ 3	7400	9900	8800	13900	29000	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Arsenic	7440-38-2	3/ 3	6.4	12	8.73	19.5	25	No	No	Below background	9.79	MacDonald et al.	No	Below background	1.23
Barium	7440-39-3	3/ 3	62	81	74.3	123	190	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Beryllium	7440-41-7	3/ 3	0.58	0.7	0.647	0.38	0.8	No	No	Below SRV	No ESV	No Source	No	Below SRV	No ESV
Cadmium	7440-43-9	1/ 3	0.34	0.34	0.292	0	0.79	No	No	Below SRV	0.99	MacDonald et al.	No	Below SRV	0.34
Calcium	7440-70-2	3/ 3	1900	2100	1970	5510	21000	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Chromium	7440-47-3	3/ 3	10	13	11.7	18.1	29	No	No	Below background	43.4	MacDonald et al.	No	Below background	0.30
Cobalt	7440-48-4	3/ 3	6.9	8.6	8	9.1	12	No	No	Below background	50	USEPA Reg 5	No	Below background	0.17
Copper	7440-50-8	3/ 3	12	18	15	27.6	32	No	No	Below background	31.6	MacDonald et al.	No	Below background	0.57
Iron	7439-89-6	3/ 3	16000	22000	19300	28200	41000	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Lead	7439-92-1	3/ 3	15	16	15.3	27.4	47	No	No	Below background	35.8	MacDonald et al.	No	Below background	0.45
Magnesium	7439-95-4	3/ 3	1700	2400	2100	2760	7100	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Manganese	7439-96-5	3/ 3	470	710	593	1950	1500	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Mercury	7439-97-6	3/ 3	0.04	0.06	0.0467	0.059	0.12	Yes	Yes	PBT Compound	0.18	MacDonald et al.	Yes	PBT Compound	0.33
Nickel	7440-02-0	3/ 3	14	19	17	17.7	33	No	No	Below SRV	22.7	MacDonald et al.	No	Below SRV	0.84
Potassium	7440-09-7	3/ 3	930	1300	1140	1950	6800	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Sodium	7440-23-5	3/ 3	240	280	267	112	--	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Vanadium	7440-62-2	3/ 3	15	18	16.7	26.1	40	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Zinc	7440-66-6	3/ 3	71	89	81.7	532	160	No	No	Below background	121	MacDonald et al.	No	Below background	0.74
Explosives															
Nitrocellulose	9004-70-0	1/ 1	1.4	1.4	1.4	0	--	No	Yes	Detected organic	No ESV	No Source	Yes	Detected Organic	No ESV
Semi-volatile Organic Compounds															
Benz(a)anthracene	56-55-3	3/ 3	0.027	0.059	0.0397	0	--	No	Yes	Detected organic	0.108	MacDonald et al.	No	Below ESV	0.55
Benzo(a)pyrene	50-32-8	3/ 3	0.025	0.064	0.04	0	--	No	Yes	Detected organic	0.15	MacDonald et al.	No	Below ESV	0.43
Benzo(b)fluoranthene	205-99-2	3/ 3	0.037	0.091	0.0567	0	--	No	Yes	Detected organic	10.4	USEPA Reg 5	No	Below ESV	0.009
Benzo(ghi)perylene	191-24-2	1/ 3	0.043	0.043	0.0393	0	--	No	Yes	Detected organic	0.17	USEPA Reg 5	No	Below ESV	0.25
Benzo(k)fluoranthene	207-08-9	2/ 3	0.025	0.038	0.0335	0	--	No	Yes	Detected organic	0.24	USEPA Reg 5	No	Below ESV	0.16
Chrysene	218-01-9	3/ 3	0.033	0.079	0.051	0	--	No	Yes	Detected organic	0.166	MacDonald et al.	No	Below ESV	0.48
Fluoranthene	206-44-0	3/ 3	0.041	0.068	0.051	0	--	No	Yes	Detected organic	0.423	MacDonald et al.	No	Below ESV	0.16
Pyrene	129-00-0	3/ 3	0.043	0.071	0.0523	0	--	No	Yes	Detected organic	0.195	MacDonald et al.	No	Below ESV	0.36

^aBackground criteria for sediment from final facility-wide background values for Camp Ravenna, published in the *Final Phase II Remedial Investigation Report for Winklepeck Burning Grounds at Ravenna Army Ammunition Plant, Ravenna, Ohio* (USACE 2001).

^bPBT compounds are defined by Ohio Environmental Protection Agency (Ohio EPA) 2008 as: aldrin/dieldrin; chlordane; dichlorodiphenyltrichloroethane (DDT) and metabolites [dichlorodiphenyldichloroethane (DDD)+dichlorodiphenyldichloroethylene (DDE)]; hexachlorobenzene; hexachlorobutadiene (hexachloro-1,3-butadiene); hexachlorocyclohexanes (BHCs, alpha-BHC, beta-BHC, delta-BHC); lindane (gamma-hexachlorocyclohexane); alkyl-lead; mercury and its compounds; mirex; photomirex; octachlorostyrene; polychlorinated biphenyls; 2,3,7,8-tetrachlorodibenzo-p-dioxin; dioxin; polychlorinated dibenzofurans (PCDF) (furans); 1,2,3,4-tetrachlorobenzene; 1,2,4,5-tetrachlorobenzene; toxaphene; and other chemicals that are reasonably anticipated to bioaccumulate in animal tissues.

^cEcological screening value (ESV): See sediment ESV table. Hierarchy of values according to Ohio EPA Risk Assessment Guidance is MacDonald et al. *Development and Evaluation of Consensus-based Sediment Quality Guidelines for Freshwater Ecosystems*, Arch. Environ. Contam. Toxicol. Volume 39, Issue 1, January 2000, followed by USEPA Region 5 ecological screening levels.

--= SRV not available.

CAS = Chemical Abstract Service.

COPEC = Chemical of potential ecological concern.

ESV = Ecological screening value.

Freq. = Frequency.

ISM = Incremental Sampling methodology.

Max = Maximum concentration.

mg/kg = Milligrams per kilogram.

PBT = Persistent, bioaccumulative, and toxic.

Reg = Region.

SRC = Site-related contaminant.

SRV = Sediment reference value.

USEPA = U.S. Environmental Protection Agency.

Bold = Chemical is a COPEC.

Table H-14. SRC and Integrated COPEC Screening with Maximum Ratio for Sediment (2004 ISM Samples) at the Landfill North of Winklepeck Burning Grounds South Tributary Exposure Unit

Analyte (mg/kg)	CAS Number	Freq of Detect	Minimum Detect	Maximum Detect	Average Result	Background Criteria ^a	Ohio SRV	PBT ^b Compound? (yes/no)	SRC? (yes/no)	SRC Justification	ESV	ESV Source ^c	COPEC? (yes/no)	COPEC Justification	Ratio of Max to ESV
<i>Inorganic Chemicals</i>															
Aluminum	7429-90-5	1/ 1	10000	10000	10000	13900	29000	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Arsenic	7440-38-2	1/ 1	7.8	7.8	7.8	19.5	25	No	No	Below background	9.79	MacDonald et al.	No	Below background	0.80
Barium	7440-39-3	1/ 1	110	110	110	123	190	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Beryllium	7440-41-7	1/ 1	0.73	0.73	0.73	0.38	0.8	No	No	Below SRV	No ESV	No Source	No	Below SRV	No ESV
Calcium	7440-70-2	1/ 1	1800	1800	1800	5510	21000	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Chromium	7440-47-3	1/ 1	13	13	13	18.1	29	No	No	Below background	43.4	MacDonald et al.	No	Below background	0.30
Cobalt	7440-48-4	1/ 1	7.5	7.5	7.5	9.1	12	No	No	Below background	50	USEPA Reg 5	No	Below background	0.15
Copper	7440-50-8	1/ 1	16	16	16	27.6	32	No	No	Below background	31.6	MacDonald et al.	No	Below background	0.51
Iron	7439-89-6	1/ 1	19000	19000	19000	28200	41000	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Lead	7439-92-1	1/ 1	19	19	19	27.4	47	No	No	Below background	35.8	MacDonald et al.	No	Below background	0.53
Magnesium	7439-95-4	1/ 1	2200	2200	2200	2760	7100	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Manganese	7439-96-5	1/ 1	700	700	700	1950	1500	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Mercury	7439-97-6	1/ 1	0.07	0.07	0.07	0.059	0.12	Yes	Yes	PBT Compound	0.18	MacDonald et al.	Yes	PBT Compound	0.39
Nickel	7440-02-0	1/ 1	17	17	17	17.7	33	No	No	Below background	22.7	MacDonald et al.	No	Below background	0.75
Potassium	7440-09-7	1/ 1	810	810	810	1950	6800	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Sodium	7440-23-5	1/ 1	280	280	280	112	--	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Vanadium	7440-62-2	1/ 1	18	18	18	26.1	40	No	No	Below background	No ESV	No Source	No	Below background	No ESV
Zinc	7440-66-6	1/ 1	75	75	75	532	160	No	No	Below background	121	MacDonald et al.	No	Below background	0.62

^aBackground criteria for sediment from final facility-wide background values for Camp Ravenna, published in the *Final Phase II Remedial Investigation Report for Winklepeck Burning Grounds at Ravenna Army Ammunition Plant, Ravenna, Ohio* (USACE 2001).

^bPBT compounds are defined by Ohio Environmental Protection Agency (Ohio EPA) 2008 as: aldrin/dieldrin; chlordane; dichlorodiphenyltrichloroethane (DDT) and metabolites [dichlorodiphenyldichloroethane (DDD)+dichlorodiphenyldichloroethylene.(DDE)]; hexachlorobenzene; hexachlorobutadiene (hexachloro-1,3-butadiene); hexachlorocyclohexanes (BHCs, alpha-BHC, beta-BHC, delta-BHC); lindane (gammahexachlorocyclohexane); alkyl-lead; mercury and its compounds; mirex; photomirex; octachlorostyrene; polychlorinated biphenyls; 2,3,7,8-tetrachlorodibenzo-p-dioxin; dioxin; polychlorinated dibenzofurans (PCDF) (furans); 1,2,3,4-tetrachlorobenzene; 1,2,4,5-tetrachlorobenzene; toxaphene; and other chemicals that are reasonably anticipated to bioaccumulate in animal tissues.

^cEcological screening value: See sediment ESV table. Hierarchy of values according to Ohio EPA Risk Assessment Guidance is MacDonald et al. *Development and Evaluation of Consensus-based Sediment Quality Guidelines for Freshwater Ecosystems*, Arch. Environ. Contam. Toxicol. Volume 39, Issue 1. January 2000, followed by USEPA Region 5 ecological screening levels.

--= SRV not available.

CAS = Chemical Abstract Service.

COPEC = Chemical of potential ecological concern.

ESV = Ecological screening value.

ISM = Incremental sampling methodology.

Max = Maximum concentration.

mg/kg = Milligrams per kilogram.

PBT = Persistent, bioaccumulative, and toxic.

Reg = Region.

SRC = Site-related contaminant.

SRV = Sediment reference value.

USEPA = U.S. Environmental Protection Agency.

Bold = Chemical is a COPEC.

Table H-15. SRC and Integrated COPEC Screening with Maximum to OMZM Ratio for Surface Water at the Landfill North of Winklepeck Burning Grounds East Tributary Exposure Unit

Analyte (mg/L)	CAS Number	Freq of Detect	Minimum Detect	Maximum Detect	Average Result	Background Criteria ^a	PBT ^b Compound? (yes/no)	SRC? (yes/no)	SRC Justification	ESV	ESV Source ^c	COPEC? (yes/no)	COPEC Justification	Ratio of Max to ESV
<i>Inorganic Chemicals</i>														
Aluminum	7429-90-5	3/ 3	0.539	0.69	0.603	3.37	No	No	Below background	0.087	NAWQC 2009	No	Below background	7.93
Antimony	7440-36-0	1/ 3	0.00023	0.00023	0.00174	0	No	Yes	Exceeds background	0.9	Ohio Administrative Code	No	Below ESV	0.0003
Arsenic	7440-38-2	3/ 3	0.00081	0.001	0.000907	0.0032	No	No	Below background	0.34	Ohio Administrative Code	No	Below background	0.003
Barium	7440-39-3	3/ 3	0.0159	0.0174	0.0164	0.0475	No	No	Below background	2	Ohio Administrative Code	No	Below background	0.01
Cadmium	7440-43-9	1/ 3	0.000043	0.000043	0.000681	0	No	Yes	Exceeds background	0.0045	Ohio Administrative Code ^d	No	Below ESV	0.01
Calcium	7440-70-2	3/ 3	16.1	16.5	16.3	41.4	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Chromium	7440-47-3	2/ 3	0.00067	0.0031	0.00209	0	No	Yes	Exceeds background	1.8	Ohio Administrative Code ^d	No	Below ESV	0.002
Cobalt	7440-48-4	3/ 3	0.00019	0.00025	0.000223	0	No	Yes	Exceeds background	0.22	Ohio Administrative Code	No	Below ESV	0.001
Copper	7440-50-8	2/ 3	0.0014	0.0015	0.0018	0.0079	No	No	Below background	0.014	Ohio Administrative Code ^d	No	Below background	0.11
Iron	7439-89-6	3/ 3	0.899	1.34	1.11	2.56	No	No	Essential Nutrient	1	NAWQC 2009	No	Essential Nutrient	1.34
Lead	7439-92-1	3/ 3	0.00042	0.00059	0.00051	0	No	Yes	Exceeds background	0.12	Ohio Administrative Code ^d	No	Below ESV	0.005
Magnesium	7439-95-4	3/ 3	3.81	4.06	3.92	10.8	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Manganese	7439-96-5	3/ 3	0.0997	0.12	0.111	0.391	No	No	Below background	0.12	Tier II (Suter & Tsao 1996)	No	Below background	1.00
Nickel	7440-02-0	3/ 3	0.0011	0.002	0.00143	0	No	Yes	Exceeds background	0.47	Ohio Administrative Code ^d	No	Below ESV	0.004
Potassium	7440-09-7	3/ 3	1.14	1.2	1.17	3.17	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Silver	7440-22-4	1/ 3	0.000028	0.000028	0.00168	0	No	Yes	Exceeds background	0.0016	Ohio Administrative Code ^d	No	Below ESV	0.02
Sodium	7440-23-5	3/ 3	1.6	1.65	1.62	21.3	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Thallium	7440-28-0	1/ 3	0.00038	0.00038	0.000793	0	No	Yes	Exceeds background	0.079	Ohio Administrative Code	No	Below ESV	0.005
Vanadium	7440-62-2	3/ 3	0.00086	0.0012	0.000997	0	No	Yes	Exceeds background	0.15	Ohio Administrative Code	No	Below ESV	0.01
<i>Semi-volatile Organic Compounds</i>														
Bis(2-ethylhexyl)phthalate	117-81-7	2/ 3	0.0009	0.005	0.00363	0	No	Yes	Detected organic	1.1	Ohio Administrative Code	No	Below ESV	0.005
<i>Volatile Organic Compounds</i>														
Acetone	67-64-1	3/ 3	0.0016	0.0027	0.002	0	No	Yes	Detected organic	1.5	Tier II (Suter & Tsao 1996)	No	Below ESV	0.002

^aBackground criteria for surface water from final facility-wide background values for Camp Ravenna, published in the *Final Phase II Remedial Investigation Report for Winklepeck Burning Grounds at Ravenna Army Ammunition Plant, Ravenna, Ohio* (USACE 2001).

^bPBT compounds are defined by Ohio Environmental Protection Agency (Ohio EPA) 2008 as: aldrin/dieldrin; chlordane; dichlorodiphenyltrichloroethane (DDT) and metabolites [dichlorodiphenyldichloroethane (DDD)+dichlorodiphenyldichloroethylene.(DDE)]; hexachlorobenzene; hexachlorobutadiene (hexachloro-1,3-butadiene); hexachlorocyclohexanes (BHCs, alpha-BHC, beta-BHC, delta-BHC); lindane (gamma-hexachlorocyclohexane); alkyl-lead; mercury and its compounds; mirex; photomirex; octachlorostyrene; polychlorinated biphenyls; 2,3,7,8-tetrachlorodibenzo-p-dioxin; dioxin; polychlorinated dibenzofurans (PCDF) (furans); 1,2,3,4-tetrachlorobenzene; 1,2,4,5-tetrachlorobenzene; toxaphene; and other chemicals that are reasonably anticipated to bioaccumulate in animal tissues.

^cScreening level source: see surface water ESV appendix table. Hierarchy of values according to Ohio EPA risk assessment guidance and letter from Ohio EPA is Ohio EPA outside mixing zone maximum, followed by NAWQC or Tier II values, followed by USEPA Region 5 ecological screening levels.

^dValue is hardness dependent.

CAS = Chemical Abstract Service.

COPEC = Chemical of potential ecological concern.

ESV = Ecological screening value.

Max = Maximum concentration.

NAWQC = National Ambient Water Quality Criteria.

PBT = Persistent, bioaccumulative, and toxic.

PCB = Polychlorinated biphenyl.

SRC = Site-related contaminant.

USEPA = U.S. Environmental Protection Agency.

Bold = Chemical is a COPEC.

Table H-16. SRC and Integrated COPEC Screening with Maximum to OMZA Ratio for Surface Water at the Landfill North of Winklepeck Burning Grounds East Tributary Exposure Unit

Analyte (mg/L)	CAS Number	Freq of Detect	Minimum Detect	Maximum Detect	Average Result	Background Criteria ^a	PBT ^b Compound? (yes/no)	SRC? (yes/no)	SRC Justification	ESV	ESV Source ^c	COPEC? (yes/no)	COPEC Justification	Ratio of Max to ESV
<i>Inorganic Chemicals</i>														
Aluminum	7429-90-5	3/ 3	0.539	0.69	0.603	3.37	No	No	Below background	0.087	NAWQC 2009	No	Below background	7.93
Antimony	7440-36-0	1/ 3	0.00023	0.00023	0.00174	0	No	Yes	Exceeds background	0.19	Ohio Administrative Code	No	Below ESV	0.001
Arsenic	7440-38-2	3/ 3	0.00081	0.001	0.000907	0.0032	No	No	Below background	0.15	Ohio Administrative Code	No	Below background	0.007
Barium	7440-39-3	3/ 3	0.0159	0.0174	0.0164	0.0475	No	No	Below background	0.22	Ohio Administrative Code	No	Below background	0.079
Cadmium	7440-43-9	1/ 3	0.000043	0.000043	0.000681	0	No	Yes	Exceeds background	0.0025	Ohio Administrative Code ^d	No	Below ESV	0.017
Calcium	7440-70-2	3/ 3	16.1	16.5	16.3	41.4	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Chromium	7440-47-3	2/ 3	0.00067	0.0031	0.00209	0	No	Yes	Exceeds background	0.086	Ohio Administrative Code ^d	No	Below ESV	0.036
Cobalt	7440-48-4	3/ 3	0.00019	0.00025	0.000223	0	No	Yes	Exceeds background	0.024	Ohio Administrative Code	No	Below ESV	0.010
Copper	7440-50-8	2/ 3	0.0014	0.0015	0.0018	0.0079	No	No	Below background	0.0093	Ohio Administrative Code ^d	No	Below background	0.16
Iron	7439-89-6	3/ 3	0.899	1.34	1.11	2.56	No	No	Essential Nutrient	1	NAWQC 2009	No	Essential Nutrient	1.34
Lead	7439-92-1	3/ 3	0.00042	0.00059	0.00051	0	No	Yes	Exceeds background	0.0064	Ohio Administrative Code ^d	No	Below ESV	0.092
Magnesium	7439-95-4	3/ 3	3.81	4.06	3.92	10.8	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Manganese	7439-96-5	3/ 3	0.0997	0.12	0.111	0.391	No	No	Below background	0.12	Tier II (Suter & Tsao 1996)	No	Below background	1
Nickel	7440-02-0	3/ 3	0.0011	0.002	0.00143	0	No	Yes	Exceeds background	0.052	Ohio Administrative Code ^d	No	Below ESV	0.038
Potassium	7440-09-7	3/ 3	1.14	1.2	1.17	3.17	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Silver	7440-22-4	1/ 3	0.000028	0.000028	0.00168	0	No	Yes	Exceeds background	0.0013	Ohio Administrative Code ^d	No	Below ESV	0.022
Sodium	7440-23-5	3/ 3	1.6	1.65	1.62	21.3	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Thallium	7440-28-0	1/ 3	0.00038	0.00038	0.000793	0	No	Yes	Exceeds background	0.017	Ohio Administrative Code	No	Below ESV	0.022
Vanadium	7440-62-2	3/ 3	0.00086	0.0012	0.000997	0	No	Yes	Exceeds background	0.044	Ohio Administrative Code	No	Below ESV	0.027
<i>Semi-volatile Organic Compounds</i>														
Bis(2-ethylhexyl)phthalate	117-81-7	2/ 3	0.0009	0.005	0.00363	0	No	Yes	Detected organic	0.0084	Ohio Administrative Code	No	Below ESV	0.60
<i>Volatile Organic Compounds</i>														
Acetone	67-64-1	3/ 3	0.0016	0.0027	0.002	0	No	Yes	Detected organic	1.5	Tier II (Suter & Tsao 1996)	No	Below ESV	0.002

^aBackground criteria for surface water from final facility-wide background values for Camp Ravenna, published in the *Final Phase II Remedial Investigation Report for Winklepeck Burning Grounds at Ravenna Army Ammunition Plant, Ravenna, Ohio* (USACE 2001).

^bPBT compounds are defined by Ohio Environmental Protection Agency (Ohio EPA) 2008 as: aldrin/dieldrin; chlordane; dichlorodiphenyltrichloroethane (DDT) and metabolites [dichlorodiphenyldichloroethane (DDD)+dichlorodiphenyldichloroethylene.(DDE)]; hexachlorobenzene; hexachlorobutadiene (hexachloro-1,3-butadiene); hexachlorocyclohexanes (BHCs, alpha-BHC, beta-BHC, delta-BHC); lindane (gammahexachlorocyclohexane); alkyl-lead; mercury and its compounds; mirex; photomirex; octachlorostyrene; polychlorinated biphenyls; 2,3,7,8-tetrachlorodibenzo-p-dioxin; dioxin; polychlorinated dibenzofurans (PCDF) (furans); 1,2,3,4-tetrachlorobenzene; 1,2,4,5-tetrachlorobenzene; toxaphene; and other chemicals that are reasonably anticipated to bioaccumulate in animal tissues.

^cScreening level source: see surface water ESV appendix table. Hierarchy of values according to Ohio EPA risk assessment guidance and letter from Ohio EPA is Ohio EPA outside mixing zone average, followed by NAWQC or Tier II values, followed by USEPA Region 5 ecological screening levels.

^dValue is hardness dependent.

CAS = Chemical Abstract Service.

COPEC = Chemical of potential ecological concern.

ESV = Ecological screening value.

Max = Maximum concentration.

NAWQC = National ambient water quality criteria.

PBT = Persistent, bioaccumulative, and toxic.

PCB = Polychlorinated biphenyl.

SRC = Site-related contaminant.

USEPA = U.S. Environmental Protection Agency.

Bold = Chemical is a COPEC.

Table H-17. SRC and Integrated COPEC Screening with Maximum to OMZM Ratio for Surface Water at the Landfill North of Winklepeck Burning Grounds South Tributary Exposure Unit

Analyte (mg/L)	CAS Number	Freq of Detect	Minimum Detect	Maximum Detect	Average Result	Background Criteria ^a	PBT ^b Compound? (yes/no)	SRC? (yes/no)	SRC Justification	ESV	ESV Source ^c	COPEC? (yes/no)	COPEC Justification	Ratio of Max to ESV
<i>Inorganic Chemicals</i>														
Aluminum	7429-90-5	1/ 1	0.62	0.62	0.62	3.37	No	No	Below background	0.087	NAWQC 2009	No	Below background	7.13
Arsenic	7440-38-2	1/ 1	0.0019	0.0019	0.0019	0.0032	No	No	Below background	0.34	Ohio Administrative Code	No	Below background	0.01
Barium	7440-39-3	1/ 1	0.032	0.032	0.032	0.0475	No	No	Below background	2	Ohio Administrative Code	No	Below background	0.02
Cadmium	7440-43-9	1/ 1	0.000057	0.000057	0.000057	0	No	Yes	Exceeds background	0.0045	Ohio Administrative Code ^d	No	Below ESV	0.01
Calcium	7440-70-2	1/ 1	23	23	23	41.4	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Chromium	7440-47-3	1/ 1	0.00077	0.00077	0.00077	0	No	Yes	Exceeds background	1.8	Ohio Administrative Code ^d	No	Below ESV	0.0004
Cobalt	7440-48-4	1/ 1	0.0013	0.0013	0.0013	0	No	Yes	Exceeds background	0.22	Ohio Administrative Code	No	Below ESV	0.01
Copper	7440-50-8	1/ 1	0.0014	0.0014	0.0014	0.0079	No	No	Below background	0.014	Ohio Administrative Code ^d	No	Below background	0.10
Iron	7439-89-6	1/ 1	6.07	6.07	6.07	2.56	No	No	Essential Nutrient	1	NAWQC 2009	No	Essential Nutrient	6.07
Lead	7439-92-1	1/ 1	0.001	0.001	0.001	0	No	Yes	Exceeds background	0.12	Ohio Administrative Code ^d	No	Below ESV	0.01
Magnesium	7439-95-4	1/ 1	5.87	5.87	5.87	10.8	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Manganese	7439-96-5	1/ 1	0.766	0.766	0.766	0.391	No	Yes	Exceeds background	0.12	Tier II (Suter & Tsao 1996)	Yes	Exceeds ESV	6.38
Nickel	7440-02-0	1/ 1	0.0011	0.0011	0.0011	0	No	Yes	Exceeds background	0.47	Ohio Administrative Code ^d	No	Below ESV	0.002
Potassium	7440-09-7	1/ 1	1.27	1.27	1.27	3.17	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Selenium	7782-49-2	1/ 1	0.0002	0.0002	0.0002	0	No	Yes	Exceeds background	0.005	NAWQC 2009	No	Below ESV	0.04
Sodium	7440-23-5	1/ 1	2.25	2.25	2.25	21.3	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Vanadium	7440-62-2	1/ 1	0.0012	0.0012	0.0012	0	No	Yes	Exceeds background	0.15	Ohio Administrative Code	No	Below ESV	0.01
<i>Explosives</i>														
Nitrocellulose	9004-70-0	1/ 1	0.13	0.13	0.13	0	No	Yes	Detected organic	No ESV	No Source	Yes	Detected Organic	No ESV
<i>Semi-volatile Organic Compounds</i>														
Bis(2-ethylhexyl)phthalate	117-81-7	1/ 1	0.0048	0.0048	0.0048	0	No	Yes	Detected organic	1.1	Ohio Administrative Code	No	Below ESV	0.004
<i>Volatile Organic Compounds</i>														
Acetone	67-64-1	1/ 1	0.0021	0.0021	0.0021	0	No	Yes	Detected organic	1.5	Tier II (Suter & Tsao 1996)	No	Below ESV	0.001

^aBackground criteria for surface water from final facility-wide background values for Camp Ravenna, published in the *Final Phase II Remedial Investigation Report for Winklepeck Burning Grounds at Ravenna Army Ammunition Plant, Ravenna, Ohio* (USACE 2001).

^bPBT compounds are defined by Ohio Environmental Protection Agency (Ohio EPA) 2008 as: aldrin/dieldrin; chlordane; dichlorodiphenyltrichloroethane (DDT) and metabolites [dichlorodiphenyldichloroethane (DDD)+dichlorodiphenyldichloroethylene.(DDE)]; hexachlorobenzene; hexachlorobutadiene (hexachloro-1,3-butadiene); hexachlorocyclohexanes (BHCs, alpha-BHC, beta-BHC, delta-BHC); lindane (gamma-hexachlorocyclohexane); alkyl-lead; mercury and its compounds; mirex; photomirex; octachlorostyrene; polychlorinated biphenyls; 2,3,7,8-tetrachlorodibenzo-p-dioxin; dioxin; polychlorinated dibenzofurans (PCDF) (furans); 1,2,3,4-tetrachlorobenzene; 1,2,4,5-tetrachlorobenzene; toxaphene; and other chemicals that are reasonably anticipated to bioaccumulate in animal tissues.

^cScreening level source: see surface water ESV appendix table. Hierarchy of values according to Ohio EPA risk assessment guidance and letter from Ohio EPA is Ohio EPA outside mixing zone maximum (OMZM), followed by NAWQC or Tier II values, followed by USEPA Region 5 ecological screening levels.

^dValue is hardness dependent.

CAS = Chemical Abstract Service.

COPEC = Chemical of potential ecological concern.

ESV = Ecological screening value.

Max = Maximum concentration.

NAWQC = National ambient water quality criteria.

PBT = Persistent, bioaccumulative, and toxic.

SRC = Site-related contaminant.

USEPA = U.S. Environmental Protection Agency.

Bold = Chemical is a COPEC.

Table H-18. SRC and Integrated COPEC Screening with Maximum to OMZA Ratio for Surface Water at the Landfill North of Winklepeck Burning Grounds South Tributary Exposure Unit

Analyte (mg/L)	CAS Number	Freq of Detect	Minimum Detect	Maximum Detect	Average Result	Background Criteria ^a	PBT ^b Compound? (yes/no)	SRC? (yes/no)	SRC Justification	ESV	ESV Source ^c	COPEC? (yes/no)	COPEC Justification	Ratio of Max to ESV
<i>Inorganic Chemicals</i>														
Aluminum	7429-90-5	1/ 1	0.62	0.62	0.62	3.37	No	No	Below background	0.087	NAWQC 2009	No	Below background	7.13
Arsenic	7440-38-2	1/ 1	0.0019	0.0019	0.0019	0.0032	No	No	Below background	0.15	Ohio Administrative Code	No	Below background	0.013
Barium	7440-39-3	1/ 1	0.032	0.032	0.032	0.0475	No	No	Below background	0.22	Ohio Administrative Code	No	Below background	0.15
Cadmium	7440-43-9	1/ 1	0.000057	0.000057	0.000057	0	No	Yes	Exceeds background	0.0025	Ohio Administrative Code ^d	No	Below ESV	0.023
Calcium	7440-70-2	1/ 1	23	23	23	41.4	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Chromium	7440-47-3	1/ 1	0.00077	0.00077	0.00077	0	No	Yes	Exceeds background	0.086	Ohio Administrative Code ^d	No	Below ESV	0.009
Cobalt	7440-48-4	1/ 1	0.0013	0.0013	0.0013	0	No	Yes	Exceeds background	0.024	Ohio Administrative Code	No	Below ESV	0.054
Copper	7440-50-8	1/ 1	0.0014	0.0014	0.0014	0.0079	No	No	Below background	0.0093	Ohio Administrative Code ^d	No	Below background	0.15
Iron	7439-89-6	1/ 1	6.07	6.07	6.07	2.56	No	No	Essential Nutrient	1	NAWQC 2009	No	Essential Nutrient	6.07
Lead	7439-92-1	1/ 1	0.001	0.001	0.001	0	No	Yes	Exceeds background	0.0064	Ohio Administrative Code ^d	No	Below ESV	0.16
Magnesium	7439-95-4	1/ 1	5.87	5.87	5.87	10.8	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Manganese	7439-96-5	1/ 1	0.766	0.766	0.766	0.391	No	Yes	Exceeds background	0.12	Tier II (Suter & Tsao 1996)	Yes	Exceeds ESV	6.38
Nickel	7440-02-0	1/ 1	0.0011	0.0011	0.0011	0	No	Yes	Exceeds background	0.052	Ohio Administrative Code ^d	No	Below ESV	0.021
Potassium	7440-09-7	1/ 1	1.27	1.27	1.27	3.17	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Selenium	7782-49-2	1/ 1	0.0002	0.0002	0.0002	0	No	Yes	Exceeds background	0.005	Ohio Administrative Code	No	Below ESV	0.04
Sodium	7440-23-5	1/ 1	2.25	2.25	2.25	21.3	No	No	Essential Nutrient	No ESV	No Source	No	Essential Nutrient	No ESV
Vanadium	7440-62-2	1/ 1	0.0012	0.0012	0.0012	0	No	Yes	Exceeds background	0.044	Ohio Administrative Code	No	Below ESV	0.027
<i>Explosives</i>														
Nitrocellulose	9004-70-0	1/ 1	0.13	0.13	0.13	0	No	Yes	Detected organic	No ESV	No Source	Yes	Detected Organic	No ESV
<i>Semi-volatile Organic Compounds</i>														
Bis(2-ethylhexyl)phthalate	117-81-7	1/ 1	0.0048	0.0048	0.0048	0	No	Yes	Detected organic	0.0084	Ohio Administrative Code	No	Below ESV	0.57
<i>Volatile Organic Compounds</i>														
Acetone	67-64-1	1/ 1	0.0021	0.0021	0.0021	0	No	Yes	Detected organic	1.5	Tier II (Suter & Tsao 1996)	No	Below ESV	0.001

^aBackground criteria for surface water from final facility-wide background values for Camp Ravenna, published in the *Final Phase II Remedial Investigation Report for Winklepeck Burning Grounds at Ravenna Army Ammunition Plant, Ravenna, Ohio* (USACE 2001).

^bPBT compounds are defined by Ohio Environmental Protection Agency (Ohio EPA) 2008 as: aldrin/dieldrin; chlordane; dichlorodiphenyltrichloroethane (DDT) and metabolites [dichlorodiphenyldichloroethane (DDD)+dichlorodiphenyldichloroethylene.(DDE)]; hexachlorobenzene; hexachlorobutadiene (hexachloro-1,3-butadiene); hexachlorocyclohexanes (BHCs, alpha-BHC, beta-BHC, delta-BHC); lindane (gamma-hexachlorocyclohexane); alkyl-lead; mercury and its compounds; mirex; photomirex; octachlorostyrene; polychlorinated biphenyls; 2,3,7,8-tetrachlorodibenzo-p-dioxin; dioxin; polychlorinated dibenzofurans (PCDF) (furans); 1,2,3,4-tetrachlorobenzene; 1,2,4,5-tetrachlorobenzene; toxaphene; and other chemicals that are reasonably anticipated to bioaccumulate in animal tissues.

^cScreening level source: see surface water ESV appendix table. Hierarchy of values according to Ohio EPA risk assessment guidance and letter from Ohio EPA is Ohio EPA outside mixing zone average (OMZA), followed by NAWQC or Tier II values, followed by USEPA Region 5 ecological screening levels.

^dValue is hardness dependent.

CAS = Chemical Abstract Service.

COPEC = Chemical of potential ecological concern.

ESV = Ecological screening value.

Max = Maximum concentration.

NAWQC = National ambient water quality criteria.

PBT = Persistent, bioaccumulative, and toxic.

SRC = Site-related contaminant.

USEPA = U.S. Environmental Protection Agency.

Bold = Chemical is a COPEC.

THIS PAGE INTENTIONALLY LEFT BLANK.

REFERENCES

- BTAG (U.S. Army Biological Technical Assistance Group) 2005. *Technical Document for Ecological Risk Assessment: Process for Developing Management Goals*. August 2005.
- DOE (U.S. Department of Energy) 1997a. *Preliminary Remediation Goals for Ecological Endpoints*. Oak Ridge National Laboratory, Oak Ridge Tennessee. August 1997.
- DOE 1997b. *Toxicological Benchmarks for Screening Contaminants of Potential Concern for Effects on Soil and Litter Invertebrates and Heterotrophic Process; 1997 Revision*. Oak Ridge National Laboratory, Oak Ridge Tennessee. November 1997.
- DOE 1997c. *Toxicological Benchmarks for Screening Contaminants of Potential Concern for Effects on Terrestrial Plants: 1997 Revision*. Oak Ridge National Laboratory, Oak Ridge, Tennessee. November 1997.
- Efroymson, R.A., G.W. Suter II, B.E. Sample, and D.S. Jones 1997a. *Preliminary Remediation Goals for Ecological Endpoints*. Oak Ridge National Laboratory, Oak Ridge Tennessee. August 1997. [See DOE 1997a]
- Efroymson, R.A., M.E. Will, and G.W. Suter II 1997b. *Toxicological Benchmarks for Screening Contaminants of Potential Concern for Effects on Soil and Litter Invertebrates and Heterotrophic Process; 1997 Revision*. Oak Ridge National Laboratory, Oak Ridge Tennessee. November 1997. [See DOE 1997b]
- Efroymson, R.A., M.E. Will, G.W. Suter II, and A.C. Wooten 1997c. *Toxicological Benchmarks for Screening Contaminants of Potential Concern for Effects on Terrestrial Plants: 1997 Revision*. Oak Ridge National Laboratory, Oak Ridge, Tennessee. November 1997. [See DOE 1997c]
- MacDonald, D.D., C.G. Ingersoll, and T.A. Berger. 2000. *Development and Evaluation of Consensus-based Sediment Quality Guidelines for Freshwater Ecosystems*, Arch. Environ. Contam. Toxicol. 39, 20-31. 2000.
- NAWQC (National Recommended Water Quality Criteria) 2009. <http://water.epa.gov/scitech/swguidance/waterquality/standards/current/index.cfm>. 2009.
- OHARNG (Ohio Army National Guard) 2014. *Integrated Natural Resources Management Plan and Environmental Assessment for the Ravenna Training and Logistics Site, Portage and Trumbull Counties, Ohio*. December 2014.
- Ohio EPA (Ohio Environmental Protection Agency) 2008. *Guidance for Conducting Ecological Risk Assessments (Ohio EPA)*. Division of Emergency and Remedial Response. April 2008.

- Suter, G.W. II, and C.L. Tsao 1996. *Toxicological Benchmarks for Screening Potential Constituents of Concern for Effects on Aquatic Biota: 1996 Revision*, ES/ER/TM 96/R2, Lockheed Martin Energy Systems, Oak Ridge National Laboratory, Oak Ridge, TN. June 1996.
- USACE (U.S. Army Corps of Engineers) 2001. *Phase II Remedial Investigation Report for the Winklepeck Burning Grounds at the Ravenna Army Ammunition Plant, Ravenna, Ohio*. April 2001.
- USEPA (U.S. Environmental Protection Agency) 1998. *Technical Approach for Developing EDQLs for Resource Conservation and Recovery Act (RCRA) Appendix IX Constituents and Other Significant Contaminants of Ecological Concern*. USEPA, Region 5. April 1998.
- USEPA 2003. *Ecological Screening Levels*. USEPA, Region 5.
<http://www.epa.gov/reg5rcra/ca/edql.htm>. August 2003.
- USEPA 2010. *Ecological Soil Screening Levels (Eco-SSLs)*. Office of Solid Waste and Emergency Response, Washington, D.C. 2010. <http://www.epa.gov/ecotox/ecossl/> 2010.